RAZIK TELECOM

Detailed ERP Scoping Report

Telecom Credit Distribution Platform

Document field	Details
Document status	Scoping baseline for internal review
Version	0.1
Date	19 September 2026
Prepared for	Razik Telecom
Geographic scope	Algiers, Algeria
Primary business model	B2B distribution of prepaid mobile credit
Confidentiality	Confidential - internal business and technical planning

This report defines the initial business, functional, control and technical scope for a bilingual platform through which approved agents and retailers can initiate customer mobile-credit recharges. It also establishes the validation work required before development can proceed beyond a clickable prototype.

The recommended approach is phased. Phase 1 validates the transaction model, operator connectivity, local-server environment and financial controls. Phase 2 builds the Windows application, Android and iOS applications, administration functions and controlled pilot. The architecture should reserve capacity for a later inventory and e-commerce module without introducing unconfirmed retail functionality into the first release.

Document control

Version	Date	Purpose	Status
0.1	19 Sep 2026	Initial scope based on owner discovery responses	For internal validation

Information classification

Classification	Meaning in this report
Confirmed fact	Directly confirmed by the owner during discovery.
Requirement	Requested capability, subject to validation where integration or policy details are incomplete.
Recommendation	Proposed design or control intended to reduce risk or improve operation.
To validate	Information that must be confirmed before design, build or go-live.
Deferred	Capability deliberately reserved for a later phase.
Out of current scope	Not included in the first-release definition unless formally approved through change control.

Scope authority

This report is an internal scoping baseline rather than a final software specification or commercial quotation. Operator API documentation, server access, screenshots of the comparable application, company brand assets and operating evidence remain necessary before the scope can be converted into a signed solution requirements specification.

Contents

1 Executive summary

2 Company and operating model

3 Scope boundaries and guiding principles

4 Current-state assessment

5 Proposed future-state operating model

6 Functional module scope

7 User roles and access control

8 Data and integration scope

9 Non-functional requirements

10 Reporting and management information

11 Controls risks and mitigations

12 Prototype scope

13 Delivery roadmap

14 Data migration training and support

15 Registers and traceability

16 Client responsibilities assumptions exclusions and sign-off

1 Executive summary

Razik Telecom is an Algiers-based B2B distributor of prepaid mobile credit for Djezzy, Ooredoo and Mobilis. The company purchases credit in bulk and distributes it to approved retail agents that recharge end-customer mobile numbers. The business is currently operated by the owner as the sole operator. Cash is collected physically after sales or under instalment arrangements.

The requested solution is a controlled-access platform comprising a Windows application and Android and iOS mobile applications. A prospective retailer submits a registration request, the owner approves or rejects it, and each approved user receives an individual account. During a recharge, the agent enters the end-customer mobile number; the system identifies the operator from the number prefix, obtains the amount and confirmation, then routes the recharge through the relevant owner/operator account without routine owner intervention.

The first deliverable is a clickable bilingual Arabic and French prototype reflecting Razik Telecom branding. It will demonstrate the intended user journeys without claiming live operator integration. A comparable distributor application can be supplied as screenshots for reference, while detailed interface specifications will be finalised after the prototype.

Primary conclusions

- The initiative is best treated as a transaction platform with ERP control functions, not as a generic accounting or e-commerce implementation.
- Automatic recharge cannot be specified safely until the actual operator connection method, API availability, account structure and failure responses are evidenced.
- The commercial model requires a formal agent sub-ledger covering recharge sales, credit exposure, instalments, collections, receipts, allocations, ageing and reconciliation.
- Because the owner currently performs all administration and cash confirmation, role separation is limited at present; the system should nevertheless support future staff roles and preserve a complete audit trail.
- Operator recognition by prefix is acceptable for the initial design assumption, but number portability and prefix-list maintenance must be assessed before go-live.
- The architecture should reserve product, inventory, order and fulfilment structures for future accessories and electronics while keeping those workflows outside the first-release build until confirmed.

Recommended implementation priority

Priority	Capability	Reason
1	Discovery evidence and technical validation	Establishes whether automated top-up is technically and contractually achievable.
2	Identity, registration and approval	Prevents unapproved access and creates accountable individual users.
3	Recharge transaction engine	Core revenue process and customer service function.
4	Agent credit, instalment and collection ledger	Controls exposure and supports physical cash collection.
5	Reconciliation, reporting, alerts and audit	Provides financial and operational control.
6	Future commerce foundation	Allows later addition of accessories and electronics without redesigning identity and account structures.

2 Company and operating model

2.1 Confirmed company profile

Area	Confirmed position
Company	Razik Telecom
Location	Algiers, Algeria
Operating structure	Owner-operated; no other employee information supplied
Market	Business-to-business
Customers	Approved retailers and recharge agents serving end customers
Operators	Djezzy, Ooredoo and Mobilis
Current product scope	Prepaid mobile credit only
Settlement model	Payment after sales or by instalment arrangement; physical cash collection
Server position	Local server in the owner's office; owner will facilitate access
Target channels	Windows application, Android application and iOS application
Languages	Arabic and French
Design	Razik Telecom branding; detailed interfaces to be finalised after prototype

2.2 Business actors

Actor	Role	System interest
Owner and administrator	Approves registrations, administers accounts, confirms cash, manages balances and oversees operation	Full control, audit, exception handling, reporting and configuration
Approved agent or retailer	Initiates customer recharges and settles amounts owed	Fast transaction flow, clear balance/debt, receipt and transaction history
End customer	Provides mobile number and receives recharge	Accurate and timely recharge; not expected to hold a platform account
Telecom operator	Provides the source account or interface through which credit is issued	Secure, authorised and reconciled transactions
Future cash collector or finance user	Records collections and manages allocations if staffing expands	Restricted financial access and accountable collection records

3 Scope boundaries and guiding principles

3.1 In scope for initial solution definition

- Public registration request with owner approval before access is granted.

- Individual user credentials for each approved agent or retailer.
- Agent account, commercial terms, optional pricing tier, status and transaction limits.
- Mobile-number entry and operator identification using a maintained prefix rule set, subject to validation.
- Recharge amount entry or selection, transaction confirmation and automated routing to the relevant operator connection.
- Success, pending and failed transaction states with complete reference and timestamps.
- Agent receivables, credit exposure, instalment arrangements, cash collection, receipts, allocation, ageing and statements.
- Administrator dashboards, operator balance alerts, exception queues, reconciliation and audit logs.
- Bilingual Arabic and French Windows, Android and iOS interfaces.
- Architecture foundations for later accessories and electronics commerce.

3.2 Deferred or conditional scope

Area	Classification	Condition for inclusion
Live operator integration	Conditional	API or other authorised connection method documented and technically tested
Electronic payments	Deferred	Business decision, provider selection and compliance assessment
Accessories and electronics sales	Deferred	Product, inventory, purchasing, pricing, fulfilment, returns and warranty requirements confirmed
Full accounting integration	Conditional	Current accounting system and chart-of-account requirements confirmed
Cloud hosting	To validate	Hosting, data residency, security and operating constraints agreed
Automated reversals	Conditional	Operator capabilities and business rules confirmed

3.3 Design principles

- No recharge should be initiated by an unapproved or suspended account.
- Every financial and recharge event should create an immutable, time-stamped audit record.
- The agent should see the operator, target number, amount and commercial effect before final confirmation.
- The platform must prevent duplicate submission and preserve idempotency where supported by operator interfaces.
- Uncertain operator or financial outcomes should enter an exception workflow rather than being silently treated as successful.
- The first release should be configurable enough to support future staff, pricing tiers and limits without relying on code changes.

4 Current-state assessment

4.1 Current-state process baseline

Process element	Current understanding	Evidence status
Credit acquisition	Razik Telecom purchases mobile credit in bulk from the three operators	Confirmed at business level; purchasing evidence not supplied
Credit storage	Owner states actual operator credit balances are held on a local server	Confirmed statement; technical mechanism requires verification

Process element	Current understanding	Evidence status
Agent sale	Approved agents obtain recharge value and sell recharge service to end customers	Confirmed at business level
Recharge execution	Exact present mechanism is not confirmed	Open
Operator identification	Proposed to use the entered mobile-number prefix	Confirmed initial requirement
Agent settlement	Cash is physically collected after sales or according to instalments	Confirmed
Cash confirmation	Owner records or confirms collections	Confirmed
Failure handling	A non-completed recharge should remain pending	Partially confirmed; escalation and accounting effect open

4.2 Preliminary pain points

ID	Pain point or exposure	Basis	Impact
PP-01	Routine recharge may depend on owner intervention or current tooling	Target requirement seeks removal of intervention	Slow service and limited scalability
PP-02	Operator identification is not automated in the target journey	Confirmed requirement	Selection errors and delay
PP-03	Post-sale and instalment collections create agent receivables	Confirmed payment model	Credit and cash leakage risk
PP-04	Sole-owner operation concentrates approval, cash and administration	Confirmed operating model	Continuity and segregation-of-duty risk
PP-05	API and server mechanism are undocumented	Confirmed information gap	High delivery and security uncertainty
PP-06	Operator balance visibility and low-balance response require automation	Alert requirement confirmed	Failed sales and service interruption

4.3 Control gaps to verify

- How agent limits are approved, changed, exceeded, suspended and reinstated.
- How physical cash is evidenced, receipted, allocated and reconciled to agent debt.
- How operator balances and recharge transaction reports are reconciled with the local database.
- Whether existing operator credentials, SIMs, portals or APIs permit third-party automation.
- How local-server backup, recovery, patching, access logging and physical security are managed.
- How disputed, duplicated, delayed or failed recharges are investigated and resolved.

5 Proposed future-state operating model

5.1 Registration and activation

1. A retailer submits a registration request using the mobile application or an approved registration channel.
2. The system records the applicant information, documents and consent fields required by the final onboarding policy.
3. The owner reviews the request and either approves, rejects or requests further information.

4. On approval, the system creates an individual account, applies an agent profile, pricing tier, transaction rules and initial credit arrangement.
5. The agent activates the account and signs in. Rejected, suspended and deactivated users cannot transact.

5.2 Recharge transaction

6. The approved agent signs in and selects mobile recharge.
7. The agent enters the end-customer mobile number.
8. The platform validates the number format and identifies Djezzy, Ooredoo or Mobilis using the maintained prefix table.
9. The agent enters or selects the recharge amount.
10. The platform validates the agent's status, applicable limit, debt position and pricing rules.
11. A confirmation screen displays the target number, detected operator, amount, agent price or commission effect, and any balance or exposure impact.
12. After agent confirmation, the transaction engine creates a unique reference and submits the instruction to the correct operator route.
13. The platform records success, pending or failure using the returned response. A finalised successful recharge cannot be cancelled through the agent interface.
14. The system updates the agent sub-ledger, operator balance position and audit history, then issues a receipt or transaction confirmation.

5.3 Pending transaction management

Pending must be treated as a controlled transaction state, not an indefinite holding label. The system should retain the operator request reference, last response, timestamps and financial reservation. It should prevent accidental duplicate re-submission, re-query the operator where technically possible, alert the owner after configurable thresholds, and allow only authorised resolution. Final rules for posting agent debt during pending status must be agreed after operator response behaviour is known.

5.4 Physical cash collection and instalments

15. The system accumulates the agent's recharge purchases as receivables according to the agreed commercial arrangement.
16. The owner records an instalment plan, credit limit and due dates where applicable.
17. When cash is collected, the owner records the amount, date, collector, payment reference and supporting evidence.
18. A numbered receipt is issued and the payment is allocated to invoices, recharge batches or the oldest outstanding amounts under the approved rule.
19. The agent statement, outstanding balance, ageing and available limit are updated.
20. Adjustments, waivers and write-offs require a reason, authorisation and audit record.

6 Functional module scope

6.1 Platform foundation and access control

Element	Initial requirement
Identity	Individual account for each approved agent or retailer
Registration	Self-service request; no transaction access until owner approval
Authentication	Secure login; final password, device and second-factor policy to be agreed
Authorisation	Role-based access for owner, agent and future operational or finance users
Account lifecycle	Pending, approved, active, suspended, rejected, deactivated and locked states

Element	Initial requirement
Sessions	Configurable timeout, device/session visibility and forced sign-out
Audit	Login, approval, configuration, transaction and financial events recorded
Language	French and Arabic, including right-to-left presentation for Arabic

Acceptance direction

- A submitted registration does not confer access to recharge functionality.
- Approval identifies the owner, date, decision and applied commercial profile.
- Suspension takes effect immediately and does not remove transaction history.
- Permissions are enforced by the server, not only hidden in the user interface.

6.2 Agent and customer account management

- Agent master record with unique identifier, business and contact details, location, status and owner notes.
- Configurable required onboarding documents and expiry dates once policy is agreed.
- Multiple individual user accounts may later be associated with one agent business if approved; first baseline assumes individual agent accounts.
- Commercial profile including price tier, discount or commission rule, credit limit, instalment terms and transaction limits.
- Agent statement showing recharge transactions, collections, allocations, adjustments and balance.
- Search, filter, suspension, reactivation and full change history.

6.3 Telecom recharge transaction engine

Function	Scope statement	Validation dependency
Number validation	Validate Algerian mobile format and normalise country/local representation	Final accepted formats
Operator detection	Map number prefix to Djezzy, Ooredoo or Mobilis	Prefix source, maintenance owner and portability treatment
Amount handling	Fixed denominations and/or free entry	Operator constraints
Pre-checks	User status, transaction limits, credit exposure and operator availability	Commercial rules
Routing	Select relevant operator connection/account	API and multi-account rules
Submission	Create unique idempotency reference and submit instruction	Interface capability
Status	Success, pending, failed and exception outcomes	Operator response codes
Confirmation	Receipt/reference for agent; no agent cancellation after successful purchase	Receipt format and notification channel

6.4 Pricing commission and transaction limits

- Optional pricing tiers by agent or agent category.
- Effective dates and approval history for all commercial terms.
- Ability to define an agent purchase price, discount or commission method after the commercial model is confirmed.

- Daily, weekly, monthly, per-transaction and operator-specific limits where required.
- No retroactive recalculation of completed transactions after a pricing change.
- Controlled exceptions with reason, approver and expiry.

6.5 Receivables credit and instalment management

Capability	Required behaviour
Agent sub-ledger	Record every debit, credit, payment allocation and adjustment against the agent
Credit limit	Configurable facility and available exposure; whether hard or soft must be confirmed
Instalment plan	Schedule amounts and due dates and compare actual collections
Ageing	Current, overdue and ageing buckets configurable to policy
Blocking	Optional automated warning or suspension when limits or overdue thresholds are breached
Statement	Opening balance, activity, payments, outstanding balance and available limit
Adjustments	Restricted posting with reason, evidence and approval

6.6 Cash collection and receipt management

- Record cash collection date, amount, agent, collector, method, reference and notes.
- Generate a unique receipt that cannot be silently deleted or reused.
- Allocate collections to selected items or by a configured oldest-first rule.
- Allow correction only by controlled reversal and re-entry, preserving the original record.
- Support future collector assignment and collection-route reporting without granting system administration rights.
- Provide daily cash collection totals and unresolved or unallocated cash reporting.

6.7 Operator account and balance management

- Maintain operator connections/accounts with status and configuration held securely.
- Display available balance where the connection method supports reliable balance retrieval.
- Configure low-balance warning and critical thresholds for each operator/account.
- Prevent routing to inactive or unavailable accounts.
- If multiple accounts exist, apply an approved selection rule rather than an undocumented algorithm.
- Record top-ups or balance adjustments to operator accounts with supporting evidence and reconciliation.

6.8 Reconciliation and exception management

- Match internal transaction references to operator confirmations and reports.
- Identify internal success/operator missing, internal pending/operator success, duplicate, amount mismatch and unmatched transactions.
- Queue exceptions for owner review with age, financial value, operator and assigned status.
- Record investigation notes, evidence and resolution without altering original events.
- Reconcile agent receivables, recorded collections and operator credit consumption by period.

6.9 Document and notification management

- Generate registration decisions, transaction receipts, cash receipts and agent statements.
- Store supporting documents against the relevant agent, payment or exception record.
- In-app alerts for approval decisions, recharge status, overdue amounts and account suspension.

- Email, SMS or messaging notifications are optional integrations and require later confirmation.
- Arabic and French templates with controlled versioning.

6.10 Future inventory and e-commerce foundation

Razik Telecom intends later to sell mobile accessories and electronics from its own stock and supply agents for resale. The initial architecture should therefore use reusable customer, pricing, financial and access-control components, but the following functions remain deferred until detailed discovery:

- Product catalogue, categories, specifications, images and price lists.
- Supplier purchasing, goods receipt and landed-cost treatment.
- Warehouse and stock-location management, reservations and adjustments.
- B2B order entry, picking, dispatch, delivery or agent collection.
- Returns, warranties, serial or IMEI tracking and damaged stock.
- Stock valuation, stock counts, reorder rules and inventory reporting.

7 User roles and access control

Role	Indicative permissions	Restrictions
Owner administrator	Approve users; configure commercial rules; view all transactions; record collections; manage exceptions and reports	High-risk actions must be logged; credentials and operator secrets should not be exposed in routine screens
Approved agent or retailer	Initiate recharge; view own status, transactions, receipts, debt, instalments and statement	Own account only; no operator credentials, other agents or administrative configuration
Future finance user	Record and allocate collections; issue receipts; view assigned financial reports	No operator configuration or user-role administration unless separately granted
Future operations user	Monitor transactions and resolve assigned exceptions	No cash adjustment or credit-limit approval unless separately granted
Technical support	Diagnose application and integration status using masked data	No unrestricted financial adjustment or credential viewing

Access-control recommendations

- Use least privilege and server-side permission checks.
- Require stronger authentication for the owner and any privileged user.
- Mask operator credentials, personal identifiers and security secrets.
- Apply maker-checker approval when staffing allows for credit-limit changes, cash reversals and manual transaction resolution.
- Retain access and change logs for a period to be established by legal, financial and operational requirements.
- Immediately revoke sessions on suspension, password reset or suspected compromise.

8 Data and integration scope

8.1 Core data domains

Domain	Principal records
Identity and access	Users, roles, permissions, sessions, devices and authentication events

Domain	Principal records
Agent master data	Agent, business, contacts, location, documents, approval, status and commercial profile
Telecom configuration	Operators, prefix rules, operator accounts, routes, thresholds and response codes
Transactions	Recharge request, target number, operator, amount, price, status, references and timestamps
Finance	Agent ledger, instalments, credit limit, collections, receipts, allocations and adjustments
Control	Audit events, exceptions, alerts, reconciliations and evidence
Future commerce	Products, suppliers, stock, orders, deliveries, returns and warranties

8.2 Integration requirements

Integration	Purpose	Current status	Gate
Djezzy connection	Submit recharge and obtain status/balance	Unknown	Authorised method and documentation
Ooredoo connection	Submit recharge and obtain status/balance	Unknown	Authorised method and documentation
Mobilis connection	Submit recharge and obtain status/balance	Unknown	Authorised method and documentation
Local server/database	Access current balances and transaction data	Access offered through owner	Technical discovery, backup and data model review
Accounting system	Post summaries or reconcile receivables/cash	Unknown	Current system and finance requirements
Notifications	Send external transaction or account messages	Optional	Provider and channel selection

8.3 Critical technical validation

The statement that actual operator credit balances are held on the local server must be demonstrated technically. The discovery team should establish whether the server contains true transferable credit, a replica ledger, operator portal credentials, SIM/modem-based balances, or another authorised mechanism. The result materially changes architecture, security, transaction design and operator dependency.

8.4 Integration evidence required

- Operator contracts or written authorisation relevant to automated distribution.
- API specifications, authentication method, test environment and rate limits where APIs exist.
- Sample success, failure, pending, balance and timeout responses.
- Current database schema, data dictionary and representative transaction records.
- Network diagram, operating system, database technology, server specifications and support ownership.
- Current process demonstration for one recharge from each operator.
- Daily operator settlement or transaction reports for reconciliation design.

9 Non-functional requirements

Category	Initial requirement or recommendation	Status
Security	Encryption in transit and at rest; secret management; least privilege; secure coding; logged privileged activity	Required; detailed controls to design
Availability	Business hours and acceptable outage to be agreed; graceful operator-specific degradation	To validate
Performance	Responsive user experience and controlled timeout handling; target response times to be agreed	To validate
Reliability	Unique transaction references, duplicate prevention, retry control and durable status processing	Required
Scalability	Volume assumptions must be collected before sizing	To validate
Usability	Simple agent journey; clear confirmation; Arabic RTL and French localisation	Required
Compatibility	Supported Windows, Android and iOS versions to be agreed	To validate
Auditability	Traceable user, configuration, transaction and financial events	Required
Backup and recovery	Documented backup, restore test, recovery objectives and off-site protection	To validate
Privacy	Collect only necessary agent/customer data; retention, access and deletion rules to be reviewed	To validate
Maintainability	Configurable prefix tables, price tiers, thresholds, templates and roles	Required

Security design priorities

- Do not embed operator credentials or API secrets in Windows or mobile applications.
- Route transactions through a secured server-side service with authentication, authorisation and rate limiting.
- Protect against account enumeration, brute force, replay, duplicate submission and unauthorised API calls.
- Minimise storage and display of complete end-customer mobile numbers in logs and support views where full visibility is unnecessary.
- Separate production, test and development environments.
- Perform vulnerability testing and controlled pilot verification before go-live.

10 Reporting and management information

Report or dashboard	Principal content	Primary user
Owner dashboard	Today's recharge value/count, operator split, pending/failed items, low balances, collections, total receivables and overdue exposure	Owner
Sales by operator	Volume and value by Djezzy, Ooredoo and Mobilis over selected period	Owner
Agent performance	Transactions, value, pricing tier, debt, payment behaviour and exceptions by agent	Owner
Operator balance	Opening balance, additions, recharge consumption, adjustments and closing balance	Owner

Report or dashboard	Principal content	Primary user
Pending and failed transactions	Age, operator, amount, agent, response and action status	Owner or future operations
Agent receivables ageing	Current and overdue balances by agreed ageing buckets	Owner or future finance
Instalment compliance	Scheduled versus paid instalments and missed due dates	Owner
Cash collection	Collections by date, agent, collector, receipt and allocation status	Owner or future finance
Pricing and margin	Recharge sales, applicable tier and estimated margin subject to confirmed pricing model	Owner
Audit and access	Approvals, logins, role changes, overrides, reversals and configuration changes	Owner or auditor
Reconciliation	Internal records compared with operator activity and financial postings	Owner

Reporting controls

- Reports should use a consistent transaction status and accounting date definition.
- Drill-down should lead from totals to source transactions and audit evidence.
- Exports should be permission-controlled and logged.
- Financial summaries should distinguish pending, successful, failed and reversed items.
- Dashboard figures should display their data refresh time and selected period.

11 Controls risks and mitigations

ID	Risk	Rating	Mitigation direction
R-01	Operator interfaces do not support the assumed automated transaction flow	High	Obtain authorisation and technical evidence; prototype integration separately before full build
R-02	Local-server statement is misunderstood or existing data is unreliable	High	Technical discovery, schema review, sample reconciliation and controlled data profiling
R-03	Agent debt grows beyond recoverable limits under pay-after-sale terms	High	Credit limits, ageing, overdue alerts, transaction blocking and owner review
R-04	Duplicate recharge occurs after timeout or retry	High	Unique references, idempotency, operator status query and manual exception handling
R-05	Prefix-based identification misroutes a ported or exceptional number	Medium/High	Validate portability exposure; maintain rules and add authoritative lookup if available
R-06	Owner account compromise exposes all operations	High	Strong authentication, session controls, recovery process and privileged activity alerts
R-07	Server failure interrupts sales or loses records	High	Backup, restore testing, monitoring, recovery objectives and resilience plan
R-08	Physical cash collection is misstated or unallocated	High	Numbered receipts, allocation controls, reversals, daily reconciliation and future maker-checker
R-09	Arabic or French interface ambiguity causes transaction errors	Medium	Professional terminology review, usability testing and clear confirmation screen

ID	Risk	Rating	Mitigation direction
R-10	Future e-commerce expansion destabilises the recharge platform	Medium	Modular architecture and separate phase, backlog and acceptance criteria

Recommended control points

Process	Preventive control	Detective control
Onboarding	Owner approval and mandatory data validation	Pending/approved/rejected registration report
Recharge	User status, number validation, confirmation and limit checks	Duplicate, pending and failure monitoring
Credit exposure	Configurable facility and overdue rules	Ageing and limit-utilisation dashboard
Cash collection	Restricted entry and numbered receipt	Daily collection and unallocated cash reconciliation
Operator balance	Low-balance threshold and unavailable-route block	Balance movement and mismatch report
Configuration	Restricted permissions and effective dating	Configuration change audit

12 Clickable prototype scope

12.1 Prototype objective

The prototype should validate user journeys, information hierarchy, bilingual presentation and brand direction. It should not represent live operator connectivity, production security or completed financial posting. Demonstration data must be clearly identified as sample data.

12.2 Recommended prototype screens

Area	Screens
Public and access	Language selection, sign-in, registration request, registration status and password recovery concept
Agent home	Summary, recent transactions, outstanding balance, instalment position and alerts
Recharge	Number entry, detected operator, amount, review/confirm, processing, success, pending and failure
Agent records	Transaction history, receipt, statement, payments and instalment schedule
Owner administration	Registration queue, agent profile, approval, pricing tier, limit, status and account history
Operations	Transaction monitor, pending queue, low operator balance alert and exception detail
Finance	Agent receivables, cash collection entry, receipt and payment allocation
Reporting	Owner dashboard and representative sales, debt and operator reports
Future concept	A limited product catalogue/navigation concept to demonstrate extensibility only

12.3 Prototype inputs required

- Razik Telecom logo, brand colours, typography and any design rules.
- Screenshots or demonstration of the comparable distributor application.
- Preferred Arabic and French business terminology.
- Sample agent, transaction, receipt, instalment and collection data with sensitive details removed.
- Owner approval of the proposed screen list and transaction sequence.

12.4 Prototype approval criteria

- All agreed agent and owner journeys can be navigated without broken paths.
- Arabic screens display correctly in right-to-left orientation and French screens in left-to-right orientation.
- The recharge confirmation screen clearly displays number, detected operator and amount before submission.
- Pending and failed outcomes are visible and understandable.
- The visual design reflects approved Razik Telecom branding.
- Comments are consolidated into a controlled revision rather than treated as live production requirements.

13 Delivery roadmap

Phase	Purpose	Key outputs	Exit gate
0 Discovery and evidence	Confirm operating, financial and technical reality	Process demonstrations, evidence pack, server assessment, API position, data profile and validated scope	Critical open items resolved or accepted as constraints
1 Prototype	Validate branded bilingual experience	Clickable Windows/mobile journeys and prototype feedback log	Owner approves user journeys and interface direction
2 Solution design	Convert scope into build specification	Architecture, data model, integration design, security model, requirements and acceptance tests	Signed solution requirements and technical feasibility
3 Core build	Develop controlled-access recharge and administration functions	Identity, agent master, recharge engine, finance controls, reports and audit	System and integration tests passed
4 Pilot	Operate with selected agents and controlled volumes	Training, pilot transactions, reconciliation, incident log and fixes	Pilot acceptance and go-live approval
5 Rollout and stabilisation	Expand approved usage and establish support	Production rollout, monitoring, support, recovery test and benefit tracking	Stable service and agreed handover
6 Commerce expansion	Add own-stock accessories and electronics	Detailed commerce scope, catalogue, procurement, inventory, orders and fulfilment	Separate approval and implementation plan

Indicative sequencing

No calendar duration or investment estimate is stated because transaction volumes, operator interfaces, server condition, delivery team, technology choices and acceptance approach are not yet known. These variables must be confirmed before a credible schedule is baselined.

Stage gates

- Technical feasibility gate: at least one representative recharge path and response lifecycle demonstrated.

- Scope gate: approved requirements, roles, reports, data and exceptions.
- Security gate: architecture and control review completed; high-severity findings resolved.
- Pilot gate: test data, selected agents, limits, support and rollback plan approved.
- Go-live gate: reconciliation, backup/restore, monitoring, training and support readiness accepted.

14 Data migration training and support

14.1 Data migration

Data set	Migration need	Validation
Agents and users	Likely required if current records exist	Deduplication, mandatory fields and owner approval
Opening agent balances	Required for receivables continuity	Signed balance confirmation and control total
Instalment arrangements	Required for active plans	Due dates, amounts and remaining balance
Operator balances	Required if system is system of record	Reconciled balance at controlled cutover time
Historical transactions	Optional or required according to reporting need	Completeness, reference uniqueness and status mapping
Prefix list	Required	Authoritative source and test cases

14.2 Training

- Owner administrator training covering onboarding, configuration, agent limits, collections, exceptions, reporting and audit.
- Agent training covering login, recharge confirmation, transaction status, receipts, statements and support escalation.
- Future role-specific training for finance, operations and technical support.
- Arabic and French quick-reference guides, with a controlled pilot before broad rollout.
- Training records and competency confirmation for privileged functions.

14.3 Support and service management

- Define business hours, severity levels, response targets, escalation and operator dependency handling.
- Provide a traceable incident process for failed, delayed and disputed recharges.
- Monitor application health, integration status, operator balance thresholds, database capacity and backup outcomes.
- Separate defect correction from scope enhancement through formal change control.
- Agree warranty, maintenance, security patching and release-management responsibilities before implementation contract award.

15 Registers and traceability

15.1 Information gap and open-question register

ID	Open item	Why it matters	Owner	Target

ID	Open item	Why it matters	Owner	Target
OQ-01	Transaction volumes: agents, daily transactions, peak load and values	Sizing, performance and cost	Owner	Before solution design
OQ-02	Present recharge method for each operator	Core feasibility	Owner/technical evidence	Discovery
OQ-03	API availability, documentation, authorisation and test environments	Integration design	Operators/owner	Discovery
OQ-04	Meaning and mechanism of actual credit held on local server	Architecture and security	Owner/technical team	Discovery
OQ-05	Multiple operator-account selection rules	Routing logic	Owner	Before build
OQ-06	Agent registration fields and required documents	Onboarding design	Owner	Before prototype finalisation
OQ-07	Hard/soft credit limits and permitted overrides	Financial control	Owner	Before solution design
OQ-08	Pricing, commission and tier formulas	Commercial engine	Owner	Before solution design
OQ-09	Financial effect of pending, failed and later-successful transactions	Ledger accuracy	Owner/operator evidence	Before build
OQ-10	Receipt format and notification channels	User experience and records	Owner	Prototype review
OQ-11	Supported Windows, Android and iOS versions	Compatibility	Owner/technical team	Design
OQ-12	Cloud permission or local-only hosting constraint	Architecture and resilience	Owner	Discovery
OQ-13	Backup, restore, disaster recovery and cybersecurity baseline	Operational risk	Owner/technical team	Discovery
OQ-14	Accounting system and integration requirement	Finance scope	Owner/accountant	Design
OQ-15	Record-retention periods and privacy obligations	Compliance	Owner/legal adviser	Before go-live
OQ-16	Number portability impact on prefix detection	Transaction accuracy	Operator/technical evidence	Discovery
OQ-17	Brand assets and comparable-app screenshots	Prototype design	Owner	Before prototype
OQ-18	Future commerce process including purchasing, warehouse, delivery, returns and warranty	Deferred module scope	Owner	Phase 6 discovery

15.2 Assumption register

ID	Assumption	Required validation
A-01	The proposed platform will be legally and contractually permitted to initiate recharges through the operator arrangements	Operator/contract confirmation
A-02	Prefix-based recognition can provide acceptable routing accuracy for the first release	Prefix and portability testing
A-03	The owner remains the initial approver and cash-confirmation authority	Operating-model approval
A-04	Each approved agent receives an individual account and transactions are attributable to that user	Prototype and policy approval

ID	Assumption	Required validation
A-05	A successful recharge is not cancellable through the agent interface	Operator process confirmation
A-06	The future product business will use Razik Telecom-owned inventory supplied to agents for resale	Future commerce discovery

15.3 High-level requirement register

ID	Requirement	Basis	Priority
REQ-001	Submit and approve agent registration	Confirmed	Must
REQ-002	Restrict recharge access to approved active users	Confirmed	Must
REQ-003	Provide individual user credentials	Confirmed	Must
REQ-004	Identify operator from mobile-number prefix	Confirmed initial method	Must
REQ-005	Transfer recharge through relevant owner/operator route	Confirmed outcome; mechanism open	Must
REQ-006	Support Windows, Android and iOS channels	Confirmed	Must
REQ-007	Provide Arabic and French interfaces	Confirmed	Must
REQ-008	Reflect Razik Telecom branding	Confirmed	Must
REQ-009	Maintain success, pending and failed states	Partially confirmed	Must
REQ-010	Issue receipt or transaction confirmation	Confirmed	Must
REQ-011	Manage agent receivables and statements	Confirmed	Must
REQ-012	Manage credit limits and instalments	Confirmed subject to rules	Must
REQ-013	Record physical cash collections and receipts	Confirmed	Must
REQ-014	Support different pricing tiers	Requested option	Should
REQ-015	Alert on low operator balances and repeated failures	Confirmed	Must
REQ-016	Provide sales, balance, debt, cash, exception and audit reporting	Confirmed	Must
REQ-017	Preserve audit history for privileged and financial changes	Recommended control	Must
REQ-018	Provide clickable prototype before interface finalisation	Confirmed	Must
REQ-019	Architect for future owned-stock accessories and electronics	Confirmed future direction	Should

15.4 Module coverage matrix

Module	Phase	Priority	Key dependency
Platform foundation and access control	1-3	Must	Registration policy and security design
Agent master and commercial terms	2-3	Must	Required data and pricing rules

Module	Phase	Priority	Key dependency
Telecom recharge engine	2-3	Must	Operator integration evidence
Receivables credit and instalments	2-3	Must	Accounting rules and limits
Cash collection and receipts	2-3	Must	Receipt and allocation policy
Operator account and balance management	2-3	Must	Connection/account model
Reconciliation and exceptions	2-4	Must	Operator reports and status model
Reporting and audit	2-4	Must	Data model and KPI definitions
Document and notifications	2-4	Should	Templates and notification channels
Inventory and e-commerce	6	Later	Separate commerce discovery

16 Client responsibilities assumptions exclusions and sign-off

16.1 Razik Telecom responsibilities

- Provide authorised access to the local server, database and relevant operating environment.
- Provide operator contracts, technical documentation, credentials through a secure process, and test access where permitted.
- Demonstrate a recent real recharge for each operator and explain success, failure and pending handling.
- Provide representative agent, transaction, cash collection, instalment and reconciliation evidence.
- Supply brand assets and screenshots of the comparable application.
- Nominate the owner as decision-maker and provide timely validation and prototype feedback.
- Approve commercial, credit, pricing, accounting, security, retention and support policies before build completion.
- Arrange operator, legal, accounting and cybersecurity advice where specialised confirmation is required.

16.2 Current exclusions

- Commercial pricing or implementation cost estimate.
- Committed delivery dates or resourcing plan.
- Live operator integration before authorised technical documentation and access are available.
- Online payment gateway, banking integration or digital cash collection.
- A complete accounting, payroll, HR, procurement or general-ledger implementation.
- Full accessories and electronics commerce, inventory and fulfilment workflows in the first release.
- Legal opinion, operator contractual approval or regulatory certification.
- Migration of unspecified historical data.

16.3 Recommended immediate next actions

Order	Action	Output
1	Conduct a live current-state demonstration for Djezzy, Ooredoo and Mobilis	Verified process maps and transaction evidence
2	Inspect the local server and establish what the credit balances and database represent	Technical discovery report and data map

Order	Action	Output
3	Obtain operator/API documentation and authorisation position	Integration feasibility decision
4	Agree agent onboarding, credit, instalment, collection and exception policies	Approved business rules
5	Provide brand assets and comparable-application screenshots	Prototype design inputs
6	Prepare and review the clickable Arabic/French prototype	Approved user experience baseline
7	Convert approved scope into a detailed solution requirements specification	Build-ready and testable specification

16.4 Approval record

Approval of this document confirms that it is an appropriate baseline for further discovery and prototype design. It does not approve a final technical architecture, implementation price, delivery date or live operator integration.

Role	Name	Decision	Signature	Date
Razik Telecom owner		Approved / Approved with comments / Rejected		
Solution representative		Approved / Approved with comments / Rejected		