

Assignment 1

Adriaan Louw (53031377)

April 22, 2018

Contents

1	Question 1	1
2	Question 2	1
3	Question 3	2
4	Question 4	3
5	Question 5	3
5.1	Question 5.1	3
5.2	Question 5.2	4
6	Question 6	4
6.1	Question 6a	4
6.2	Question 6b	10

1 Question 1

The book *Introduction to Machine Learning* by Nils J. Nilsson can be found at <http://robotics.stanford.edu/people/nilsson/MLBOOK.pdf> and is 1.855 MB.

The book *A first encounter with Machine Learning* by Max Welling can be found at <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.441.6238&rep=rep1&type=pdf> and is 416 KB.

2 Question 2

We can represent some learning functions in machine learning as Boolean function. We can define a Boolean function as a function of the form

$$f(x_1, x_2, x_3, \dots, x_n) \quad (1)$$

Which maps a n-tuple of (0,1) values to 0,1. 0,1 can also be expressed as false,true.

There are 3 basic types of operations can be performed in Boolean functions. Firstly we have the "and" operation which uses the connective "." as in

$$x_1.z_2 \quad (2)$$

Which only returns true if x_1 and x_2 is true. Then there is the "or" operation represented as a "+"

$$x_1 + x_2 \quad (3)$$

Where it returns true if x_1 is true or if x_2 or both are true. Thirdly we have the negation operation indicated by a $\bar{}$ as in

$$\bar{x}_1 \quad (4)$$

This operation returns true if x_1 is false and false if x_1 is true.
The \cdot and $+$ operations are commutative

$$\begin{aligned} x_1 \cdot x_2 &= x_2 \cdot x_1 \\ x_1 + x_2 &= x_2 + x_1 \end{aligned} \quad (5)$$

and associative

$$\begin{aligned} x_1 \cdot x_2 (x_3) &= x_1 (x_2 \cdot x_3) \\ x_1 + x_2 + (x_3) &= x_1 + (x_2 + x_3) \end{aligned} \quad (6)$$

To commute between \cdot and $+$ we use DeMorgan's laws

$$\begin{aligned} \overline{x_1 \cdot x_2} &= \bar{x}_1 + \bar{x}_2 \\ \overline{x_1 + x_2} &= \bar{x}_1 \cdot \bar{x}_2 \end{aligned} \quad (7)$$


Boolean functions can be broken down into various sub-classes. The first subclass is called *terms*. We can write these as $k_1 k_2 k_3 \dots k_n$ where k_i are literals. An example would be the following term of size 4, $x_2 \cdot x_3 \cdot \bar{x}_6 \cdot x_{12}$. This is also called a conjunctive literal as in all the terms are separated by the and operation.

Secondly we have *clauses* or \cdot . A clause is a function where the literals are separated by the or function. As in $k_1 + k_2 + \dots + k_n$. An example would be $x_1 + \bar{x}_5 + x_8$.

Disjunctive normal functions are functions that can be written as a disjunction of terms.

3 Question 3

Mitchell (1997) University of Wasthington (2012) Murphy (2012)




4 Question 4


5 Question 5

5.1 Question 5.1

For the equation $A \wedge B$:



When $A=0$, B returns 0 whether we have the value 0 or 1 for B . We can collapse this B and just return 0.



5.2 Question 5.2

6 Question 6

6.1 Question 6a

Entropy is used to calculate a decision tree in the ID3 algorithm. For a collection of Samples (S):

$$Entropy(S) = \sum_{i=1}^c -p_i \log_2 p_i \quad (8)$$

If we assume we only have 2 outcomes, then we let the number of positive outcomes be p and the number of negative outcomes be n . Then we can write Equation 8 as

$$Entropy(p, n) = -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \quad (9)$$

More specifically we compare the gain of different attributes of the sample set. Then create the tree based on the attributes with the greatest gain

$$Gain(S, A) \equiv Entropy(S) - \sum_{v \in Values(A)} \frac{|S_v|}{|S|} Entropy(S_v) \quad (10)$$

We need to determine $Entropy(S)$

$$\begin{aligned} Entropy(p, n) &= -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \\ &= -\frac{3}{3+1} \log_2 \frac{3}{3+1} - \frac{1}{3+1} \log_2 \frac{1}{3+1} \\ &= 0.811 \end{aligned} \quad (11)$$

Now we need to determine the gain for the 6 attributes to determine which one will be the root node.

For Sky we have sunny $p_1 = 3, n_1 = 0$ and rainy $p_2 = 0, n_2 = 1$)

$$\begin{aligned} Gain(S, Sky) &= Entropy(S) - \sum_{v \in Values(A)} \frac{|S_v|}{|S|} Entropy(S_v) \\ &= 0.811 - \frac{3}{4} Entropy(S_{Sunny}) - \frac{1}{4} Entropy(S_{Rainy}) \\ &= 0.811 - \frac{3}{4} Entropy(3, 0) - \frac{1}{4} Entropy(0, 1) \\ &= 0.811 - \frac{3}{4} \left(-\frac{3}{3} \log_2 \frac{3}{3} - \frac{0}{3} \log_2 \frac{0}{3} \right) - \frac{1}{4} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\ &= 0.811 - 0 \\ &= 0.811 \end{aligned} \quad (12)$$

For attribute AirTemp we have warm $p_1 = 3, n_1 = 0$ and cold $p_2 = 0, n_2 = 1$)

$$\begin{aligned}
Gain(S, AirTemp) &= Entropy(S) - \sum_{v \in Values(A)} \frac{|S_v|}{|S|} Entropy(S_v) \\
&= 0.811 - \frac{3}{4} Entropy(S_{Warm}) - \frac{1}{4} Entropy(S_{Cold}) \\
&= 0.811 - \frac{3}{4} Entropy(3, 0) - \frac{1}{4} Entropy(0, 1) \\
&= 0.811 - \frac{3}{4} \left(-\frac{3}{3} \log_2 \frac{3}{3} - \frac{0}{3} \log_2 \frac{0}{3} \right) - \frac{1}{4} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.811 - 0 \\
&= 0.811
\end{aligned} \tag{13}$$

For attribute Humidity we have normal $p_1 = 1, n_1 = 0$) and high $p_1 = 2, n_2 = 1$)

$$\begin{aligned}
Gain(S, Humidity) &= Entropy(S) - \sum_{v \in Values(A)} \frac{|S_v|}{|S|} Entropy(S_v) \\
&= 0.811 - \frac{1}{4} Entropy(S_{normal}) - \frac{3}{4} Entropy(S_{high}) \\
&= 0.811 - \frac{1}{4} Entropy(1, 0) - \frac{3}{4} Entropy(2, 1) \\
&= 0.811 - \frac{1}{4} \left(-\frac{1}{1} \log_2 \frac{1}{1} - \frac{0}{1} \log_2 \frac{0}{1} \right) - \frac{3}{4} \left(-\frac{2}{3} \log_2 \frac{2}{3} - \frac{1}{3} \log_2 \frac{1}{3} \right) \\
&= 0.811 - 0.689 \\
&= 0.123
\end{aligned} \tag{14}$$

For attribute Wind we only have strong $p_1 = 3, n_1 = 1$

$$\begin{aligned}
Gain(S, Wind) &= Entropy(S) - \sum_{v \in Values(A)} \frac{|S_v|}{|S|} Entropy(S_v) \\
&= 0.811 - \frac{4}{4} Entropy(S_{strong}) \\
&= 0.811 - \frac{4}{4} Entropy(3, 1) \\
&= 0.811 - \frac{4}{4} \left(-\frac{4}{4} \log_2 \frac{4}{4} - \frac{0}{4} \log_2 \frac{0}{4} \right) \\
&= 0.811 - 0.811 \\
&= 0.0
\end{aligned} \tag{15}$$

For attribute water we have warm $p_1 = 2, n_1 = 1$) and cold $p_1 = 1, n_2 = 0$)

$$\begin{aligned}
Gain(S, Water) &= Entropy(S) - \sum_{v \in Values(A)} \frac{|S_v|}{|S|} Entropy(S_v) \\
&= 0.811 - \frac{3}{4} Entropy(S_{warm}) - \frac{1}{4} Entropy(S_{high}) \\
&= 0.811 - \frac{3}{4} Entropy(2, 1) - \frac{1}{4} Entropy(1, 0) \\
&= 0.811 - \frac{3}{4} \left(-\frac{2}{3} \log_2 \frac{2}{3} - \frac{1}{3} \log_2 \frac{1}{3} \right) - \frac{1}{4} \left(-\frac{1}{1} \log_2 \frac{1}{1} - \frac{0}{1} \log_2 \frac{0}{1} \right) \\
&= 0.811 - 0.689 \\
&= 0.123
\end{aligned} \tag{16}$$


For attribute forecast we have same $p_1 = 2, n_1 = 0$) and change $p_1 = 1, n_2 = 1$)

$$\begin{aligned}
Gain(S, Forecast) &= Entropy(S) - \sum_{v \in Values(A)} \frac{|S_v|}{|S|} Entropy(S_v) \\
&= 0.811 - \frac{2}{4} Entropy(S_{same}) - \frac{2}{4} Entropy(S_{change}) \\
&= 0.811 - \frac{2}{4} Entropy(2, 0) - \frac{1}{1} Entropy(1, 0) \\
&= 0.811 - \frac{2}{4} \left(-\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2} \right) - \frac{2}{4} \left(-\frac{1}{2} \log_2 \frac{1}{2} - \frac{1}{2} \log_2 \frac{1}{2} \right) \\
&= 0.811 - 0.5 \\
&= 0.311
\end{aligned} \tag{17}$$

To recap:

Gain(Sky) = 0.811 from Equation 12
 Gain(AirTemp) = 0.811 from Equation 13
 Gain(Humidity) 0.123 from Equation 14
 Gain(Wind) = 0 from Equation 15
 Gain(Water) = 0.123 from Equation 16
 Gain(Forecast) = 0.311 from Equation 17

We find that Sky and Airtemp have the greatest information gain. We could choose either to be the root node. We arbitrarily will choose Sky as the root node. The decision tree so far will look like this:



For the leaf node Sky = Sunny, we need to determine the sub-tree.
For Sky = Sunny:

$$\begin{aligned}
Entropy(S_{Sky=Sunny}) &= Entropy(p, n) \\
&= -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \\
&= -\frac{3}{3} \log_2 \frac{3}{3} - \frac{0}{3} \log_2 \frac{0}{3} \\
&= 0
\end{aligned} \tag{18}$$

We need to calculate the information gain for the other attributes when Sky = sunny

For AirTemp we only have warm ($p_1 = 3, n_1 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, AirTemp) &= 0.0 - \frac{3}{3} Entropy(S_{Sky=Sunny; AirTemp=Warm}) \\
&= 0.0 - \frac{3}{3} Entropy(3, 0) \\
&= 0.0 - 1(-\frac{3}{3} \log_2 \frac{3}{3} - \frac{0}{3} \log_2 \frac{0}{3}) \\
&= 0.0
\end{aligned} \tag{19}$$

For Humidity normal ($p_1 = 1, n_1 = 0$) and high ($p_2 = 2, n_2 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Humidity) &= 0.0 - \frac{1}{3} Entropy(S_{Sky=Sunny; Humidity=Normal}) \\
&\quad - \frac{2}{3} Entropy(S_{Sky=Sunny; Humidity=High}) \\
&= 0.0 - \frac{1}{3} Entropy(1, 0) - \frac{2}{3} Entropy(2, 0) \\
&= 0.0 - \frac{1}{3}(-\frac{1}{1} \log_2 \frac{1}{1} - \frac{0}{1} \log_2 \frac{0}{1}) - \frac{2}{3}(-\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2}) \\
&= 0.0
\end{aligned} \tag{20}$$

For Wind we only have strong ($p_1 = 3, n_1 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Wind) &= 0.0 - \frac{3}{3} Entropy(S_{Sky=Sunny; Wind=Strong}) \\
&= 0.0 - \frac{3}{3} Entropy(3, 0) \\
&= 0.0 - 1(-\frac{3}{3} \log_2 \frac{3}{3} - \frac{0}{3} \log_2 \frac{0}{3}) \\
&= 0.0
\end{aligned} \tag{21}$$

For Water we have warm($p_1 = 2, n_1 = 0$) and cool($p_2 = 1, n_2 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Water) &= 0.0 - \frac{2}{3} Entropy(S_{Sky=Sunny; Water=Warm}) \\
&\quad - \frac{1}{3} Entropy(S_{Sky=Sunny; Water=Cool}) \\
&= 0.0 - \frac{2}{3} Entropy(2, 0) - \frac{1}{3} Entropy(1, 0) \\
&= 0.0 - \frac{2}{3} \left(-\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2} \right) - \frac{1}{3} \left(-\frac{1}{1} \log_2 \frac{1}{1} - \frac{0}{1} \log_2 \frac{0}{1} \right) \\
&= 0.0
\end{aligned} \tag{22}$$

For Forecast we have same($p_1 = 2, n_1 = 0$) and change($p_2 = 1, n_2 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Forecast) &= 0.0 - \frac{2}{3} Entropy(S_{Sky=Sunny; Forecast=Same}) \\
&\quad - \frac{1}{3} Entropy(S_{Sky=Sunny; Forecast=Change}) \\
&= 0.0 - \frac{2}{3} Entropy(2, 0) - \frac{1}{3} Entropy(1, 0) \\
&= 0.0 - \frac{2}{3} \left(-\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2} \right) - \frac{1}{3} \left(-\frac{1}{1} \log_2 \frac{1}{1} - \frac{0}{1} \log_2 \frac{0}{1} \right) \\
&= 0.0
\end{aligned} \tag{23}$$

This means that the node Sky = Sunny in our tree will be a leaf node, since at this node the gain for all the other attributes are 0.

Next we need to calculate the subtree under the node Sky = Rainy

Starting with

$$\begin{aligned}
Entropy(S_{Sky=Rainy}) &= Entropy(p, n) \\
&= -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \\
&= -\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \\
&= 0
\end{aligned} \tag{24}$$

For AirTemp we only have cold ($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, AirTemp) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Rainy; AirTemp=Cold}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - 1 \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0
\end{aligned} \tag{25}$$

For Humidity we only have High ($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, Humidity) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Rainy; Humidity=High}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - 1(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1}) \\
&= 0.0
\end{aligned} \tag{26}$$

For Wind we only have Strong ($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, Wind) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Rainy; Wind=Strong}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - 1(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1}) \\
&= 0.0
\end{aligned} \tag{27}$$


For Water we only have Warm ($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, Water) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Rainy; Water=Warm}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - 1(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1}) \\
&= 0.0
\end{aligned} \tag{28}$$

For Forecast we only have Change ($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, Forecast) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Rainy; ForeCast=Change}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - 1(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1}) \\
&= 0.0
\end{aligned} \tag{29}$$

This means when Sky = Rainy, the gain from all the other attributes are 0. This means Sky = Rainy is also a leaf node. This means the final tree will be:



6.2 Question 6b

Now we add a new row of training data. We will be recalculating the decision tree. Starting by determining the root node of the tree by comparing the information gain each attribute gives us.

First we need to determine the entropy of S

$$\begin{aligned}
 Entropy(p, n) &= -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \\
 &= -\frac{3}{3+2} \log_2 \frac{3}{3+2} - \frac{2}{3+2} \log_2 \frac{2}{3+2} \\
 &= 0.971
 \end{aligned} \tag{30}$$

For the attribute Sky we have Sunny ($p_1 = 3, n_1 = 1$) and Rainy ($p_2 = 0, n_2 = 1$)

$$\begin{aligned}
 Gain(S, Sky) &= 0.971 - \frac{4}{5} Entropy(S_{Sunny}) - \frac{1}{5} Entropy(S_{Rainy}) \\
 &= 0.971 - \frac{4}{5} Entropy(3, 1) - \frac{1}{5} Entropy(0, 1) \\
 &= 0.971 - \frac{4}{5} \left(-\frac{3}{4} \log_2 \frac{3}{4} - \frac{1}{4} \log_2 \frac{1}{4} \right) - \frac{1}{5} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
 &= 0.971 - 0.649 \\
 &= 0.322
 \end{aligned} \tag{31}$$

For the attribute AirTemp we have Warm ($p_1 = 3, n_1 = 1$) and Cold ($p_2 = 0, n_2 = 1$)

$$\begin{aligned}
 Gain(S, AirTemp) &= 0.971 - \frac{4}{5} Entropy(S_{Warm}) - \frac{1}{5} Entropy(S_{Cold}) \\
 &= 0.971 - \frac{4}{5} Entropy(3, 1) - \frac{1}{5} Entropy(0, 1) \\
 &= 0.971 - \frac{4}{5} \left(-\frac{3}{4} \log_2 \frac{3}{4} - \frac{1}{4} \log_2 \frac{1}{4} \right) - \frac{1}{5} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
 &= 0.971 - 0.649 \\
 &= 0.322
 \end{aligned} \tag{32}$$

For the attribute Humidity we have Normal ($p_1 = 1, n_1 = 1$) and High ($p_2 = 2, n_2 = 1$)

$$\begin{aligned}
Gain(S, Humidity) &= 0.971 - \frac{2}{5}Entropy(S_{Normal}) - \frac{3}{5}Entropy(S_{High}) \\
&= 0.971 - \frac{2}{5}Entropy(1, 1) - \frac{3}{5}Entropy(2, 1) \\
&= 0.971 - \frac{2}{5}(-\frac{3}{4}\log_2\frac{3}{4} - \frac{1}{4}\log_2\frac{1}{4}) - \frac{3}{5}(-\frac{0}{1}\log_2\frac{0}{1} - \frac{1}{1}\log_2\frac{1}{1}) \\
&= 0.971 - 0.951 \\
&= 0.020
\end{aligned} \tag{33}$$

For the attribute Wind we have Strong ($p_1 = 3, n_1 = 1$) and Weak ($p_2 = 0, n_2 = 1$)

$$\begin{aligned}
Gain(S, Wind) &= 0.971 - \frac{4}{5}Entropy(S_{Strong}) - \frac{1}{5}Entropy(S_{Weak}) \\
&= 0.971 - \frac{4}{5}Entropy(3, 1) - \frac{1}{5}Entropy(0, 1) \\
&= 0.971 - \frac{4}{5}(-\frac{3}{4}\log_2\frac{3}{4} - \frac{1}{4}\log_2\frac{1}{4}) - \frac{1}{5}(-\frac{0}{1}\log_2\frac{0}{1} - \frac{1}{1}\log_2\frac{1}{1}) \\
&= 0.971 - 0.649 \\
&= 0.322
\end{aligned} \tag{34}$$


For the attribute Water we have Warm ($p_1 = 3, n_1 = 1$) and Cool ($p_2 = 1, n_2 = 0$)

$$\begin{aligned}
Gain(S, Water) &= 0.971 - \frac{4}{5}Entropy(S_{Warm}) - \frac{1}{5}Entropy(S_{Cool}) \\
&= 0.971 - \frac{4}{5}Entropy(3, 1) - \frac{1}{5}Entropy(0, 1) \\
&= 0.971 - \frac{4}{5}(-\frac{3}{4}\log_2\frac{3}{4} - \frac{1}{4}\log_2\frac{1}{4}) - \frac{1}{5}(-\frac{1}{1}\log_2\frac{1}{1} - \frac{0}{1}\log_2\frac{0}{1}) \\
&= 0.971 - 0.649 \\
&= 0.322
\end{aligned} \tag{35}$$

For the attribute Forecast we have Same ($p_1 = 2, n_1 = 1$) and Change ($p_2 = 1, n_2 = 1$)

$$\begin{aligned}
Gain(S, Forecast) &= 0.971 - \frac{3}{5}Entropy(S_{Same}) - \frac{2}{5}Entropy(S_{Change}) \\
&= 0.971 - \frac{3}{5}Entropy(2, 1) - \frac{2}{5}Entropy(1, 1) \\
&= 0.971 - \frac{3}{5}(-\frac{2}{3}\log_2\frac{2}{3} - \frac{1}{3}\log_2\frac{1}{3}) - \frac{2}{5}(-\frac{1}{2}\log_2\frac{1}{2} - \frac{1}{2}\log_2\frac{1}{2}) \\
&= 0.971 - 0.951 \\
&= 0.020
\end{aligned} \tag{36}$$

We find that the attributes Sky, AirTemp, Wind and Water all have the highest gain of 0.322. This is already very different from the previous question. For consistency we now choose Sky from these 4 attributes to be our root node. This gives us the following decision tree:



Continuing with Sky = Sunny, we need to determine the gain of the other attributes so that we can determine the sub-tree. We know that there are 3 positive data rows and one negative for Sky = Sunny:

$$\begin{aligned}
 Entropy(S_{Sky=Sunny}) &= Entropy(p, n) \\
 &= -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \\
 &= -\frac{3}{4} \log_2 \frac{3}{4} - \frac{1}{4} \log_2 \frac{1}{4} \\
 &= 0.811
 \end{aligned} \tag{37}$$

For attribute AirTemp we have only the value Warm ($p_1 = 3, n_1 = 1$)

$$\begin{aligned}
 Gain(S_{Sky=Sunny}, AirTemp) &= 0.811 - \frac{3}{3} Entropy(S_{Sky=Sunny; AirTemp=Warm}) \\
 &= 0.811 - \frac{4}{4} Entropy(3, 1) \\
 &= 0.811 - 1(-\frac{3}{4} \log_2 \frac{3}{4} - \frac{1}{4} \log_2 \frac{1}{4}) \\
 &= 0.811 - 0.811 \\
 &= 0
 \end{aligned} \tag{38}$$

For attribute Humidity we have Normal ($p_1 = 1, n_1 = 1$) and High ($p_2 = 2, n_2 = 0$)

$$\begin{aligned}
 Gain(S_{Sky=Sunny}, Humidity) &= 0.811 - \frac{2}{4} Entropy(S_{Sky=Sunny; Humidity=Normal}) \\
 &\quad - \frac{2}{4} Entropy(S_{Sky=Sunny; Humidity=High}) \\
 &= 0.811 - \frac{2}{4} Entropy(1, 1) - \frac{2}{4} Entropy(2, 0) \\
 &= 0.811 - \frac{2}{4}(-\frac{1}{2} \log_2 \frac{1}{2} - \frac{1}{2} \log_2 \frac{1}{2}) - \frac{2}{4}(-\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2}) \\
 &= 0.811 - 0.5 \\
 &= 0.311
 \end{aligned} \tag{39}$$

For attribute Wind we have Strong($p_1 = 3, n_1 = 0$) and Weak ($p_2 = 0, n_2 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Wind) &= 0.811 - \frac{3}{4}Entropy(S_{Sky=Sunny}; Wind=Strong) \\
&\quad - \frac{1}{4}Entropy(S_{Sky=Sunny}; Wind=Weak) \\
&= 0.811 - \frac{3}{4}Entropy(3, 0) - \frac{1}{4}Entropy(0, 1) \\
&= 0.811 - \frac{3}{4}(-\frac{3}{3}\log_2 \frac{3}{3} - \frac{0}{3}\log_2 \frac{0}{3}) - \frac{1}{4}(-\frac{0}{1}\log_2 \frac{0}{1} - \frac{1}{1}\log_2 \frac{1}{1}) \\
&= 0.811 - 0.0 \\
&= 0.811
\end{aligned} \tag{40}$$


For attribute Water we have Warm($p_1 = 2, n_1 = 1$) and Cool ($p_2 = 1, n_2 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Water) &= 0.811 - \frac{3}{4}Entropy(S_{Sky=Sunny}; Water=Warm) \\
&\quad - \frac{1}{4}Entropy(S_{Sky=Sunny}; Water=Cool) \\
&= 0.811 - \frac{3}{4}Entropy(2, 1) - \frac{1}{4}Entropy(1, 0) \\
&= 0.811 - \frac{3}{4}(-\frac{2}{3}\log_2 \frac{2}{3} - \frac{1}{3}\log_2 \frac{1}{3}) - \frac{1}{4}(-\frac{1}{1}\log_2 \frac{1}{1} - \frac{0}{1}\log_2 \frac{0}{1}) \\
&= 0.811 - 0.689 \\
&= 0.123
\end{aligned} \tag{41}$$

For attribute Forecast we have Same($p_1 = 2, n_1 = 1$) and Weak ($p_2 = 1, n_2 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Forecast) &= 0.811 - \frac{3}{4}Entropy(S_{Sky=Sunny}; Forecast=Same) \\
&\quad - \frac{1}{4}Entropy(S_{Sky=Sunny}; Forecast=Change) \\
&= 0.811 - \frac{3}{4}Entropy(2, 1) - \frac{1}{4}Entropy(1, 0) \\
&= 0.811 - \frac{3}{4}(-\frac{2}{3}\log_2 \frac{2}{3} - \frac{1}{3}\log_2 \frac{1}{3}) - \frac{1}{4}(-\frac{1}{1}\log_2 \frac{1}{1} - \frac{0}{1}\log_2 \frac{0}{1}) \\
&= 0.811 - 0.689 \\
&= 0.123
\end{aligned} \tag{42}$$

Therefore the attribute with the greatest gain when Sky=Sunny is Wind. The Wind attribute will now form our new sub-tree at Sky = Sunny



Now we have to calculate the gains for Sky=Sunny and Wind=Strong. Starting with the Entropy(S) calculation. We can see from the data that there is 3 positive data rows and 0 negative data rows for Sky=Sunny and Wind=Strong

$$\begin{aligned}
 Entropy(p, n) &= -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \\
 &= -\frac{3}{3} \log_2 \frac{3}{3} - \frac{0}{3} \log_2 \frac{0}{3} \\
 &= 0.0
 \end{aligned} \tag{43}$$

For attribute AirTemp we have only the value Warm ($p_1 = 3, n_1 = 0$)

$$\begin{aligned}
 Gain(S_{Sky=Sunny; Wind=Strong}, AirTemp) &= 0.811 - \frac{3}{3} Entropy(S_{Sky=Sunny; Wind=Strong; AirTemp=Warm}) \\
 &= 0.0 - \frac{3}{3} Entropy(3, 0) \\
 &= 0.0 - 1(-\frac{3}{3} \log_2 \frac{3}{3} - \frac{0}{3} \log_2 \frac{0}{3}) \\
 &= 0.0 - 0.0 \\
 &= 0
 \end{aligned} \tag{44}$$

For attribute Humidity we have the values Normal ($p_1 = 1, n_1 = 0$) and High ($p_2 = 2, n_2 = 0$)

$$\begin{aligned}
 Gain(S_{Sky=Sunny; Wind=Strong}, Humidity) &= 0.0 - \frac{1}{3} Entropy(S_{Sky=Sunny; Wind=Strong; Humidity=Normal}) \\
 &\quad - \frac{2}{3} Entropy(S_{Sky=Sunny; Wind=Strong; Humidity=High}) \\
 &= 0.0 - \frac{1}{3} Entropy(1, 0) - \frac{2}{3} Entropy(2, 0) \\
 &= 0.0 - \frac{1}{3}(-\frac{1}{1} \log_2 \frac{1}{1} - \frac{0}{1} \log_2 \frac{0}{1}) - \frac{2}{3}(-\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2}) \\
 &= 0.0 - 0.0 \\
 &= 0
 \end{aligned} \tag{45}$$


For attribute Water we have values Cool ($p_1 = 1, n_1 = 0$) and Warm ($p_2 = 2, n_2 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny;Wind=Strong}, Water) &= 0.0 - \frac{1}{3} Entropy(S_{Sky=Sunny;Wind=Strong,Water=Cool}) \\
&\quad - \frac{2}{3} Entropy(S_{Sky=Sunny;Wind=Strong,Water=Warm}) \\
&= 0.0 - \frac{1}{3} Entropy(1, 0) - \frac{2}{3} Entropy(2, 0) \\
&= 0.0 - \frac{1}{3} \left(-\frac{1}{1} \log_2 \frac{1}{1} - \frac{0}{1} \log_2 \frac{0}{1} \right) - \frac{2}{3} \left(-\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{46}$$

For attribute Forecast we have values Change ($p_1 = 1, n_1 = 0$) and Same ($p_2 = 2, n_2 = 0$)

$$\begin{aligned}
Gain(S_{Sky=Sunny;Wind=Strong}, Forecast) &= 0.0 - \frac{1}{3} Entropy(S_{Sky=Sunny;Wind=Strong,Forecast=Change}) \\
&\quad - \frac{2}{3} Entropy(S_{Sky=Sunny;Wind=Strong,Forecast=Same}) \\
&= 0.0 - \frac{1}{3} Entropy(1, 0) - \frac{2}{3} Entropy(2, 0) \\
&= 0.0 - \frac{1}{3} \left(-\frac{1}{1} \log_2 \frac{1}{1} - \frac{0}{1} \log_2 \frac{0}{1} \right) - \frac{2}{3} \left(-\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{47}$$

We can see that the gains for all the other attributes, when Sky = Sunny and Wind = Strong, are 0. This means that this branch of the tree is complete giving:



We can classify the leaf node to be yes because all training rows when Sky = Sunny and Wind = Strong has a yes value for EnjoySport.

Now we need to classify the branch Sky = Sunny and Wind = Weak. There are no positive and one negative data rows for Sky = Sunny and Wind = Weak

$$\begin{aligned}
Entropy(S_{Sky=Sunny}, Wind=Weak) &= Entropy(p, n) \\
&= -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \\
&= -\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \\
&= 0
\end{aligned} \tag{48}$$

For the attribute AirTemp we have Warm($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Wind=Weak, AirTemp) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny}, Wind=Weak, AirTemp=Warm) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{49}$$

For the attribute Humidity we have Normal($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Wind=Weak, Humidity) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny}, Wind=Weak, Humidity=Normal) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{50}$$


For the attribute Water we have Warm($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Wind=Weak, Water) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny}, Wind=Weak, Water=Warm) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{51}$$

For the attribute Forecast we have Same($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Sunny}, Wind=Weak, Forecast) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny}, Wind=Weak, Forecast=Same) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{52}$$

Now we can see that the gains of all the attributes, when Sky = Sunny and Wind = Weak, are 0. Additionally we can see that this node would return No, because it is the only option according to our data for Sky = Sunny and Wind = Weak. This gives us:



The only branch that still needs classifying is the Sky = Rainy branch. Now we will calculate the gains for the other attributes in this case. For Sky = Rainy, we have only one data row. Which means we have 0 positive and 1 negative data row.

$$\begin{aligned}
Entropy(S_{Sky=Rainy}) &= Entropy(p, n) \\
&= -\frac{p}{p+n} \log_2 \frac{p}{p+n} - \frac{n}{p+n} \log_2 \frac{n}{p+n} \\
&= -\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \\
&= 0
\end{aligned} \tag{53}$$

For the attribute AirTemp we have Cold($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, AirTemp) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny}, AirTemp=Cold) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{54}$$

For the attribute Humidity we have High($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, Humidity) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny; Humidity=High}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{55}$$

For the attribute Wind we have Strong($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, Wind) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny; Wind=Strong}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{56}$$

For the attribute Water we have Warm($p_1 = 0, n_1 = 1$)


$$\begin{aligned}
Gain(S_{Sky=Rainy}, Water) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny; Water=Warm}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{57}$$

For the attribute Forecast we have Change($p_1 = 0, n_1 = 1$)

$$\begin{aligned}
Gain(S_{Sky=Rainy}, Forecast) &= 0.0 - \frac{1}{1} Entropy(S_{Sky=Sunny; Forecast=Change}) \\
&= 0.0 - \frac{1}{1} Entropy(0, 1) \\
&= 0.0 - \frac{1}{1} \left(-\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} \right) \\
&= 0.0 - 0.0 \\
&= 0
\end{aligned} \tag{58}$$

We can see from the gains for the attributes when Sky = Rainy, that we do not create a new sub-tree but make this a leaf node. From the only applicable

data row we can see that this node will return No. Therefore the final decision tree will be:



References

- Mitchell, T. M. (1997). *Machine Learning*. McGraw-Hill.
- Murphy, K. P. (2012). *Machine Learning: A Probabilistic Perspective*.
- University of Washington. (2012). *Nearest neighbor*. Retrieved from http://courses.washington.edu/css490/2012.Winter/lecture_slides/06c_nearest_neighbor.pdf