Project 1 Write up

Connor Strynkowski cjs343

Alex Meyers ajm339

Marc Baselga mb749

SEE OUTPUT AT THE END

1) MAP for CACM: 0.0062164443726427715

MAP for MED: 0.010130517772610637

2)

The format of our index includes the following: We first check whether the document paths are valid. Additionally, we also analyze whether or not the directory is readable. Then we set up a direct index, where the key of the index (rows) is the document name, and the columns of the

index are the tokenized terms from the query. Finally, the value of the row-column combination

is the frequency of the term within the specified document.

forward index. The variable named "dir" in our code maintains the directory in memory, the cacmdatabase.txt and meddatabase.txt maintain our storage of the values. We also used an array of String was used to store the files through the indexing process in our "indexDocs" method

The data structures used include the following: we used a Directory to create and maintain the

(IndexFiles.java).

5)

Using a direct index for 3a and 3b had a few advantages for determining the tf*idf weighting schemes that would have been more difficult with an inverted index. First of all, the structure of the direct index allows for easily accessing the specific entities required for each document to calculate its weighting, because the organization of the direct index uses the document as the key and the term frequency in that document as the value. This makes it easier to isolate the term frequency in a particular document, because all of the term frequencies are

sorted by document; as opposed to an inverted index which organizes the term frequencies by term, which is not ideal for these calculations.

This issue is highlighted further when adding additional documents to the index in a dynamic collection. In a direct index, one could simply add a new row to hold the counts of the terms in the new document, but with an inverted index, one would have to append each row (represented a term) with the new documents' respective count.

A potential way to make approximations would be to compute the idf value using the term count (number of times a certain term occurs in all the documents) instead of document frequency, which might be hard to calculate using an inverted index (http://arxiv.org/abs/0807.3755).

6)

Some things that may have occurred to cause this issue are conflicts with stop words and stemming. Since both stop words and stemming were turned off, this likely resulted in queries being run with non-critical words potentially adulterating results. Some other issues that could cause the query to have a low Mean Average Precision Score include:

 general technical failures regarding stemming, stop words, or analyzing the entire query correctly

- 2) the systems analyzing the query all emphasize one aspect of the search terms but miss an important and required term
- the systems all analyzing the query emphasize one specific aspect but miss another aspect of the query entirely
- 4) some of the systems emphasize one aspect of the query but some systems emphasize another aspect of the query, when in fact the systems need both aspects of the query
- 5) the systems all emphasize some irrelevant aspect of the query which ends up missing the point of topic
- 6) there was a need for outside expansion of "general" term to cover subjects. For example, a term included "Europe" but did not analyze parts of Europe like "France" or "England"
- 7) there needed to be query analysis in order to determine the relationship between query terms
- 8) the systems missed difficult aspects in the query

 (Adapted and quoted from Ellen M. Voorhees with Chris Buckley http://comminfo.rutgers.edu/
 ~muresan/IR/Docs/Articles/sigirforum/Voorhees2005.pdf)

7)

The difference in the Mean Average Precision for part 1 between the two sets suggests a few things. First of all, it means that the queries were more successful in returning documents in the second series (MED) than the first series (CACM). The measures for number 1 overall were accurate. The Mean Average Precision values fell within range of standard results as found from looking at other studies online. For number 3, part A yielded useful results, showing values that helped to represent the different levels of effectiveness of the queries run on the specific documents. Parts B and C yielded more extreme results ranging in the positive and negative values and sometimes with extreme sizes. This is likely dude to an error in normalizing the values inputted into the functions. The issue is probably due to a math error that we could not debug in time for the deadline of this project, and we would appreciate some leniency in the grading of this section. Number 4 yielded results that did not fluctuate to as far extremes as Number 3. The values were more normalized, but still extremely small. This is also due to a slight error in the value of our normalization tactics. Overall I would recommend notes with more in-depth examples on how to compute these values rather than high-level discussions of what it should more or less look like. All in all this exercise was a good experience in working with Lucene and better understanding the complexities of Search Engines.

8)

Connor: He designed the architecture for part 1, 2, 3, and 4 and implemented the majority of the code.

Alex and Marc: assisted and consulted Connor in the process implementing parts 1-4, wrote essential java functions for part 3 and 4, put together the entire write-up for the project.

Output:

```
CACM-3089|checkpointing,1|dh,1|intermittent,2|used,1|saturation,1|evaluation,1|reliable,1|
measures,1|model,2|ca780608,1|1979,1|1978,1|10,1|ensure,1|including,1|method,1|is,3|am,1|system,
4|operate,1|proposed,1|techniques,1|processing,1|9,1|oriented,1|5.5,1|assumed,1|checking,1|
4.33,1|4.35,1|26,1|reliability,2|recovery,3|availability,1|derive,1|point,1|principal,1|database,
1|file,1|systems,2|and,3|of,2|procedures,1|rollback,2|3.73,1|a,3|derochette,1|3.72,1|failures,2|
d,1|e,1|cacm,1|gelenbe,1|february,1|checkpoints,1|the,4|with,1|performance,3|june,1|response,1|
information,1|to,3|time,1|8.1,1|under,2|4.6,1|transaction,1|mathematical,1|
CACM-3090/01,1/illustrates,1/joint,1/placed,1/dh,1/use,2/political,2/welfare,2/upon,1/tracking,2/
attractiveness,1|fit,1|that,2|features,1|major,1|than,1|ca780607,1|different,1|1979,1|
administrators,2|funders,1|1978,1|organizational,2|11,1|based,1|12,1|using,1|efficiency,1|in,1|
impact,2|this,2|is,1|them,1|economy,1|impacts,3|it,2|am,1|an,1|3.53,1|both,1|economies,1|system,
3|integration,2|internal,1|clients,1|caseworkers,2|technical,1|rather,1|sociology,1|their,1|
2.11,1|eyes,1|computing,4|computer,1|operations,1|are,1|systems,4|and,5|of,13|reported,1|client,
2|on,1|enhance,1|successful,1|a,1|product,1|social,1|cacm,1|february,1|was,1|groups,1|agencies,3|
increase,1|way,1|the,14|automated,3|r,1|june,1|urban,1|management,1|service,2|administrative,2|
kling,1|information,4|to,2|demands,1|
CACM-3091|hypothesized,1|program,12|required,1|objective,1|evaluation,1|four,1|programmers,1|
1979,1|between,1|1978,1|4.20,1|11,1|determinants,1|in,1|programmer,7|reduced,1|is,1|being,1|am,1|
propose,1|an,1|each,1|standards,1|chrysler,1|as,2|processing,1|gave,1|programs,1|increased,1|be,
1|26,1|examine,1|emerged,1|characteristic,1|computer,2|found,1|are,3|power,1|relationship,1|
predicting, 2|a, 4|necessary, 1|e, 1|forecasting, 1|cacm, 1|one, 1|predictive, 1|the, 6|june, 1|cobol, 1|
associated, 21to, 5142, 11nine, 11evidence, 11dh, 11before, 11begun, 11experience, 31specifications, 11
good,1|research,1|major,1|scheduling,1|create,1|from,1|ca780606,1|five,2|programming,6|all,1|
which,1|development,7|ultimate,1|this,1|develop,1|2.40,1|estimation,1|task,1|were,1|techniques,1|
basic,1|some,1|for,2|technique,1|productivity,2|related,2|and,4|of,7|influences,1|value,1|
measurable,2|on,1|fifteen,1|characteristics,7|amount,1|equation,2|february,1|was,2|
preprogramming,1|multiple,1|also,1|objectively,1|increase,1|with,2|contained,1|performance,1|
management, 11 regression, 11 time, 81
CACM-3092|been,1|software,4|issues,1|problem,1|1979,1|1978,1|11,1|3.50,1|in,4|constitute,1|it,1|
then, 1 | analysis, 1 | am, 1 | each, 1 | 120, 1 | 1, 1 | as, 3 | 2, 1 | system, 1 | submitted, 1 | at, 1 | 3, 1 | 4, 1 | analyze, 1 | analyze, 1 | analyze, 2 
tompkins,1|much,1|statistical,1|extension,1|be,2|26,1|portion,1|spss,1|least,1|range,1|consume,2|
cycle,1|literature,1|systems,2|viewed,1|by,1|indicate,1|a,5|b,1|e,1|more,2|cacm,1|swanson,1|g,1|
analyzed,1|the,10|june,1|responses,1|somewhat,1|to,4|dh,1|use,1|enhancement,4|do,1|developed,1|
that,1|high,1|major,1|enhancements,1|than,2|aids,1|has,1|results,1|ca780605,1|programming,2|
those,1|estimates,1|area,3|qiven,1|new,1|development,1|package,1|59,1|this,1|significant,1|
totaled,1|lientz,1|important,2|most,1|respondents,1|were,1|little,1|problems,2|consumed,1|
however,1|questionnaire,1|rough,1|69,1|technical,2|for,1|percent,1|life,1|tend,2|total,3|
productivity, 1 and, 10 of, 11 pretested, 1175, 1 characteristics, 1 orientation, 2 cost, 1 february, 1
was,2|resources,2|groups,1|with,1|application,3|management,4|80,1|organizations,1|attention,1|
category, 114.6, 11 maintenance, 6 luser, 11 demands, 11
CACM-3093|5.23,1|4.12,1|dh,1|lr,4|parsers,1|simple,1|parsing,2|rhodes,1|approach,1|compilers,1|
that,2|from,2|directly,1|1979,1|1978,1|programming,1|ca780604,1|which,4|based,1|12,1|in,3|
already,1|this,1|is,6|an,1|both,1|parser,1|provide,1|detecting,1|driven,1|programs,1|present,2|
correction, 2|errors, 2|22, 1|recovering, 1|scheme, 2|26, 1|automatically, 1|for, 2|obtainable, 1|graham,
1 appears, 1 recovery, 2 lerror, 3 lwe, 1 levy, 1 lpaper, 1 land, 5 lby, 1 lof, 1 lmickunas, 1 lafter, 1 lon, 1 l
4.42,1|a,1|patterned,1|languages,1|cacm,1|february,1|automatic,2|j,1|m,1|the,3|june,1|powerful,1|
syntax,2linformation,2lmodry,1lto,1lpm,1l
CACM-3094|illustrates,1|4.12,1|called,1|binding,1|arithmetic,1|program,1|parsing,2|approach,3|
defines,1|these,2|grammar,2|examining,1|1979,1|1978,1|algorithm,1|10,1|symbolic,1|12,1|using,1|
in,2|is,1|it,1|analysis,2|an,1|input,1|1,2|as,1|analyze,1|slr,1|relative,2|algorithms,2|average,
1/roth,1/26,1/sentences,1/deterministic,3/two,2/recursive,1/top,2/are,4/by,5/32,1/a,7/variables,
2\lefficiencies,2\lcacm,1\lone,2\lrepresenting,1\lanalyzed,1\lj,1\lm,1\ldescribes,1\lpushing,1\lthe,20\l
such,1|descent,1|june,1|machine,2|maximum,1|to,7|minimum,1|represent,1|but,1|ll,1|acceptable,1|
cohen,1|5.23,1|5.24,1|5.25,1|dh,1|formulas,4|buy,1|quantities,1|parsers,3|rules,1|simple,2|
language,1|down,2|analyses,2|that,2|syntactic,1|etc,1|presented,2|only,1|wishes,1|up,2|
benchmarks, 1|programming, 1|described, 1|estimates, 2|ca780603, 1|subscripting, 1|actual, 1|qiven, 1|
```

```
bottom, 2|finally, 1|this, 1|applicable, 1|expressions, 1|iterating, 1|parser, 3|proposed, 1|elementary,
1|5.7,1|popping,1|string,1|configuration,2|values,1|for,4|numerical,1|can,1|times,1|not,1|
operations,1|paper,3|substantiated,1|and,5|provides,1|of,6|compiler,1|derived,1|execution,1|
applying,1|determine,1|february,1|length,1|perform,1|also,1|parse,1|specific,2|form,1|
corresponding,1|determining,1|time,4|pdp,1|pm,1|
CACM-3095|5.24,1|data,4|called,1|5.25,1|dh,1|considered,1|driscoll,1|trees,1|when,1|ca780602,1|
number,1|problem,1|presented,1|retrieval,1|than,1|from,1|traversal,5|tag,2|1979,1|1978,1|
algorithm,3|which,1|12,1|in,2|tree,4|this,1|is,5|list,1|an,1|each,1|node,1|field,2|binary,3|
retrieve,1|conditions,3|items,1|useful,1|visiting,1|26,1|for,3|according,1|range,3|consuming,1|
search,3|minimal,1|paper,1|lien,1|and,1|of,6|examination,2|selecting,1|a,6|process,1|
particularly,1|selective,4|efficient,1|more,1|cacm,1|february,1|satisfying,1|j,1|3.74,1|the,5|
nodes,1|june,1|y,1|uses,1|to,2|time,1|40,1|pm,1|
CACM-3096|optimal,2|bit,1|trees,2|three,1|required,2|number,1|deletion,3|retrieval,1|greater,1|
1979,1|1978,1|height,4|order,1|12,1|method,2|in,7|adversely,1|bits,1|zweben,1|reduced,1|is,7|
sense, 1/1, 2/3, 4/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 1/3, 
mcdonald,1|search,1|are,1|indicates,1|moreover,1|by,2|where,1|3.73,1|a,4|more,1|cacm,1|one,4|
sided,2|right,1|m,1|n,1|hirschberq,1|o,1|3.74,1|the,8|subtree,2|such,1|june,1|s,1|cannot,1|
information,1|to,1|5.25,1|dh,1|48,1|acl,1|that,4|ca780601,1|shown,1|accomplished,1|earlier,1|
than,1|only,2|logn,1|has,2|results,1|which,2|tree,7|this,2|its,2|affected,1|modification,1|
node's,1|5.31,1|insertion,2|coupled,1|basic,1|problems,1|for,2|general,1|can,1|operations,1|avl,
2|and,1|of,9|magnitude,1|every,1|over,1|or,1|advantage,1|february,1|arbitrary,1|exactly,1|equal,
1|balancing,1|with,1|nodes,1|pm,1|
CACM-3097|6.34,1|6.35,1|optimal,2|called,1|ccd,3|vary,1|05,1|shift,9|quickly,1|bit,5|block,4|
1979,1|1978,1|devices,1|numbered,1|hierarchy,1|bits,2|is,6|paging,2|then,1|whose,1|slowly,1|0,6|
1,2|as,5|at,3|field,1|reached,2|starting,1|shortly,1|wait,3|be,2|26,1|comes,1|iin,1|computer,1|
composed,1|known,1|are,2|does,1|viewed,1|have,2|electronic,1|so,1|a,10|3.72,1|charge,1|may,1|
cacm, 1 lone, 1 | refresh, 1 | possible, 2 | n, 2 | the, 11 | r, 1 | ca780510, 1 | maximum, 1 | to, 3 | minimum, 2 | register, 1 |
but,1|transferred,1|dh,1|before,2|drum,3|sites,1|shifting,2|that,1|registers,2|up,1|which,1|
always,2|definite,2|involves,1|5.39,1|this,2|bounded,1|transfer,5|purposes,1|outside,1|coupled,1|
allow,1|boundary,1|request,2|memory,5|critical,1|latency,1|for,3|best,1|around,1|speed,1|can,3|
random,1|minimal,1|not,1|paper,1|rate,5|and,5|of,4|passed,1|park,1|amount,1|will,1|blocks,1|
again,1|rotation,1|february,1|also,1|requirement,1|occurring,1|with,1|what,1|serial,1|variable,1|
well,1|until,2|time,2|strategy,4|hurry,1|pm,1|simply,1|
CACM-3098|dh,1|nonintegral,1|faster,2|than,2|from,1|1979,1|programming,1|those,1|1978,1|
fishman's,4|10,1|generation,1|new,1|similar,2|given,1|method,10|shape,1|this,2|19,1|is,7|it,1|
ahrens,2|rejection,1|core,1|1,2|as,1|2,1|3,1|proposed,3|8,1|5.5,1|much,1|tadikamalla,1|other,1|
dieter's,2|26,1|methods,3|for,5|wallace,1|generating,1|effort,1|storage,1|distribution,1|two,1|
simpler,1|random,2|computer,2|same,1|are,1|and,7|of,2|parameter,1|by,1|ca780509,1|compared,1|a,5|
variables, 3|requirements, 1|may, 1|recently, 1|cacm, 1|february, 1|also, 1|fishman, 1|the, 5|p, 1|with, 2|
to,218.1,11pm,11gamma,31
CACM-3099|codes,1|fleisher,1|thought,1|optimal,1|dh,1|tucker,1|integer,5|used,1|these,2|problem,
1|generalizations,1|presented,1|complementarity,1|sufficient,4|1979,1|programming,6|1978,1|new,2|
based,1|test,2|optimality,4|in,1|solutions,1|5.39,1|this,1|3.15,1|19,1|difficult,1|is,1|then,1|
benchmark,1|1,1|as,1|conditions,7|present,1|useful,1|problems,3|some,1|kuhn,1|be,2|26,1|purpose,
1|5.49,1|primal,1|for,3|their,1|mixed,1|pure,1|can,1|divisor,1|dual,1|known,1|common,1|are,1|and,
3|of,7|construction,2|ca780508,1|class,1|on,1|greatest,1|a,1|meyer,1|linear,1|particularly,1|or,
1|sets,1|may,2|cacm,1|february,1|j,1|the,3|with,1|r,1|application,1|report,1|to,2|pm,1|
CACM-3100|dh,1|considered,1|several,1|solved,1|language,1|program,1|three,1|research,1|that,1|
predicate,1|exemplars,1|presented,1|retrieval,1|adequacy,1|inducing,2|from,1|1979,1|tasks,1|
1978,1|knowledge,3|described,1|algorithm,1|5.32,1|method,2|mcdermott,1|hayes,1|is,1|finding,1|an,
2|graph,1|sequence,1|1,1|examples,2|proposed,1|directions,1|generalization,1|interference,5|
partial,1|problems,1|induces,1|3.62,1|complexity,1|3.61,1|roth,1|26,2|for,3|technique,1|
description,1|rule,1|training,2|learning,2|3.66,1|two,1|representation,1|matching,6|induction,2|
common, 1|are, 3|and, 2|by, 3|of, 3|acquisition, 1|ca780507, 1|a, 3|or, 1|3.70, 1|may, 1|more, 1|discussed, 1|
cacm, 1|f, 1|abstraction, 2|february, 1|3.36, 1|j, 1|abstractions, 2|the, 4|concerning, 1|future, 1|
discovery,1|relational,1|uses,1|to,1|informal,1|pm,1|properties,1|
CACM-3101|functions,1|called,1|4.13,1|readily,1|objects,1|binding,1|three,1|1979,1|1978,1|
addition,1|4.20,1|using,1|4.22,1|goal,1|in,2|programmer,1|is,4|an,1|resulting,1|1,1|as,3|
```

```
invocation,1|itself,1|at,1|permits,1|examples,1|4,1|integration,1|programmed,1|components,1|
other,1|be,1|26,1|methods,1|recursive,1|into,1|are,2|procedures,3|by,3|mechanism,3|ca780506,1|
36,1|may,1|d,1|languages,1|more,1|cacm,1|procedure,4|describes,1|the,8|r,1|to,3|under,1|argument,
2|data,1|separate,1|dh,1|environments,1|several,1|language,3|used,1|source,2|decomposing,1|
interpreters, 1|that, 2|transmission, 1|accomplished, 1|programming, 2|which, 1|given, 1|level, 1|this, 2|
suited,1|snobol,1|activation,1|oriented,1|permitting,1|problems,2|records,1|part,1|their,1|
integrated,1|paper,1|and,3|of,4|definition,1|hanson,1|or,1|february,1|control,1|various,1|4.2.1|
well,1|backtracking,1|coroutines,3|sl5,2|treating,1|griswold,1|pm,1|
CACM-3102lincorporation,1|feet,2|amps,1|yard,1|4.12,1|dh,1|considered,1|language,3|upon,1|issues,
based,1|4.22,1|method,1|karr,1|in,1|might,1|is,3|1,1|among,1|proposals,1|aid,1|26,1|for,2|iii,1|
units,4|sec,1|into,1|how,1|are,2|and,1|of,4|design,1|subsequent,1|construction,1|track,1|
physical,1|compiler,1|introduction,1|ca780505,1|conversion,1|a,4|languages,1|may,1|d,1|keeping,1|
discussed,1|cacm,1|february,1|automatic,1|m,1|the,2|various,1|syntax,2|watt,1|pm,1|43,1|
CACM-3103|very,1|4.12,1|saved,1|program,1|type,1|when,1|issues,1|optimizing,1|1979,1|1978,1|
using,1|4.22,1|thus,1|in,7|past,1|programmer,1|is,2|then,1|an,3|1,1|as,1|system,1|selection,2|
programs, 3|detail, 1|inefficient, 1|be, 2|26, 1|automatically, 1|choosing, 1|example, 2|proved, 1|
library,1|are,2|low,2|systems,1|by,1|have,1|implementations,2|ca780504,1|a,3|sets,2|may,1|
efficient,1|discussed,2|cacm,1|structures,1|j,1|abstract,5|the,4|single,1|such,1|filling,1|
automating,1|to,1|levels,1|data,5|dh,1|use,1|several,1|compilers,1|space,1|only,1|reviewed,1|
details,1|from,1|has,1|helpful,1|51,1|programming,2|constructing,1|level,1|this,2|maintaining,1|
produced,1|lists,2|were,1|purpose,1|provided,1|for,4|can,1|general,2|paper,1|and,3|of,4|designed,
1|overview,1|types,4|process,2|or,1|abstraction,1|implementation,2|february,1|automatic,2|also,1|
structure, 2 | with, 1 | time, 2 | 4.6, 1 | pm, 1 |
CACM-3104 lintroduces, 1|5.24, 1|data, 2|accurate, 1|dh, 1|tedious, 1|program, 6|used, 1|simplifies, 1|
geller,1|whereas,1|usually,1|1979,1|1978,1|verification,1|addition,1|simplifying,1|10,1|
correctness,5|4.22,1|test,2|method,1|in,4|testing,2|this,3|is,1|an,1|as,1|2,1|proofs,1|
techniques,1|detecting,1|applicability,1|programs,2|whereby,1|aid,1|useful,1|errors,1|providing,
1|be,2|26,1|for,1|quarantee,1|technique,1|proving,3|long,1|recursive,2|ca780503,1|tend,1|can,1|
not,1|paper,1|and,2|does,1|of,4|procedures,1|demonstrated,1|a,2|process,2|though,1|may,1|cacm,1|
february,1|specification,1|m,1|the,3|to,3|4.6,1|pm,1|
CACM-3105|but,1|data,6|dh,1|objects,3|expressing,1|language,2|desirable,1|simple,1|used,1|type,2|
constraints, 4 | approach, 1 | that, 2 | bank, 1 | shows, 1 | mechanisms, 1 | 1979, 1 | programming, 2 | 1978, 1 | 4.20, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 | 1979, 1 |
similar,1|static,1|in,2|this,1|19,1|is,3|sharing,2|bank's,1|both,1|extend,2|as,1|3,1|provide,1|
permits,1|strongly,1|support,1|stated,1|jones,1|larger,1|shared,1|checking,3|extension,2|
components,1|access,5|be,2|declaratively,1|4.35,1|26,1|records,1|needed,1|for,3|how,1|can,3|
ca780502,1Inotion,1|paper,1|systems,1|are,2|and,4|of,4|by,2|operating,1|on,2|a,3|enforced,1|
types,3|b,1|expression,1|particularly,1|capabilities,1|languages,3|may,1|apply,1|cacm,1|february,
1|control,2|abstract,2|many,1|any,1|controlled,2|the,4|such,1|typed,1|liskov,1|information,1|
suitable,1|to,6|pm,1|account,1|extending,1|applications,1|supported,1|base,1|
CACM-3106|stack,2|program,1|type,1|without,1|number,1|problem,1|block,1|traversal,1|1979,1|
1978,1|algorithm,5|in,1|bits,1|is,3|it,1|being,1|classification,1|an,2|each,1|as,1|3,1|
processing,2|complexity,1|be,2|folds,1|4.34,1|25,1|26,1|operates,1|comes,1|into,3|ca780501,1|
same,1|linked,1|apart,1|enables,1|a,4|variables,1|linear,2|may,1|d,1|efficient,1|fastest,1|cacm,
1|4.49,1|structures,1|the,6|such,1|fast,1|to,2|nine,1|workspace,1|constant,1|5.25,1|dh,1|used,1|
mainly,1|space,1|faster,1|shown,1|presented,1|than,1|copying,3|from,3|needs,1|which,2|lisp,1|its,
3|list,6|destroying,1|fixed,1|fisher's,1|arbitrarily,1|contiguous,1|no,2|optimized,1|for,4|
technique,1|storage,2|speed,1|operations,1|auxiliary,1|and,2|of,3|types,1|original,1|previous,1|
built,1|february,1|structure,2|cells,1|clark,1|locations,1|time,2|significantly,1|pm,1|mark,1|
CACM-3107 | through, 1 | dh, 1 | simulation, 1 | numbers, 1 | nonintegrel, 1 | april, 1 | that, 1 | theoretically, 1 | has,
1|ca780409,1|1979,1|programming,1|1978,1|described,1|new,1|shape,1|method,3|in,1|difficult,1|is,
3|published,1|it,1|rejection,1|both,2|combinations,1|3,1|especially,1|5.5,1|parameters,1|26,1|
variates, 3 | methods, 2 | values, 1 | for, 2 | generating, 2 | simplicity, 1 | speed, 1 | random, 1 | computer, 1 |
previously,1|and,2|of,1|parameter,1|timings,1|beta,3|compared,1|32,1|over,1|a,1|previous,1|cacm,
1|february,1|the,2|with,2|suggested,1|r,1|advantages,1|cheng,1|8.1,1|pm,1|
CACM-3108|small,1|commas,2|3.81,1|dh,1|april,1|without,1|integers,1|transmission,1|terms,1|
presented,1|ca780408,1|1979,1|between,2|1978,1|new,1|using,1|method,1|in,1|is,1|3.57,1|encoding,
2|becomes,1|as,1|3,1|vanishingly,1|even,1|insertion,1|5.6,1|string,1|26,1|for,1|prolongation,1|
```

```
symbols, 1|rodeh, 1|strings, 4|of, 6|delimiters, 2|extra, 1|compared, 1|a, 1|cost, 1|36, 1|cacm, 1|february,
1|increase,1|m,1|the,6|s,1|lengths,2|economical,1|to,1|pm,1|
CACM-3109|5.24,1|data,3|5.25,1|dh,1|used,1|april,1|trees,1|mergeable,1|deletion,1|vuillemin,1|
ca780407,1|1979,1|1978,1|described,1|which,1|5.32,1|item,1|is,1|collection,1|priority,4|an,1|3,1|
binary, 1 linsertion, 1 lbe, 1 l4.34, 1 | primitive, 1 | 26, 1 | for, 3 | update, 1 | can, 1 | search, 1 | operations, 2 | are,
1|and,1|of,3|a,3|set,1|cacm,1|39,1|implementation,1|february,1|representing,1|structures,1|j,1|
union,1|earliest,1|structure,2|heaps,1|the,1|queues,3|manipulating,1|8.1,1|pm,1|
CACM-3110linstructions,3laddressing,1l4.11,1linstance,1lszymanski,1l4.12,1ldepend,1l5.25,1ldh,1l
49,1|april,1|compilers,1|these,1|that,1|either,1|problem,2|solution,1|shown,1|presented,1|from,1|
dependent,3|1979,1|case,1|1978,1|ca780406,1|computational,1|which,1|generation,1|given,1|in,1|
this,2|assembling,1|is,4|then,1|whose,1|an,3|expressions,1|3,1|assemblers,1|restriction,1|
programs,1|complexity,1|np,2|code,2|be,2|distance,1|26,1|for,3|relaxed,1|general,1|modern,1|
paper,1|of,6|by,1|assembly,2|minimizing,1|every,1|computers,1|on,1|considers,1|operands,1|a,3|
contain,1|or,1|expression,1|efficient,1|more,1|cacm,1|february,1|length,1|label,1|allowing,1|
many,1|the,7|with,1|such,3|formf,1|lengths,2|t,1|instruction,3|restricted,1|variable,1|machines,
21to,31time,21complete,21certain,11pm,11operand,21span,31
CACM-3111/rewarding,1/select,2/dropper,1/april,1/required,1/eavesdropping,1/cryptosystem,1/
1979,1|1978,1|ca780405,1|method,2|in,2|work,2|18,1|is,3|sense,1|it,3|3.56,1|an,1|traditional,1|
as,1|4,1|eaves,1|messages,1|be,3|26,1|against,1|enemy,1|protection,1|secret,1|distribution,1|two,
1|increases,1|communications,4|computer,1|wiretap,1|by,1|cryptographic,1|key,5|a,7|means,1|
necessary,1|cacm,1|possible,1|the,6|such,1|r,1|to,5|open,1|fashion,1|communicants,1|3.81,1|
theoretical,1|dh,1|before,1|secure,1|research,1|that,3|suggests,1|shows,1|insecure,1|maintained,
1|conceptions,1|described,1|which,2|new,1|logically,1|kind,1|this,2|cryptography,1|sent,1|both,1|
square,1|channels,2|expend,1|forces,1|topic,1|cryptology,1|according,1|merkle,1|network,1|can,2|
security,5|paper,1|public,1|securely,1|provides,1|and,1|of,5|on,1|highly,1|over,2|amount,1|
practical,1|will,1|february,1|transmit,1|any,1|passive,2|encrypted,1|further,1|pm,1|
CACM-3112|stack,1|compacting,2|4.13,1|program,2|april,1|required,1|ca780404,1|sizes,1|property,1|
interrupts,1|because,1|1978,1|e.g,1|cons,1|3.50,1|4.22,1|in,3|linking,1|pool,1|reduced,1|is,5|
proportional,1|it,1|baker,1|cdr,2|extensions,1|system,4|rplaca,1|size,1|4,1|processing,5|arrays,
1|hash,1|requires,3|accessible,1|average,1|4.32,1|3.60,1|4.33,1|be,2|4.35,1|classical,3|cell,1|
our,1|into,1|coding,1|computer,1|same,1|found,1|file,1|systems,1|are,1|by,3|free,1|
imple mentations, 1|32, 1|3.73, 1|a, 8|may, 1|more, 1|cacm, 1|one, 1|4.49, 1|h, 1|continuously, 1|many, 1|
fragmenting,1|the,10|to,6|atom,1|small,2|reclaims,1|constant,1|compact,1|3.80,1|dh,1|cycles,1|
simple,1|while,1|space,2|replacd,1|reference,2|linearizing,1|presented,1|than,1|from,1|finish,1|
different,1|those,1|which,3|counting,2|making,1|including,1|finally,1|lisp,2|this,1|garbage,3|
real,4|collection,2|list,8|eq,1|sharing,1|bounded,1|lack,1|twice,1|elementary,1|allocating,1|
contiguous,1|no,1|virtual,1|memory,1|for,2|cause,1|storage,3|representation,1|can,1|not,1|
database,1|26,1979,1|operations,1|car,1|and,7|of,3|heap,2|on,1|process,1|directed,1|requirements,
1|allocation,1|or,1|inferior,1|implementation,1|february,1|microcode,1|cells,1|approximately,1|
serial,1|management,2|locations,1|suitable,1|time,8|avoid,1|proportions,1|pm,1|applications,1|
CACM-3113|optimal,3|dh,1|criteria,2|converting,1|rules,2|ambiquities,1|trees,1|constraints,1|
april,1|space,1|sequencing,1|ca780403,1|tables,2|presented,1|else,1|action,1|dynamic,2|
probabilities,1|1979,1|programming,2|1978,1|algorithm,1|lew,1|which,1|5.39,1|3.59,1|is,1|
interrupted, 1 lentry, 2 take, 1 condition, 1 tests, 1 combinations, 1 | 4, 1 | 4.19, 1 | programs, 1 | conditions,
1|26,1| for, 1| rule, 2| mixed, 1| extended, 2|5.42,1| general, 2| can, 1| into, 1| common, 1| and, 3| of, 2|4.29,1|
excludable,1|table,1|conversion,1|on,1|a,2|masking,1|cost,2|or,3|decision,4|sets,1|37,1|limited,
1|cacm,1|4.49,1|february,1|with,1|to,1|time,1|compressed,1|frequencies,1|minimum,1|certain,1|
8.3,1|pm,1|account,1|
CACM-3114|program,2|april,1|ca780402,1|text,1|1979,1|between,3|1978,1|algorithm,5|order,1|10,1|
similar,1|closely,1|in,4|containing,1|is,4|isolation,1|am,1|easy,1|itself,1|versions,1|
difference,3|processing,1|compression,2|word,1|hash,1|other,1|longest,2|be,1|27,1|differences,6|
another,1|isolated,1|isolating,2|two,2|our,1|3.63,1|into,1|coding,1|notion,1|file,8|by,1|3.73,1|
a,7|computationally,1|4.43,1|linear,1|efficient,2|bandwidth,1|encodings,1|cacm,1|one,1|display,1|
the,11|single,1|p,1|isolates,2|to,5|corresponds,1|3.81,1|dh,1|simple,1|source,1|used,1|that,1|
generated,1|implement,1|from,1|generate,1|52,1|those,1|described,1|all,1|given,1|comparison,1|
this,1|comparing,1|most,1|files,4|heckel,1|permitting,1|datum,2|for,3|changes,1|technique,1|can,
11common,2land,3lof,7lmolecular,1lor,1loriginal,1lfebruary,1llength,1lalso,1levolution,1l
```

```
intuitive,1|way,1|subsequence,2|editing,1|with,1|application,2|form,1|independently,1|
reconstruction, 1 | time, 1 | maintenance, 1 | applications, 1 | merges, 1 |
CACM-3115|placed,1|05,1|shift,1|payne,1|bit,1|april,1|these,1|feedback,1|number,5|ca780401,1|
text,2|1979,1|1978,1|order,1|11,1|i.e,1|mapping,2|using,2|natural,4|method,1|in,2|is,2|am,1|an,1|
each, 1/0, 1/1, 1/2, 2/as, 2/3, 2/combinations, 1/field, 1/examples, 1/binary, 6/intermediate, 2/mcmillen, 1/
obtained,1|formed,1|3.7,1|be,1|seed,1|27,1|matrix,3|sequences,2|two,1|into,1|encryption,3|
nonsingular,7|are,2|orderly,1|by,2|key,2|combinatorics,1|a,8|initial,1|correspondence,1|cacm,1|
one,2|k,1|n,1|the,7|w,1|x,2|to,6|complete,1|corresponds,1|register,1|data,1|dh,1|numbers,3|used,
1|pseudorandom,3|segment,1|has,1|enumeration,2|all,1|this,1|produced,1|sequence,1|vectors,3|were,
1|vernam,2|mapped,1|5.3,1|leverage,1|string,1|applied,1|generator,1|representation,1|
shiftreqister,1|can,1|random,1|and,2|of,8|transformed,1|matrices,6|over,1|encipherment,1|
february, 1 | application, 1 | form, 1 | bytes, 1 |
CACM-3116|polygons,1|objects,4|attempt,1|three,1|april,1|manufacturing,1|represented,2|moving,2|
1979,2|10,2|assemblies,1|solid,1|planar,1|in,5|made,1|testing,1|is,2|it,1|am,1|an,1|as,2|among,6|
3.2,1|polyhedra,1|algorithms,1|checking,3|components,2|piecewise,1|two,2|specified,1|products,1|
out,1|computer,1|are,4|does,1|polyhedral,1|so,1|a,1|detection,5|product,1|necessary,1|collisions,
1|discussed,1|cacm,1|j,1|many,2|the,1|such,1|r,1|drafting,1|january,1|to,2|but,1|dimensional,2|
dh,1|environments,1|boyse,1|used,1|graphics,1|whether,1|intersection,1|up,1|50,1|potential,1|
always,1|which,1|static,1|solids,2|typically,1|this,1|positions,1|intersections,1|collision,1|
parts,1|fixed,1|interference,6|carry,1|problems,1|trajectories,1|show,1|for,1|detect,1|medium,1|
representation,3|interferences,2|not,1|paper,1|along,1|surfaces,4|drawings,1|and,6|of,5|types,1|
or,1|determine,1|ca790101,1|industrial,1|there,2|unwanted,1|8.2,1|presents,1|
CACM-3117/decade,1/been,3/strategic,1/slower,1/when,1/beyond,1/april,1/begins,1/1970,1/3.39,1/
1979,2|case,1|10,1|11,1|in,2|past,1|impact,2|am,1|extend,1|planning,1|as,1|at,1|provinsights,1|
become,1|2.12,1|2.11,1|computer,7|routine,1|aided,2|systems,1|by,2|have,1|where,1|departments,1|
relationship,1|32,1|innovation,1|a,3|decision,1|cacm,1|k,1|the,10|such,1|police,5|s,1|u,1|
january,1|2.1,1|machine,2|to,4|date,1|reports,1|dispatch,2|dh,1|use,2|than,1|has,2|results,1|
predicted,1|which,1|making,1|law,2|resource,2|this,3|enforcement,2|2.45,1|significant,1|tool,1|
efforts,1|transfer,1|person,1|however,1|nonroutine,1|for,1|surveys,1|mixed,1|society,1|paper,1|
rate, 1|and, 7|of, 5|studies, 1|early, 1|on, 2|over, 1|allocation, 2|or, 1|ca790102, 1|implementation, 1|
control,1|technology,7|3.33,1|colton,1|command,1|there,1|interaction,1|growth,2|uses,1|further,1|
applications,1|
CACM-3118 lthrough, 1 l6.34, 1 ldata, 2 lminor, 2 ldh, 1 l04, 1 lbuy, 1 lshift, 1 lapril, 1 lrequired, 1 lnumber, 1 lapril, 1 lshift, 1 lapril, 2 ldata, 2 lminor, 2 ldh, 1 louy, 1 lshift, 1 lapril, 2 ldata, 2 lminor, 2 ldh, 1 louy, 2 lshift, 1 lapril, 2 ldata, 2 lminor, 2 ldh, 1 louy, 2 lshift, 2 ldata, 2 lminor, 2 ldh, 1 louy, 2 lshift, 2 ldata, 2 lminor, 2 ldh, 1 louy, 2 lshift, 2 ldata, 2 lminor, 2 ldh, 2 ldata, 2 lminor, 2 ldh, 2 ldata, 2 lminor, 2 ldh, 2 ldata, 2 ldata
problem,1|identified,1|major,1|loop,2|block,1|1979,2|algorithm,2|10,1|give,1|12,1|in,3|lower,1|
this, 1/is, 3/steps, 1/obtaining, 1/5.30, 1/contents, 1/algorithms, 1/internal, 1/memory, 3/4.34, 1/
another,1|common,1|paper,1|bubble,3|and,1|of,8|memories,1|bongiovanni,1|derived,1|class,1|
permutation,4|a,5|ca790103,1|set,1|luccio,1|blocks,1|studied,1|cacm,1|f,1|bound,1|g,1|loops,2|
optimum,1|any,1|n,1|connected,1|the,4|january,1|organization,1|consists,1|time,1|to,1|minimum,1|
pm,1|
CACM-3119|dh,1|considered,1|multitasking,1|simple,1|multiprocessing,1|used,1|issues,1|april,1|
evaluation,1|priorities,1|scheduling,1|1979,2|10,2|models,2|12,1|tradeoffs,1|level,1|queueing,2|
impact,2|cpu,1|processor,2|distributions,2|chandy,1|job,1|4.32,1|study,1|systems,2|are,1|and,3|
sauer,1|of,4|on,1|ca790104,1|include,1|c,1|cacm,1|multiple,2|k,1|the,3|performance,2|disciplines,
3|january,1|service,1|multiprogramming,2|6.2,1|to,1|8.1,1|4.6,1|pm,1|
CACM-3120|practice,1|been,1|4.12,1|compiling,2|when,1|three,1|april,1|these,2|problem,1|text,1|
because,2|1979,2|case,1|events,1|10,1|12,1|in,2|pass,2|arise,1|work,1|is,1|analysis,1|an,3|each,
2|at,1|examples,1|driven,1|processing,1|appropriate,1|semantic,1|be,1|26,1|outset,1|are,1|
subsequent,1|categories,1|event,2|a,3|linear,1|may,1|forward,1|discussed,1|cacm,1|one,2|namely,1|
structures,2|j,2|l,1|the,5|classic,1|difficulties,2|entities,1|january,1|trilling,1|ask,1|cannot,
1linformation,1lto,3lentity,1ldata,1ldh,1lconceptually,1lsource,1lreference,1lthat,1lpresented,1l
only,1|from,2|has,1|described,1|which,1|occur,1|solutions,1|avoids,1|this,1|routeau,1|becomes,1|
both,1|forget,1|problems,1|here,2|68,1|applied,1|parallelism,1|obtainable,1|for,3|technique,4|
can,1|banatre,1|and,4|of,4|construction,1|compiler,2|process,2|processes,1|ca790105,1|
implementation,1|control,1|instead,1|structure,1|special,1|algol,1|processed,1|due,1|compilation,
2|easier,1|uses,1|writer,1|he,2|pm,1|
CACM-3121|small,1|5.24,1|5.25,1|dh,1|use,1|transforms,5|arsac,1|simple,1|source,8|program,5|do,1|
used,1|april,1|equations,1|syntactic,4|number,1|solution,1|presented,1|complex,1|manipulation,2|
1979,2|they,1|case,1|programming,1|10,1|which,2|given,1|development,1|57,1|thus,1|in,1|
```

```
illustrate,1|its,1|is,1|reasonably,1|preserve,1|history,1|tool,1|catalogue,1|1,1|system,1|
provide,1|examples,1|transformations,3|programs,1|semantic,2|be,1|primitive,1|for,3|two,1|not,1|
are,2|and,5|of,8|studies,1|structured,1|execution,1|a,4|ca790106,1|may,1|efficient,1|more,1|cacm,
1|clear,1|structures,1|also,1|j,1|control,1|way,1|computation,1|the,4|modify,1|with,1|powerful,1|
january, 114.2, 11derivation, 11to, 41time, 11combined, 11pm, 11
CACM-3122|taulbee,1|dh,1|production,2|students,1|09,1|april,1|computer,2|conte,1|and,2|of,2|
1.59,1|1979,2|1978,1|1977,1|10,1|in,1|cacm,1|ca790201,1|february,1|employment,2|1.52,1|1.53,1|o,
1|2,1|s,3|1.3,1|science,2|ph,2|pm,1|
CACM-3123|fairley,1|dh,1|doctoral,1|april,1|computer,1|of,1|manpower,1|1979,2|trends,1|10,1|
ca790202,1|characteristics,2|13,1|level,1|occupational,1|cacm,1|february,1|utilization,1|
employment,2|r,1|2,1|scientists,1|2.1,1|2.2,1|1.5,1|pm,1|
CACM-3124 | through, 1 | equivalent, 1 | data, 6 | functions, 1 | dh, 1 | exhibiting, 1 | numbers, 1 | used, 1 | theorems,
between,1|manipulate,1|10,1|which,1|all,1|ca790203,1|given,1|new,2|4.22,1|in,4|level,1|tree,1|is,
4|includes,1|an,2|graph,1|definitional,1|homogeneous,1|as,1|illustrated,1|at,1|3,1|proposed,1|
driven,2|5.29,1|arrays,6|theory,1|algorithms,2|study,1|extension,1|be,1|primitive,1|for,1|
representations, 1| recursive, 3| characters, 1| systems, 1| are, 1| array, 1| operators, 1| and, 3| of, 7| define,
1|jenkins,1|construction,1|nesting,1|gull,1|a,3|cacm,1|one,1|february,1|structures,2|approaches,
2|defining,1|m,1|structure,2|the,6|stored,1|w,1|assist,1|to,5|41,1|pm,1|mathematical,1|
CACM-3125|smaller,1|4.12,1|graphical,1|program,2|april,1|path,1|problem,1|optimization,2|
suppression,1|moving,1|1979,2|flow,1|algorithm,2|10,1|i.e,1|separately,1|ca790204,1|shape,1|in,1|
testing,1|19,1|is,3|require,1|it,2|analysis,1|propose,1|each,1|invariant,3|at,1|size,1|4,1|
partial, 2|requires, 1|qlobal, 1|out, 1|are, 2|systems, 1|moreover, 1|does, 1|by, 3|redundancy, 2|
elimination,4|a,3|expression,1|linear,1|c,1|e,1|more,1|cacm,1|loops,1|performed,1|computation,1|
the,10|such,1|information,1|to,4|partially,1|5.21,1|morel,1|5.24,1|data,1|dh,1|moved,1|do,1|that,
3|shown,1|loop,3|has,1|directly,1|entrance,1|which,1|given,1|this,2|restrictions,1|its,1|often,1|
less,1|done,2|graph,1|both,1|twice,1|once,1|leads,1|redundancies,1|termed,1|invariants,1|solving,
outward, 1 on, 2 execution, 3 move, 1 or, 1 cost, 1 computations, 4 renvoise, 1 february, 1 lany, 1 with, 2 l
boolean,1|compilation,1|time,1|pm,1|
CACM-3126|addressing,1|4.34,1|25,1|perfect,3|functions,2|dh,1|methods,1|hashing,4|searching,1|
for,1|direct,1|storage,1|april,1|retrieving,2|coding,2|scatter,1|1979,2|on,1|10,1|a,1|identifier,
probe,1|3.74,1|single,1|4,1|transformations,1|to,1|reduction,1|3.7,1|pm,1|hash,2|
CACM-3127|architectures,1|software,1|3.80,1|dh,1|use,2|lanquage,1|april,1|high,1|implemented,1|
quite,1|written,1|because,1|has,1|different,2|communication,1|1979,2|hardware,1|10,1|which,3|
12,1|large,1|in,1|level,1|interprocess,1|minicomputer,1|is,3|portable,3|real,3|it,3|am,1|
ca790206,1|both,1|minicomputers,1|as,1|system,4|9,1|programs,4|thoth,4|providing,1|be,1|sager,1|
4.35,1|interface,1|networks,1|two,1|4.30,1|running,1|portability,1|primitives,1|melen,1|same,2|
are,2|systems,1|and,1|of,2|by,2|hence,1|operating,3|designed,1|on,2|highly,1|over,1|a,3|
encourages,1|processes,1|set,1|d,1|efficient,1|cacm,1|february,1|g,1|malcolm,1|l,1|m,1|the,4|
with, 1|cheriton, 1|currently, 1|application, 2|isa, 1|structuring, 1|communicating, 1|time, 3|to, 2|
machines,1|user,1|
CACM-3128/03,1/called,1/objects,1/april,1/controlling,1/1979,2/events,3/defined,1/10,1/models,1/
12,1|using,2|in,5|reed,1|interprocess,1|distributed,2|is,4|then,1|ca790207,1|am,1|an,1|system,2|
examples,1|eventcounts,3|requires,1|relative,1|shared,2|4.32,1|be,1|ordering,4|concurrent,1|
direct,1|exclusion,2|protection,1|4.30,1|systems,2|are,2|eventcount,1|where,1|protect,1|
mechanism,3|relationship,1|situations,1|a,2|variables,1|d,1|cacm,1|abstract,1|the,7|r,1|s,1|
information,1|to,6|dh,1|use,1|kanodia,1|several,1|semaphores,1|simplifies,1|that,2|shown,1|than,
1|directly,1|communication,1|mechanisms,1|described,1|new,1|given,1|correctness,1|its,1|
applicable,1|particular,1|mutual,2|proposed,1|seems,1|memory,1|rather,1|explained,1|security,1|
confinement,1|and,5|of,10|allows,1|processes,3|process,1|manipulations,1|implementation,2|
february,1|control,3|also,1|with,2|sequencers,3|matters,1|synchronization,4|arguments,1|simplify,
1|formally,1|
CACM-3129|optimal,1|generates,1|dh,1|added,1|criteria,1|several,2|april,1|space,4|required,1|
mode,1|either,1|whenever,1|record,1|yechiali,1|designates,1|1979,2|addition,1|10,1|which,2|12,1|
in,3|batch,1|this,1|is,1|transactions,1|am,1|demand,1|each,2|ca790208,1|system,2|mendelson,1|
```

allocating,1|files,6|processing,1|must,1|3.5,1|job,1|3.7,1|device,1|4.33,1|access,1|be,1|records,

```
1|line,1|reside,1|for,3|direct,1|partitioned,1|best,1|storage,5|out,1|computer,1|file,2|paper,1|
are,1|by,2|of,1|vector,1|reorganization,1|on,2|considers,1|a,3|34,1|allocation,2|or,2|
reorganized,1|limited,1|cacm,1|jobs,1|one,1|february,1|h,1|pliskin,1|j,1|the,5|serial,3|u,1|uses,
1 | to, 2 | 4.6, 1 | runs, 1 | dataset, 1 | transaction, 1 |
CACM-3130/02,1/education,4/dh,1/acm,1/areas,1/program,4/used,1/entire,1/recommendations,2/issues,
1|april,1|sciences,1|elective,1|terms,1|presented,3|1979,2|all,1|11,1|courses,6|12,1|including,1|
in,4|level,2|this,1|degree,2|is,2|then,1|am,1|core,1|as,1|science,9|elementary,1|
intermediate, 1 | programs, 2 | continuing, 2 | machinery, 1 | stokes, 1 | c3s, 1 | other, 1 | austing, 1 | articulation,
1lengel,1lfor,3lassociation,1lout,1lcomputer,10lcomputing,1lcommon,1lrelated,1lbonnette,1lare,3l
and,5lof,3lsupporting,1lon,1l78,1lca790301,1lb,1lcommittee,1ld,1ltopics,1ldiscussed,1lcacm,1lg,2l
staff,1|curriculum,4|1.52,1|march,1|barnes,1|the,8|such,1|contained,1|component,1|r,1|round,1|
material,1|service,2|report,1|to,3|facilities,1|undergraduate,6|
CACM-3131/3.80,1/dh,1/precision,1/numbers,1/uniformity,1/focus,6/accuracy,2/arithmetic,3/integer,
1|bit,2|lee,1|april,1|number,3|that,1|character,1|faster,1|than,2|has,1|state,1|signal,1|five,1|
1979,2|microcomputer,3|computational,3|hardware,1|11,1|give,1|12,2|4.22,1|typically,1|in,1|16,1|
is,1|am,1|an,1|distributions,1|system,3|especially,1|8,1|processing,1|fixed,1|useful,1|word,1|
algorithms,2|other,1|for,4|3.24,1|logarithmic,1|representation,1|point,3|speed,2|times,1|
operations,1|are,2|mixture,1|and,3|floating,2|of,4|supporting,1|included,1|implementations,1|
over,1|ca790302,1|a,5|5.11,1|twofold,1|or,1|wide,1|computations,1|advantage,1|cacm,1|edgar,1|
length,1|control,1|many,1|march,1|the,1|ranging,1|better,1|equal,1|single,1|with,2|s,1|4.0,1|
comparable,1|applications,3|
CACM-3132|very,1|practice,1|tested,1|criteria,1|three,2|april,1|poor,1|hyperplane,5|1979,2|
between,1|defined,1|algorithm,3|12,1|in,6|lower,1|relaxation,3|hyperplanes,3|is,4|it,2|
classification,2|an,1|classifying,1|traditional,1|3,1|20,1|3.62,1|algorithms,3|other,2|be,1|
methods,1|frequently,1|experiments,1|pattern,4|dead,1|two,3|3.63,1|found,1|are,3|does,1|have,2|a,
7|set,1|linear,1|ca790303,1|sets,1|cacm,1|one,1|j,1|accelerated,1|march,1|the,8|such,1|to,2|
standard,1|but,1|data,1|dh,1|centered,1|recognition,2|used,1|good,1|space,1|points,2|empty,1|
that,1|centrality,1|zone,1|find,2|than,1|should,1|modified,1|quite,1|centering,1|which,3|all,1|
separable,2|new,1|slagle,1|solutions,1|noncentral,1|finding,2|linearly,2|therefore,1|since,1|
some,1|discriminants,1|classes,2|for,2|technique,1|training,1|error,1|necessarily,1|not,2|
central,4|paper,1|rate,1|and,1|class,2|on,1|or,1|six,1|better,1|with,1|although,1|favor,1|
separates,2|pm,1|
CACM-3133|5.21,1|clausal,1|data,1|dh,1|clauses,1|guiding,1|rules,1|semantics,1|resolution,1|
april,1|3.42,1|syntactic,1|path,1|deliyanni,1|variant,1|proof,1|1979,2|defined,1|programming,1|
53,1|which,1|12,1|its,1|is,2|procedural,1|an,2|regarding,1|as,2|theorem,2|3,1|provide,1|
deduction,1|interpretation,1|following,1|useful,1|potentially,1|semantic,5|other,1|be,1|
inference,1|scheme,1|provided,1|for,3|networks,3|proving,1|representation,1|extended,2|we,1|
3.64,1|network,2|prover,1|can,1|search,1|and,3|of,5|by,2|kowalski,1|precise,1|virtue,1|
relationship,1|on,1|hand,1|a,7|ca790304,1|indexing,2|cacm,1|abstract,1|structure,1|march,1|the,5|
with,3|r,1|form,2|regarded,1|logic,5|strategy,1|pm,1|
CACM-3134|approach,1|improved,1|number,1|tables,1|retrieval,7|far,1|above,1|accesses,1|1979,2|
based,1|using,1|method,4|motzkin,1|possess,1|is,1|economy,1|am,1|an,2|as,2|system,2|examples,1|
9,1|evaluating,1|items,1|21,1|algorithms,2|other,2|multiattribute,1|multilist,1|file,2|systems,3|
are,4|moreover,1|multiplication,4|attribute,1|table,3|compared,1|3.73,1|a,7|particularly,1|set,1|
3.70,1|d,2|may,1|more,2|cacm,1|3.79,1|queries,2|ca790305,1|describes,1|march,1|the,11|
organization,2|information,8|attributes,2|to,3|economical,1|certain,1|incorporates,1|46,1|dh,1|
use,1|several,1|rapid,2|space,3|than,1|inverted,2|results,1|described,2|group,1|possibly,1|all,1|
which,1|given,2|this,3|particular,1|appropriateness,1|modification,1|respect,1|disk,2|files,1|
some, 1 | requesting, 1 | for, 6 | technique, 1 | storage, 1 | directory, 1 | paper, 1 | common, 1 | and, 4 | of, 10 | class, 1 | common, 2 | and, 4 | of, 10 | class, 1 | common, 2 | and, 4 | of, 10 | class, 1 | common, 2 | and, 4 | of, 10 | class, 1 | common, 2 | and, 4 | of, 10 | class, 1 | common, 2 | and, 4 | of, 10 | class, 1 | class, 2 | class, 2 | class, 3 | class, 4 | clas
normal,4|approaches,1|requirement,1|with,2|conventional,1|yields,1|well,1|suitable,1|
CACM-3135|occurrences,1|substructures,1|considered,1|objects,1|three,3|april,1|number,1|
constellation,1|retrieval,1|electron,1|1979,2|algorithm,1|10,1|similar,1|adequately,1|in,8|
containing,1|documentation,1|is,2|ray,1|analysis,2|am,1|an,1|peaks,1|each,1|1,1|2,1|3,1|field,1|
chemical, 3|biological, 1|fourier, 1|21, 1|larger, 1|crystal, 1|molecules, 1|pattern, 3|distribution, 1|
specified,1|matching,1|3.63,1|search,2|file,1|are,1|where,1|map,1|chemistry,1|a,9|detection,1|
set,1|sets,1|density,1|may,1|within,1|cacm,1|structures,2|possible,1|3.74,1|the,8|x,1|
information,1|to,2|atom,1|demanded,1|dimensional,3|dh,1|several,1|recognition,1|do,1|drug,1|
presented,2|pharmacology,1|limit,1|from,1|50,1|ca790401,1|lesk,1|patterns,1|this,2|3.13,1|
```

 $candidates, 1 \\ lmatchings, 1 \\ ldetecting, 1 \\ lgeometric, 1 \\ lindividually, 1 \\ luseful, 1 \\ lsearching, 1 \\ lfor, 3 \\ led \\ led \\ led \\ led \\ lsearching, 2 \\ lfor, 3 \\ led \\$ technique,2|atoms,2|retrieving,1|not,1|crystallography,1|common,1|structural,1|and,1|of,14| design, 1 | define, 1 | possessing, 1 | characteristics, 1 | cases, 1 | or, 1 | structure, 5 | fragment, 1 | activities, 1|uses,1|properties,1|fitting,1|applications,1| CACM-3136|small,1|been,1|reveal,1|dh,1|dichotomy,1|several,1|developing,1|09,1|do,1|developed,1| april, 1|relationships, 1|measures, 1|shown, 1|predictable, 1|price, 6|function, 1|meaningless, 1|1979, 2| between,1|hardware,2|which,1|models,2|law,2|ca790402,1|mckenney,1|patterns,1|is,2|market,6| unstable,1|1,1|as,3|system,2|simplified,1|relatively,1|21,1|however,1|larger,1|study,1|other,1| be,2|purpose,1|for,2|2.11,1|general,1|computer,5|systems,3|are,1|low,1|and,1|of,4|have,1|so,1| predicting,1|on,1|hand,1|over,1|a,4|characteristics,1|cost,1|business,1|may,1|e,1|cacm,1|one,2| gremillion,1|multiple,1|econometric,1|j,1|grosch's,2|predictability,1|l,1|6.21,1|the,4|single,1| such,1|with,1|performance,4|2.0,1|u,3|regression,1|stable,1|there,1|exists,1|cale,1|to,3|pm,1| CACM-3137|modeling,1|dh,1|interactive,2|april,1|major,1|presented,1|model,2|from,1|per,1|1979,2| using,1|making,1|ca790403,1|in,1|distributed,4|is,1|an,2|streeter,1|1,1|system,4|illustrated,1| minimization,1|effect,1|overall,1|processing,3|parameters,1|21,1|4.32,1|4.33,1|25,1|for,1| technique,1|bucci,1|database,1|computing,1|systems,1|and,1|design,4|of,6|by,1|perspective,1|end, 1|various,1|evident,1|information,3|6.2,1|to,1|8.1,1|user,1|pm,1|methodology,1|transaction,3| economic,1 CACM-3138/06,1/dropped,1/april,1/these,1/equations,1/problem,2/controlling,1/1979,2/addition,1/ algorithm, 2 lusing, 1 lmethod, 3 lin, 4 lsquares, 2 lis, 5 lan, 4 l1, 1 l2, 1 lillustrated, 1 l5, 1 l21, 1 least, 2 l fundamental,1|sparsity,1|algebra,1|matrix,1|orthogonal,1|are,3|does,1|givens,3|by,2|elimination, 1|a,8|means,1|scaling,1|linear,4|5.14,1|may,1|efficient,2|more,1|cacm,1|one,1|column,4|j,1| procedure,1|transformation,1|sample,1|the,11|r,1|to,3|wisniewski,1|mathematical,1|lp,1|data,1|dh, 1|simple,1|that,1|updating,2|presented,2|adding,1|modified,3|programming,3|computational,1|add,1| constructing,1|test,2|numerically,1|ideas,1|particular,1|ca790404,1|formal,1|successive,1| vectors, 1 unit, 1 tests, 1 transformations, 2 | 5.1, 1 | 5.4, 1 | parameters, 1 | problems, 1 | some, 2 | applied, 1 | purpose,1|idea,1|additional,1|for,4|simplex,2|decomposition,1|5.41,1|general,1|numerical,1|not,1| computing,1|times,1|signs,1|and,3|of,9|row,5|mentioned,1|analogous,1|hanson,1|process,1|or,5| cases,2|implementation,1|followed,1|any,1|structure,1|with,2|ssive,1|suggested,1|application,1| form,1|imaginary,1|stable,1|various,1|determining,1|revised,2|pm,1|account,1| CACM-3139|performs,1|5.25,1|dh,1|05,1|upon,1|developed,1|april,1|degrees,1|randall,1|find,1|than, 1|scheduling,1|coloring,1|1979,2|algorithm,1|which,3|5.32,1|new,3|given,1|comparison,2|cliques,1| method,3|in,1|finally,1|this,1|is,5|brown,1|ca790405,1|an,2|graph,5|important,1|2,1|rely,1|5,1| exact,3|larger,1|brelaz,1|np,1|color,3|vertices,2|methods,5|part,1|for,1|classical,1|general,1| graphs,3|paper,1|are,1|and,5|of,6|procedures,1|compared,1|a,4|d,1|efficient,1|cacm,1|heuristic,3| bipartite,1|maximal,1|describes,1|structure,2|the,9|better,1|balancing,1|june,1|able,1|to,4| complete,1|pm,1| CACM-3140|play,1|de,1|5.24,1|software,1|dh,1|language,1|do,1|program,3|theorems,1|verifications, 1|dominate,1|that,2|justify,1|should,1|1979,2|verification,3|development,1|in,2|lipton,1|felt,1| difficult,1|is,2|it,2|engineering,1|real,1|al,1|formal,3|as,1|2,1|5,1|proofs,3|science,1|perlis, 1|programs,3|obtained,1|no,1|complexity,1|ease,1|23,1|argued,1|role,1|mathematics,2|absence,1| matter,1|2.10,1|how,1|not,2|computer,1|same,1|and,5|of,8|design,1|make,1|key,1|a,1|processes,1| process,1|millo,1|ca790501,1|may,1|social,1|will,1|cacm,1|change,1|continuity,1|specification,2| many,1|manage,1|the,6|r,2|june,1|form,1|furthermore,1|inevitability,1|to,1|4.6,1|significantly,1| pm,1|mathematical,1| CACM-3141|n2,1|5.25,1|dh,1|configurations,1|improved,1|number,2|than,1|extrema,1|1979,2| algorithm,3|order,2|which,1|5.32,1|in,4|numbered,1|this,2|distributed,1|circular,1|is,1| decentralized,3|finding,2|an,3|lelann's,1|2,1|roberts,1|5,1|circle,1|note,1|largest,1|no,1| average,1|algorithms,1|4.32,1|4.35,1|log,1|rather,1|smallest,1|achieve,1|for,2|priori,1| technique,1|not,1|arranged,1|central,1|extinction,1|known,1|passes,1|systems,2|and,1|of,7| operating,1|a,4|processes,3|controller,1|ca790502,1|35,1|or,1|set,1|selective,1|may,1|e,1|cacm,1| improvement,1|uniquely,1|message,2|n,2|o,1|the,2|r,1|june,1|chang,1|exists,1|uses,1|to,2|pm,1| presents,1| CACM-3142|very,1|software,1|year,1|empirical,1|about,1|computerized,2|program,1|type,1|billing,2| number,1|relate,1|poor,2|easily,1|state,1|per,1|agement,1|1979,2|they,1|between,1|attempts,1|

3.50,1|using,1|having,1|large,2|is,3|them,1|transactions,1|packages,3|3.55,1|an,1|3.52,1|as,1|3,1|timeliness,1|5,1|4.19,1|21,1|average,1|be,5|role,1|turned,1|indicated,1|2.12,1|targets,1|out,

1|prevalence,1|how,2|computer,1|are,1|systems,3|by,2|man,1|linked,1|a,2|art,1|reaction,1|may,3| more,1|cacm,1|one,1|households,1|many,1|corrected,1|the,9|encountered,1|such,1|june,1|t,1|2.0,1| difficulties,1|2.1,1|2.2,1|to,7|accounts,1|40,1|contacts,1|instance,1|correct,2|data,1|dh,1| adequate,1|sterling,1|individuals,1|experience,1|while,1|that,1|raise,1|from,1|eighty,1| different,1|results,2|which,1|always,1|including,1|occur,1|difficult,1|often,1|most,1|failure,1| survey, 1 | designs, 1 | present, 1 | errors, 8 | conflict, 1 | some, 1 | assessed, 1 | show, 1 | for, 1 | their, 1 | appears, 1|percent,2|can,1|not,1|public,1|and,4|of,11|end,1|consumers,2|consumer,1|successful,1|process,1| designers,1|types,1|or,2|learned,1|also,1|concerns,1|ca790503,1|with,4|eft,1|what,3| $approximately, 1 \\ lmanagement, 3 \\ lthere, 1 \\ lorganizations, 1 \\ linvestigation, 1 \\ l4.6, 1 \\ lpm, 1 \\ larganizations, 2 \\ linvestigation, 2 \\ larganizations, 3 \\ linvestigation, 4 \\ larganizations, 4$ CACM-3143|5.21,1|5.24,1|functions,1|dh,1|reasoning,2|about,2|program,1|descriptions,1|variation, 1|these,1|presented,1|proof,1|assertions,1|1979,2|which,1|partitions,2|images,1|equivalence,1| merging,2|4.22,1|laws,1|ideas,1|is,1|formal,1|intervals,2|concatenation,2|illustrated,1|3,1| concepts,2|5,1|binary,2|restriction,1|arrays,3|basic,1|facilitate,1|algorithms,1|functional,1| extension,2|notations,1|ordering,2|values,1|for,2|their,1|proving,1|point,1|search,2|variety,1| are,1|array,1|and,5|of,5|by,2|effectiveness,1|33,1|a,2|include,1|reynolds,1|pointwise,2|may,1| cacm,1|j,1|ca790504,1|the,2|single,1|june,1|various,1|4.0,1|short,1|relations,2|informal,1|pm,1| CACM-3144|architectures,1|4.13,1|dh,1|run,1|discussion,1|nested,1|multi,2|interpreters,3|these,1| either,1|host,1|model,2|from,1|links,1|directly,1|1979,1|which,2|i.e,1|14,1|august,1|in,1| hierarchies,1|domains,1|interpreter,2|is,1|19791,1|being,1|execute,1|system,2|transfer,1| programs,2|multiprocessor,1|interpreted,2|21,1|other,1|be,1|anatomy,1|for,1|reveals,1|exhibits,1| protection,1|3.65,1|how,1|manthey,1|systems,1|and,4|of,4|by,2|themselves,1|procedures,1|virtue,1| on,1|a,3|or,1|may,2|cacm,1|control,1|m,1|differ,1|ca790505,1|the,3|machine,1|to,1|pm,1| CACM-3145 | measured, 1 | conditional, 1 | dh, 1 | administration, 1 | reasoning, 1 | findings, 1 | empirical, 1 | language,1|rules,1|program,2|used,1|proficiency,3|graduate,1|write,1|1979,2|programming,6| knowledge,1|3.51,1|4.22,1|ca790601,1|read,1|test,1|august,1|throughs,4|in,3|testing,2|19,1| develop,1|analysis,1|an,1|2.42,1|3,1|provide,1|adjust,1|final,1|programs,1|support,1|21,1| assessed,1|scores,2|student,1|for,2|teaching,3|covariance,1|learning,1|introductory,1|into,1| majors,1|215,1|and,3|of,6|by,1|examination,1|writing,1|structured,4|lemos,1|ability,2| empirically,1|incorporating,1|effectiveness,1|a,5|b,1|process,1|debug,1|c,1|business,1|more,1| effectively,1|cacm,1|implementation,1|was,3|multiple,1|statistically,1|1.52,1|sample,1|the,4| with, 1|r, 1|june, 1|cobol, 5|to, 3|under, 1|pm, 1|walk, 4|age, 1| CACM-3146|college,1|small,1|projects,3|education,1|software,9|called,1|dh,1|04,1|solved,1| project,1|program,5|experience,1|objective,1|faculty,1|skills,3|that,1|realistic,2|brings,1| shown,1|academic,3|far,1|sufficient,1|from,2|mudd,1|has,1|communication,1|1979,2|described,1|tam, 1 Iteams, 3 I august, 1 I in, 2 I campus, 1 I work, 2 I this, 1 I opportunity, 1 I is, 2 I engineering, 5 I real, 1 I an, 4 I ca790602,1|as,2|at,1|undertaken,1|provide,1|4,1|problems,1|21,1|complexity,1|providing,1|be,1| student,2|careful,1|students,2|training,1|industry,1|acquire,1|can,1|world,2|are,1|and,3|by,2|of, 3|supervision,1|design,1|working,1|magnitude,1|so,1|viable,1|on,2|a,2|studied,1|cacm,1|team,1| 1.52,1|sample,1|transition,1|the,5|such,1|environment,1|industrial,1|june,1|s,1|harvey,1| management,1|4.0,1|w,1|clinic,3|to,4|under,2|pm,1|methodology,1|essential,1|busenberg,1| CACM-3147|been,1|4.12,1|configurations,2|program,2|advance,1|problem,2|model,4|1979,2|order,2| 4.22,1|method,1|august,1|in,2|is,2|it,1|underlying,1|ca790603,1|an,2|whose,1|adapted,1|each,3|as, 1|system,3|4,1|determined,1|choices,1|aggregations,2|device,1|21,1|access,1|works,1|be,1|25,1| methods,1|datasets,3|search,2|file,3|systems,1|are,1|have,1|key,2|situations,1|a,6| computationally,1|set,1|business,2|d,1|efficient,1|forward,1|cacm,1|many,1|sample,1|logical,1| computation,2|the,5|straight,1|june,1|s,1|automating,1|organization,1|to,3|dataset,1|data,1|dh,1| 49,1|main,1|simple,1|specifications,1|that,1|presented,1|discusses,1|results,1|programming,1| computational,1|54,1|alter,1|this,1|finding,1|systematically,1|involving,1|for,6|technique,1| point,1|paper,2|and,6|design,5|of,6|views,1|coordinating,1|computations,3|determine,1| implementation,1|automatic,1|enough,1|pair,1|application,2|although,1|uses,1|4.6,1|pm,1| CACM-3148|dh,1|advanced,1|project,1|program,1|approach,1|growing,1|high,1|problem,1|shown,1| ambitious,1|assertions,1|1979,2|programming,5|tasks,1|based,1|development,1|4.22,1|august,1| level,2|in,1|module,1|this,2|distributed,4|is,3|particular,1|it,1|an,2|modules,1|ca790604,1|at,1| 4,1|feldman,1|messages,1|coupled,1|useful,1|21,1|4.32,1|other,2|be,2|primitive,1|independent,1| purpose,1|part,1|for,3|aspects,1|range,1|appears,1|general,1|computing,3|paper,1|systems,1| interest, 1 Inotions, 1 | are, 1 | and, 4 | of, 8 | key, 1 | 31, 1 | on, 1 | a, 2 | languages, 3 | wide, 1 | discussed, 1 | cacm, 1 | also,1|j,1|message,1|describes,1|the,3|with,1|june,1|loosely,1|to,3|machines,1|relations,1|pm,1| transaction,1lmethodology,1l

```
CACM-3149|data,2|dimensional,3|dh,1|existence,1|recognition,1|rules,1|graphics,1|when,1|
extracted,1|three,2|scene,2|analyzing,1|that,1|imperfect,1|shown,1|property,4|from,1|1979,2|
defined,1|order,3|given,1|august,1|in,1|this,1|is,2|analysis,2|an,1|bounded,1|ca790605.1|
intelligence,1|1,1|as,1|3.2,1|processing,1|3.6,1|aid,1|useful,1|22,1|curved,1|be,1|vertices,1|
bodies,3|line,2|for,2|pattern,1|grammatical,1|two,1|pictures,2|computer,1|previously,1|known,1|
are,1|of,3|by,1|smooth,1|a,1|particularly,1|36,1|determine,1|shapira,1|cacm,1|h,1|freeman,1|
structure,1|picture,1|the,5|such,1|r,1|artificial,1|june,1|corresponding,1|reconstruction,1|to,2|
faces,118.2,11pm,11cyclic,31augments,11
CACM-3150100,1|called,1|leading,1|shift,1|objects,1|beyond,1|attempt,1|building,1|complex,1|
1979,2|tasks,1|manipulate,1|they,1|order,2|4.20,1|4.22,1|large,1|august,1|in,2|programmer,1|
understand,1|july,1|is,1|packages,1|exist,1|as,3|2,1|concepts,1|provide,1|22,1|complexity,1|
algorithms,1|machine's,1|components,1|be,1|matures,1|our,2|enabled,1|out,1|computer,1|current,1|
systems,7|by,1|analyzes,1|ability,1|escape,1|intricacies,1|a,1|means,1|languages,4|shortcomings,
1|cacm,1|possible,1|ca790701,1|4.40,1|the,11|such,1|t,1|future,1|to,6|lays,1|dh,1|adequate,1|
language,1|research,1|growing,1|high,1|create,1|from,2|programming,8|which,1|development,1|level,
2|need,1|this,1|develop,1|towards,1|maintaining,1|directions,1|basic,1|higher,1|some,2|code,1|
away,1|changes,1|for,3|description,1|we,3|can,1|not,1|paper,1|and,5|of,8|now,1|just,1|nature,1|
will,1|specification,1|technology,1|with,1|detailed,1|build,1|4.0,1|attention,1|winograd,1|pm,1|
properties,1
CACM-3151|plane,1|optimal,1|data,1|5.25,1|dh,1|preparata,1|07,1|points,2|1979,2|algorithm,3|
described,1|computational,1|5.32,1|using,1|planar,2|august,1|in,2|july,1|is,1|real,3|an,3|each,1|
successive,1|2,1|achieving,1|thereby,1|hulls,1|processing,1|appropriate,1|22,1|algorithms,2|log,
2|line,1|for,2|constructs,1|updates,1|total,1|of,4|by,1|convex,4|construction,1|on,1|a,2|set,2|
cacm,1|f,1|4.49,1|ca790702,1|n,4|structure,1|o,2|the,5|geometry,1|time,5|hull,3|pm,1|taking,1|
CACM-3152|adaptation,1|required,1|number,1|block,2|if,1|1979,2|order,1|method,1|august,1|in,4|
july,1|paging,2|is,6|it,1|an,2|former,1|2,1|at,1|size,1|even,1|22,1|algorithms,1|be,2|4.34,1|
scheme,2|29,1|matrix,2|fetches,1|into,1|known,1|submatrix,1|by,1|multiplication,4|reorganization,
4|minimizing,1|a,1|reorganized,1|5.14,1|efficient,2|more,1|cacm,1|one,1|column,1|makes,1|
possible,1|computation,1|ca790703,1|the,12|p,1|r,1|stored,1|to,7|probert,1|data,3|5.25,1|dh,1|
use,2|available,1|fischer,1|while,1|pages,1|realistic,1|shown,2|leave,1|than,1|which,1|
advantageous,2|given,2|asymptotically,1|accomplishing,1|adapting,1|this,2|often,1|techniques,1|
page,1|oriented,2|no,1|virtual,1|memory,1|pagination,1|rather,1|additional,1|for,4|technique,1|
best,1|storage,1|not,1|and,2|strassen,2|of,7|row,2|multiply,1|matrices,5|or,1|cost,1|bound,1|
also,2|better,1|environment,1|form,3|derivation,1|transpose,2|reorganize,1|pm,1|
CACM-3153|optimal,1|functions,1|considered,1|approach,1|degrees,1|multi,1|context,1|1979,2|
between,1|devoted,1|august,1|in,3|devices,1|expected,2|lower,1|july,1|is,4|paging,2|alocation,1|
processor,1|an,1|each,1|quality,1|as,2|system,4|3,1|bounds,1|obtained,1|object,1|22,1|algorithms,
2|server,1|4.32,1|proportion,1|indicated,1|hine,1|giving,1|networks,1|two,4|mitrani,1|computer,1|
partition,1|file,1|systems,2|are,3|by,2|examined,1|32,1|a,6|more,1|cacm,1|jobs,3|i,1|j,1|tsur,1|
ca790704,1|the,15|single,1|consisting,1|s,1|multiprogramming,1|closed,2|to,5|economical,1|under,
1|open,1|dh,1|numbers,1|main,1|than,1|different,2|results,1|which,1|solutions,1|queueinq,1|
external,1|effect,1|fixed,1|job,1|parameters,2|virtual,1|memory,5|arrivals,1|classes,3|for,1|
their,1|decomposition,1|investigate,1|numerical,1|times,4|allocations,1|parameterized,1|and,5|of,
13|regulating,1|class,2|possibility,1|on,1|applying,2|allocation,1|paged,1|process,1|or,1|
determine,1|studied,2|control,3|way,1|with,3|performance,1|response,4|service,1|initially,1|time,
1|8.1,1|treating,1|pm,1|
CACM-3154|5.21,1|5.24,1|correct,1|data,1|dh,1|08,1|language,2|used,2|program,2|changing,1|
without,1|improved,1|that,2|problem,1|identified,1|would,1|meaning,1|only,1|easily,1|modified,1|
whereas,1|text,1|if,1|1979,2|programming,2|algorithm,5|knowledge,2|which,3|4.20,1|efficiency,2|
in,2|its,1|july,1|is,1|often,2|an,2|as,1|improving,1|5,1|were,1|programs,1|problems,1|specifies,
1|24,1|be,3|solving,2|determines,2|aspects,1|their,1|we,1|3.64,1|4.30,1|can,2|computer,1|
september, 1 | and, 5 | of, 5 | by, 2 | kowalski, 1 | a, 2 | means, 1 | strategies, 1 | more, 2 | cacm, 1 | structures, 1 |
affects,1|separated,1|specification,1|ca790705,1|control,6|arque,1|the,11|consisting,1|component,
5|r,1|regarded,1|nonprocedural,1|relational,1|logic,6|to,1|pm,1|methodology,1|
CACM-3155|11,1|44,1|august,1|floyd,1|cacm,1|paradigms,1|ca790801,1|am,1|the,1|r,1|4,1|january,1|
of,1|1980,1|1979,1|programming,1|db,1|
CACM-3156|but,1|instructions,2|n2,1|5.25,1|chandra,1|processors,3|used,1|that,1|find,2|only,1|
closure,2|1979,1|transitive,2|algorithm,2|which,1|5.32,1|12,1|using,1|august,1|in,1|18,1|is,1|an,
```

```
2|graph,2|ca790802,1|4,1|1980,1|processing,1|present,1|assume,1|theory,1|algorithms,1|components,
2|undirected,1|be,2|access,2|memory,1|vertices,1|simultaneous,1|for,2|matrix,1|we,2|symmetric,1|
can,2|computing,1|not,1|same,1|common,1|permitted,1|parallel,3|of,2|have,1|computers,1|on,1|a,4|
6.22,1|d,2|log2n,3|cacm,1|bound,1|also,1|store,1|n,3|hirschberg,1|o,2|sarwate,1|connected,3|the,
5|with,1|component,1|boolean,1|january,1|fetch,1|achieved,1|uses,1|location,1|to,4|time,2|pm,1|
db,11
CACM-3157 occurrences, 1 functions, 2 program, 5 approach, 1 required, 1 terms, 1 multisets, 3 | 1979, 1 |
defined,1|august,1|in,4|reduced,1|is,5|an,1|as,1|3,1|4,1|proofs,1|1980,1|consideration,1|
programs,2|complexity,1|be,1|prove,1|proportion,1|bags,2|infinite,1|ordering,5|proving,2|
sequences,1|out,1|dershowitz,1|into,1|too,1|are,3|systems,4|taken,1|term,1|enables,1|a,6|ordered,
1|variables,1|set,4|sets,3|cacm,1|founded,6|n,1|computation,1|the,16|multiset,4|such,2|s,4|
january,1|elements,1|z,1|to,6|under,1|db,1|44,1|5.24,1|use,1|simple,1|rules,2|used,1|descending,
1|that,3|shown,1|rewriting,2|find,2|function,2|from,1|verification,1|termination,9|all,1|
otherwise,1|manna,1|given,2|repeatedly,1|correctness,1|maps,1|finite,1|this,1|tree,1|difficult,2|
often,1|particular,1|orderings,2|tool,1|ca790803,1|relatively,1|basic,1|replacement,1|5.7,1|
induces,1|no,1|some,1|production,2|values,1|for,1|admit,2|common,1|and,2|of,10|throughout,1|
value,1|on,2|over,2|multiple,1|intuitive,1|way,1|with,1|well,6|reduction,1|pm,1|
CACM-3158/data,1/own,1/secure,2/his,1/employs,1/insecure,1/links,1/communication,1/1979,1/safely,
1|hardware,1|confidential,2|14,1|method,2|august,1|in,3|need,1|ca790804,1|personal,3|is,2|am,1|
an,1|each,1|users,1|proposed,1|rely,1|1980,1|files,1|9,1|device,1|other,1|26,1|keys,1|for,2|
privacy,1|2.12,1|denning,1|networks,1|network,3|can,1|computing,3|security,3|not,1|central,3|
public, 2|encryption, 2|and, 2|responsible, 1|of, 1|key, 2|on, 2|a, 4|or, 3|d, 1|implementing, 1|more, 1|
cacm, 1 lone, 1 ltransmit, 1 lstore, 1 l6.20, 1 lthe, 6 lwith, 1 l january, 1 lto, 1 l facilities, 1 luser, 2 l facility,
CACM-3159|standard,2|stably,1|remark,1|updating,1|and,1|5.19,1|1979,1|on,1|estimates,1|14,1|
august,1|38,1|cacm,1|ca790805,1|deviation,2|nelson,1|l,1|am,1|january,1|mean,2|1980,1|9,1|
further, 1|5.5, 1|db, 1|
CACM-3160|held,1|nation,1|05,1|experimental,3|preparation,2|these,1|number,3|executive,1|
contribution,1|participating,1|1979,1|1978,1|addition,1|10,1|based,1|14,1|15,1|large,1|in,7|
corporation,2|is,2|ivan,1|am,1|an,1|bell,2|version,2|2,1|at,2|contents,1|science,4|elliot,1|
following,1|1980,1|john,1|institute,1|hamblen,1|authors,3|nsf,2|other,3|patricia,1|sutherland,2|
galler,1|computer,4|current,1|government,2|asked,1|are,1|by,1|have,1|departments,2|a,6|committee,
1|d,1|michigan,1|cacm,1|sponsored,1|j,1|co,1|gordon,1|people,2|the,17|ibm,1|january,2|w,1|report,
6|to,4|representatives,1|db,1|goldberg,1|november,1|acm,1|missouri,1|circulated,1|presentation,1|
california,1|written,1|criticism,1|results,1|contributed,1|all,2|wasington,1|crisis,1|
rejuvenating,1|workshop,3|this,4|equipment,1|telephone,1|granting,1|feldman,1|were,2|
laboratories,1|final,1|doctorate,1|gratefully,1|position,1|problems,1|note,1|bernard,1|
university,2|pinson,1|for,3|september,1|paper,1|and,6|of,16|dated,1|editors,1|on,4|digital,1|
original,1|comments,1|was,1|groups,1|also,1|agencies,1|technology,1|ca790901,1|industrial,1|
acknowledge,1|there,1|stages,1|suggestions,1|rolla,1|
CACM-3161|mccracken,1|acm,1|experimental,1|denning,1|executive,1|ccp,1|computer,1|september,1|
brandin,1|1979,1|on,1|10,1|committee,1|14,1|crisis,1|d,2|in,1|cacm,1|19,1|am,1|an,1|ca790902,1|
the,1|p,1|january,1|science,1|1980,1|position,1|db,1|
CACM-3162|occurrences,1|5.25,1|when,1|that,1|shown,1|text,1|1979,1|case,3|algorithm,2|
computational,1|10,1|14,1|in,1|its,1|is,2|it,1|galil,1|am,1|improving,1|moore,2|even,1|1980,1|
worst,3|present,1|complexity,1|string,3|27,1|pattern,1|matching,3|running,2|how,1|september,1|
are,1|of,2|so,1|on,1|boyer,2|linear,2|cacm,1|multiple,1|ca790903,1|4.40,1|3.74,1|the,5|modify,1|
january,1|periodicity,1|z,1|time,3|to,1|db,1|
CACM-3163|smaller,1|optimal,2|trees,10|number,1|deletion,4|retrieval,1|1979,1|algorithm,3|height,
4|element,1|11,1|14,1|thus,1|in,6|zweben,1|is,3|require,1|it,1|am,1|an,4|as,1|examples,1|binary,
3|1980,1|much,1|algorithms,3|complexity,2|be,4|4.34,1|operates,1|log,4|concluded,1|balanced,4|
result,1|into,1|search,3|same,1|known,1|moreover,1|have,1|where,2|gives,1|3.73,1|a,5|question,1|
within, 1 more, 2 | cacm, 1 | one, 3 | sided, 3 | k, 1 | performed, 2 | n, 4 | hirschberg, 1 | o, 4 | 3.74, 1 | the, 13 | such, 2 |
appear,1|s,1|answer,1|january,1|complicated,1|to,2|2n,1|first,1|db,1|constant,1|47,1|5.25,1|ly,1|
that,2|earlier,1|shown,1|presented,1|whether,1|than,2|should,1|has,1|inserting,1|results,1|which,
1|kind,1|tree,2|this,2|5.31,1|insertion,6|however,1|for,5|their,1|best,1|represents,1|can,3|
general, 1 | negative, 1 | operations, 1 | september, 1 | paper, 1 | and, 3 | kosaraju, 1 | avl, 2 | of, 5 | now, 1 | factor, 1 |
```

```
over, 1|previous, 1|raiha, 1|ca790904, 1|oshb, 3|also, 1|improvement, 1|structure, 1|nodes, 1|furthermore,
1|corresponding,2|time,5|
CACM-3164 | areas, 1 | when, 1 | constraints, 1 | path, 1 | number, 2 | integrity, 2 | digraph, 2 | state, 1 | 1979, 1 |
algorithm,1|11,1|14,1|large,1|in,3|expected,1|is,4|am,1|an,2|reachable,1|detached,1|digraphs,1|
node, 1|1980, 1|processing, 1|acyclically, 1|actions, 1|algorithms, 1|other, 1|4.33, 1|be, 1|4.34, 1|
experiments,1|requests,1|sequences,1|matrix,1|cycle,1|two,1|are,6|acyclic,4|where,1|maintains,1|
a,7|though,1|cacm,1|one,1|gradient,1|structures,1|entered,1|suggest,1|n,2|o,1|the,6|r,1|january,
1|w,1|topological,1|certain,1|db,1|data,1|simple,1|deadlock,1|second,1|that,1|pad,2|faster,1|
presented,1|from,1|which,1|5.32,1|new,1|given,1|56,1|asymptotically,1|accepts,1|hansen,1|this,1|
sort,1|list,2|tool,1|graph,1|both,1|important,1|paths,1|creates,1|request,1|nr,1|for,2|
representation, 1 | network, 1 | can, 1 | database, 3 | september, 1 | along, 1 | and, 3 | of, 4 | on, 1 | process, 1 |
implementation, 1 | considerably, 1 | ca790905, 1 | any, 1 | with, 1 | artificial, 1 | nodes, 3 | there, 1 | progressive,
2|permissible,1|until,1|uses,2|
CACM-3165/04,1/versatility,1/1979,1/algorithm,2/based,1/12,1/14,1/in,1/is,5/cartography,2/an,2/
each,2|labels,1|digitizer,1|illustrated,1|cellular,2|1980,1|processing,1|algorithms,1|
geographical, 1 | regions, 1 | 4.34, 1 | operates, 1 | soil, 1 | outline, 1 | computer, 2 | by, 4 | where, 1 | examined, 1 | a,
3|means,1|side,1|set,1|cacm,1|q,1|analyzed,1|representing,1|structures,1|computation,1|the,11|
such, 1|automated, 1|s, 1|polygon, 1|january, 1|organization, 3|geometry, 1|to, 2|operation, 1|db, 1|data,
4|eliminating,1|recognition,1|used,2|either,1|geographic,1|presented,1|segment,3|only,1|
boundaries,1|computational,1|area,1|readable,1|new,1|approximation,3|coordinate,1|maps,7|need,1|
widely,1|3.14,1|wagle,1|important,1|once,1|converted,1|gridding,1|region,1|thematic,1|applied,1|
for,3|cellularization,1|point,1|inclusion,1|september,1|and,1|nagy,1|of,7|class,1|on,2|identify,
1|polygonal,3|ca790906,1|structure,1|bordering,1|form,1|further,1|8.2,1|pm,1|
CACM-3166|standard,3|but,1|data,1|accurate,3|answers,1|accuracy,2|discussion,1|deviations,1|that,
1|number,1|updating,1|four,3|than,1|emphasis,1|5.19,1|specifically,1|1979,1|computational,1|
estimates,1|which,1|all,1|new,2|in,1|16,1|old,1|conclude,1|squares,1|difficult,1|is,2|it,1|
analysis,1|each,1|unweighted,1|condition,1|provide,1|4,1|1980,1|substantially,1|conditions,1|
5.5,1|problems,2|algorithms,6|23,1|statistical,1|other,2|be,1|for,4|least,1|reaching,1|error,1|
two,4|our,1|we,1|numerical,1|literature,1|computing,1|september,1|known,1|are,5|and,1|intended,1|
of,6|definition,1|sampled,1|on,2|a,1|5.11,1|will,2|more,1|cacm,1|one,2|analyzed,2|automatic,1|
lewis,1|rounding,1|deviation,2|expository,1|j,1|many,1|computation,2|the,9|with,1|t,1|ca790907,1|
january,1|mean,1|well,1|suitable,1|under,1|chan,1|pm,1|db,1|
CACM-3167|standard,1|47,1|data,3|evidence,1|accurate,1|when,1|improved,2|that,1|updating,4|
presented,1|west,1|5.19,1|weighted,1|1979,1|estimates,2|given,1|efficiency,1|method,4|in,1|16,1|
is,4|an,2|removing,1|as,2|at,1|4,1|1980,1|5.5,1|additional,1|for,1|least,1|best,1|september,1|
and,3|of,2|sampled,1|value,1|included,1|a,1|set,1|d,1|cacm,1|deviation,1|the,4|existing,1|
ca790908,1|variance,3|january,1|mean,3|stable,1|pm,1|db,1|
CACM-3168|optimal,1|ca791001,1|evaluation,1|file,1|retrieval,1|of,1|laird,1|50,1|1979,1|on,1|
3.73,1lexpression,1lin,1l16,1lcacm,1lquery,2lan,2lexpressions,1l3.74,1lp,1l3.53.70,1lboolean,2l
system,1|4,1|january,1|organization,1|1980,1|online,1|comment,1|october,1|information,1|pm,1|db,
CACM-3169|note,1|optimal,2|ca791002,1|gudes,1|hoffman,1|evaluation,2|retrieval,1|of,1|1979,1|
52,1|on,1|a,1|3.50,1|expression,1|3.70,1|in,1|e,1|16,1|cacm,1|query,2|an,2|expressions,1|3.74,1|
boolean,2|system,1|4,1|january,1|1980,1|online,1|october,1|information,1|pm,1|db,1|
CACM-3170|lamport,1|02,1|inductive,1|5.24,1|sketched,1|ca791003,1|for,1|simple,1|program,5|are,1|
and,3|of,4|proof,2|assertions,1|1979,1|verification,1|on,1|calendar,2|a,3|given,1|correctness,3|
16,1|manifest,1|cacm,1|understand,1|specification,3|its,1|is,3|l,1|easy,1|the,4|formal,1|january,
1|5,1|1980,1|derivation,1|october,1|to,2|humans,1|pm,1|db,1|
CACM-3171|4.12,1|4.13,1|administration,2|numbers,1|run,1|used,1|during,1|program,1|space,1|
number,2|high,1|either,1|diagnostic,1|1979,1|described,1|4.20,1|circumstances,1|57,1|method,1|
level,1|in,1|made,1|overhead,1|17,1|this,1|is,1|am,1|absolutely,1|1980,1|messages,1|9,1|october,
1 | requires, 1 | no, 1 | be, 1 | code, 1 | line, 3 | ca791004, 1 | for, 2 | technique, 1 | of, 2 | implementations, 1 | 4.42, 1 |
a,1|execution,1|or,1|languages,1|cacm,1|abstract,1|cheap,1|the,1|p,1|january,1|machine,1|klint,1|
suitable,1|time,2|to,1|under,1|db,1|
CACM-3172 | vertex, 1 | obstacles, 4 | objects, 3 | transforms, 1 | lozano, 1 | reference, 2 | path, 2 | that, 1 | growing,
1|moving,2|1979,1|they,1|safely,1|algorithm,3|10,1|which,3|all,1|13,1|in,1|avoids,1|17,1|this,2|
3.15,1|positions,1|is,1|avoidance,1|finding,1|am,1|an,2|each,1|graph,1|planning,2|collision,3|
paths,2|among,2|reached,1|1980,1|safe,1|october,1|object,2|ca791005,1|other,1|regions,1|be,1|
```

```
vertices,1|trajectories,1|searching,2|for,5|perez,1|3.66,1|point,2|wesley,1|3.64,1|network,1|can,
1|found,1|paper,1|known,1|are,1|indicates,1|polyhedral,5|of,3|by,1|transformed,1|free,3|so,1|on,
1|a,5|collisions,1|cacm,1|forbidden,2|arbitrary,1|trajectory,1|m,1|describes,1|the,5|t,1|january,
1|locus,1|8.1,1|db,1|represent,1|
CACM-3173 Inovember, 1 | addresses, 1 | ca791101, 1 | configurations, 1 | several, 2 | occurs, 1 | prestatements, 1 |
that, 1 | identified, 1 | 1979, 1 | programming, 1 | 10, 1 | 4.22, 1 | in, 1 | involves, 1 | 17, 1 | this, 1 | is, 2 | underlying,
1|transactions,1|am,1|an,1|1,1|2,1|at,1|3,1|person,1|following,1|1980,1|know,1|basic,3|object,1|
some,3|code,2|line,1|chunks,1|frequently,1|learning,3|computer,1|psychology,1|paper,1|are,2|does,
1|and,1|of,6|event,1|lines,1|on,1|a,6|set,1|question,1|38,1|cacm,1|structures,1|3.36,1|
prestatement,1|1.50,1|conceptual,1|the,2|occurring,1|r,1|what,1|corresponding,2|january,1|
instruction, 1 | location, 1 | to, 2 | operation, 1 | transaction, 1 | db, 1 | mayer, 1 |
CACM-3174 | november, 1|03, 1|use, 1|ca791102, 1|accessed, 1|observed, 1|password, 2|passwords, 1|1979, 1|
case,1|between,1|extreme,1|attempts,1|10,1|18,1|this,1|is,1|history,2|sharing,1|am,1|2.41,1|
system,2|1980,1|present,1|remotely,1|ease,1|scheme,1|4.35,1|countering,1|penetrate,1|result,2|
security, 4|computer, 1|paper, 1|systems, 1|and, 1|of, 4|design, 2|thompson, 1|operating, 1|morris, 1|on, 1|
a,3|cacm,1|was,1|k,1|describes,1|the,7|r,1|january,1|time,1|to,1|compromise,1|db,1|
CACM-3175|codes,1|november,1|joint,1|ca791103,1|alphabet,1|do,1|divisions,1|3.42,1|these,1|
improved,1|that,1|problem,2|updating,1|plain,1|represented,1|has,1|text,1|probabilities,3|
results,1|1979,1|letters,2|breaking,3|algorithm,1|estimates,1|which,1|all,1|peleg,1|11,1|using,2|
successfully,1|method,1|15,1|in,4|relaxation,2|finally,1|this,1|cryptography,1|is,3|
classification,1|am,1|each,1|as,1|iterating,1|applies,1|examples,1|letter,3|1980,1|fixed,1|
assigned,1|word,1|updated,1|23,1|substitution,4|code,2|scheme,1|for,1|two,1|substitute,1|3.63,1|
not,1|paper,1|are,2|parallel,1|and,1|labeling,1|of,3|ciphers,4|every,1|cipher,1|a,3|
probabilistic,2|cacm,1|one,1|change,1|representing,1|rosenfeld,1|lead,1|the,6|s,1|january,1|to,2|
db,1
CACM-3176|standard,1|but,1|november,1|ca791104,1|practice,1|4.12,1|5.25,1|use,1|lr,1|hashing,2|
integer,1|used,1|parsing,2|good,1|tables,3|problem,1|shows,1|poor,1|logn,1|compressing,1|has,1|
1979,1|case,2|between,1|algorithm,1|11,1|static,1|large,1|method,3|in,2|is,3|analysis,1|tarjan,1|
am,1|propose,1|an,1|each,1|0,2|1,1|entries,1|sparse,3|science,1|1980,1|worst,2|compression,1|
requires,1|little,1|ubiquitous,1|23,1|24,1|access,1|works,1|4.34,1|searching,2|for,3|technique,1|
why,1|storage,1|matrix,1|our,2|we,1|simpler,1|computer,1|and,3|of,3|so,1|elimination,1|table,4|
allows,1|a,6|lookup,1|cacm,1|yao,1|words,1|storing,4|n,4|o,1|3.74,1|the,3|such,1|r,1|performance,
1|although,1|january,1|w,1|complicated,1|well,1|time,1|to,1|gaussian,1|db,1|
CACM-3177|but,2|ca791105,1|november,1|half,1|data,1|48,1|reliably,1|about,1|when,1|shamir,1|that,
2|function,1|easily,1|from,1|1979,1|knowledge,1|all,1|11,1|in,2|breaches,1|5.39,1|this,2|destroy,
1|cryptography,1|is,1|schemes,1|am,1|remaining,1|olutely,1|1,1|even,2|1980,1|5.6,1|no,1|23,1|
misfortunes,1|show,1|reveals,1|for,1|technique,1|secret,1|we,1|pieces,5|how,2|into,1|can,1|
security,1|paper,1|systems,1|securely,1|and,2|of,3|construction,1|share,1|divide,1|cryptographic,
1 | lkey, 2 | enables, 1 | a, 3 | robust, 1 | d, 3 | cacm, 1 | one, 1 | k, 2 | any, 1 | expose, 1 | n, 1 | way, 1 | the, 3 | such, 1 |
reconstructable, 1 | interpolation, 1 | management, 2 | january, 1 | information, 1 | to, 2 | complete, 1 | db, 1 |
CACM-3178/02,1/cacm,1/ca791201,1/february,1/the,1/symposium,1/eft,1/r,1/5,1/kling,1/1980,1/
december, 11to, 111979, 11pm, 11introduction, 11db, 1121, 11
CACM-3179|increasingly,1|03,1|3.80,1|about,1|recognized,1|research,2|these,1|that,2|solution,1|
from,1|potential,1|generate,1|1979,1|results,1|selected,1|11,1|discover,1|large,1|in,3|this,1|is,
3|it,1|impacts,1|am,1|3.53,1|3.52,1|technologies,2|as,1|1980,1|societal,1|problems,2|conference,
2|25,1|needed,1|ca791202,1|for,1|scale,1|2.11,1|papers,1|symposium,2|current,1|society,1|known,1|
public,1|and,1|of,2|have,1|december,1|aiding,1|policy,1|eft's,1|overview,1|a,1|cacm,1|kraemer,1|
february,1|yet,1|also,1|sought,1|k,2|colton,1|agenda,1|the,4|such,1|eft,3|what,2|currently,1|
future, 1 | to, 1 | db, 1 | presents, 1 |
CACM-3180|criteria,1|comparative,1|09,1|justified,2|good,1|without,1|assessment,1|terms,1|
whether, 1 | implemented, 1 | payment, 3 | credit, 1 | cash, 1 | 1979, 1 | they, 1 | 11, 1 | likely, 1 | in, 1 | makers, 1 |
volumes,1|transactions,1|am,1|3.52,1|as,2|system,3|checks,1|1980,1|ca791203,1|other,1|cards,1|be,
1|25,1|payments,1|industry,1|lst,1|banking,1|nor,1|result,1|valid,1|current,1|alone,1|public,1|
systems, 2|are, 2|and, 2|of, 4|have, 1|december, 1|lipis, 1|policy, 1|on, 1|eft's, 1|costs, 3|a, 3|cost, 1|
cacm,1|february,1|alternative,1|services,1|the,3|such,1|eft,2|u,1|neither,1|information,1|to,1|
db,1
CACM-3181|education,2|about,1|changing,1|ongoing,1|revealed,2|liabilities,1|1979,1|knowledge,1|
addition,1|11,1|misinformation,1|in,3|require,1|is,1|am,1|as,3|system,3|among,1|1980,1|
```

```
alternatives,1|actions,1|participation,1|be,1|25,1|reliability,1|protection,1|2.12,1|long,1|
result,1|recourse,1|current,1|government,1|systems,2|assure,1|taken,1|ombudsman,1|electronic,1|
december,1|decisions,1|33,1|a,2|business,1|shortcomings,1|cacm,1|possible,1|defining,1|the,5|r,1|
to,3|db,1|coordinated,1|but,1|existence,1|several,1|research,3|meaningful,1|that,1|
responsibilities,1|widespread,1|funds,1|has,2|needs,1|educational,1|this,1|stimulate,1|article,1|
lack,1|improving,1|transfer,1|fraud,1|present,1|ca791204,1|needed,1|for,2|scale,1|privacy,1|
effort,2|security,1|considerable,1|public,2|and,6|of,5|consumers,1|introduction,1|avenues,1|
consumer, 2|on, 1|will, 2|february, 1|also, 1|any, 1|with, 1|eft, 4|environment, 1|responsive, 1|well, 1|
presents,1
CACM-3182|backup,1|accuracy,1|issues,1|legislative,1|nomenclature,1|advances,1|greater,1|1979,1|
give, 1|in, 1|is, 1|embezzlement, 1|resulting, 1|3.52, 1|1, 1|as, 2|light, 1|1980, 1|actions, 1|other, 1|be.
1|abuse,1|25,1|against,1|accelerating,1|2.11,1|manual,1|example,1|into,1|computer,2|same,1|
freedom, 1 | are, 2 | systems, 2 | electronic, 1 | december, 1 | examined, 1 | crime, 1 | protect, 1 | emerging, 1 |
broaden,1|legislation,1|business,1|d,1|caused,2|discussed,1|cacm,1|theft,1|the,11|such,1|2.3,1|
to,4|technological,1|db,1|3.80,1|use,1|remains,1|losses,3|research,1|that,1|from,2|funds,1|
potential,1|new,1|56,1|crimes,2|solutions,1|its,1|positions,1|both,1|transfer,1|immediate,1|
fraud,2|parker,1|errors,1|trust,1|ca791205,1|technical,1|financial,1|provided,1|regulatory,1|for,
5|changes,1|error,1|accidentally,1|efts,5|security,2|related,1|intentionally,2|urgency,1|and,8|
of,7|scope,1|consumers,1|depository,1|continual,1|characteristics,1|requirements,1|capabilities,
1|february,1|factors,1|with,1|economics,1|although,1|service,1|vulnerabilities,2|rise,1|
hypothesis,1|pm,1|
CACM-3183|3.80,1|vary,1|recognition,1|american,1|issues,1|research,4|these,1|that,1|number,1|
depending,1|payment,1|potential,1|1979,1|alter,1|10,1|individual,1|in,4|impact,1|this,1|is,1|
impacts, 3|monitoring, 2|an, 1|3.53, 1|3.52, 1|vastly, 1|actors, 1|2, 1|transfer, 1|system, 1|involved, 1|
institutional,1|forces,1|1980,1|evaluating,1|ca791206,1|25,1|anatomy,1|values,2|part,1|2.11,1|
efts,1|society,1|systems,2|are,2|and,9|of,4|have,1|conflicts,2|december,1|value,2|emerging,1|
policy,1|on,3|a,3|six,1|highlighted,1|cacm,1|kraemer,1|february,1|control,2|evolution,1|k,2|
agenda,3|people,2|colton,1|the,3|eft,8|regulation,2|fund,1|perspectives,1|there,1|2.3,1|to,1|
technological, 1/significantly, 1/pm, 1/economic, 2/db, 1/
CACM-3184|sufficiently,1|for,2|direct,1|description,1|expressing,1|language,4|nuar,1|numerical,1|
into,1|concise,1|of,3|ca630117,1|algorithmic,2|international,1|class,1|gives,1|computers,1|on,1|
10,2|a,4|processes,1|large,1|in,1|cacm,1|17,1|this,1|automatic,2|is,1|defining,1|am,1|es,1|march,
1|the,4|algol,2|p,1|1963,1|form,1|january,1|1982,1|report,2|translation,1|programmed,1|60,2|
suitable,1/revised,1/complete,1/
CACM-3185000,1|very,1|dijkstra,1|do,1|approach,2|tremendous,1|modest,1|that,3|1972,1|stick,1|
programmers, 1|if, 1|programming, 2|limitations, 1|10, 1|programmer, 1|18, 1|shall, 1|appreciation, 1|its,
1 lintrinsic, 1 lam, 1 | respect, 1 | es, 1 | difficulty, 1 | as, 1 | task, 2 | ca721010, 1 | 1982, 1 | october, 1 | job, 1 |
much,1|full,1|humble,2|provided,3|we,4|and,2|of,1|human,1|elegant,1|a,2|mind,1|languages,1|e,1|
cacm, 1 | march, 1 | the, 5 | better, 1 | with, 1 | w, 1 | to, 1 |
CACM-3186|5.23,1|5.24,1|conditional,1|ca680303,1|dijkstra,1|program,2|branch,1|harmful,1|
sequencing,1|statement,2|jump,1|10,2|clause,2|4.22,1|e,1|cacm,1|17,1|qo,2|am,1|march,2|es,1|
considerd,1|1982,1|instruction,2|w,1|to,2|intelligibility,1|repetitive,1|1968,1|
CACM-3187 | through, 1 | average, 1 | algorithms, 1 | quickersort, 2 | other, 1 | translator, 1 | for, 1 | run, 1 | 271, 1 |
aldep,1|without,1|ca660516,1|compiled,1|1604a,1|and,1|of,2|sorting,1|blair,1|algorithm,1|10,2|
cdc,1|comparison,1|demonstrates,1|c,1|may,1|quickersort's,1|recently,1|cacm,1|17,1|published,1|
am,1|es,1|march,1|certification,1|the,2|with,1|superior,1|performance,1|1982,1|correction,1|
CACM-3188|tendency,1|project,1|language,1|zemanek,1|semantics,1|do,2|three,2|ca660319,1|cover,1|
that,2|should,1|has,1|programming,1|10,2|all,1|based,1|17,1|this,1|its,1|them,1|my,1|am,1|es,1|
most,1|at,1|1982,1|seems,1|however,1|strong,1|be,1|aspects,2|insert,1|point,1|can,1|into,1|not,1|
paper,1|semiotic,1|and,5|of,1|today,1|have,1|so,1|dimension,2|on,1|a,1|languages,1|necessary,1|
cacm,1|one,1|h,1|i,2|syntactics,1|many,1|march,2|the,1|there,1|to,2|semiotics,2|pragmatics,1|
CACM-3189|november,1|been,1|added,1|arithmetic,1|program,2|multi,1|division,1|compile,1|easily,1|
has,1|written,1|addition,1|10,2|which,1|all,1|level,1|in,1|17,1|this,2|is,1|it,1|am,1|an,2|
expressions,1|es,1|expand,1|ca621124,1|1982,1|following,1|fixed,1|algebraic,3|be,2|for,1|
```

subtraction,1|statements,1|point,2|operations,1|fortran,2|and,1|floating,1|assembly,2|

```
multiplication,1|compiler,3|a,1|may,1|d,1|will,2|cacm,1|stiegler,1|march,1|the,3|with,1|1962,1|
to,2|revised,1|
CACM-3190|through,1|slightly,1|computed,1|scale,1|error,2|ca670214,1|that,1|times,1|outlined,1|
are,1|and,3|of,1|439,1|id,1|mix,1|programming,1|on,1|10,2|a,1|in,2|discussed,1|timing,1|cacm,1|
17,1|equation,1|february,1|undetected,1|am,1|360,1|an,1|m,1|resulting,1|es,1|march,1|economies,1|
the,4|solomon,1|as,1|system,1|ibm,1|1982,1|instruction,1|regression,1|typical,1|to,1|page,2|
correction, 1|1967, 1|
CACM-319100,1|clarify,1|purpose,1|for,1|generating,1|cycling,1|permutations,3|nested,1|second,1|
and,1|review,1|by,2|of,1|credit,1|algorithm,1|on,1|10,1|give,1|paige,1|a,1|13891,1|cacm,1|g,1|
5.39,1|18,1|this,1|is,1|am,1|ca680617,1|es,1|march,1|cr,1|the,2|langdon,1|hill,1|june,1|due,1|
1982,1|two_fold,1|letter,1|tompkins,1|comment,1|to,3|programs,1|1968,1|first,1|qlen,1|
CACM-3192 | 88,1 | commercial, 1 | replace, 1 | convenience, 1 | tape, 1 | should, 1 | programmers, 1 | programming, 1 |
10,2|new,1|usual,1|in,1|17,1|expected,1|ca580702,1|july,1|is,1|typewriter,2|am,1|es,1|chosen,1|
input,2|1982,1|allow,1|facilitate,1|vanderburgh,1|for,3|direct,1|utility,1|punched,1|characters,
1|flexibility,2|computer,1|considerable,1|paper,1|and,3|of,2|assembly,1|algorithmic,1|1958,1|
designed,1|computers,1|keyboard,5|a,3|process,1|will,1|cacm,1|march,1|the,5|with,1|lincoln,2|to,
1|routines,1|
CACM-3193|half,1|superscripting,1|without,1|advance,1|character,1|modified,1|10,2|in,1|work,1|
ca580703,1|17,1|this,1|july,1|is,1|am,1|an,1|es,1|entry,1|1982,1|completely,1|sub,1|be,1|
carriage,1|line,1|direct,1|for,1|technique,1|coding,1|into,1|general,1|computer,1|and,2|of,1|
flexo,2|1958,1|on,2|a,1|will,1|cacm,1|automatic,1|allowing,1|march,1|the,1|typed,1|formulae,1|
retract,1|permit,1|progress,1|formula,1|writer,2|to,1|84,1|return,1|
CACM-3194|fridshal,1|distinguishing,1|recognized,1|language,1|program,1|theorems,1|these,1|that,
1|discusses,1|speakers,1|different,1|events,1|between,1|those,1|10,2|in,1|17,1|particular,1|
analysis,1|am,1|es,1|pointed,1|as,1|involved,1|chemical,1|1982,1|among,1|elementary,1|device,1|
ca590102,1|problems,2|parallels,1|dunham,1|for,1|capable,1|non,1|proving,1|out,1|paper,1|are,2|
native, 1|and, 1|of, 3|by, 1|1959, 1|a, 3|b, 1|sward, 1|cacm, 1|g, 1|heuristic, 1|1, 1|logical, 1|designing, 1|
march,1|the,1|r,1|speech,1|january,1|normally,1|
CACM-3195|but,1|november,1|underline,1|acm,1|reiterate,1|qorn,1|usually,1|results,1|case,1|
officers,1|10,2|which,1|area,1|in,5|17,1|follows,1|this,2|is,2|am,1|respect,1|es,1|toward,1|as,1|
ca621123,1|1982,1|no,1|nevertheless,1|periodic,1|standardization,2|proper,1|computer,1|and,1|of,
2|occasionally,1|reiteration,1|department,1|editors,1|policy,3|a,1|election,1|radical,1|cacm,1|
change, 3 | ans, 1 | chairman, 1 | march, 1 | the, 4 | with, 1 | acm's, 1 | 1962, 1 | s, 1 | there, 1 | time, 1 | to, 2 |
CACM-3196 | voice, 1 | upper, 1 | program, 1 | used, 1 | type, 1 | good, 1 | character, 1 | only, 1 | should, 2 | telex, 1 | if,
1|case,3|10,2|including,1|alphabetical,1|17,1|lower,2|nondial,1|is,2|telephone,1|portable,1|
typewriter, 3 am, 1 les, 1 reactive, 3 operate, 1 | 1982, 1 | leased, 1 | be, 1 | line, 1 | for, 1 | commercially, 1 |
telegraph,2|and,1|ca630118,1|lines,1|preferred,1|dial,1|over,2|keyboard,1|a,1|or,2|c,1|cacm,1|
mooers,1|any,1|n,1|march,1|the,5|single,1|interchangeably,1|readability,1|1963,1|january,1|
machine,1|restricted,1|to,1|84,1|
CACM-3197|been,1|acm,1|descriptions,1|gorn,1|order,1|10,2|area,1|organizational,1|comm,1|bemer,1|
in,3|17,1|am,1|es,1|standards,1|5,1|pertinent,1|1982,1|following,1|processing,2|ca630626,1|line,
1|provided,1|standardization,1|computer,1|nov,1|and,1|of,1|statement,1|have,1|computers,1|policy,
1|green,1|cacm,1|structures,1|j,1|march,1|the,3|with,1|acm's,1|r,1|1962,1|june,1|s,1|activities,
1|w,1|organizations,1|547,1|549,1|information,1|to,2|describe,1|1966,1|
CACM-3198|been,1|concerned,1|converting,1|use,1|subject,1|mechanical,1|language,4|areas,1|
semantics,1|ca660318,1|emulators,1|microprogramming,1|that,2|problem,1|concentrated,1|action,1|
programming, 1 | energy, 2 | 10, 2 | in, 1 | 17, 1 | this, 1 | is, 2 | then, 1 | am, 1 | es, 1 | 1982, 1 | therefore, 1 |
preoccupied,1|purpose,1|for,1|medium,1|we,4|are,1|and,3|of,3|have,2|formalizing,1|on,2|greem,1|
or,1|languages,1|cacm,1|j,1|intellectual,1|march,2|the,4|with,2|investigation,1|syntax,1|to,2|
first,1|1966,1|
CACM-3199|standard,1|functions,1|manipulators,1|use,1|subtractions,1|arithmetic,1|division,1|
number,1|algem's,1|major,1|written,1|manipulate,1|10,2|ii,1|all,1|package,1|polynomials,1|august,
1|in,1|17,1|is,3|it,1|finding,1|am,1|iv,1|7094,1|expressions,2|plus,1|es,1|exponentiation,1|
as,1|highest,1|1982,1|letter,1|basic,2|algebraic,3|other,2|substitution,1|differentiation,1|
solving,1|purpose,1|ordering,1|gotlieb,1|capable,1|exponents,1|algem,3|two,1|specified,1|
ca660813,1loperations,1lcommon,1lare,2lfortran,1land,5lof,9lmanipulator,1lfactor,1lmap,1l
included,1linnovation,1lover,1la,3lvariables,2ltypes,1llinear,1lc,2ladditions,1lassignment,1l
cacm, 1|equation, 1|i, 1|also, 1|j, 1|procedure, 1|any, 1|march, 1|o, 1|single, 1|the, 4|special, 1|such, 1|r,
```

1|s|ip,1|multiplications,1|variable,1|coefficients,1|handling,1|determining,1|subprograms,1|to,2|routines,2|novak,1|1966,1|

CACM-3200|been,1|functions,3|generates,1|approximate,2|program,4|used,1|developed,1|equations,5|problem,1|solution,2|etc,1|terms,1|describing,1|above,1|has,1|described,1|10,2|which,3|symbolic,2|give,1|approximation,1|august,1|in,6|problemm,1|solutions,2|satisfied,2|17,1|squares,1|is,2|includes,1|sense,1|am,1|an,1|obtaining,1|each,2|es,1|input,2|1,1|as,1|2,1|3,1|combinations,1|1982,1|formac,1|conditions,2|problems,2|involving,1|boundary,3|cuthill,1|be,3|regions,1|for,3|least,1|description,1|specified,2|differential,2|ca660814,1|numerical,1|computer,1|auxiliary,1|are,1|and,2|of,6|value,2|a,3|linear,3|sets,1|initial,2|e,1|cacm,1|optimum,1|march,1|the,13|such,1|form,2|to,7|1966,1|

CACM-3201|through,1|but,1|standard,1|been,1|called,1|use,1|danby,1|language,2|celestial,1|three, 1|supply,1|required,1|space,1|manageable,1|output,1|overflow,1|only,1|written,1|has,1|manipulation,1|those,1|they,1|10,2|symbolic,1|which,1|waste,1|august,1|in,3|made,1|17,1|poisson, 2|require,1|am,1|7094,1|an,1|es,1|formal,1|most,1|input,1|core,1|as,1|5,1|1982,1|6,1|subroutines, 2|programs,1|be,1|symbolically,1|deprit,1|for,1|effort,1|units,1|storage,1|ca660815,1|rom,1|operations,1|are,4|fortran,3|and,3|of,4|by,1|design,1|a,3|variables,1|set,1|cacm,1|mechanics,1|j,1|entirely,1|march,1|the,3|contained,1|ibm,1|series,2|machine,1|self,1|to,3|routines,1|avoid,1|partially,1|1966,1|

CACM-3202|resulted,1|translated,1|upon,1|entire,1|nested,1|without,1|derivatives,1|that,1| character,1|etc,1|notation,1|exceed,1|written,2|10,2|all,1|which,1|parentheses,1|cdc,1|august,1| in,4|like,1|problemm,1|17,1|is,1|it,1|manip,1|am,1|iv,1|obtaining,1|es,1|as,4|system,1|3600,1| 1982,1|were,1|restriction,1|programs,1|detail,1|algebraic,1|bcd,1|identifying,1|differentiation, 1|be,2|5000,1|string,1|blanks,1|for,2|algebra,1|operated,1|sequences,1|ca660816,1|long,1| characters,2|into,1|computer,2|not,1|operations,1|desired,1|are,1|and,5|fortran,2|does,1|of,3| subsequent,1|bender,1|so,1|a,4|b,1|expression,2|or,1|may,1|discussed,1|cacm,1|performing,1|was,1| any,1|march,1|the,3|with,1|removed,1|form,1|stored,1|complicated,1|manipulating,1|to,1|analytic,2|mathematical,1|1966,1|

CACM-3203|functions,2|fletcher,1|use,1|program,2|do,1|while,1|nested,1|without,2|differentiate,1| quite,1|has,1|manipulation,2|manipulate,1|10,2|symbolic,1|which,2|development,1|large,1|thus,1| august, 1|in, 1|notably, 1|17, 1|lisp, 1|is, 3|it, 2|recognize, 1|am, 1|expressions, 2|done, 1|version, 1|es, 1|external,1|1982,1|must,1|completely,1|intervention,1|present,1|useful,1|involving,1|algebraic, 2|simplifications,1|some,1|differentiation,2|be,1|symbolically,1|radicals,1|for,2|algebra,1| ca660817,1|recursive,1|general,1|proved,1|not,1|routine,1|and,3|now,1|of,2|by,1|yield,1|designed, 1|human,1|trigonometric,1|a,4|abd,1|amount,1|set,1|problemms,1|necessary,1|cacm,1|assistant,3|g, 1|j,1|indeed,1|march,1|the,2|with,1|quidance,1|complicated,1|ones,1|to,2|under,1|qrad,3|1966,1| CACM-3204|had,1|teletype,1|program,4|remote,1|that,1|korsvold,1|california,1|from,1|written,1| because, 1|programming, 1|10,2|development,1|goal,1|august,1|in,1|17,1|corporation,1|this,1|lisp,1| is,2|reasonably,1|it,2|monica,1|am,1|an,2|easy,1|done,1|es,1|chosen,1|toward,1|as,1|system,1|at, 1|1982,1|stanford,1|1.5,1|must,2|obtained,1|some,1|shared,1|be,2|access,1|line,1|university,1| for,3|algebra,1|ca660818,1|non,1|santa,1|result,1|numerical,1|computer,2|are,1|and,2|of,2|design, 1|debugging,1|compiler,1|make,1|on,1|32,1|a,6|accordingly,1|console,1|requirements,1|cacm,1| assistant,1|was,2|also,1|k,1|march,1|the,4|te,1|such,1|q,1|automated,1|short,1|step,1|to,2|time, 2|mathematical,1|1966,1|

BM25: 8.875298417510656 ATCATC: 0.47092870192862063 ATNATN: 0.42455459127272765 ANNBPN: 0.13594430444344074

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001492

BM25: 3.922717360964277 ATCATC: 0.7877431407693269 ATNATN: 0.600476972043161 ANNBPN: 0.2973600442276841

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 11.878050187533656 ATCATC: 0.11750401259538316 ATNATN: 0.17030675750627058 ANNBPN: 0.008433145784073169

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 10.685548834843347 ATCATC: 1.3379445035582251 ATNATN: 1.286117691164444 ANNBPN: 0.23946524501646663

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000200

BM25: 15.424282338039305 ATCATC: 0.8227437163826106 ATNATN: 0.9210727081316088 ANNBPN: 0.18474712788024797

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001410

BM25: 27.25587124269535 ATCATC: 0.5595009464481486 ATNATN: 0.6910252700735995 ANNBPN: 0.15171479740737526

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000825

BM25: 14.613916503659732 ATCATC: 0.7898794807577559 ATNATN: 0.8706843033763968 ANNBPN: 0.1288154932989751

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001058

BM25: 14.62823959796531 ATCATC: 0.1870284391928959 ATNATN: 0.23999159728870545 ANNBPN: 0.011192560444539132

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002238

BM25: 21.630944857553366 ATCATC: 0.22853282337509562 ATNATN: 0.23285258972366357 ANNBPN: 0.011723157816563957

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.003464

BM25: 13.250738585179446 ATCATC: 0.06513640584731563 ATNATN: 0.10745910505572615 ANNBPN: 0.002400936227382631

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.046778

BM25: 4.919065580686187 ATCATC: 0.16488261623592046 ATNATN: 0.18415853603008223 ANNBPN: 0.08307927565272999

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.074208

BM25: 5.653084789266733 ATCATC: 0.0602978125752133 ATNATN: 0.09776484140570901 ANNBPN: 0.020673691306085033

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002308

BM25: 2.36643662309766

ATCATC: 0.045675065157719894 ATNATN: 0.1001028475568717 ANNBPN: 0.002566430847390056

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.010328

BM25: -0.3912172863895511 ATCATC: 0.237955380640342 ATNATN: 0.3357213116634386 ANNBPN: 0.05264827443199632

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001045

BM25: 15.095596595015028 ATCATC: 0.4833787795884163 ATNATN: 0.49059415666279454 ANNBPN: 0.09361393498596529

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 18.364579115279152 ATCATC: 0.28454964038696884 ATNATN: 0.34164637976305917 ANNBPN: 0.022538457865511567

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002112

BM25: 11.317631152021919 ATCATC: 0.0704319747511653 ATNATN: 0.10890285720810086 ANNBPN: 0.005339046275288933 THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0 0.000143

BM25: 16.94197968762625 ATCATC: 0.33140012386256346 ATNATN: 0.3422082060100626 ANNBPN: 0.0319461060691308

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002782

BM25: 9.364203340853548 ATCATC: 0.0162309152241907 ATNATN: 0.04173663914791893 ANNBPN: 9.568643070709758E-4

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.023912

BM25: 6.472502646383676 ATCATC: 0.14211347085287707 ATNATN: 0.20327551378390502 ANNBPN: 0.01463061125585513

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000270

BM25: 10.331760229098041 ATCATC: 0.19567038701347816 ATNATN: 0.2203368995150123 ANNBPN: 0.04445407539481745

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.004720

BM25: -0.3736550101210194 ATCATC: 0.6896203385688218 ATNATN: 0.6908444911370623 ANNBPN: 0.256918538953409

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002003

BM25: 8.841375622339434 ATCATC: 0.056759129571684726 ATNATN: 0.08695279493218352 ANNBPN: 0.0027404742911160303

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001039

BM25: 1.2909205658835792 ATCATC: 0.05443475905531204 ATNATN: 0.08332257957048274 ANNBPN: 0.005404977943955963

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002500

BM25: 33.19151077924637 ATCATC: 0.04365707223069568 ATNATN: 0.06966267940910847 ANNBPN: 0.0011493265652122474

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.010429

BM25: 11.38623764592495 ATCATC: 0.16370114611752534 ATNATN: 0.1481629321956357 ANNBPN: 0.01889433211691635

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000869

BM25: 26.694704883863484 ATCATC: 0.057591791680727124 ATNATN: 0.11302828542174159 ANNBPN: 0.002598784803151474

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.025299

BM25: 19.261221691002973 ATCATC: 0.615307952027429 ATNATN: 0.680440128975285 ANNBPN: 0.13955506066376686

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000357

BM25: -0.3498569633190355 ATCATC: 0.2767669651800481 ATNATN: 0.37045589646743254 ANNBPN: 0.04448995487606973

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000114

BM25: 2.201856785728819 ATCATC: 0.4707012525296117 ATNATN: 0.4608150143474436 ANNBPN: 0.09410495380760732

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 16.09388355431603 ATCATC: 1.3251367026645982 ATNATN: 1.503171910020622 ANNBPN: 0.4160294160972105

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 9.55072852175351 ATCATC: 0.6813623666526847 ATNATN: 0.9925299148692822 ANNBPN: 0.19349829564952845

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 10.96452615918171 ATCATC: 1.8829247926120931 ATNATN: 1.9159900630500224 ANNBPN: 0.3631743602443659

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 20.307375317400002

ATCATC: 0.08677255825911573 ATNATN: 0.16797719068084635 ANNBPN: 0.00488083717514706

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.025836

BM25: 33.420136159714765 ATCATC: 1.1035593606137684 ATNATN: 1.2924033514599218 ANNBPN: 0.14197550748747748

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000244

BM25: 19.365435107623828 ATCATC: 1.0868171226977368 ATNATN: 1.1902549005688443 ANNBPN: 0.2885830263104239

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000106

BM25: 12.178514220946896 ATCATC: 0.6989607592374253 ATNATN: 0.862150794997695 ANNBPN: 0.13807953020881525

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002654

BM25: 22.82878802235514 ATCATC: 0.9133177436111743 ATNATN: 0.8676764949980534 ANNBPN: 0.1720314342048911

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001333

BM25: 8.508163958999383 ATCATC: 0.09328115774040814 ATNATN: 0.18559397217723958 ANNBPN: 0.008170989404413726

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.016313

BM25: 18.061957384370828 ATCATC: 0.5996801693597509 ATNATN: 0.6825353891398568 ANNBPN: 0.21993477407019366

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001141

BM25: 13.160274567931284 ATCATC: 0.33027933888368094 ATNATN: 0.5049522507933704 ANNBPN: 0.2641368689011098

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002704

BM25: 10.064276706009263 ATCATC: 0.6253477817115882 ATNATN: 0.7040519802568275 ANNBPN: 0.1565604156692622

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001313

BM25: -1.4882681715234503 ATCATC: 0.4238703323683979 ATNATN: 0.5718523505395833 ANNBPN: 0.10064517459801665

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 36.83807725381

ATCATC: 0.13940752740002324 ATNATN: 0.1923372046697877 ANNBPN: 0.008791725254949995

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000128

BM25: -4.154578160313243 ATCATC: 1.7410810605403892 ATNATN: 1.4365098239265521 ANNBPN: 0.5891477335253414

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.010000

BM25: 2.756953178070678 ATCATC: 0.5810775579248604 ATNATN: 0.8408688690472843 ANNBPN: 0.09064881465095269

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 10.65298409255517 ATCATC: 0.509377416769677 ATNATN: 0.6796747390387773 ANNBPN: 0.05131178461008028

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.011101

BM25: 4.428624571514728 ATCATC: 0.9960889357652022 ATNATN: 1.1436080675056606 ANNBPN: 0.2532598458136284

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.004513

BM25: 5.6408507397706416 ATCATC: 1.1079645375300833 ATNATN: 0.9767779833365752 ANNBPN: 0.21498718108008977

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.008409

BM25: 14.261099967709908 ATCATC: 0.14097541497012261 ATNATN: 0.23890674874523155 ANNBPN: 0.013442554419369385

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.004152

BM25: 21.901471870583844 ATCATC: 0.18576068884854866 ATNATN: 0.2695224593027723 ANNBPN: 0.011807816324140612

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.011217

BM25: 4.6625836104511995 ATCATC: 0.6445966533076036 ATNATN: 0.6556562431257416 ANNBPN: 0.4064152473758644

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

0.00621279449328505

```
MED-0691|been,2|optimal,1|maintain,1|establishing,1|nephrogenic,1|hydra,1|therapeutic,1|
remembered,1|vari,1|action,2|fluid,2|if,1|tion,1|antidiuretic,2|infants,2|asso,1|in,4|is,3|it,1|
an,2|resistance,1|thiazide,1|exact,1|chloro,1|must,1|treatment,1|increased,1|be,1|achieve,1|two,
1|anti,1|found,1|known,1|have,1|whom,1|mechanism,1|intake,2|escape,1|a,4|occurred,1|initial,2|
dehydrated,1|diuretic,1|ment,1|the,5|analogues,1|ndi,2|showed,1|able,1|to,5|diabetes,1|de,1|
treat,1|adequate,1|trial,1|drug,2|unable,1|that,1|spite,1|prior,1|than,1|sufficient,1|has,1|
ciated,1|those,1|toxic,1|months,1|commonly,1|patients,2|this,2|degree,1|chlorothiazide,2|its,2|
less,1|maintaining,1|prolonged,1|effects,1|were,1|beneficial,1|hydration,1|seems,1|however,1|
some,1|unpredictability,1|warranted,1|insipidus,1|not,2|alone,1|and,2|of,9|diet,1|value,1|six,2|
ing,1|or,1|studied,1|tentially,1|dramatic,1|was,1|follow,1|with,3|response,4|age,1|po,1|
MED-0692|been,1|aldosterone,1|hydronephrosis,1|maintain,1|nephrogenic,3|during,2|when,1|without,
2/rightsided,1/polydipsia,1/vere,1/revealed,1/fluid,4/urinary,1/case,2/height,1/vomiting,1/
untreated,1|infants,2|in,7|lower,1|volumes,1|ordinary,1|is,1|it,1|an,1|thiazide,2|1,1|2,1|
excretion,1|even,1|following,1|cerebral,1|treatment,2|be,2|fever,1|two,1|capacity,1|se,1|found,2|
low,2|have,1|place,1|a,10|side,1|may,2|could,1|hypertonic,1|continuously,1|the,6|unexplained,1|
to,1|combined,1|diabetes,3|first,1|phy,1|urine,1|had,2|body,2|drug,1|spirolactone,1|that,1|
deprivation, 1 | only, 1 | ecv, 2 | atro, 1 | combination, 1 | treated, 1 | qiven, 1 | took, 1 | development, 1 | test, 1 |
patients,2|this,3|water,1|both,2|volume,1|metabolism,1|diuresis,1|present,1|electrolyte,1|higher,
1|fol,1|polyuria,1|absence,1|tbw,2|insipidus,3|house,1|total,1|considerable,1|lowed,1|and,9|
patient,2|of,2|hypernatriemia,1|diet,1|psychic,1|on,1|normal,3|extracellular,1|electrolytemia,1|
therapy,1|was,4|concentration,1|increase,2|any,1|noted,1|with,4|further,1|reduction,1|
MED-0693|toxicity,1|small,1|refractory,1|practice,1|indications,1|notes,1|orally,1|potent,1|
discussion,1|upon,1|approach,1|when,1|years,1|ticularly,1|pediatric,2|these,2|that,1|number,1|
reviews,1|only,1|per,1|recent,1|chronic,1|they,2|hyper,1|cology,1|which,1|par,1|new,1|given,1|
development,1|tension,1|in,5|patients,1|this,1|them,1|is,2|require,1|being,1|significant,1|heart,
1|lack,1|most,1|clinical,3|as,1|once,1|were,1|failure,1|relatively,1|coupled,1|valuable,1|
relative,1|who,1|usefulness,1|be,1|their,2|range,1|edematous,1|states,1|receiving,1|can,1|are,2|
and,4lof,7lnow,1lmit,1la,2lcomments,1ldisease,1ldrugs,1llooked,1llimited,1ladjuncts,1lmore,2l
advantage,1|agents,1|the,5|renal,1|with,2|application,1|although,1|diuretics,2|management,2|
pediatrics, 1 | oral, 1 | to, 1 | pharma, 1 | age, 1 |
MED-0694|slightly,1|half,3|edema,5|aldosterone,2|postural,1|release,2|delayed,1|during,5|when,4|
creted,1|above,1|ministration,1|per,1|they,1|flow,1|similar,1|13,2|period,2|tion,1|ad,1|in,22|
drank,1|vasopressin,1|lower,2|reduced,1|is,2|al,1|it,1|2,4|re,2|abnormal,1|excretion,6|4,1|
tients,1|5,1|6,1|excessive,1|completely,1|tention,1|other,1|role,1|increased,2|progressively,1|
probably, 3 overcome, 1 edematous, 2 ethanol, 2 fell, 1 creatinine, 2 found, 1 min, 1 fall, 2 by, 2
indicate,1|after,1|free,1|recum,1|30,2|retention,1|compared,1|recumbent,1|a,3|ance,1|magni,1|d,1|
posture,5|subjects,6|bent,1|dosterone,1|performed,1|the,31|renal,1|300,1|idiopathic,4|leisurely,
1 linsufficiency, 2 | preceding, 1 | to, 2 | diabetes, 2 | first, 2 | did, 2 | but, 5 | excre, 1 | urine, 3 | cent, 1 |
administration,1|while,1|150,1|spironolactone,1|recumbency,3|drug,1|that,3|circulating,1|either,
1|solution,1|adrenal,2|than,2|only,1|chloride,1|un,1|from,2|results,3|ml,1|group,1|treated,2|
abolished,1|last,1|adh,3|duced,1|minutes,1|occur,1|patients,7|this,1|thereafter,1|dosteronism,1|
significant,2|water,1|upright,9|both,2|lack,2|volume,2|sodium,7|effects,1|ex,1|na,2|
hydrocortisone,1|were,4|currence,1|0.14,1|hourly,1|utes,1|changed,1|since,1|however,1|absence,1|
changes,1|for,3|show,1|insipidus,2|cause,1|hyperal,1|prevent,1|can,1|not,6|alone,1|hour,4|oc,1|
and,10|walking,3|of,19|responsible,1|studies,1|magnitude,1|every,1|orthostatic,1|on,3|over,1|
normal,61hours,41amount,11or,31studied,11therapy,11clear,11was,31amphetamine,11groups,21increase,
1|equal,1|with,8|pa,1|antidiuresis,3|tude,1|assuming,1|reduction,1|significantly,3|
MED-0695|resulted,1|de,1|been,1|agent,1|urine,2|use,3|administration,1|chlo,1|potent,1|
nephrogenic,3|had,1|while,1|promoted,1|attempt,1|when,1|mode,1|acid,6|ported,1|function,1|action,
1|antidiuretic,2|in,6|patients,1|instituted,1|significant,2|water,2|an,1|prolonged,1|volume,2|
sodium,2|re,2|excretion,1|daily,1|effect,1|60,1|metabolism,1|treatment,1|uric,1|study,1|
potassium,1|achieve,1|insipidus,3|saluretic,1|ride,1|result,1|intravenous,1|sponse,1|are,1|and,6|
of,10/meq,1/clearance,2/diet,1/free,2/intake,1/on,1/a,5/limited,1/decreased,4/discussed,1/
ethacrynic,5|was,2|creased,1|rpf,1|diuretic,1|allowing,1|agents,1|the,6|renal,1|with,1|gfr,1|
response,1|oral,1|to,3|diabetes,3|liberal,1|
MED-0696|reabsorption,1|cent,1|convenience,1|extrapituitary,1|kidney,2|problem,1|conve,1|
function, 3 lonly, 1 lhas, 1 lten, 1 lper, 1 lcase, 1 lalter, 1 lpituitary, 2 loffers, 1 lspray, 1 lin, 6 laltering, 1 l
vasopressin,1|expected,1|its,1|is,5|nience,1|it,3|economy,1|produced,1|important,1|secondary,1|
```

as,3litself,1|tests,1|lysyl,1|unresponsive,1|8,1|biological,1|evaluating,1|however,1|treatment,2| note,1|no,1|activity,1|purpose,1|insipidus,5|untoward,1|we,1|life,1|into,1|effective,1|society,1| not,1|are,2|patient,1|and,2|does,1|of,7|a,3|normal,1|may,1|efficient,1|therapy,2|introduce,1| health,1|factors,1|the,8|nasal,1|ineffective,1|responsive,1|maximum,1|reactions,1|to,1|diabetes, MED-0697 lindications, 1 pres, 1 labout, 1 lion, 1 lvented, 1 lduring, 1 ltherapeutic, 2 limproved, 1 l electrocardiogram,1|extracel,1|dietary,1|fre,2|action,1|urinary,4|drip,1|fluid,1|quently,2|12,1| antidiuretic,2|sure,1|in,3|briefly,1|volumes,1|is,1|each,1|altered,1|symptoms,1|secondary,1|1,1| dose,1|2,1|as,1|re,1|at,1|4,1|even,2|hydrochlorothiazide,1|8,1|excessive,1|obtained,1|tonic,1| treatment,1|brought,1|be,1|low,1|syndrome,1|kaluretic,1|by,1|after,4|mechanism,2|lular,1|table,1| compared,1|a,2|side,1|consequence,1|salt,4|thirst,1|initial,1|more,1|could,1|discussed,1| hypertonic,1|continued,1|ch'iuan,1|blood,3|ment,1|the,18|encountered,1|renal,1|destroyed,1| decreases,1|fifth,1|to,2|fourth,1|under,1|plasma,2|ingestion,1|diabetes,2|but,2|through,1| depletion,1|treat,1|saline,2|before,1|use,1|ecg,1|intermittent,1|lu,1|150,1|down,1|drug,3|act,1| glomerular,1|than,1|un,1|mg,1|satisfactory,1|50,1|day,2|hyper,1|possibly,1|given,1|pre,1|test,2| might,1|patients,1|this,1|owing,1|pressure,1|hydrochlorothia,1|decrease,1|volume,5|sodium,1| 200,1|effects,1|month,1|were,6|failure,1|effect,4|daily,2|fixed,1|changed,1|some,1|sults,1| potassium,1|insipidus,2|zide,1|electrolytes,1|not,1|diminished,1|intravenous,1|signs,1|and,12|of, 13|meq,1|contraction,1|diet,1|physical,1|value,1|regimen,1|over,1|hours,1|filtrate,1|cases,1|or, 3|studied,1|therapy,2|gm,1|was,4|alternative,1|medication,1|maximal,1|also,1|noted,1|100,1|with, 1|alleviated,1|pretreatment,1|timely,1|essentially,1| MED-0698|but,1|urine,3|obese,1|drug,1|that,1|high,3|shown,1|whereas,1|otherwise,1|which,2|given, 1|still,1|osmolality,3|antidiuretic,1|rat,1|in,8|vasopressin,1|patients,1|reduced,2|is,2|it,1| less,2|water,4|an,1|drink,1|volume,3|sodium,2|accompanied,2|as,1|thirsty,1|dilution,1|kennedy,1| effect,2|hydrochlorothiazide,5|purely,1|increased,2|be,1|polyuria,1|potassium,1|direct,1| insipidus,3|their,2|fell,2|result,1|not,3|thalamic,1|fall,1|previously,1|are,1|and,5|moreover,1| of,5|by,2|clearance,2|rats,4|diet,1|after,2|free,2|intake,4|turnover,1|prevented,1|on,2|a,5| normal,2|hypo,1|thirst,1|may,1|change,1|was,2|yet,1|concentration,2|also,1|any,1|the,9|renal,1| with, 3|hill, 1|hypothalamic, 1|1963, 1|although, 2|response, 1|evident, 1|self, 1|to, 1|interfere, 1| plasma,6/reduction,3/diabetes,3/did,1/ MED-0699|been,1|reabsorption,2|chlorothia,1|action,1|fluid,1|urinary,1|ministration,1|presence,1| dependent,1|investigated,1|addition,1|nephron,1|antidiuretic,5|ad,1|fined,1|preventing,1|in,13| sipidus,1|is,3|it,2|altered,2|adrenalectomy,1|re,1|lating,1|role,1|retain,1|adrenalectomized,1| giving,1|seen,1|anti,1|found,1|are,1|by,2|clearance,1|believed,1|free,1|mechanism,1|a,3| decreased,1|change,1|one,1|possible,1|diuretic,1|produce,1|the,17|sistent,1|qfr,1|associated,1| to,4|plasma,1|diabetes,5|did,1|essential,1|de,1|con,2|urine,4|administration,1|clearly,1|postu,1| accounting,1|body,1|fore,1|spironolactone,1|that,2|function,1|dogs,4|retaining,1|solute,2|has,1| tubule,2|saluresis,1|this,1|chlorothiazide,6|water,2|decrease,3|volume,3|sodium,2|diazoxide,1| were, 1|final, 1|coupled, 1|seems, 1|mineralocorticoids, 1|no, 1|mally, 1|for, 2|changes, 1|insipidus, 4| zide,1|best,1|reaching,1|explained,1|nor,1|total,1|not,5|and,3|of,8|induced,1|on,1|mercuhydrin,1| extracellular,1|filtrate,1|or,2|ing,1|selective,1|therapy,2|was,5|rpf,1|inhibition,1| concentration,1|tmpah,1|increase,2|with,2|antidiuresis,1|distal,3|although,1|response,3|there,2| steroids,2|centration,1|properties,1| MED-0700|exception,1|been,1|year,2|about,2|during,1|when,2|years,1|striking,1|children,2| perinatal,4|90,1|estimate,1|broad,1|between,1|in,17|made,1|placental,1|old,1|birth,1|is,1|it,1| congenital,1|analysis,1|an,1|240,1|as,2|2,1|re,1|correlation,2|even,1|5,1|reached,1|defects,1| 9,1|except,1|adult,5|shortly,1|geographical,2|other,1|britain,1|be,3|south,3|seasonal,1| concluded,1|differences,2|pattern,1|babies,2|summer,1|into,1|1st,1|found,1|by,1|taken,1|after,1| so,1|workers,1|close,1|ca,1|sr,8|apart,1|compared,1|a,3|salt,1|may,1|occurred,1|seemed,1|more,1| strontium, 2|g, 1|one, 2|change, 4|2nd, 1|great, 1|the, 17|anatomically, 1|v, 1|showed, 1|somewhat, 2|to, 7|40,1|levels,6|first,1|ratio,2|london,2|data,1|assessment,1|that,3|dying,1|westmorland,1|than,2| only,1|quite,1|from,8|discrimination,1|has,1|different,3|results,1|extreme,1|area,2|which,1| england,3|making,1|months,1|gross,1|level,5|need,1|particular,1|published,1|90sr,3|bones,2|were, 4|parts,1|correlated,1|higher,2|no,1|united,2|values,1|carlisle,2|adults,1|changes,1|their,1| winter,1|deductions,1|life,1|miles,1|475ug,1|not,1|east,3|ranged,1|and,8|of,23|end,1|human,3| derived,1|turnover,1|on,1|rest,1|inverse,1|normal,1|or,2|was,5|bone,4|concentration,1|kingdom,2|

demonstrably,1|with,6|suggested,1|detailed,1|stable,7|mean,1|there,3|0.7,1|progressive,1|time,1|

rise,1|age,3|account,1|physiological,1|

```
MED-0701|small,1|thrombotic,1|hydrocephalus,1|lesions,1|main,1|while,1|second,1|reference,1|
superficial,1leither,1lchildren,2lrare,1ldraining,1lonly,1lpresence,1lthose,1loverlying,1llarge,
1|in,7|relating,1|diseases,3|particular,1|congenital,1|vascular,1|infiltration,1|membranes,1|
system, 3|at,1|omitted,1|rarely,1|fibrin,3|conditions,1|much,1|here,2|aneurysm,1|be,1|commoner,1|
aspects,1|association,1|two,1|qeneral,1|into,1|thrombosis,3|central,3|related,2|fall,1|are,3|and,
5|of,6|reported,1|incidents,1|categories,1|metabolic,1|on,1|disease,1|or,3|will,1|vasculitis,1|
discussed,3|length,1|deposition,2|haemorrhage,1|brain,2|great,1|blood,1|ventricles,1|the,13|with,
2|veins,1|nervous,3|to,4|degenerative,1|first,1|vessels,1|
MED-0702|shunt,4|resected,1|hydrocephalus,1|year,2|presumed,1|intracranial,1|years,2|ventricular,
1/diminution,1/four,3/presented,1/totally,1/case,1/treated,1/period,1/in,1/old,1/aqueductal,1/
this,1|is,1|pressure,1|qirl,1|prolonged,1|apparent,1|size,1|cerebellar,2|9,1|neoplasm,1|
placement,1|became,1|increased,1|be,1|obstruction,1|mass,1|for,1|ventriculoatrial,2|air,1|
subsequently,1|signs,2|astrocytoma,2|are,1|and,1|by,2|of,7|whom,1|studies,1|after,1|
demonstrating,1|compared,1|a,5|means,1|within,1|was,3|the,3|palliation,1|removed,1|due,2|
achieved,1|to,3|unrecognized,1|cystic,1|
MED-0703|treatment,1|indications,1|hydrocephalus,2|leading,1|for,1|delineated,1|begun,1|their,1|
drawbacks,1|clearly,1|discussion,1|years,1|research,1|problem,1|are,1|and,1|of,2|yield,1|by,1|
has,1|recent,1|a,2|new,1|in,3|one,1|this,1|the,4|clinical,1|field,1|authority,1|hopeless,1|to,2|
formerly, 11 forms, 11
MED-0704|a,3|hydro,1|hydrocephalus,1|in,1|old,1|one,2|foramen,2|unilateral,2|is,1|cephalus,1|
infant,1|secondary,2|obstructive,1|3,1|gliomatosis,1|occlusion,2|of,6|unique,1|by,1|reported,1|
to,21monro,21day,11case,21
MED-0705|aneurysm,3|been,1|discovered,1|additional,1|heretofore,1|previ,1|ously,1|youngest,1|had,
1|years,1|number,1|plain,1|patient,1|of,9|reported,2|skull,1|communication,1|case,1|aneurysms,1|
on,1|which,1|galen,2|vein,2|cases,1|visible,1|within,2|in,2|one,1|was,2|this,1|genograms,1|
congenital,1|an,1|describes,1|the,8|at,1|roent,1|6,1|9,1|calcification,3|present,1|wall,1|age,1|
thirty,1
MED-0706|shunts,2|date,1|been,3|treat,1|shunt,3|hydrocephalus,1|48,1|arrest,1|year,1|cent,2|
neces,1|recognized,1|during,1|experience,1|spontaneous,1|when,1|that,2|hy,2|major,1|review,1|
presented,1|function,1|hydrocephalic,1|only,1|satisfactory,1|has,3|servation,1|per,2|results,1|
treated,2|period,1|drocephalus,1|infantile,1|in,3|carefully,1|fection,1|drocephalic,1|occur,1|
patients, 3|survival, 1|is, 1|tients, 1|5, 1|once, 1|overall, 1|present, 1|14.3, 1|other, 1|infection, 1|be,
1|death,1|for,2|cause,1|appears,1|tions,1|ventriculo,3|our,2|we,1|venous,3|not,1|ob,1|rate,2|are,
2|and,4|does,1|of,7|by,1|have,1|sitated,1|supports,1|promptly,1|revisions,1|75,1|introduction,1|
a,4|process,1|estab,1|complications,1|discussed,1|procedure,1|ment,1|followed,1|meticulous,1|
complica,1|atrioventricular,1|the,8|with,2|nonfunctioning,1|pa,1|series,1|severe,1|lished,1|to,3|
choice,1|comparable,1|
MED-0707|extent,1|these,2|uncles,1|her,1|mothers,1|would,1|terms,1|children,1|predisposes,1|
dependent,1|accepting,1|environmental,1|thus,1|in,3|satisfied,1|index,1|is,2|congenital,1|it,2|
system,1|at,1|aunts,1|determined,1|opens,1|uterine,1|obtained,1|maternal,2|be,3|fact,1|
proportion, 1| frequently, 1| least, 1| found, 1| are, 1| have, 1| merely, 1| genetic, 1| c.n.s, 1| a, 2| williamson,
1|more,1|one,1|the,10|such,1|bifida,1|to,5|incidence,1|genetical,1|small,1|but,1|possibilities,1|
before,1|modifies,1|embryo,1|simple,1|had,1|dr,1|that,6|mother,1|than,1|only,1|from,1|has,1|up,1|
anencephalus,1|which,1|intra,1|history,1|relatives,2|affected,2|most,2|she,1|were,2|seems,1|
cousins,1|higher,1|some,2|explained,1|malformations,3|can,1|not,1|central,1|and,4|spina,1|of,7|
factor,1|on,1|cases,2|nature,1|interesting,1|yet,1|factors,1|suggested,1|environment,1|due,1|
nervous, 11 hypothesis, 11 paternal, 11
MED-0708|pres,1|shunting,3|upper,1|experimental,2|when,2|observed,1|these,1|hy,1|gained,1|
injected,1|fluid,1|per,2|flow,9|suspension,1|between,1|successfully,1|sure,1|in,8|absorption,1|
is,1|subarachnoid,2|an,2|former,1|cerebrospinal,1|toward,1|as,4|re,1|transient,1|podium,1|
following,1|kaolin,1|compression,1|cerebral,2|larger,1|be,2|probably,1|dilatation,1|ventricle,3|
unilateral,1|fell,1|into,1|fall,1|low,1|directional,1|by,1|jugular,1|diate,1|lumbar,1|a,1|
stopped, 1 more, 1 decreased, 1 magna, 1 performed, 1 the, 20 recovered, 1 lincreasing, 1 cistern, 1 to, 3 l
48,1|almost,1|administration,1|lyco,1|space,3|ventricular,1|lateral,2|either,1|blockade,1|than,1|
dogs,3|hydrocephalic,1|limit,1|from,2|50,1|results,1|ml,2|mm,1|solutions,1|degree,1|this,1|
pressure,5|water,1|produced,1|0.15,1|cisterna,1|crease,1|abdominal,1|63,2|seems,1|higher,1|
interme, 1 | pertonic, 1 | mixed, 1 | intravenous, 1 | hour, 2 | rate, 4 | intraventricular, 1 | parallel, 2 | and, 5 | of,
```

13|0.25,1|induced,1|studies,1|averaged,2|reflux,1|steady,1|value,1|75,1|on,1|or,2|cases,2| original,1|was,8|raised,1|increase,1|tween,1|uni,1|contralateral,1|csf,7|there,1|latter,1| MED-0709|but,2|illustrates,1|taggart,1|lesions,1|foramen,2|recognized,1|had,1|upon,1|lateral,1| years,1|that,2|malformation,1|foramina,1|usually,1|others,1|case,1|which,1|always,1|dilated,2| 59,1|in,7|this,1|is,5|infancy,1|congenital,1|it,1|published,1|walker,4|grossly,1|most,1|1,1| condition,2|proposed,1|were,1|cerebellar,2|morbid,1|present,1|adult,1|1944,1|who,1|atresia,3| discovered,1|anomaly,1|concluded,1|nearly,1|dandy,4|ventricle,1|description,1|best,1|luschka,1| life,1|blackfen,1|1954,1|syndrome,3|are,2|and,6|patient,1|of,10|specimen,1|by,1|have,1|term,1| 1914,1|benda,1|early,1|a,3|figure,1|cases,2|childhood,1|magendie,2|was,2|aged,1|also,1|specific, 1|many,1|recorded,1|ventricles,1|the,16|with,2|vermis,1|third,1|oldest,1|there,1|associated,1| consequent, 1| fourth, 1| to, 1| entity, 1| first, 1| MED-0710|some,1|very,1|reasons,1|be,3|hydrocephalus,2|for,2|cause,1|phenomenon,1|believing,1| malformations,2|late,1|are,2|too,1|find,1|and,1|of,4|only,1|promptly,1|genuine,1|if,1|defined,1| described,1|a,4|given,1|though,1|large,1|in,4|epidemic,1|studied,2|probable,1|is,3|congenital,2| peak,1|it,2|continuously,1|indeed,1|population,2|the,4|1941,1|1940,2|epidemics,2|detected,1|must, 1lto,3lincidence,2l41,1l MED-0711|reason,1|expanding,1|interpreting,1|counts,1|areas,1|facilitated,1|these,1|reflect,1| skulled,1|because,1|ral,1|reflects,1|portions,1|addition,2|mater,3|ac,1|closely,1|grow,1|outer,2| them, 1|al, 1|craniology, 1|analysis, 1|an, 2|each, 1|secondary, 1|as, 5|at, 2|re, 1|abnormal, 2|size, 3| correlation,1|oppose,1|relative,1|functional,3|components,2|be,4|increased,1|consequently,2|two, 1|into,1|por,1|dural,1|are,2|does,1|fication,1|by,5|disturb,1|rigid,1|apart,1|a,7|su,1|many,1| the,73|such,1|diploe,3|sinuses,1|to,9|but,1|through,1|margins,1|de,1|separate,1|abnormally,1|do, 1|skeleton,2|lowing,1|separation,1|somatic,2|chondrocranium,1|arachnoid,1|unusual,1|possibly,1| given,1|roentgenograms,1|this,2|precedes,1|its,1|intrinsic,1|dura,2|volume,1|posite,1|final,1| however,2|capsule,2|osseous,1|neural,5|mass,4|for,3|changes,2|achondroplasia,1|explained,1|not,3| varia,1|related,2|extrinsic,1|epiphyses,1|primi,1|cranial,3|tures,1|cartilage,1|deposition,1|yet, 1|bone,3|sutures,3|with,1|premature,1|form,9|formity,1|removal,1|well,1|age,1|base,3|fair,1| three,1|when,3|thick,1|ossi,1|division,1|number,1|tables,1|muscles,2|terms,1|usually,1|presence, 1|grams,1|between,2|passively,1|tion,2|fiber,1|ried,1|shape,1|large,1|in,9|varial,1|considering, 1/lis,14/lit,5/distinctly,1/intelligence,1/separa,1/suture,2/mammals,1/apparently,1/determined,1/ calvaria,4|aid,1|valuable,1|cerebral,3|serves,2|air,1|flects,1|composed,1|have,1|protect,1|table, 5|particularly,1|may,3|within,2|more,2|innate,1|brain,4|sule,1|site,1|appearance,1|anchor,1|ages, 1|small,2|membrane,1|recognition,1|while,1|pig,1|that,4|roentgeno,1|major,1|plain,1|than,2| function,2|only,3|inferred,1|from,2|directly,3|potential,1|closure,1|neu,1|all,1|occur,2| intimately,1|inner,3|preformed,1|purposes,1|bones,2|abnormality,1|roentgenologist's,1| functionally,1|no,1|calvarial,4|their,1|cal,2|lightweight,1|principal,1|represents,1|general,1| tend,1|can,1|hematopoiesis,1|tive,1|cap,1|car,1|and,13|scalp,1|of,37|skull,9|facial,2|mediated,1| op,1|or,1|ing,1|motion,1|also,1|specific,1|underlie,1|due,1|tracts,1|growth,4|forms,1|demands,1| MED-0712|measured,1|reason,1|very,1|been,1|hydrocephalus,3|considered,1|accuracy,1|during,1| 0.3x10,1|changing,1|absorb,1|when,1|choroid,1|diffusive,1|problem,1|fluid,12|state,1|calculate,1| animals,1|per,1|if,1|flow,1|hydrostatic,1|tion,1|using,2|surface,1|in,13|absorption,5|0.011,1| brospinal,1lis,2lit,2lsubarachnoid,1l0.016,1lresistance,2leach,1lcerebrospinal,10l2,1las,5l3,1l re,2|contents,2|cere,1|dog,2|much,1|theory,1|cerebral,1|sub,1|diffusion,1|be,3|increased,1|fact, 1|independent,1|progressively,1|pore,1|ependymal,1|ventricle,4|tinine,1|formation,4|found,2|min, 5|by,2|ependyma,1|place,1|ability,1|so,1|a,1|occurred,1|within,3|sistance,1|crea,1|could,1|cm,1| suggest,1|the,31|to,9|permeabilities,1|small,1|but,1|constant,2|data,2|rapid,1|intracranial,1| constantly,1|ventricular,3|lateral,1|space,1|that,3|enlargement,1|than,2|sufficient,1| hydrocephalic,3|dogs,1|beat,1|from,2|has,1|arachnoid,1|different,1|radius,1|calculated,1|chronic, 11ml,51flattened,1|always,1|development,1|test,1|occur,1|4th,1|this,3|0.20,1|pressure,2|decrease, 1|produced,1|fusion,1|volume,1|take,1|clinical,1|were,2|adjust,1|spaces,1|higher,1|became,1| applied,1|changes,2|for,1|forma,1|plexus,1|urea,1|stricted,1|not,2|intraventricular,2|and,11| 0.24,1|of,16|studies,1|steady,1|unaffected,1|on,1|normal,5|craniospinal,1|gm,1|was,6| distinguished,1|concerns,1|ventricles,3|with,2|mean,1|pulse,1|well,1|significantly,1| MED-0713|pres,1|that,2|csfp,5|shown,1|poor,1|hydrocephalic,2|dogs,1|pected,1|fluid,3|pressures,1| poste,1|has,2|between,1|ab,1|in,7|follows,1|this,1|is,3|pressure,4|it,1|ssvp,5|decrease,1|tvp,3| venting,1|1,2|cerebro,1|as,1|ex,1|correlation,1|occlusion,1|dog,2|rises,1|partial,1|acute,1| statistical,1lother,1lbe,1lsimultaneous,1lpostulated,1lchanges,2lcause,1lnon,1lsorption,1l measurement, 1 anterior, 1 I venous, 1 I dural, 1 I related, 2 I are, 1 I and, 6 I of, 6 I demonstrated, 1 I relationship,

```
1|mechanism,1|on,1|hand,1|elevation,1|normal,2|a,5|could,1|rior,1|the,9|with,1|sinus,3|meet,1|
spinal,1|sures,1|mean,1|to,3|sagittal,1|fashion,1|
MED-0714|but,1|feet,1|satisfactorily,1|erect,1|lateral,1|without,1|that,1|her,1|four,1|papilloma,
2|reviewed,1|female,1|unusual,1|five,1|case,2|ac,1|in,1|postoperatively,1|17,1|old,1|weight,1|is,
2|it,1|an,1|both,1|she,2|at,1|month,1|left,2|relatively,1|for,1|ventricle,1|unim,1|head,1|
literature,1|holding,1|perhaps,1|unsupported,1|intraventricular,2|and,3|patient,1|of,3|reported,
2|hospital,1|on,1|sustaining,1|a,2|or,1|portant,1|observation,1|was,5|right,1|kept,1|performed,1|
the,8|tilted,1|although,1|complished,1|craniotomy,1|tumor,1|removal,1|days,1|to,1|time,1|
incident,11
MED-0715|been,2|shunt,4|hydrocephalus,5|pres,1|year,2|numerous,1|shunting,6|periodically,1|lus,1|
without,1|evaluation,1|these,1|113,2|22.2,1|retraction,1|fluid,3|prevention,1|10,1|based,1|
competent,1|them,1|require,1|shunted,1|i.q,2|correlations,1|each,1|120,1|symptoms,1|1,1|as,1|
cerebro,1|abnormal,1|re,1|correlation,1|5,1|33.8,1|ated,1|cardiac,1|appropriate,1|obstruction,1|
be,3|increased,1|obstructions,1|favoring,1|inflammatory,1|long,1|increases,1|into,1|proved,1|are,
2|whom, 1|where, 1|gives, 1|compared, 1|a, 5|procedure, 1|possible, 1|thorough, 1|many, 1|blood, 1|logical,
1 | to,6 | operation,1 | did,1 | shunts,1 | but,1 | medical,1 | 48,1 | noncompetitive,1 | numbers,1 | justified,1 |
ventricular,1|septicemia,2|late,1|has,1|up,1|hav,1|five,1|which,2|ultimate,1|might,1|this,3|
significant,1|etiologies,1|pro,1|ity,1|malfunctioning,1|16.7,1|demonstrate,1|5.5,1|vs,2|
necessity, 1/65, 1/show, 1/for, 2/life, 2/duration, 1/not, 2/related, 3/mantle, 3/27.6, 1/end, 1/morbidity,
2|early,3|75,2|over,2|cases,2|dramatic,1|etiology,2|better,1|risa,1|with,10|functioning,1|
compensated,1|disciplines,1|removal,1|prompt,1|examinations,1|comparative,1|mechanical,1|program,
3|type,1|years,1|required,1|hy,1|number,2|children,5|centers,1|pressures,1|usually,1|per,6|
attempts,1|similar,1|give,1|goal,1|large,1|in,18|conclusions,1|birth,1|is,2|being,1|it,1|
operative,2|evalua,1|intelligence,1|cerebrospinal,1|apparently,2|occlusions,1|breakage,1|
cerebral, 3|study, 3|infection, 1|periodic, 2|ventriculograms, 1|operated, 1|atrial, 1|tions, 2|
ventriculo,1|capacity,1|out,1|stream,1|bubble,1|have,1|clearance,1|ability,1|demonstrated,1|
table,1|hydrocepha,1|seemed,1|could,1|intellectual,2|depth,1|spinal,2|irrespective,2|versely,1|
width,3lopera,1ldata,1linvaluable,1larrest,1lcent,6lcor,1lrecognition,1lmanner,1lhis,1lmajor,1l
spite,1|than,1|should,2|only,1|hydrocephalic,1|from,4|group,3|all,2|including,1|imply,1|below,1|
drocephalic,1|survival,1|patients,1|establishment,1|less,1|pressure,1|basis,1|done,2|prolonged,1|
both,1|correlate,1|were,4|morbid,1|basic,3|psycho,1|no,2|death,1|instances,1|cause,1|recovery,1|
testings,1|projected,1|can,2|operations,1|causing,1|and,7|patient,2|of,35|studies,2|tracranial,1|
61.8,1|atrium,1|on,4|carried,1|process,2|ing,2|or,4|determine,1|studied,1|groups,1|follow,2|
increase, 1 | factors, 3 | ducing, 1 | growth, 1 |
MED-0716 | very, 1 | medical, 1 | shunt, 1 | hydrocephalus, 4 | valves, 2 | shunting, 1 | ectomy, 1 | without, 1 |
ventricular,1|these,1|that,1|either,1|would,1|rare,1|nal,1|enlarge,1|surgical,2|fluid,1|from,1|
day,1|between,1|peritoneal,1|others,1|using,1|tapping,1|ideal,1|like,1|is,6|congenital,1|pudenz,
1|an,1|halter,1|noid,1|most,1|condition,1|abnormal,1|cerebrospi,1|adopt,1|loose,1|fimbia,1|
excessive,1|neoplasm,1|placement,1|present,1|support,1|authors,1|fol,1|conservative,1|be,1|
waiting,1|rather,1|concept,1|cause,2|atrial,1|ventriculo,2|head,1|subarach,1|common,1|lowed,1|
and,2lof,6lby,2lprocedures,1ldefinition,1lwhere,1lolder,1lcharacterized,1la,4lamount,1lor,2l
thecal,1|procedure,1|any,1|ment,1|anomalies,1|availed,1|choroidoplex,1|the,8|with,2|
arachnoiditis,1|cannot,1|choice,1|ureteral,1|
MED-0717|sion,1|treatment,2|been,3|hydrocephalus,2|data,1|advanced,1|dilatation,1|recognition,1|
for,1|spontaneous,2|ventricular,1|eight,1|hem,1|discus,1|number,1|orrhage,1|and,3|presented,2|of,
4|have,3|mechanisms,1|a,2|pathological,1|development,1|cases,1|in,2|patients,1|this,1|diagnosis,
1|possible,1|subarachnoid,2|secondary,1|the,1|with,2|condition,1|2,1|following,1|to,1|adult,1|
MED-0718/scien,1/been,1/tists,1/during,2/ardized,1/record,1/events,1/prevention,1/still,1/in,3/
australia,1|is,3|congenital,3|community,2|monitoring,1|an,1|distributions,1|classifying,1|at,1|
system, 1|programs, 2|primary, 1|city, 1|utilizing, 1|methods, 1|occurrence, 1|two, 1|example, 1|have, 1|
place,1|demonstrated,1|so,1|stand,1|europe,1|workers,1|a,2|health,1|the,12|century,1|report,1|to,
2|scientifically,1|levels,1|statistics,1|but,1|medical,1|principle,1|joint,1|data,1|use,1|
clearly,1|post,1|thalidomide,1|demic,1|rubella,1|clinicians,1|has,1|pan,1|group,1|embryopathies,
1940,1|especially,1|person,1|vital,1|basic,1|importance,1|part,1|for,4|elsewhere,1|malformations,
5|epidemiology,1|not,1|public,1|and,9|of,13|methodical,1|hospital,1|reporting,1|on,2|ing,1|or,1|
```

```
constructed,1|endeavor,1|also,1|anomalies,1|considerations,1|better,1|surveil,1|1961,1|1960,1|
service, 1 | deformity, 1 | time, 1 |
MED-0719|siblings,3|hydrocephalus,1|three,1|children,1|malformation,1|118,1|case,2|12,1|infants,
1|in,11|mation,1|made,1|index,3|is,1|it,1|1,1|system,2|size,1|among,1|8,1|9,1|sibships,1|22,1|
treatment,1|other,1|25,1|be,1|sur,1|known,1|recessively,1|have,1|after,2|qenetic,1|a,4|tain,1|
occurred, 2 luncomplicated, 1 lmore, 1 lborn, 3 lpossible, 1 lthe, 10 lgical, 1 lbifida, 4 lincreasing, 1 l 306, 1 l
to,2|complete,1|6.8,1|generations,1|had,1|anencephaly,1|that,1|view,1|24.1,1|members,1|than,1|
from,1|up,1|five,1|selected,1|intensive,1|prospective,1|1,256,1|54,1|including,1|gross,2|might,1|
history, 1|affected, 1|inquiries, 1|condition, 1|were, 7|722, 1|who, 1|tiple, 1|mul, 1|curred, 1|for, 1|
point,1|not,1|ob,1|central,2|oc,1|spina,4|and,2|of,11|cystica,4|cases,5|or,3|studied,1|was,1|
multiple,1|histories,1|follow,1|increase,1|families,1|any,1|way,1|pedigree,1|with,2|nervous,2|
inherited, 1 | there, 1 | malfor, 1 | progressive, 1 | family, 6 | 85, 1 | referred, 1 |
MED-0720|histologic,2|hydrocephalus,1|apparatus,2|lesions,2|shunting,3|cor,1|tissue,1|years,1|hy,
1|high,1|reviewed,1|from,1|widespread,1|described,1|pulmonale,1|addition,1|group,1|drocephalus,1|
in,5[old,1]patients,1[alterations,1]this,2[vas,1]diagnosis,1[is,1]vascular,2[operative,1]
sections,1|lung,1|grounds,1|intervals,1|3,1|at,1|postmortem,1|were,3|following,1|difference,1|
placement,2|obtained,1|65,1|who,1|treatment,1|purely,1|cular,1|hypdrocephalus,1|be,1|changes,1|
ventriculovascular,3|for,2|died,1|can,1|not,2|found,1|patient,1|and,3|of,6|whom,1|after,1|
compared, 1 on, 1 a, 4 complicating, 1 attributed, 1 subjects, 1 multiple, 1 was, 1 pulmonary, 4 control,
1|procedure,1|suggest,1|noted,1|the,5|with,2|material,1|various,1|regard,1|to,3|hypertension,2|
incidence,2|did,1|
MED-0721|hydrocephalus,4|cm3,1|paraffin,1|collected,1|three,1|without,1|observed,1|defect,2|
extremely,1|injected,2|above,1|animals,1|if,1|hydrocephalics,1|rat,1|in,7|16,1|aqueductal,3|17,1|
old,2|18,1|wistar,1|is,2|it,1|dyes,1|bell,2|an,1|reproductive,1|1,2|dose,1|at,2|size,1|6,1|
occlusion,3|7,1|8,1|20,2|stained,1|doses,1|concluded,1|sylvius,1|fetuses,4|albino,2|yield,1|have,
1|where,1|examined,1|demonstrated,1|embedded,1|31,1|33,1|a,3|litter,1|necessary,1|excised,1|
sample,2|the,11|dye,1|trypan,5|blue,5|increasing,1|showed,1|days,3|to,1|did,3|through,2|but,3|
had,1|used,1|that,1|teratogenic,2|solution,1|hydrocephalic,1|from,2|stenotic,1|day,2|those,1|
strain,2|treated,2|purified,2|predisposing,1|chroma,2|this,2|aqueducts,1|decrease,1|sections,1|
both,1|most,1|tenotic,1|gesellschaft,2|were,6|effect,1|fixed,1|present,1|coleman,2|neural,1|
young,2|frequent,1|stenosis,3|sectioned,2|not,3|decalcified,1|similarly,1|aqueduct,1|and,6|
sixteen,1|of,1|linduced,1|rats,2|gestation,1|teratogenicity,1|highly,1|on,1|types,1|matheson,2|
or,5|was,5|occluded,2|also,1|conclusively,1|newborn,2|increase,1|any,1|etiology,1|with,1|serial,
1|evident,1|antenatal,1|serially,1|age,1|
MED-0722|delicate,1|translucent,1|hydro,1|half,1|hydrocephalus,2|year,1|during,1|cure,1|cephalus,
1|conceivably,1|choroid,3|brane,1|toxoplasmosis,1|children,1|papilloma,3|haversian,1|presence,1|
case,2lin,4lold,1|suspected,1|made,1|considering,1|is,2|being,1|it,1|an,1|itself,1|at,2|sented,1|
formed,1|obstruction,1|cytomegalic,1|two,1|result,1|feature,1|bilateral,2|by,1|after,1|mortem,1|
a,5|attributed,1|within,1|ment,1|the,12|encountered,1|tumor,2|to,2|treat,1|that,1|regularly,1|
either,1|post,1|ma,1|rare,1|hydrocephalic,1|from,1|five,1|papillo,1|pre,1|level,1|might,1|this,1|
diagnosis,2|qirl,1|plea,1|autopsy,1|tense,1|here,1|additional,1|for,2|plexus,3|life,1|
differential,1|inclusion,1|not,1|uncommon,1|total,1|mem,1|aqueduct,1|and,4|of,8|examination,1|
early,1|disease,1|or,1|interesting,1|was,4|bone,1|factors,1|existing,1|due,1|hypersecretion,1|
sylvian,1|choroidal,1|evident,1|well,1|
MED-0723|charts,1|been,1|hydrocephalus,4|accurate,2|shunting,1|available,1|irreversible,1|used,1|
offer,1|improved,1|that,1|transillumination,1|neurosurgeon,1|whether,1|from,1|fluid,1|has,1|up,1|
if,2|plan,1|likely,1|infants,1|method,1|in,1|fairly,1|widely,1|unchecked,1|diagnosis,2|its,1|
constitute,1|is,5|definitive,1|it,1|develop,1|steps,1|operative,1|cerebrospinal,1|enlarging,1|
most,2|condition,1|size,1|easiest,1|once,1|evaluating,1|excessive,1|insertion,1|spitz,1|
correction,1|valve,1|aid,1|full,1|however,1|treatment,2|damage,1|be,1|methods,1|for,3|head,3|
prevent,1|effective,1|not,1|are,2|and,3|of,7|continues,1|term,1|physician,1|imperative,1|early,3|
measurements,1|a,2|means,1|normal,2|detection,2|or,1|may,1|determine,1|will,1|deviation,1|
procedure, 2 lintellectual, 1 learliest, 1 lany, 1 lthe, 11 lhelp, 1 lpremature, 1 linfant's, 1 lserial, 1 l
detected, 1 | determining, 1 | to, 5 | holter, 1 |
MED-0724|through,1|shunt,1|hydrocephalus,2|passage,1|intracranial,2|moval,1|infant,1|dis,1|that,
1|presented,1|perinatal,1|surgical,1|fluid,1|whereas,1|case,1|give,1|period,1|still,1|infantile,
1|in,4|this,1|posterior,2|pathways,1|being,1|pressure,1|an,1|cerebrospinal,1|necessitated,1|
condition,1|re,1|at,1|were,1|basic,1|study,1|normalized,1|fossa,2|cause,1|extracerebral,1|air,1|
```

```
atrial,1|ventriculo,1|we,1|not,1|and,1|of,3|by,1|have,1|relief,1|lumbar,1|a,4|raised,1|was,1|
occluded,1|intracerebral,1|the,9|stage,1|permanent,1|arachnoiditis,1|closed,1|ones,1|information,
1|hematoma,2|did,1|hemorrhage,1|
MED-0725|small,1|dif,1|nine,1|hydro,2|hydrocephalus,1|rapid,1|during,1|cephalus,2|amounts,1|
injected, 1|easily, 1|urinary, 2|from, 2|injecting, 1|has, 1|investigated, 1|those, 1|expansive, 1|
infantile,1|in,2|intra,1|ventricularly,1|c.s.f,1|is,1|tracer,1|produced,1|effects,1|excretion,3|
4,1|5,1|were,1|determined,1|intraventricularly,1|stenosis,2|not,1|aqueduct,2|and,3|of,6|by,1|
after,1|hours,1|side,1|cases,2|was,1|cumulative,1|performed,1|any,1|diodrast,3|fers,1|the,6|with,
2|i131,2|investigation,1|communicating,2|injection,1|first,1|
MED-0726|hydrocephalus,1|causative,1|upper,1|cerebrovascular,1|recognized,1|testinal,1|these,1|
mor,1|measures,1|children,1|reflects,1|tem,1|recent,1|in,6|devised,1|is,2|being,1|an,1|apparent,
1|pathogenesis,1|system,2|at,1|other,1|increased,1|25,2|be,1|malacias,1|two,1|local,1|autopsies,
1|ulceration,4|found,2|poliomyelitis,1|are,2|variety,1|causes,1|ceration,1|categories,1|a,2|
drugs,1|could,1|more,1|brain,1|the,4|single,1|peptic,1|severe,1|theories,1|mortality,1|le,1|to,2|
incidence,2|tu,1|lesions,4|promise,1|experience,1|drug,1|iatrogenic,1|etc,1|presented,1|ul,1|
surgical,2loffers,1lnew,1ldevelopment,1lincluding,1lthis,1lreal,1lboth,2lgastrointestinal,2lwere,
1 | techniques, 1 | crease, 1 | autopsy, 1 | some, 1 | acute, 2 | instances, 1 | needed, 1 | adults, 1 | for, 1 | cause, 1 |
commonest,2|sys,1|we,1|1,750,1|general,1|central,4|bacterial,1|ana,1|and,5|of,8|responsible,1|
sions,1|cases,1|recently,1|therapy,2|meningitis,1|was,1|with,1|freezing,1|due,2|nervous,4|there,
1|qastroin,1|tomical,1|reduction,1|
MED-0727|caught,1|been,1|fowls,4|vertebrate,1|midgut,1|gallinarum,1|filarioids,1|avian,1|these,1|
that,1|would,1|whether,1|record,1|host,1|from,5|if,1|possibly,1|which,1|ceylon,3|natural,3|in,5|
calmettei,1|hosts,1|plasmodium,2|this,3|differs,1|is,3|it,1|then,1|plasmodia,2|as,2|crithidial,1|
therefore,1|engorged,1|however,1|other,3|fact,1|be,2|prove,1|part,1|mansonia,1|we,2|seen,1|not,1|
world,1|related,1|trypanosome,2|previously,1|are,1|and,3|of,14|observations,1|have,2|reported,1|
vector,3|lophurae,3|gallinaceum,2|or,1|may,1|will,1|one,1|trypanosoma,1|m,3|fowl,1|mosquito,1|
the,11|p,4|appear,1|t,1|species,1|well,1|crassipes,4|to,1|certain,1|wild,1|first,1|forms,1|
MED-0728/worms,1/filariasis,3/mgm,2/usually,1/per,2/still,1/in,14/mild,1/lower,1/distributed,1/
is,2|it,2|an,1|nocturnally,1|as,1|3.3,1|adult,1|nuclei,1|treatment,1|other,1|infection,1|doses,1|
probably,1|periodic,1|two,2|unknown,1|malayi,1|into,1|found,3|are,2|low,1|by,1|man,1|a,2|qiemsa,
1/reaction,1/citrate,1/one,1/blood,3/the,14/13.3,1/knee,1/recovered,1/appearance,1/cats,1/
removed,1|species,1|showed,1|w,1|damaged,1|days,1|to,3|ratio,1|diethylcarbamazine,1|but,2|oedema,
1 | resembles, 1 | lesions, 1 | staining, 1 | possession, 1 | seven, 1 | body, 2 | space, 1 | kgm, 2 | that, 3 | bancrofti, 2 | lesions, 1 | seven, 1 | body, 2 | space, 2 | kgm, 2 | that, 3 | bancrofti, 2 | lesions, 2 | lesi
only,1|dogs,1|few,1|from,1|fragments,1|female,1|results,1|described,1|all,1|new,2|microfilariae,
1|films,1|peripheral,1|below,1|widely,1|elephantiasis,1|differs,1|weight,2|cephalic,1|monkeys,1|
clinical,1|vectors,1|microfilaria,5|were,5|failure,1|daily,1|5.0,1|9.3,1|limbs,1|brugia,1|
confined,1|sheath,1|surveys,1|for,1|stain,1|general,1|not,1|and,6|observations,1|of,9|portuguese,
2|on,1|over,1|types,1|wuchereria,1|or,2|rates,1|was,4|length,1|terminal,1|thread,1|rapidly,1|
timor,7|with,3|investigation,1|referred,1|territory,1|
MED-0729|but,2|smaller,1|resembles,1|areas,1|tissue,1|simple,1|northern,1|coy,1|identified,1|mc,
1|spicule,1|complex,1|mccoy,2|93,1|from,3|animals,1|1936,3|female,1|1935,1|described,1|99,1|
primates,1|in,5|is,2|capucinus,1|an,1|comb,2|faust,1|microfilaria,1|albifrons,1|detail,1|adult,2|
male,1|colombian,1|other,1|esophageal,1|saimiri,1|dipetalonema,2|29,1|additional,1|sciurea,1|
description,1|not,2|tetrapetalonema,1|onchocercidae,1|found,1|apella,1|are,1|and,4|of,4|peri,1|
31,1|colombia,2|a,1|infected,1|c,2|obtusa,3|filarioidea,1|was,2|marmosetae,1|connective,1|right,
1|blood,1|n,2|the,6|with,1|recovered,1|cebus,1|42,1|
MED-0730|histologic,1|experimental,1|attempt,1|without,1|choroid,1|subcutaneous,1|vitreous,1|
injected,1|debris,1|giant,1|parison,1|gle,1|iris,1|onchocerciasis,1|oncho,1|worm,1|in,4|made,1|
active,2|posterior,1|is,1|an,1|infiltration,1|eye,3|pathogenesis,1|quiescent,1|extracts,1|limbal,
1|conditions,1|be,3|alive,1|dead,1|tions,1|eyes,1|anterior,4|intraocular,1|into,1|inflammation,1|
are,1|experimentation,1|have,1|chimpanzee,3|angle,1|sensitization,1|demonstrated,2|a,1|iri,1|may,
1|within,3|could,3|pannus,1|discussed,1|volvulus,1|reproduced,1|onset,1|produce,1|o,1|the,27|
extensive,1|subconjunctival,1|to,2|cally,1|ciliary,1|first,2|clini,1|com,1|incipient,1|lesions,2|
had,1|body,1|degeneration,1|chamber,4|segment,1|onchocercal,2|meshwork,1|from,1|chorioretinal,1|
contributed,1|microfilariae,5|this,2|docyclitis,1|basis,1|sections,1|most,1|effects,2|once,1|
were,2|injec,1|therefore,1|choroiditis,1|present,1|trabecular,1|lesion,1|onchocercomas,1|no,1|
for,1|aspects,1|cercal,1|died,1|penetrate,1|ocular,1|not,2|alone,1|intravenous,1|and,5|of,16|
```

```
derived,1|human,2|live,2|on,2|was,1|filariae,1|with,2|tween,1|cells,1|although,1|micro,1|various,
1|short,1|time,2|injection,1|
MED-0731|small,2|been,2|philippine,2|reservoirs,2|larvae,1|serve,2|type,1|three,1|observed,1|
these,2|that,2|high,2|bonneae,1|356,1|price,2|gested,1|palawan,2|in,7|island,1|microfilarial,1|
this,1|is,1|it,1|both,1|monkeys,2|as,2|philippinensis,1|were,1|sub,3|bruqia,1|infection,2|forest,
1|sug,1|periodic,3|for,2|dirofilaria,2|mansonia,1|malayi,2|occurence,1|naturally,1|found,3|
macaca, 1|and, 1|of, 9|observations, 1|have, 2|examined, 1|where, 2|1959, 1|macaques, 1|sp, 1|on, 2|
infected,3|a,2|b,2|living,2|may,2|villages,2|d,1|one,1|rates,2|was,2|also,1|suggest,1|people,2|
forests,1|brugla,1|the,4|with,4|third,1|stage,1|species,3|showed,1|periodicity,1|magnilarvatum,3|
MED-0732|worms,1|been,4|fifty,1|considered,1|during,1|three,3|these,1|mountain,1|identified,1|
province,1|four,2|far,1|else,1|revealed,1|ten,1|eqqs,1|africa,1|tion,1|in,15|adolescents,1|liver,
1|plasmodium,1|them,2|is,1|males,1|an,3|resulting,1|as,1|undertaken,1|abnormal,1|4,1|genus,1|6,1|
consistently,1|eleven,1|20,2|male,1|loa,4|become,1|discovered,3|other,1|infection,1|study,1|
weeks,1|be,1|dipetalonema,2|skin,2|congo,4|two,4|oligotrichida,1|accidental,1|autopsies,1|
communications,1|found,4|known,2|are,1|have,2|chimpanzee,1|examined,3|beringei,2|grown,1|after,2|
man,3|so,1|close,1|cercum,1|a,3|vanhoofi,2|d,7|caused,1|one,3|volvulus,3|namely,2|many,1|
performed,1|blood,3|mentioning,1|picture,1|streptocercum,2|the,22|chimpanzees,2|species,2|severe,
his,1|fatty,1|degenera,1|contact,1|west,1|layers,1|only,2|host,1|from,5|has,2|zee,1|stools,1|
different,1|intensive,1|others,1|described,3|which,1|leopoldi,2|microfilariae,2|eastern,4|pre,1|
months,1|primates,1|including,1|commonly,1|might,2|capture,1|published,1|gorillae,4|kivu,1|
balantidiasis,1loesophagostomum,2lnever,1lvectors,1lmicrofilaria,2lwere,9lsurvey,1lpresent,1l
autopsy,1|gorillas,9|full,1|however,1|some,2|no,1|tract,1|strepto,1|death,1|young,3|for,1|their,
1|onchocerca,3|diarrhoea,1|dermal,1|stephanostomum,2|troglodytella,1|chimpan,1|common,1|
previously,2|and,16|of,15|now,1|gorilla,9|six,1|or,2|original,1|autoinfection,1|females,2|
filarial,3In.subsp,1Ialso,1Iconsecutive,1Iprotozoa,1Iwith,3Iintestinal,1Idetailed,1Iparasites,4I
binucleata,2|liminary,1|reservoir,1|
MED-0733|8.6,1|markedly,1|nocturnal,1|caught,2|been,1|year,2|filariasis,3|examinations,1|surat,1|
uniformis,2|during,1|thick,1|dissections,1|observed,1|26.1,1|mgm,1|identified,1|province,1|
0.48,1|decline,1|per,11|case,1|98,1|mosquitoes,4|ii,1|phase,1|in,18|c.mm,2|received,1|carriers,2|
it,4|an,1|4,136,1|each,2|population,3|persons,3|as,2|dose,1|field,1|5,1|villagers,1|kanjanadit,1|
20,2|infection,2|hundred,1|stained,1|25,1|be,1|weeks,1|proportion,1|south,1|another,1|iii,1|
mansonia,2|respectively,1|two,2|weekly,1|dissected,1|out,1|eight,2|malayi,4|86.8,1|found,6|
21.1,2|by,1|where,1|examined,3|after,2|established,1|a,5|giemsa,1|b,3|side,1|citrate,1|salt,1|
density, 1 initial, 1 decreased, 1 lone, 5 medicine, 1 possible, 1 many, 1 blood, 4 people, 1 m, 2 the, 20 l
tropical, 1|recovered, 1|cats, 1|stage, 2|2.2, 2|cessation, 1|periodicity, 1|thani, 1|to, 5|
diethylcarbamazine,1|resulted,1|cent,9|prepared,1|numbers,1|project,1|0.12,1|had,2|larvae,3|body,
1 | repeated, 1 | drug, 2 | kgm, 1 | that, 2 | harboured, 1 | school, 1 | thailand, 2 | percentage, 1 | dogs, 1 | houses, 1 |
from,5|eighty,1|administered,1|52,1|all,4|which,1|films,3|microfilariae,1|last,1|elephantiasis,1|
bangkok,1|microfilarial,2|weight,1|1,023,1|monkeys,1|spp,1|effects,1|month,2|once,1|microfilaria,
2|were,10|person,1|district,1|568,1|survey,1|5.3,1|no,1|bruqia,1|nearly,1|mass,1|for,4|total,1|
not,1|considerable,1|rate,2|and,12|of,20|station,1|studies,1|977,1|village,1|every,1|carried,1|
pilot,1|slight,1|six,1|studied,1|therapy,1|again,1|was,9|control,1|also,1|spraying,1|4,557,1|
with,2|ddt,1|mean,1|0.6,1|95.5,1|investigation,1|4.8,1|8.5,1|
MED-0734|worms,1|nocturnal,1|maintain,1|dwelling,1|experimental,1|transmitted,3|when,1|mating,1|
decided,1|complex,1|natural,2|large,1|langi,1|in,6|simian,2|is,4|them,1|it,3|iv,1|each,1|
population, 1|exist, 1|as, 2|interbreeding, 1|size, 3|diurnal, 1|apparently, 1|among, 1|adult, 1|loa, 2|
forest,1|be,2|periodic,1|methods,1|pattern,1|hybridization,1|strains,4|two,3|found,1|dimidiata,1|
are,1|by,5|vector,1|characterized,1|a,1|c,3|drills,1|hybrids,1|produce,1|segregate,1|describes,1|
the,18|evolving,1|periodicity,4|to,4|small,1|monkey,1|duke,1|wijers,1|own,1|simple,1|mendelian,1|
biting,1|suggests,1|that,1|canopy,1|centurionis,1|host,2|somatic,3|bombe,1|has,1|maintained,1|
day,1|which,3|rain,1|microfilariae,3|loiasis,1|this,1|its,2|silacea,1|done,1|regards,1|most,1|
monkeys,1|hybrid,1|crepuscular,1|try,1|present,1|cameroons,1|records,1|abundantly,1|chrysops,1|
according,1|their,1|diurnally,1|can,2|paper,1|and,10|of,7|studies,1|1958,1|human,2|on,1|
characteristics, 1 | was, 2 | cross, 1 | also, 1 | experimentally, 1 | leucophaeus, 1 | drill, 2 | anthropophilic, 1 | leucophaeus, 2 | cross, 2 | also, 2 | cross, 2 | cross
contrasting,1|parasite,2|form,1|there,1|mandrillus,1|parasites,2|
MED-0735|through,1|membrane,1|fed,1|reared,1|developing,1|hr,1|thawed,1|from,1|migrating,1|
microfilariae,3|development,1|months,1|in,1|containing,1|frozen,1|an,1|samples,1|infective,1|at,
```

```
1|larval,1|exposure,1|4,1|laboratory,1|were,2|animal,1|24,1|quadrimaculatus,1|labium,1|for,1|
dirofilaria,2|capable,1|quadri,1|head,1|1c,1|and,3|of,4|temperature,1|periods,1|after,1|derived,
1|a,1|or,1|anopheles,2|38,1|bandrode,1|blood,1|mosquito,1|the,5|ranging,1|maculatus,1|freezing,1|
third,1|stage,1|stored,1|to,5|immitis,2|
MED-0736/been,1/filariasis,4/considered,1/about,1/mechanical,1/during,1/occurs,1/years,1/
variation,1|these,1|stimuli,2|advances,2|review,1|ten,1|they,1|knowledge,1|e.g,1|order,1|
edesonfilaria,1|large,1|in,10|past,1|containing,1|understand,1|is,5|it,1|urged,1|as,2|schools,1|
apparently,2|biological,1|populations,1|treatment,1|24,1|be,3|methods,1|against,2|capillaries,1|
experiments,1|arterioles,1|our,1|cinematography,1|chloroquine,1|circadian,2|by,5|taken,1|have,1|
temperature,1|cooking,1|protect,1|cyclical,1|retention,1|a,3|means,1|salt,1|continued,1|
systematic, 1|people, 1|blood, 1|the, 18|periodicity, 2|to, 5|diethylcarbamazine, 1|but, 1|incorporation,
1|synchronized,1|own,1|body,1|that,1|should,2|host,2|lungs,2|from,3|has,1|which,2|microfilariae,
6|given,1|peripheral,1|pre,1|accumulation,2|capillary,1|malayensis,1|done,1|steps,1|
disappearance,1|most,1|monkeys,1|especially,1|judging,1|seems,1|migrate,1|some,1|facilitate,1|
young,1|investigations,1|their,3|movements,1|best,1|malaria,1|network,1|effective,1|not,1|
perhaps,1|and,3|of,14|every,1|on,1|hours,1|studied,1|was,1|pulmonary,1|control,1|rhythm,3|
rhythmic, 1|compound, 1|with, 2|concerning, 1|round, 2|furthermore, 1|due, 1|entrained, 1|
MED-0737|monkey,2|dissanaike,1|experimental,2|had,1|domestic,1|that,1|bancrofti,3|larva,2|from,1|
details,1|animals,1|preliminary,1|attempts,2|development,2|in,3|this,1|finding,1|an,1|undergone,
1|infective,1|larval,1|present,1|niles,1|no,1|some,1|note,1|records,1|periodic,1|we,1|paper,1|
are,1|and,4|of,3|reported,1|gives,1|a,3|wuchereria,2|one,1|transmit,2|was,1|describes,1|toque,2|
the,5|recovered,1|1963,1|cats,3|there,1|w,1|to,6|
MED-0738/but,1/nocturnal,1/almost,1/used,1/during,2/body,4/put,1/relation,1/zero,1/these,1/that,
1|stimuli,1|has,1|between,1|which,3|raising,1|microfilariae,5|i.e,1|edesonfilaria,1|thus,1|in,1|
night,1|microfilarial,2|malayensis,2|count,1|is,2|it,1|whose,1|monkeys,2|microfilaria,1|were,1|
daytime,1|some,1|other,1|probably,1|cycle,2|effective,1|circadian,4|not,1|fall,1|inversion,2|and,
2|provides,1|of,13|by,2|temperature,5|a,1|normal,1|e,1|caused,2|forward,1|was,1|lowering,1|
rhythm,4|blood,2|followed,1|the,20|contained,1|artificial,2|species,1|periodicity,2|x,1|
entrained, 1/to, 4/rise, 1/respond, 1/hypothesis, 1/
MED-0739|reports,1|monkey,1|analyse,1|transfusion,1|attempt,1|thailand,1|host,2|from,1|different,
1|inherent,1|those,1|phase,3|which,1|microfilariae,4|edesonfilaria,2|in,5|this,1|malayensis,1|an,
1/1, 1/monkeys, 1/at, 3/were, 2/present, 1/relative, 1/rhythms, 1/production, 1/importance, 1/periodic, 1/
experiments, 2 | another, 1 | for, 1 | their, 1 | into, 2 | circadian, 3 | paper, 1 | known, 1 | macaca, 1 | and, 1 | of, 8 | yeh,
1|a,3|one,1|transfused,1|rhythm,3|performed,1|the,10|with,1|migrations,1|1960,1|periodicity,1|
well,1|to,1|
MED-0740|been,1|surgeon,1|when,1|years,1|these,1|identified,2|hepatic,3|presence,2|if,1|10,1|
11,2|trauma,1|infants,4|morphology,1|in,6|suspected,1|opportunity,1|is,2|it,1|correlations,1|
bile,3|1,1|as,1|4,1|provide,1|among,1|8,1|fibrosis,1|nosis,1|other,1|gallbladder,4|be,2|ducts,3|
pattern,1|overcome,1|babies,2|occurrence,1|long,2|found,1|are,1|have,2|tragic,1|term,2|after,2|a,
3|may,2|observation,1|pedicle,1|prognosis,1|prog,1|the,10|able,1|proliferations,1|exists,1|to,4|
survivals,1|did,1|extrahepatic,1|use,2|good,1|suggests,1|that,3|pessimistic,1|ductule,1|biliary,
6|than,1|should,1|up,1|months,1|survival,1|this,1|prolonged,1|prognostic,1|survivors,1|were,1|
suggestive,1|october,1|present,1|who,1|atresia,5|tract,1|rather,1|for,3|we,1|guarded,1|not,2|
minimal,1|and,2|of,10|was,1|yet,1|maximal,1|specific,1|any,1|factors,1|significance,1|1965,1|
noted,1|100,1|with,2|artificial,2|although,1|there,1|avoid,1|86,2|age,1|
MED-0741|presently,1|before,1|advanced,1|extrahepatic,1|cure,1|these,1|that,1|gery,1|biliary,6|
than, 1 | reviewed, 1 | hepatic, 1 | five, 1 | described, 1 | order, 1 | underwent, 1 | angeles, 1 | im, 1 | in, 2 | perative,
1|18,1|patients,2|diagnosis,1|is,2|congenital,2|at,1|concepts,1|8,1|higher,1|atresia,4|fornia,1|
be,1|alive,1|27,1|figures,1|university,1|additional,1|corrective,1|eight,1|los,1|sur,1|current,2|
previously,1|are,2|rate,1|of,8|by,1|whom,1|29.6,1|reported,1|decompression,2|early,1|cirrhosis,1|
develops,1|on,1|means,1|a,1|may,1|recently,1|lymphaticojejunostomy,1|was,1|performed,2|any,1|
enteric,1|the,5|with,1|management,2|cali,1|
MED-0742|exception,1|opera,2|almost,1|extrahepatic,1|developing,1|had,2|infant,1|when,1|three,1|
good,2|years,2|his,1|biliary,1|should,1|hepatic,1|because,1|has,1|always,1|still,1|in,3|this,1|
is,4|congenital,2|history,1|bile,1|becomes,1|remarkable,1|1,2|2,3|8,1|since,2|atresia,2|tract,1|
be,1|ducts,1|mally,1|tions,2|two,1|fatal,1|nor,1|interest,2|and,3|of,9|extra,1|now,1|reported,1|
course, 2 lafter, 1 lfree, 2 lmore, 1 lone, 1 lagain, 1 lwas, 2 lhealth, 2 ljaundice, 2 lthe, 4 lsuch, 1 l 1960, 2 lto, 1 l
attained,1|further,1|he,3|age,2|
```

```
MED-0743|medulla,1|been,1|remarkably,1|experimental,1|hallervorden,1|mainly,1|these,4|loss,1|
that,3|warrants,1|biliary,3|gracile,1|diverse,1|has,1|trigeminal,1|between,2|described,1|group,1|
similar,2|pathological,1|manifestation,1|spatz,1|cuneate,1|in,12|resemblance,1|patients,5|mild,1|
degree,1|diseases,1|is,4|them,1|congenital,3|it,1|bears,1|dystrophy,6|prolonged,2|vitamin,2|as,1|
system, 1|strongly, 1|nerve, 2|8, 1|parts, 1|rarely, 1|conditions, 1|nuclei, 1|atresia, 3|other, 1|heredo,
1|changes,1|characteristic,1|seen,1|astrocytic,1|central,1|axonal,2|and,5|similarity,1|of,6|rats,
1|relationship,1|deficient,1|metabolic,1|include,1|a,4|reaction,1|disease,1|e,2|change,1|
neuroaxonal,5|also,1|mucoviscidosis,1|possible,1|the,11|encountered,1|with,3|suggested,1|cells,1|
{\tt deficiency,1|nervous,1|various,1|variable,1|investigation,1|to,4|aging,1|further,1|degenerative,}
1|forms,1|
MED-0744/operable, 3/been, 1/year, 1/lesions, 1/extrahepatic, 2/findings, 1/claimed, 1/frequency, 2/that,
3|biliary,3|review,1|only,1|revealed,1|correctable,1|few,1|surgical,1|has,1|those,1|10,1|period,
1|subjected,1|infants,1|14,1|including,1|in,4|liver,2|diagnosis,1|is,2|confirmation,1|it,1|
operative,1|an,1|neglected,1|as,1|at,1|5,1|were,3|necropsies,1|lesion,1|potentially,3|who,1|
authors,1|atresia,3|some,1|discovered,1|concluded,1|cures,1|babies,1|laparotomy,1|eight,1|
literature,1|not,1|known,1|are,1|and,2|of,6|by,1|have,1|on,1|twenty,1|a,1|35,1|comments,1|cases,
2|discussed,2|one,1|was,1|necropsy,1|many,1|performed,1|really,1|the,5|encountered,1|with,1|
although,1|biopsy,2|baby,1|detected,1|to,1|further,1|forms,1|surgery,1|
MED-0745|but,1|half,1|radioactive,2|urine,2|cent,1|several,1|observed,1|red,1|children,3|tagged,
1|biliary,3|than,1|injected,1|principally,2|rubin,2|ten,1|per,1|administered,1|greater,1|
calculated, 1 | period, 1 | in, 7 | intra, 1 | survival, 1 | labeled, 1 | this, 1 | bili, 2 | fourteen, 1 | prognostic, 1 | as, 1 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | fourteen, 2 | period, 2 | bili, 2 | bili
2|3,1|excretion,1|daily,2|bilirubin,4|metabolism,1|assumed,1|useful,1|atresia,3|other,1|be,3|
increased, 1 | production, 1 | c14, 1 | intravenously, 1 | breakdown, 1 | isotope, 1 | distribution, 2 | confirmed, 1 |
hemoglobin,1|life,1|into,1|not,1|times,1|found,1|same,1|and,2|randolph,1|of,10|by,1|have,1|
studies,1|turnover,1|value,1|over,1|a,1|sixty,1|normal,1|may,1|cr51,1|g,1|was,6|jaundice,1|label,
extravascular, 1|serum, 1|forms, 1|radioisotope, 1|
MED-0746|hk,1|half,1|dh,1|fig,1|subject,1|during,2|occurs,1|incretion,1|second,1|mammalian,1|
gradually,1|diabetic,1|than,1|rabbit,1|quite,1|animals,1|hexokinase,1|q6p,1|similar,1|period,1|
development,2|embryonal,3|tissues,1|in,7|liver,4|soluble,2|is,2|it,1|adulthood,1|1,1|induce,1|
6,1|adult,2|much,1|higher,1|activity,3|insulin,1|approaching,1|values,1|changes,1|postnatally,1|
non,1|dehydrogenase,1|embryonic,2|central,1|known,1|and,3|prenatal,1|of,7|alloxan,1|enzyme,1|
synthesis,2|glucose,1|particularly,1|gk,2|mitochondria,1|phosphate,1|lacks,1|specific,2|fraction,
2|the,4|regulation,1|although,1|decreases,1|1,2,1|there,1|to,2|3,4,1|glucokinase,1|
MED-0747|been,2|transcription,1|avian6,7,1|during,5|ribonucleic,1|these,1|acid,1|mammalian,2|
qualitative,1|fluctuations,1|protein,1|biosynthesis,1|derepression,1|hepatic,2|expended,1|from,2|
has,3|amphibian1,1|events,1|ribonuclease,2|marked,1|which,2|11,1|development,4|rna,2|rat,1|in,7|
liver,3loccur,1lthis,2lalterations,1lundergoes,1lfinished,1lprompted,1lan,1las,2lundertaken,1l
5,1|repression,1|metabolism,1|molecule,1|adult,1|nuclei,1|specialized,1|some,1|study,1|be,1|
differentiation,1|activity,2|changes,1|enzymes,1|effort,1|sea,1|paucity,1|into,1|literature,1|
embryonic,2|involvement,1|considerable,1|related,1|urchin8,1|are,1|systems,1|and,3|of,12|
construction,1|nuclear,1|enzyme,1|a,3|accordingly,1|or,1|may,1|concerns,1|the,17|with,2|
genome,1|stage,1|although,1|quantitative,1|associated,1|subcellular,1|regard,1|report,1|well,1|
exists,1|investigation,1|information,1|to,2|certain,1|properties,1|
MED-0748/very,1/type,2/occurs,2/rabbit,2/electron,1/microvilli,1/band,1/they,1/between,1/pale,1/
subapical,1|addition,1|mito,1|large,1|in,3|absorption,1|notably,1|distributed,1|birth,3|is,2|it,
1|an,2|infiltration,1|at,1|granules,1|foetal,1|epithelium,2|microscopic,1|adult,3|damage,1|study,
1|functional,2|24,1|pinocytosis,2|be,1|immediately,1|cell,5|two,1|pino,1|unknown,1|into,1|are,5|
 dark, 1 | lysosomes, 1 | after, 3 | believed, 1 | a, 3 | may, 1 | more, 3 | dehydrated, 1 | display, 2 | chondria, 1 | the, 11 | lysosomes, 2 | chondria, 3 | dehydrated, 4 | display, 2 | chondria, 4 | display, 2 | display, 2 | display, 3 | 
associated,1|days,1|resorption,1|first,1|infrequent,1|but,1|outlines,1|membrane,1|passage,1|
before, 2 | developing, 1 | lateral, 1 | second, 1 | features, 1 | that, 1 | shows, 1 | white, 1 | apical, 1 | concentrated,
1|function,1|uniformly,1|continuous,1|subsides,1|others,1|acquired,1|which,2|epithelial,4|bullae,
1|elaboration,1|basal,1|water,2|lack,1|dense,1|spaces,1|vigorous,1|allow,1|some,2|intercellular,
1|rod,1|shaped,1|changes,1|common,1|and,9|cytosis,1|of,7|just,2|smooth,1|types,1|characteristics,
2|or,2|limited,1|mitochondria,1|gall,2|apocrine,1|with,2|cells,3|bladder,2|circulation,1|
consists,11
```

MED-0749|anatomic,1|tic,1|these,1|embryonic,1|are,2|and,4|four,1|of,5|reported,1|surgical,1| described,1|types,1|development,1|discussed,1|ent,1|characteris,1|congenital,1|anomalies,3|duct, 2|rabinovitch,1|differ,1|each,1|the,4|significance,1|clinical,1|appearance,1|phineas,1|cystic,2| MED-0750|but,1|been,2|lesions,1|several,1|bio,1|transmitted,1|nondisjunction,1|genetically,1| delian,1|these,1|that,2|disorders,1|major,1|deletion,1|whether,2|few,1|diverse,1|has,1|because,1| mechanisms,1|defined,1|described,1|all,1|pathological,1|i.e,1|chromosomal,1|liver,4|in,5| misinformation,1|gene,3|abnormalities,1|this,1|diseases,4|is,2|it,1|surprising,1|affected,1|both, 1|parenchymal,1|produced,1|mutation,1|clinical,1|as,1|chemical,1|apparently,1|determined,1| abnormality,1|relatively,1|repetitive,1|be,3|anomaly,1|methods,1|for,1|their,1|cell,1|unknown,1|result,2|can,1|not,2|involvement,1|perhaps,1|paper,1|are,1|and,2|of,6|by,5|men,1|have,1|so,1| demonstrated,1|metabolic,2|qenetic,1|receive,1|a,1|types,1|stromal,1|capabilities,1|or,2|disease, cells,1|conventional,1|various,1|quantitative,1|hereditary,2|to,2| MED-0751|tissue,1|implant,2|heterogeneous,1|relation,1|acid,3|these,1|cinoma,1|features,1| catabolic,1|rana,2|host,1|stability,1|between,3|triton,1|development,1|in,8|catheptic,2|is,1| correlations,1|respect,1|resistance,1|population,1|deduced,1|as,3|correlation,1|inducibility,1| were, 2|determined, 1|effect, 1|pipiens, 2|adult, 1|organ, 1|activity, 3|differences, 2|enzymes, 2| kidneys,1|phenomenon,1|formation,1|distribution,1|two,1|urodeles,1|virus,1|adenocar,1|content,1| we,2|initiation,1|found,3|considerable,1|and,10|of,6|induced,2|have,2|lysosomes,1|on,1|enzyme,2| limb,2|a,2|viridescens,1|livers,1|positive,2|cathepsin,1|specific,2|the,4|renal,1|triturus,1| 100,1|species,1|dissociation,1|amphibia,1|x,1|well,1|cancer,1|phosphatase,2|to,3|further,1| MED-0752 Inisms, 1 | been, 2 | fig, 2 | subject, 1 | bin, 1 | serve, 1 | discussion, 1 | conjugation, 1 | billing, 1 | furnish,1|reference,1|number,1|neonatology,1|reviews,1|hepatic,1|has,2|because,1|they,1| knowledge,1|described,1|in,3|excellent,1|below,1|made,1|occur,1|this,2|is,2|mecha,1|it,1|an,1| 1,1|as,2|2,1|re,1|involved,1|concepts,1|glucuronide,1|bilirubin,2|diagrammatic,1|metabolism,2| acterization,1|since,1|here,1|reasons,1|examine,1|physiologic,1|direct,1|for,2|representations,1| point,1|current,1|considerable,1|are,1|and,3|of,9|now,1|by,1|metabolic,1|established,1|a,3|mind, 1|conjugated,1|may,1|sherlock's,1|interesting,1|gram,1|reproduced,1|clear,1|jaundice,3|possible, 1|sherlock,1|follow,1|picture,1|etiology,1|the,7|with,1|biliru,1|ester,1|char,1|progress,1| pathway,1|well,1|to,3|dia,1| MED-0753|precipi,1|recognized,1|areas,1|hemolysis,1|newly,1|these,4|measures,1|tated,1|four,1| mothball,1|similar,1|ethnic,3|tion,1|infants,4|in,8|suspected,1|defi,1|vitamin,1|1,1|as,2|2,1| 3,116,5|bilirubin,1|prevail,1|male,2|nosis,1|detec,1|be,2|diag,1|naphthalene,1|toronto,1| neonatal,1|protection,1|cell,2|confirmed,1|vapours,1|are,1|by,3|term,1|where,1|deficient,1|a,2| glucose,2|g,3|methemoglobin,1|k,1|hemo,1|agents,1|the,6|inhalation,1|such,1|kernicterus,2|assess, 1|severe,1|to,3|serum,1|certain,1|levels,1|screening,1|seven,1|transfusion,1|upon,1|red,2| chinese,1|high,1|presented,1|should,1|from,1|servation,1|five,1|hyper,1|all,2|ciency,1|test,1| need,1|admission,1|affected,1|cord,1|bilirubinemia,1|canada,2|exchange,1|full,1|potentially,1| origin,1|for,2|cause,2|lytic,1|dehydrogenase,2|fatal,1|preparations,1|can,1|ob,1|and,5|of,11| bloods,1|hospital,1|hemolytic,1|greek,1|six,1|ing,1|phosphate,2|was,3|groups,3|jaundice,3| newborns,2|italian,1|sulfonamides,1|follow,1|any,1|home,1|recommended,1|with,1|deficiency,2|pd,3| due,1|evident,1|risk,1|reduction,1| MED-0754|been,1|extrahepatic,2|findings,1|phenotypic,1|docu,1|biliary,2|aplasia,1|those,1|case,1| described,1|addition,1|in,1|17,3|18,3|this,1|congenital,4|agenesis,1|most,1|symptoms,1|left,2| among,1|bones,1|forearm,1|mented,1|atresia,2|amputation,1|absence,1|classical,1|we,1|syndrome,4| are,1|and,3|of,8|have,2|foot,2|hand,1|a,1|characteristics,1|cases,1|or,1|recently,2|more,1| studied,1|trisomy,3|the,7|with,3|various,1|well,1|to,1| MED-0755|projections,1|feather,1|very,1|zation,1|tissue,1|relationships,1|unkeratinized,1|terms, 1|protein,2|giant,1|cle,1|they,1|epidermal,1|epi,3|epidermis,2|ii,1|vis,1|in,5|liver,1|enriched, 1|posterior,1|explanted,1|entodermal,1|plemented,1|as,1|papillary,2|pancreatic,1|adult,2| papillomatous,1|cultured,1|skin,1|thelium,1|formation,2|two,1|sup,1|eight,1|embryonic,2|are,1| proteins,1|cysts,2|after,1|deficient,2|modifications,1|a,2|fibrillar,2|ible,1|caused,1|discussed, 1|blastoderms,1|brain,2|the,8|keratini,1|grafted,1|culture,1|organization,1|days,2|to,1|small,1| nine,1|membrane,1|controls,1|had,1|blastoderm,1|that,1|fragments,2|from,1|keratinized,2|results, 1|hyper,1|which,1|development,1|rna,5|vitro,1|heart,1|chick,1|produced,1|enhanced,1|were,4| allantoic,1|some,1|no,2|differentiation,1|for,2|mus,1|medium,2|dermal,1|dermis,1|head,1|nor,1|

```
and,3|of,9|early,1|on,2|over,1|process,1|cases,1|rna's,1|was,1|with,4|chorio,1|various,1|there,1|
plasia,1|devoid,1|
MED-0756|but,1|measured,1|forming,1|been,3|inhibitory,1|shaker,1|that,3|adhesiveness,1|terms,1|
protein,1|contact,1|antibodies,1|has,3|assessing,1|evaluated,1|presence,3|investigated,1|between,
1|order,1|described,1|which,4|all,1|new,1|similar,1|treated,1|using,1|pre,1|closely,1|method,2|
liver,1|in,6|probability,1|this,2|its,1|is,2|it,2|agree,1|flocculation,1|an,1|heart,1|chick,1|
lack,2|1,2|2,2|contains,1|system,1|at,3|involved,1|cellular,1|metabolism,1|kinetics,4|absence,1|
direct,1|technique,1|aggregation,8|cell,2|pure,1|two,1|confirmed,1|measurement,1|quail,1|
embryonic,1|not,1|found,1|and,4|provides,1|of,16|by,4|inhibited,1|inhibits,1|power,1|elucidate,1|
mechanism,1|factor,1|measurements,1|on,1|limb,1|a,5|c,3|37,1|antiserum,1|was,2|inhibition,2|
adhesion, 2| suggest, 1| the, 11| bud, 1| with, 2| destroyed, 1| cells, 3| quantitative, 1| conditioned, 1| until,
1lto,1lserum,6l
MED-0757/de,1/data,2/comparative,1/nouveau,1/clearly,1/these,1/du,1/les,1/rencountered,1/between,
1|in,1|this,1|en,1|diagnosis,1|analysis,1|most,1|important,1|200,1|clinical,1|maternelle,1|among,
l'incompatibilite,1|neonatal,3|haemo,1|lytic,1|non,1|two,2|not,1|icteri,3|are,1|and,3|of,4|
evolutive,1|30,1|histological,1|linked,1|a,2|cases,2|foeto,2|pulled,1|malformative,1|groups,2|
hepatitis,1|dehors,1|off,1|the,7|appear,1|incompatibility,1|difficulties,1|latter,1|109,1|to,1|
MED-0758liga,2lbeen,6lreadily,1lconsidered,1lmaintain,1ligg,5labout,1lduring,1linfant,1ligm,3l
excluded,1|these,1|gradually,1|mothers,1|toxoplasmosis,1|transplacental,2|whereas,1|if,1|
immunological, 1 | inadequate, 1 | 12,2 | still, 1 | 13,1 | infants, 1 | 14,1 | 15,1 | large, 1 | tissues, 1 | in,10 |
3,27,71,116,1|pass,1|double,1|19,2|birth,2|is,7|sensitive,1|it,1|congenital,1|immunoglobulins,2|
analysis,1|an,1|marrow,1|contains,1|as,5|itself,1|2,1|3,2|24,25,1|placenta,1|completely,1|
conditions,1|fetus,6|20,2|maternal,2|engaged,1|23,1|diffusion,1|antigenic,1|be,3|weeks,1|25,1|
26,1|globulins,1|molecules,1|3,27,1|formation,4|catabolism,1|fetal,1|sixth,1|found,1|are,1|by,3|
have, 1|reported, 1|indicate, 1|after, 3|31, 1|33, 1|a, 2|34, 1|may, 1|observation, 1|more, 1|syphilis, 1|
neonate,1|blood,2|appreciable,1|opinion,1|generally,1|the,41|such,2|appear,1|decreases,1|
associated,1|to,6|serum,4|complete,1|plasma,2|first,1|lymphoid,1|but,1|transferred,2|evidence,1|
passage,2|almost,1|mature,1|do,2|while,1|identical,1|that,3|mother,1|intrauterine,1|shown,1|
amounts,2|few,1|from,2|antibodies,1|has,5|directly,1|those,1|which,1|pathological,1|development,
1|months,1|test,1|level,2|this,2|maternally,1|both,1|cord,1|originate,1|transfer,2|month,1|
techniques,2|present,1|little,1|since,1|however,2|68,1|agammaglobulinemia,1|absence,3|origin,1|
for,1|best,1|appears,1|neonates,1|explained,1|immunoelectrophoretic,1|not,4|trace,1|
immunochemical,1|and,9|of,24|70,1|studies,1|said,1|immature,1|human,4|gestation,1|normal,2|
amount,1|process,1|original,1|or,1|selective,1|immunoglobulin,1|qm,1|ultracentrifugation,1|
16,27,1|stimulus,1|groups,1|bone,1|newborn,5|immuno,1|any,1|minute,1|with,6|cells,3|favor,1|
quantitative,1|there,1|detected,1|well,1|agar,1|until,1|respond,1|
MED-0759|very,1|subject,1|familial,1|that,3|view,1|congenitale,1|review,1|than,1|from,1|consider,
1|case,1|this,1|degree,1|opportunity,1|particular,1|is,1|congenital,1|galac,1|suppose,1|
pediatrician,1|most,1|reserved,1|even,1|must,2|much,1|galactosemia,2|galactosemie,1|frequent,1|
careful,1|point,1|we,2|are,1|of,6|tosemia,1|qives,1|on,1|brief,1|a,5|receive,1|cases,1|slight,1|
disease,1lobservation,1lmore,1lmany,1lprognosis,1lthe,5lwith,3lthere,1lsevere,1lattention,1l
incidence,1|certain,1|
MED-0760|through,2|small,1|constant,1|digestive,1|about,1|main,1|remains,1|during,1|these,1|
inactive,1|falls,1|vena,1|only,1|narrow,1|from,1|portal,5|directly,1|flow,2|between,1|
development,1loxygenated,1lvein,2llarge,1lin,3lliver,1lcava,1lbirth,2lis,4lumbilical,6lpressure,
5|it,2|branches,1|trunk,1|substantial,1|deprived,1|both,1|as,1|recess,1|at,1|contrast,1|foetal,1|
higher, 1|however, 1|postnatal, 1|tract, 1|probably, 1|portion, 1|changes, 1|immediately, 1|venous, 2|
into,1|same,1|perhaps,1|flows,1|are,1|and,3|of,4|by,1|have,1|exposed,1|after,1|a,3|accordingly,1|
or,1|wide,1|though,1|inferior,1|one,1|gradient,1|blood,4|the,16|veins,1|approximately,1|
circulation,1|there,1|somewhat,1|to,2|quarter,1|
MED-0761|date,1|other,1|activity,1|cytomegalic,2|evolved,1|another,1|pattern,3|neonatal,2|cause,
1|infant,2|inclusion,1|that,2|involvement,1|found,1|toxoplasmosis,2|and,2|of,3|unlike,1|hepatic,
1|clusion,1|tivity,1|described,1|a,1|new,1|ac,1|disease,2|infants,1|in,5|studied,1|born,1|this,1|
was,1|jaundice,2|is,1|transaminase,2|newborn,1|congenital,2|any,1|the,1|with,4|enzymatic,1|due,1|
to,21serum,21
MED-0762|controls,1|three,1|irradiation,2|observed,1|lactic,1|suggests,1|that,1|ceiving,1|later,
1limpaired,1|glycerophosphate,1|perinatal,1|only,1|day,2|between,1|those,1|alter,1|development,3|
```

period,1|rat,1|15,1|liver,2|in,7|this,1|birth,2|finding,1|altered,1|1,1|at,3|re,1|3,1|6,1|were,2| 60,1|rays,1|20,2|utero,2|activity,2|enzymes,1|rads,1|increases,1|not,1|and,3|of,11|subsequent,1| dehydrogenases, 1 | after, 1 | rats, 1 | gestation, 3 | 30, 1 | on, 1 | enzyme, 3 | glucose, 1 | may, 1 | studied, 1 | was, 1 | 180,1|the,3|activities,3|x,1|days,3|phosphatase,1|to,1|age,1| MED-0763|developmental,1|lipids,2|data,1|apparatus,2|embryo,2|developing,1|during,1|that,1|dna,1| revealed,1|hepatic,2|period,1|rna,1|in,10|alterations,1|it,1|as,2|contents,3|were,5|granules,1| golgi,2lobtained,1lsome,1lno,1lstudy,1lincreased,1ladults,2lchanges,2lcytological,1lcytoplasm,1l embryonic,1|acids,1|found,1|embryos,1|and,8|proteins,2|of,7|throughout,1|place,1|human,3| compared,1|salts,1|polysaccharides,2|localisations,1|process,1|cytochemical,1|mitochondria,2| studied,1|was,1|the,10|noted,1|cells,2|form,1|nucleic,1|well,1|iron,2|taking,1|essential,1| MED-0764|been,1|half,1|year,1|tested,1|when,1|observed,1|second,1|that,2|hiqh,1|634,1|than,1|mg, 1|has,1|per,1|those,1|ml,1|group,1|all,1|area,1|infants,2|in,10|16,1|island,1|this,2|them,1|is,3| males,1|it,1|an,1|both,1|population,1|especially,1|6,7|were,1|9.1,1|male,1|be,1|prematurity,1| activity,1|absence,1|29,1|postulated,1|neonatal,3|dehydrogenase,1|increases,1|found,1|and,3|of, 14|hyperbilirubinaemia,1|reported,1|factor,2|deficient,3|over,1|enzyme,1|34,1|normal,2|a,4| glucose,1|or,2|studied,1|more,1|g,6|p.d,6|born,1|one,1|phosphate,1|was,2|jaundice,4|newborn,2| the,7|100,1|with,2|such,1|incompatibility,1|deficiency,3|severe,2|risk,1|to,1|time,1|combined,1| lesbos,2|4.6,1|incidence,3|first,1| MED-0765/reason,1/be,1/con,1/qlucuronidase,2/for,1/embryo,1/rence,1/devel,1/vity,1/into,1/search, 1|embryos,1|and,4|of,5|function,1|taken,1|studies,1|serious,1|possibility,1|a,1|b,2|in,4|liver,1| occur,1|bile,2|chick,3|the,3|oping,1|sideration,1|biliverdin,1|bilirubin,1|acti,1|must,1| unconjugated,1|chicks,1| MED-0766|been,1|empha,1|or,1|in,3|discussed,1|jaundice,2|infancy,2|neonate,1|infant,1|solely,1| most,1|the,2|encountered,1|are,1|and,1|causes,1|of,1|syndromes,1|has,1|usually,1|sis,1|those,1| on.11 MED-0767|embryogenetic,1|anomaly,1|absence,2|extrahepatic,1|methods,1|recognition,1|18th,1| literature,1|are,1|biliary,1|and,1|of,7|reported,1|surgical,1|case,2|early,1|described,1|a,1|in, 1|discussed,1|tree,1|is,2|congenital,1|basis,1|duct,2|anomalies,1|operative,1|the,7|suggested,1| management,1|cystic,2| MED-0768/before,1/extrahepatic,2/relation,1/familial,4/biliary,3/described,1/similar,1/new,1/ predominance,1|in,3|this,1|is,2|congenital,2|males,1|condition,1|except,1|must,1|clinically,1| correlated,1|nonfamilial,1|atresia,2|other,1|be,2|for,1|association,1|syn,1|formation,1|facts,1| drome,1|known,1|are,1|and,4|of,3|a,3|nature,1|will,1|discussed,1|sex,1|possible,1|anomalies,1| etiology,1|the,3|with,1|pathologically,1|uncovered,1|fifth,1|to,1|further,1|family,1|incidence,1| MED-0769 occa, 1 very, 1 glands, 1 vary, 1 filariasis, 1 leading, 1 permeability, 1 during, 2 rent, 1 three,1|via,1|observed,1|linfangiografia,1|lymphedemas,1|between,1|flow,2|i.e,1|tion,2|period,1| adenolymphoceles,1|thus,1|in,11|is,4|it,1|symptoms,1|symptomatic,1|itself,1|at,1|risa's,1| lymphangiographic,3|even,1|fibrosis,1|study,1|dences,1|be,1|obstruction,2|primitive,1|ducts,1| dilatation,1|pathogeny,1|tions,1|formation,1|our,1|phangitis,1|trunks,2|lymph,3|seg,1|are,1|by,3| causes,1|indi,1|linfatica,1|relationship,1|retention,1|together,1|lymphatic,5|a,5|may,1| observation, 1 | asymptomatic, 1 | noticed, 1 | one, 1 | the, 33 | stasis, 1 | extensive, 1 | stage, 2 | insufficiency, 1 | examina,1|to,7|coincident,1|collateral,1|da,1|first,1|discreet,1|but,2|through,1|lym,1| visualization, 1 | circulatory, 1 | several, 1 | affe, 1 | dilatations, 1 | lymphangiogram, 1 | second, 1 | sclerosis, 2|that,2|shows,2|ganglial,4|white,1|spite,1|presented,1|only,1|circula,1|sional,1|has,1| different,1|results,1|estudo,1|us,1|intense,1|always,1|marked,2|lymphangiography,1|pre,1|altera, 1|already,1|level,1|author,1|alterations,2|includes,1|decrease,2|iliac,1|varicosities,1|present, 1|assume,1|higher,1|allow,1|no,2|disease's,1|hypertrophy,2|influenced,1|part,2|aspects,1| according,1|changes,1|frequent,1|their,1|troubles,1|inguinal,1|duration,1|numerical,1|not,2| considerable,1|causing,1|paper,1|rate,1|and,9|of,14|anastomoses,2|trouble,1|evi,1|filariase,1| reflux,1|normal,1|slight,1|caliber,1|deviate,1|clear,1|also,1|sacral,1|chiefly,1|increase,1| mentary,1|factors,1|risa,2|with,4|lymphangites,1|due,2|african,1|circulation,1|there,3|stages,2| vidual,1|lymphatics,2|adenites,1| MED-0770/tively,1/quick,1/year,2/adequate,1/use,1/cent,1/begun,1/completeness,1/chemotherapy,1/ approach,1|drug,1|objective,1|unresectable,1|improved,1|that,3|assessment,1|strate,1|adjuvant,2| continuous,1|per,1|five,1|group,2|new,1|large,2|in,4|accumulation,1|survival,1|this,1|is,1|it,1| analysis,1|an,1|cooperative,1|warn,1|effects,1|as,1|provide,1|5,1|20,1|treatment,1|statistical,1|

study,2|be,1|hoped,1|fluorodeoxyuridine,1|can,1|known,1|rate,1|resections,1|and,1|of,12|have,1|ability,1|demon,1|demonstrated,1|rela,1|reporting,1|on,1|remissions,1|avail,1|a,6|cases,2|may,2|

```
curative, 1|bowel, 2|produce, 1|the, 7|excisional, 1|with, 1|300, 1|1962, 1|january, 1|carcinoma, 1|colon,
1|cancer,2|to,4|adverse,1|surgery,1|
MED-0771|through,1|small,1|45,1|been,1|advanced,1|administration,1|fac,1|arterial,2|used,1|
experience,1|chemotherapy,2|drug,2|either,1|high,1|infusion,4|solution,1|far,1|antimetabolite,1|
injected,1|un,1|surgical,1|hepatic,1|up,2|has,1|treated,1|pre,1|months,1|commonly,1|citrovorum,1|
in,1|liver,1|patients,4|is,1|received,1|fluoro,1|artery,2|prolonged,2|most,2|plastic,1|2,1|
provide,1|5,1|antidote,1|sented,1|cancers,1|fluorinated,2|pyrimidine,2|unobstructed,1|treatment,
1|systemic,1|catheter,1|weeks,1|regional,1|for,5|deoxyuridine,1|methotrexate,2|their,1|our,1|gen,
1|into,1|metastases,1|current,1|preferentially,1|136,1|variety,1|tor,1|by,3|of,3|reported,1|have,
1|course,1|after,1|preferred,1|a,5|or,2|37,1|therapy,2|was,3|concentration,1|continuously,1|
followed,1|the,3|with,2|conventional,1|roent,1|days,2|cancer,1|suitable,1|to,4|
MED-0772|been,1|instance,1|advanced,1|available,1|for,1|insert,1|simple,1|three,1|effective,1|
palliate,1|presented,1|of,3|have,1|hypopharynx,1|prothesis,1|situation,1|otherwise,1|cases,1|
incurable,1|ing,1|or,1|in,1|difficult,1|procedure,1|an,3|each,1|the,3|tube,1|as,1|palliation,1|
served,1|montgomery,1|cancer,2|to,1|hopeless,1|hypopharyngeal,1|
MED-0773|palliative,3|used,1|chemotherapy,3|these,1|derivatives,1|adjuvant,4|surgical,2|
administered, 1 antimitotics, 1 reduce, 1 which, 1 given, 1 development, 2 ad, 1 in, 1 borne, 1 patients,
1|fixed,1|authors,1|dosage,3|treatment,2|tolerated,3|for,10|dically,1|operated,1|non,1|two,1|
podophyllin,1|can,1|cer,1|metastases,1|are,1|and,2|of,5|sp,2|a,6|cases,1|radical,1|therapy,3|g,1|
was,1|i,1|blood,1|the,3|schedule,2|pa,2|juvant,1|maximum,3|cancer,2|risk,1|oral,1|to,2|
inoperable,1|account,1|levels,1|surgery,1|
MED-0774|small,1|palliative,1|comparative,1|justified,1|do,1|ferences,1|number,1|that,1|
resecting,1|whenever,1|bene,1|presented,1|ther,1|surgical,1|feasible,1|results,1|incurable,1|in,
3|briefly,1|patients,1|conclusions,1|preference,1|this,3|is,3|apy,1|an,1|regarding,1|effected,1|
lung,3|as,1|improve,1|primary,1|however,1|no,1|study,1|other,1|for,1|effort,1|believe,1|we,1|not,
1|are,2|and,1|patient,1|of,8|by,1|course,2|a,2|or,1|therapy,1|ficially,1|terminal,2|technically,
1|the,6|with,1|palliation,2|form,1|tumor,1|removal,1|cancer,3|to,2|choice,1|forms,1|
MED-0775|histologic,2|differentiated,1|advanced,3|criteria,1|potent,1|during,1|objective,1|
evaluation,1|endometrial,3|revealed,1|visual,1|urinary,1|per,1|i.e,1|medroxyprogester,1|in,3|
documentation, 1 | index, 1 | is, 4 | being, 1 | an, 1 | re, 1 | selection, 1 | sched, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | 8, 1 | excretion, 1 | apparently, 1 | apparently
neoplasm,1|partial,1|20,1|treatment,1|our,1|acetate,1|tible,1|by,2|a,1|means,1|lated,1|discussed,
1|more,1|one,1|adenocarcinoma,3|palpable,1|ment,1|the,9|palliation,1|tumor,1|le,1|logic,1|to,3|
complete,1|40,1|treat,1|progestin,3|administration,1|cent,1|biopsies,1|several,1|justified,1|
upon,1|experience,1|roentgeno,1|presented,1|documented,1|only,1|me,1|pri,1|patients,6|degree,1|
this,1|significant,1|medroxyprogesterone,2|basis,2|ule,1|effects,1|effect,1|produces,1|seems,1|
suscep,1|differentiation,1|for,5|changes,2|droxyprogesterone,1|hormone,2|and,1|provides,1|of,12|
sions,1|provera,1|on,1|or,2|cases,1|therapy,4|rates,1|mary,1|with,5|management,1|serial,2|
response, 1 | remission, 1 | responsive, 1 | well, 1 |
MED-0776lincreasingly,1|been,1|advanced,2|areas,1|program,1|type,1|chemotherapy,4|years,1|pears,
1|far,1|majority,1|usually,1|per,1|between,2|similar,1|in,8|is,4|come,1|apy,1|it,1|an,5|apparent,
2|ap,1|symptoms,1|dose,1|as,7|re,1|5,1|even,1|apparently,1|oncolytic,2|20,1|become,1|care,1|
usefulness,1|treatment,3|providing,1|fact,1|be,4|deliver,1|tressing,1|variability,1|cell,1|
creasingly,1lincreases,1lsame,1lare,2lunless,1lhave,1ldecisions,1lphysician,1lestablished,1la,2l
may,2|though,1|one,1|procedure,1|positive,1|many,1|agents,1|the,21|patient's,1|regarded,1|tumor,
1|cured,1|associated,1|cannot,1|chemother,1|to,5|choice,2|agent,2|becoming,1|cent,1|occasional,1|
experience,1|employed,1|dis,1|that,2|limit,1|un,1|has,2|results,1|prolonging,1|patients,2|
survival,1|difficult,1|puzzling,1|tool,1|difficulty,1|involved,1|useful,1|who,1|however,1|no,1|
for,2|hormone,1|effective,1|sponse,1|and,3|patient,2|of,14|extra,1|now,1|ameliorating,1|value,1|
live,1|disease,1|ing,1|cases,1|will,1|therapy,1|curative,1|also,1|with,4|responsive,1|
chemotherapeutic,1|stages,1|evident,1|well,1|cancer,8|time,1|breast,2|referred,1|
MED-0777|reason,1|abreast,1|about,1|chemotherapy,3|when,1|years,1|therapeutic,1|these,2|
cancerocidal, 1 | recent, 1 | they, 1 | solid, 2 | ad, 2 | incurable, 1 | in, 3 | devised, 1 | probable, 1 | is, 3 | it, 2 | apy,
1|an,1|someday,1|as,2|field,1|5,3|chemical,1|armamentarium,1|junct,1|cancers,1|antibiotics,1|
begin,1|actions,1|become,1|primary,2|firmly,1|treatment,3|be,2|surgeons,2|receiving,1|are,1|so,1|
established,1|clin,1|a,4|within,1|drugs,2|more,2|adenocarcinoma,1|familiar,1|the,9|actually,1|
extensive,1|palliation,4|chemother,1|to,6|becoming,1|bacteria,1|added,1|use,2|had,1|fluorouracil,
2|do,1|experience,1|mode,1|that,3|act,1|should,1|few,1|helpful,1|has,2|five,1|all,1|months,1|
```

```
patients,2|this,1|vances,1|significant,1|tool,1|produced,1|important,1|clinical,1|keep,1|try,1|
technics,2|some,1|for,4|fu,1|can,1|perhaps,1|and,4|of,13|on,1|six,1|metastatic,1|will,3|also,1|
with,4|tumors,2|ical,1|third,1|various,1|colon,1|cancer,2|interested,1|breast,1|
MED-0778|through,1|been,2|regional,1|pelvis,1|chemotherapy,1|and,2|presented,1|of,6|have,1|has,1|
near, 1|all, 1|a, 1|perfusion, 2|method, 1|subjects, 1|survival, 1|degree, 1|en, 1|isolation, 1|terminal, 1|
the,6|couraging,1|at,1|stage,1|palliation,1|carcinoma,1|were,1|pelvic,1|rectum,1|time,2|
MED-0779|treat,1|con,1|year,1|fifty,1|seven,1|cure,1|used,1|three,2|years,1|that,2|extremely,1|
presented,1|poor,1|than,1|only,2|should,1|surgical,2|clusion,1|results,1|others,1|all,1|period,1|
in,3|patients,1|complaints,1|diagnosis,1|is,1|ray,2|it,1|most,2|vived,1|longer,1|tients,1|were,2|
survey,1|gave,1|presenting,1|treatment,2|no,1|be,1|methods,1|for,1|best,1|two,1|our,1|sur,1|are,
1|and,4|patient,1|of,8|by,1|twenty,1|compared,1|over,1|a,2|disease,2|cases,1|discussed,1|therapy,
1 lone, 1 lwas, 1 lgroups, 2 lacteristics, 1 lment, 1 lresection, 2 lopinion, 1 lthe, 9 loccurring, 1 lequal, 1 lwith,
1|consisting,1|pa,1|palliation,1|carcinoma,1|char,1|x,2|cancer,1|suitable,1|esophagus,2|
supported,1
MED-0780|been,1|indications,1|considered,1|none,1|years,2|these,2|b2,1|quoted,1|rad,1|four,1|
majority,1|infiltrative,1|cystectomy,3|15,1|in,4|received,2|is,1|survived,1|121,1|2,2|3,2|at,1|
tients, 2|4,1|sented, 1|excessive, 1|treatment, 2|doses, 1|weeks, 1|be, 2|alive, 2|28, 2|cobalt, 2|grades,
1|believe,1|out,2|lymph,1|are,3|excess,1|have,1|after,1|30,1|32,1|c,1|d,1|initial,1|performed,1|
the,8|stage,1|carcinoma,3|tumor,1|showed,1|to,2|survivals,1|com,1|49,1|had,1|residual,1|while,1|
that,1|presented,1|preserved,1|than,1|function,1|should,1|from,1|has,1|those,1|pre,1|marshall,1|
patients,4|done,1|202,1|survivors,2|were,1|radiotherapy,3|60,1|useful,1|radi,1|5000,1|for,6|
plications,1|we,2|cal,1|not,1|sixteen,1|and,4|of,12|broders,1|reserve,1|1959,1|cases,1|or,2|
disease,1|radical,2|therapy,2|whitmore,1|specific,1|followed,1|better,1|with,4|pa,2|tumors,2|
1962,1|nodes,1|bladder,5|
MED-0781|practice,1|rewarding,1|surgeon,2|cure,1|state,1|phase,3|encouraging,1|multicentric,1|
incurable,1|im,1|in,6|distant,1|tities,1|is,3|it,1|an,2|cinomas,1|1,1|as,1|itself,1|2,1|3,1|4,1|
following,1|merated,1|obtained,1|primary,1|attitude,1|recurrences,1|be,3|sympathetic,1|seen,1|
local,1|variety,1|metastasis,1|by,4|subsequent,1|mildly,1|a,4|situ,1|may,3|necessary,1|discussed,
1|asymptomatic,2|emotional,1|crete,1|the,11|extensive,1|stage,1|char,1|to,2|complete,1|surgery,1|
essential,1|treat,1|palliative,1|lesions,1|diffuse,1|secure,1|malignant,2|dis,1|second,1|
familial,1|that,1|looks,1|whether,1|emphasis,1|should,1|from,1|results,1|possibly,1|discover,1|
pre,1|perative,1|patients,1|this,1|en,1|its,1|grossly,1|anemia,1|clinical,1|present,1|polyposis,
4|problems,1|private,1|premalignant,1|origin,1|part,1|paper,1|car,1|and,5|of,8|carcinomatosis,1|
on,1|clinician,1|cases,2|disease,1|or,2|acterized,1|enu,1|resection,2|any,1|special,1|with,3|
third,1|colon,2|paid,1|worthwhile,1|forms,1|
MED-0782|very,1|tained,1|type,1|chemotherapy,2|supply,1|when,1|these,1|number,1|because,1|if,1|
13,1|solid,2|in,3|etic,1|paralysis,1|is,3|apy,1|as,1|at,1|system,1|tients,1|even,1|poorly,1|
systemic,3|other,1|be,1|indicated,1|believe,1|eight,1|sup,1|by,1|reported,1|have,1|remissions,1|
variables,1|cns,4|suggest,1|blood,1|the,9|associated,1|able,1|regressed,1|chemother,1|to,3|
resulted,1|con,1|data,1|evidence,1|lesions,3|feel,1|had,1|ported,1|sidered,1|that,4|disorders,1|
should, 1|seizures, 1|from, 1|symptomatology, 1|different, 1|results, 1|those, 1|all, 1|patients, 1|this,
3|significant,2|measure,1|were,2|62,1|present,1|who,1|however,1|for,3|we,3|metastases,1|not,2|ob,
1|central,1|rate,1|patient,1|of,7|cases,1|disease,1|or,1|demonstrable,1|metastatic,2|studied,1|
therapy,1|recently,1|was,1|also,1|exactly,1|with,3|pa,1|tumors,3|although,1|nervous,1|regression,
1|remission,1|hematopoi,1|latter,1|respond,1|
MED-0783|44,1|toxicity,1|palliative,2|advanced,2|rapid,1|fluorouracil,4|tolerable,1|body,1|when,
1|employed,1|objective,1|number,1|that,1|justify,1|margaret,1|sufficient,1|from,1|mg,1|50,1|per,
1|kilogram,1|combination,1|given,1|in,3|holbrook,1|patients,1|weight,1|synergistic,1|additive,1|
gastrointestinal,2|dose,1|at,1|tients,1|5,4|were,1|safe,1|relatively,1|excessive,1|larger,1|
treatment,1|study,2|be,1|doses,1|role,1|total,1|intravenous,1|found,1|and,4|of,8|by,1|have,1|a,4|
pilot,1|subjective,1|or,1|may,1|therapy,4|supervoltage,2|malcolm,1|was,2|possible,1|onset,1|ment,
1|manage,1|the,4|colby,1|controlled,1|with,4|pa,1|palliation,1|radiation,4|carcinoma,1|
associated,1|mortality,1|y,1|achieved,1|cancer,1|combined,2|to,3|40,1|injection,1|
MED-0784|very,1|moderately,1|been,1|called,1|vary,1|considered,1|cure,2|favorable,1|beyond,1|
modest,1|therapeutic,1|principally,1|order,1|grows,1|unlikely,1|thus,2|tissues,1|in,7|made,1|is,
3|an,1|lung,5|exist,1|tunately,1|symptomatic,1|as,3|re,1|at,1|provide,1|unfor,1|comfortable,1|
prolong,1|cancers,3|sensitivity,1|much,1|theory,1|be,4|skin,2|cell,3|tolerates,1|two,1|same,2|
found,1|are,4|by,4|so,1|surround,1|cervix,2|means,2|a,1|undifferentiated,1|may,1|more,3|
```

lymphomas,1|adenocarcinoma,1|comfort,1|the,22|such,2|sponding,1|site,1|palliation,1|radiocurable, 1|carcinoma,3|to,9|first,2|ratio,1|date,1|presently,1|almost,1|suffering,1|sometimes,1|available, 1|do,1|irradiation,1|second,2|larynx,2|than,3|should,1|quite,2|un,1|has,2|those,2|substrate,1| which,2|making,2|like,1|widely,1|exquisite,1|this,2|degree,1|diagnosis,1|epithelial,1|often,3| less,1|most,1|radiotherapy,2|true,1|curable,2|resis,1|useful,1|who,1|however,1|susceptibility,1| reasons,1|purpose,1|tant,1|origin,2|their,1|radiosensitive,1|effective,1|not,3|squamous,2|and,10| of,14|magnitude,1|relief,1|highly,1|disease,1|oat,1|or,1|ence,1|estimated,1|foremost,1|glandular, 1|any,1|spread,1|third,1|management,1|radiation,2|response,1|80,1|well,1|cancer,4|time,1| MED-0785|sion,1|agent,1|estrogen,1|year,1|orally,1|ty,1|alkylating,1|had,1|suppres,1|three,1| objective,1|these,1|pred,1|four,1|serious,1|action,1|because,1|administered,1|ie,1|results,1| those, 1|steroid, 2|treated, 1|toxic, 1|similar, 2|period, 1|months, 2|patients, 2|survival, 1|ablation, 1| er,1|produced,1|disseminated,2|1,1|2,1|effects,1|were,2|eradication,1|7,1|obtained,1| chlorambucil,2|33.8,1|no,1|average,1|endogenous,1|ably,1|for,1|cortico,1|long,1|duration,1| modalities,1|are,1|and,3|of,4|have,1|71,1|twen,1|after,1|23.9,1|presum,1|mechanism,1|endocrine,1| over, 1|a, 2|or, 3|six, 1|drugs, 1|therapy, 4|sex, 1|was, 1|nisolone, 1|disagreeable, 1|statistically, 1| agents,1|the,2|with,3|prednisolone,1|carcinoma,1|regression,1|cancer,1|combined,1|time,1|to,1| choice,1|breast,2| MED-0786|encased,1|been,1|year,1|remains,1|tissue,1|had,1|danger,1|beyond,1|observe,1|that,4| locally,1|advances,1|whether,1|noticeably,1|fibrous,1|surgical,1|irradiated,1|recent,1|addition, impression,1|fibrosis,1|however,1|firmly,1|treatment,1|be,1|gus,1|sug,1|for,1|disseminating,1| seen,1|gests,1|diminished,1|previously,1|rate,1|and,1|of,7|have,1|gives,1|limits,1|may,1|will,1| therapy,1|supervoltage,1|combining,1|resection,1|spread,1|the,12|destroyed,1|radiation,1| carcinoma,1|tumor,2|cancer,1|to,2|time,2|esophagus,2|operation,1|surgery,1| MED-0787|advanced,2|suffering,1|available,1|type,1|while,1|drug,1|that,1|cyclophosphamide,2| reviewed,1|from,1|details,1|tumours,1|which,1|all,1|treated,1|in,3|bronchial,2|occur,1|author,1| patients,2|this,1|cyclophospha,1|is,3|it,1|relapses,1|mide,1|clinical,1|were,1|effect,1|who,1| full,1|statistical,1|be,1|cell,1|intravenous,1|paper,1|are,2|patient,1|and,1|of,5|by,1|course,1| forty,1|on,2|a,1|oat,1|selective,1|may,1|therapy,1|the,7|noted,1|controlled,1|with,1|suggested,1| application,1|management,1|carcinoma,2|oral,1|further,1|to,2|maintenance,1|referred,1| MED-0788|but,1|reason,1|opera,1|use,2|simple,1|experience,1|endoscopically,1|cinoma,2|suggests,1| that,1|would,1|regurgitation,1|debilitated,1|helpful,1|agement,1|severely,1|which,1|tion,1| incurable,1|method,1|dealing,1|in,5|arise,1|patients,3|en,1|particular,1|an,1|tube,1|preparing.1| safe,1|relatively,1|insertion,1|care,1|problems,1|some,1|esophageal,4|obstruction,2|ably,1|be,2|

tubes,2|handling,1|doscopic,1|to,2| MED-0789|indications,2|modality,1|allowed,1|led,1|unjustified,2|welfare,1|scene,1|therapeutic,3| these,1|loss,1|lessen,1|physicians,1|suasions,1|per,1|if,1|recent,1|resultant,1|still,1| incurable,1|method,1|in,2|remain,1|is,2|it,1|benefit,1|delay,1|must,2|demonstration,1|care,2| treatment,2|be,4|methods,1|responsibility,1|realistically,1|does,1|by,3|condemnation,1

our,1|withstand,1|inserted,1|car,2|provides,1|and,3|of,9|intraluminal,1|man,1|rigors,1|a,1|prob,1|may,1|therapy,1|also,1|lems,1|the,7|with,4|such,1|appear,1|tumors,1|carcinoma,1|radiation,1|

```
MED-0932|but,3|through,1|48,1|rapid,1|existence,1|slower,1|without,1|observed,1|kidney,1|that,1|
experiment,1|enlargement,1|than,1|animals,1|day,2|results,1|those,1|10,4|group,3|which,3|
pituitary,2|imply,1|in,8|hrs,1|this,1|is,1|less,1|an,4|produced,1|effects,1|2,3|intact,1|at,6|
size,1|5,2|effect,1|continuing,1|replacement,3|much,1|requires,1|full,1|however,1|no,2|other,2|
hypertrophy,2|for,1|non,2|seen,1|hormone,2|hypophysectomy,2|receiving,3|hypophysectomized,4|not,
1|rate,1|and,6|rch,6|of,7|nephrectomized,2|by,1|reported,1|renotropic,1|subsequent,1|studies,1|
rats,3|factor,1|on,2|compared,1|effectiveness,1|a,3|initial,3|therapy,3|change,1|compensatory,2|
was,7|continued,1|groups,1|also,1|instead,1|renal,3|the,12|with,1|unilaterally,2|regression,1|
there,4|days,4|growth,1|latter,1|to,2|attained,1|further,1|comparable,1|first,1|
MED-0933|histologic,1|nine,1|fibromuscular,7|lesions,1|arteries,4|had,3|intracranial,4|developed,
1|observed,1|frequency,1|extracranial,1|that,2|only,1|hyperplasia,7|pathologic,1|carotid,2|
others,1|between,1|described,1|aneurysms,5|11,1|similar,1|in,8|patients,7|19,1|artery,1|symptoms,
2|clinical,1|2,2|were,1|6,1|present,1|who,1|cerebral,1|visceral,1|internal,1|other,1|absence,1|
origin,1|involvement,1|common,1|radiologic,1|are,1|and,5|of,9|whom,1|studies,1|on,1|a,1|types,1|
or,1|demonstrable,1|sex,1|was,2|suggest,1|extrarenal,2|ischemia,2|etiologic,1|the,10|renal,2|
celiac,1|with,5|appear,1|similarities,1|resembled,1|ones,1|incidence,1|age,1|hemorrhage,1|
MED-0934|small,2|but,1|thought,1|several,1|do,1|these,1|dysplasia,1|that,1|maldeveloped,1|
children,1|suffered,1|consequences,1|dehydration,1|from,1|has,1|tubular,1|which,2|in,4|is,3|
prompted,1|finding,1|exist,1|take,1|clinical,1|at,1|postmortem,1|among,1|excessive,1|formed,1|
who,1|speculations,1|some,1|other,1|developmentally,1|best,1|kidneys,2|result,1|hypoplasia,4|
diminished, 1 | perhaps, 1 | known, 1 | and, 2 | of, 3 | examination, 1 | have, 1 | merely, 1 | on, 1 | amount, 1 | or, 1 | may, 3 |
nature,1|the,6|significance,1|renal,6|anatomically,1|unexplained,1|insufficiency,1|severe,1|
parenchyma, 21 forms, 21 normally, 11
MED-0935|medulla,1|autoradiographic,1|staining,1|findings,1|numbers,1|earlier,1|thymidine,1|
hyperplasia,2/nephrectomy,1/tubular,2/cortex,1/12,1/using,2/13,1/agreement,1/autoradiography,1/
tissues,2|in,7|made,1|establish,1|remaining,1|labelled,2|fold,2|5,1|were,1|6,1|obtained,1|here,1|
study,1|line,1|methods,1|for,1|investigations,2|unilateral,1|kidneys,2|seen,1|routine,1|are,1|
and,2lof,4linduced,1lobservations,1lafter,1lmitotic,1lover,1la,4lstudied,1lobservation,1l
compensatory,1|was,2|control,2|tritiated,1|increase,2|renal,2|the,7|with,2|cells,2|future,1|
there,11to,31infrequent,11base,11
MED-0936|measured,1|functional,1|hypertrophy,2|importance,1|changes,2|radiographic,1|kidney,1|
assessment,1|glomerular,1|structural,1|are,2|rate,1|and,4|of,2|function,1|by,1|influencing,1|
flow,1|in,1|discussed,1|compensatory,2|its,1|is,1|factors,1|emphasised,1|the,7|renal,4|
prognostic,1|significance,1|with,1|as,1|filtration,1|size,1|plasma,1|correlated,1|
MED-0937|piglets,2|evidence,1|inheritance,1|simple,1|soon,1|degrees,1|pig,2|observed,1|boar,1|
that,1|defect,2|mesenchyme,1|white,1|mesonephric,1|poor,1|tubule,1|between,1|described,1|11,1|
development,2|large,1|in,2|19,1|birth,1|is,5|it,1|affected,1|grossly,1|autosomal,1|condition,1|
at,1|system,1|microscopically,1|failure,1|twelve,1|7,1|8,1|basic,1|69,1|concluded,1|description,
1|died,2|fetal,1|collecting,1|out,1|hypoplasia,3|total,1|varying,1|feature,1|and,4|bilateral,2|
of,10|by,4|after,1|73,1|factor,1|compared,1|characterized,1|a,4|or,1|previous,1|dominant,1|born,
1 lone, 1 lwas, 3 llitters, 1 lrenal, 2 lthe, 10 lwith, 1 lsuggested, 1 llobulation, 1 lages, 1 ldays, 1 lpersistence,
1|sired,1|recessive,1|
MED-0938|phenylpropionate,2|stimulated,3|hr,3|tissue,2|during,2|kidney,4|number,1|dna,2|than,1|
nephrectomy,2|animals,3|per,4|96,2|between,1|period,2|still,1|rna,3|in,14|nortestosterone,2|this,
1|19,1|weight,2|dry,1|significant,1|remaining,3|resulting,1|decrease,1|both,3|as,6|at,1|were,1|
effect,1|following,2|castrated,10|difference,1|male,2|relative,1|higher,1|treatment,1|no,1|
increased,21hypertrophy,61values,21unilateral,21non,71cell,21mice,61eight,11not,11same,21and,21
of,13|by,2|after,4|early,1|on,1|forty,1|stimulation,1|a,1|or,1|initial,1|decreased,1|caused,2|g,
2|change,2|compensatory,6|was,4|groups,2|concentration,6|statistically,1|increase,2|npp,4|the,22|
with,1|cells,1|approximately,2|percentual,2|absolute,1|there,1|well,1|time,1|further,1|
significantly,2loperation,3ldid,1l
MED-0939|pituitary,2|synthesis,1|increased,1|activity,1|proliferation,1|hypertrophy,2|
autoradiographic,1|compensatory,2|during,2|gland,1|tritiated,1|an,1|renal,2|the,1|with,1|thyroid,
2|and,3|dna,1|showed,1|of,2|cellular,1|thymidine,1|studies,1|
MED-0940 extent, 1 but, 1 markedly, 1 increased, 3 hypertrophy, 3 administration, 1 I during, 3 influence,
1|hormone,2|capacity,1|kidney,1|glomerular,1|tubules,1|and,1|of,7|function,1|than,1|course,2|
animals, 3 | after, 1 | flow, 1 | on, 1 | a, 1 | in, 2 | compensatory, 3 | thyroidectomized, 2 | control, 1 | less, 1 |
secretory,1|the,6|renal,3|filtration,1|insignificantly,1|thyroid,2|to,1|plasma,1|
```

MED-0941|measured,1|counts,1|undergoing,1|hr,3|number,1|dna,1|thymidine,1|revealed,1|nephrectomy,5|animals,6|similar,1|autoradiography,1|rat,1|in,12|lower,1|index,1|is,2|as,1|at,2|0.59,1|among,1|3.6,1|obtained,1|adult,4|0.0062,1|much,1|relative,1|activity,1|unilateral,4|cell,1|labeling,1|by,1|indicate,1|after,3|synthesis,1|a,5|36,2|proliferation,1|occurred,1|one,1|the,17|indices,1|cortical,1|showed,1|maximum,2|to,2|resulted,1|separate,1|findings,1|0.11,1|kidney,2|that,2|later,1|than,1|tubule,2|group,1|cortex,1|57,1|labeled,1|0.056,1|mitosis,1|both,3|proliferative,1|1.2,1|were,1|effect,1|weanling,4|line,1|adults,1|0.088,1|reaching,1|0.30,1|not,1|related,1|and,7|of,7|rats,1|unoperated,1|value,1|mitotic,1|on,1|stromal,3|resp,1|was,1|qualitatively,1|groups,1|control,2|peak,2|tritiated,1|increase,1|occurring,1|with,1|cells,6|although,1|response,2|until,1|age,1|base,1|MED-0942|medulla,5|but,1|moderately,1|glands,4|saline,1|about,1|hyperplastic,1|influence,1|

MED-0942|medulla,5|but,1|moderately,1|glands,4|saline,1|about,1|hyperplastic,1|influence,1|number,1|kidney,4|adrenal,4|compensating,2|dna,2|thymidine,1|only,1|fluid,1|nephrectomy,3|animals,1|controlling,1|hyper,1|cortex,5|otherwise,1|exhibited,1|marked,1|given,1|using,1|still,1|drinking,1|in,7|labeled,1|index,1|remaining,4|adrenalectomy,2|intact,3|plastic,1|radioautography,1|4,1|5,1|following,1|nuclei,1|role,1|increased,3|unilateral,3|respectively,1|kidneys,2|adrenalectomized,1|two,1|nor,1|increases,1|alone,1|and,7|labeling,3|of,16|by,2|rats,4|after,1|on,1|synthesis,2|normal,2|a,1|slight,1|studied,1|decreased,1|caused,1|was,1|also,1|tritiated,1|factors,1|the,22|renal,1|with,2|indices,1|response,2|neither,1|days,2|2.5,1|further,1|significantly,1|

MED-0943|adaptation,1|hr,1|when,1|number,1|protein,6|nephrectomy,1|per,1|phase,2|rat,1|in,5| index,3lis,5lexerted,1lan,2las,1l2,1lat,2l6,1ldetermined,1lfollowing,1l7,1lother,1lstudy,1l increased,3|activity,1|unilateral,1|two,1|collecting,1|radiographic,1|result,1|into,1|found,1| same,1|variations,1|by,1|course,1|after,1|multiplication,1|so,1|phases,1|a,5|one,2|h,1|2nd,2| nucleus, 1/1, 1/the, 34/single, 1/2.1, 1/coinciding, 1/maximum, 3/to, 4/complete, 1/3hr, 1/incorporation, 1/ hypertrophic,1|auto,1|equally,1|convoluted,1|residual,1|acid,2|kidney,5|that,1|tubules,3|amounts, 1|only,1|has,1|different,1|day,2|which,3|subjected,1|uptake,3|4th,2|labelled,1|enhanced,3|volume, 2|intervals,1|unit,1|amino,3|involved,1|once,1|were,2|1.3,3|1.6,1|metabolism,6|beginning,1| kidneys,1|cytoplasm,1|times,2|total,1|acids,1|wk,1|and,2|of,22|nephrectomized,1|studies,1|rats,1| factor, 3 | mitotic, 3 | epithelia, 1 | on, 2 | normal, 1 | process, 1 | phenylalanine, 1 | limited, 1 | studied, 1 | compensatory,1|was,3|also,2|increase,4|with,4|cells,2|approximately,1|mean,1|there,2|time,1| MED-0944|concentrating,1|polyuria,1|be,1|brothers,1|year,2|considered,1|suffering,1|insipidus,2| resistant,1|nephrogenic,2|had,1|mental,1|two,1|boy,1|observed,1|kidney,1|suffered,1|and,4|of,2| by,1|yr,1|from,2|power,1|polydypsia,1|physical,1|factor,1|they,1|a,3|13,1|old,2|caused,1| patients,2|lowering,1|heredity,1|the,3|with,1|1,1|5,1|were,3|to,2|diabetes,2|age,1|retardation,1| since,1|hyperchloremia,1|pitressin,1|recessive,1|

MED-0945|but,2|isotonic,1|fursemide,2|reabsorption,1|glands,1|suffering,1|ho,2|reabsorbed,1|had, 2|during,4|changing,1|without,1|familial,1|that,1|mother,1|contraregulation,1|high,2|his,2|from, 2|different,1|if,1|saluretics,1|given,1|in,4|old,1|accentuated,1|hypotonic,1|this,2|is,5|an,2| decrease,1|both,1|produced,1|altered,1|as,3|dose,1|intervals,2|3,1|at,1|na,2|month,1|5,1|were,1| effect,1|therefore,2|exchanged,1|however,1|treatment,1|increased,4|ducts,1|values,1|for,1| insipidus,3|description,1|boy,1|content,4|urea,2|not,1|same,1|parallel,1|and,7|osmolarity,1|of, 11|studies,1|mechanism,1|on,3|a,6|filtrate,1|quantity,4|decreased,2|chlorthalidone,2|go,1|also,1| concentration,2|k,1|increase,1|nacl,7|the,22|renal,1|single,1|with,2|regulation,1|sweat,9|well,1| short,1|days,1|intermittently,1|time,2|serum,1|diabetes,3|did,1|

MED-0946|but,1|year,1|urine,1|preparation,1|output,1|t.d.s,1|granuloma,1|eosinophilic,1|case,1| tannate,1|treated,1|given,1|period,1|14,1|in,2|old,1|vasopressin,2|i.m,2|it,1|an,1|lysine,2| symptoms,1|synthetic,2|dose,2|at,1|route,1|month,1|5,1|6,1|8,1|therefore,1|hourly,1|partial,1| 7.5,1|child,1|tolerated,1|insipidus,2|not,1|oil,1|and,1|of,4|by,1|on,1|over,1|a,5|was,5| alternate,1|control,1|controlled,2|the,4|nasal,1|with,4|u,3|associated,1|2.5,1|achieved,1|days,1| well,1|diabetes,3|pitressin,1|

MED-0947|reabsorption,1|urine,1|about,1|delayed,1|that,2|brings,1|loop,1|action,2|retaining,1|urinary,1|different,1|nephron,1|eliminated,1|antidiuretic,3|separately,1|in,8|vasopressin,3|active,1|is,3|it,2|water,1|steps,1|operative,1|both,1|volume,1|sodium,3|as,3|na,1|determined,1|effect,1|supposed,1|actions,1|become,1|be,1|insipidus,2|two,1|hormone,2|synergistically,1|can,1|henle's,1|and,3|of,6|induced,1|freewater,1|clearance,2|stimulation,1|limb,1|a,3|concentration,1|transport,1|increase,2|ascending,1|produce,1|the,7|renal,2|suggested,1|places,1|well,1|maximum,1|diabetes,2|prompt,1|physiological,1|

```
MED-0948|tract,3|obstruction,1|anatomic,1|year,1|dilatation,1|changes,2|insipidus,2|obstructive,
1|patient,1|of,4|by,2|surgical,1|urinary,2|demonstrated,1|case,1|described,1|pituitary,2|over,1|
a,2|treated,1|period,1|lower,1|was,1|is,2|control,1|both,1|the,2|with,2|1,1|followup,1|as,2|
reversal,1|associated,2|progressive,1|well,1|correction,1|diabetes,3|
MED-0949|slightly,1|hormonalis,1|urine,1|remains,1|loaded,1|osmolar,1|glomerular,1|children,1|
pah,1|only,1|furosemide,1|yr,2|those,1|val,1|which,1|antidiuretic,1|osmolality,1|gross,1|in,4|
old,2|vasopressin,1|is,3|renalis,1|being,1|hypertensinii,1|girl,1|water,2|decrease,1|deprived,1|
both,1|produced,1|2,1|effects,2|as,2|filtration,1|na,2|4,1|5,1|were,1|effect,2|angiotensin,5|
produces,1|9,1|clearances,2|become,1|changed,1|increased,1|be,1|insipidus,4|boy,1|seen,1|long,1|
urea,2|states,1|inulin,1|can,1|not,2|negative,1|rate,1|and,7|does,1|of,7|by,1|whom,1|clearance,3|
examined,1|free,2|contrary,1|a,4|normal,1|salt,2|studied,1|neuro,1|was,1|reverses,1|the,12|with,
5|antidiuresis,2|antinatriuresis,1|amide,1|combined,1|to,1|diabetes,4|prompt,1|asp,1|
MED-0950|been,4|urine,1|nephrogenic,1|had,1|illustrative,1|type,1|approach,1|second,1|
exemplified,1|compulsive,1|children,2|four,1|broad,1|context,1|from,1|has,2|diagnostic,1|tubular,
1|chronic,1|investigated,1|they,1|acquired,1|case,4|group,4|addition,1|drinking,1|in,5|probable,
1|classified,1|water,1|1,2|clinical,1|as,2|2,1|physiopathology,1|3,2|4,2|excretion,1|were,1|
failure,1|twelve,1|defects,1|present,1|diagnosed,1|polyuric,1|schuller,1|other,1|polyuria,2|
their,1|insipidus,2|investigations,1|into,1|syndrome,1|variety,1|and,3|christian,1|aspect,1|of,8|
by,1|have,2|syndromes,1|after,1|included,1|hand,1|hypokalaemic,1|a,1|normal,1|cases,4|disease,1|
practical,1|etiologico,1|one,2|multiple,1|groups,1|histories,1|etiology,1|recommended,1|the,10|
renal,3|with,1|third,1|idiopathic,1|due,2|acidosis,1|report,1|nephropathy,1|to,3|further,1|
fourth,1|diabetes,2|first,1|
MED-0951|use,2|administration,1|judiciously,1|used,1|without,2|observed,1|preparation,1|solution,
2|protein,1|serious,1|from,1|because,1|if,1|pregnant,1|all,1|pituitary,1|treated,1|spray,1|in,1|
vasopressin,3|patients,2|this,1|posterior,1|its,1|is,1|significant,1|water,1|undesirable,1|
lysine,2|recurrence,1|synthetic,3|2,1|effects,1|clinical,1|were,1|daily,1|8,1|animal,1|uterine,1|
potentially,1|treatment,1|ease,1|polyuria,1|absence,1|origin,1|for,1|insipidus,2|foreign,1|
preparations,1|times,1|freedom,1|patient,1|and,1|of,8|occasionally,1|term,1|retention,1|twenty,1|
deficient,1|stimulation,1|a,1|side,1|one,1|was,1|recommended,1|nasal,3|the,4|controlled,2|
allergic,1|with,3|well,1|reactions,1|to,3|diabetes,2|
MED-0952|satisfactorily,1|minor,1|urine,1|upper,1|during,1|frequency,1|preparation,1|hydrated,1|
only,1|from,1|administered,2|per,1|respiratory,1|day,1|treated,1|spray,4|in,7|conveniently,1|
vasopressin,3|patients,2|s.c,1|is,1|being,1|an,1|decrease,1|lysine,3|volume,1|synthetic,2|
effects,1|dose,1|as,2|3,2|125,1|5,1|transient,1|were,1|daily,1|7.4,1|child,1|treatment,1|dosage,
1|infection,1|increased,2|insipidus,2|rhinitis,1|movements,1|effort,1|restrict,1|thirteen,1|
effective,1|times,2|total,1|and,3|of,5|periods,1|consisted,1|after,1|effectiveness,1|a,2|normal,
1|35,1|or,1|one,1|subjects,1|was,1|bowel,1|irritation,1|concentrate,1|nasal,5|the,6|ranging,1|
noted,1|allergic,1|with,2|material,1|u,1|to,3|diabetes,2|adverse,1|he,1|
MED-0953|resulted,1|but,1|treatment,1|some,1|other,1|insipidus,2|hr,1|during,2|none,1|required,1|
alone,1|oil,1|patient,1|of,1|supplemental,1|administered,1|value,1|every,1|day,1|tannate,1|a,2|
adequately,1|spray,3|in,5|excellent,1|therapy,2|vasopressin,2|patients,1|one,1|night,1|was,2|
control,1|it,1|lysine,2|nasal,2|the,5|controlled,1|with,3|synthetic,1|as,2|2,1|3,2|8,2|sprays,1|
to,2|diabetes,2|pitressin,1|who,1|
MED-0954|measured,1|about,2|hr,1|spontaneous,1|body,2|familial,1|loss,1|surgically,1|terms,1|
lesser,1|than,1|dependent,1|similar,1|rat,2|in,15|accumulation,1|degree,3|weight,2|water,5|both,
1/2,1/na,3/involved,1/were,2/metabolism,1/60,1/20,1/no,1/24,1/increased,1/be,1/skeletal,1/
changes, 1 linsipidus, 2 lappears, 1 ldistribution, 2 lqain, 1 lduration, 1 land, 11 linduced, 4 lof, 9 lmuscle, 1 l
turnover, 1|on, 1|severity, 1|types, 1|salt, 3|disease, 6|more, 1|was, 3|estimated, 1|k, 2|the, 14|equal, 1|
noted,1|hypothalamic,2|environment,1|cells,1|corresponding,1|there,1|hereditary,3|aorta,1|
handling,1|gastrocnemius,1|to,2|diabetes,2|partially,1|
MED-0955|extent,1|depletion,2|cortisone,1|reabsorption,1|triamterene,1|permeability,1|
nephrogenic,1|mainly,1|drug,1|regularly,1|derivatives,1|that,1|glomerular,1|action,2|absent,1|
tubule,1|saluretics,1|order,1|pituitary,1|adh,1|in,8|like,1|depends,1|this,1|reduced,1|is,4|less,
2|it,1|water,2|thiazide,1|filtration,1|na,1|excretion,1|effect,1|following,1|diuresis,1|
compounds,1|correlated,1|some,1|increased,1|progressively,1|importance,1|direct,1|for,2|
insipidus,2|cause,1|irregular,1|not,1|natriuretic,1|fall,1|and,7|induced,2|by,3|of,5|
spirolactones,1|suppressed,1|free,1|diminishes,1|on,2|a,2|or,1|salt,2|maximal,1|the,7|with,3|
```

antidiuresis,1|distal,1|appearance,1|diuretics,2|due,1|acetazolamide,1|mercurial,1|proximal,1|to, 1|reduction,1|diabetes,2|hypothalamus,1| MED-0956|but,1|treatment,1|study,1|conservative,1|thickness,2|hydronephrosis,2|for,1|justified,1| are,1|of,2|than,1|procedures,1|surgical,1|if,2|histological,1|guide,1|mm,2|a,1|cases,1|or,1|in,2| more,1|reduced,1|is,3|congenital,1|less,1|it,1|the,3|renal,2|3,2|leads,1|atrophy,1|parenchyma,2| to,2|complete,1| MED-0957|but,1|slightly,1|been,1|di,5|about,1|assays,1|these,3|familial,2|that,2|appeared,2| arginine,3|would,1|than,2|only,1|from,7|female,1|those,1|they,1|strain,1|which,1|pituitary,3| oxytocin,4|antidiuretic,5|tissues,1|thus,1|rat,2|in,4|might,1|lower,1|expected,1|vasopressin.6| this,2|it,1|oxytocic,2|produced,1|1,1|2,2|3,2|were,1|principles,1|extracts,1|diuresis,1|since,1| no,1|endogenous,1|be,1|activity,4|brattleboro,1|pituitaries,3|neurohypophysial,1|insipidus,2| their,1|content,1|can,1|not,1|minimal,1|and,3|of,4|by,1|have,2|rats,6|on,2|normal,2|a,1|amount,1| contain,2|or,1|females,1|more,2|could,1|was,2|hypothalami,1|inhibit,1|specific,1|performed,1|the, 7|with,2|100,1|appear,1|hypothalamic,2|contained,1|third,1|deficiency,1|due,2|resembled,1|showed, 1|responses,1|to,5|diabetes,2|hypothalamus,1| MED-0958|german,1|been,1|urine,1|familial,1|features,1|appeared,1|polydipsia,1|only,1|revealed,1| yr,1|from,1|has,1|case,1|qiven,1|infants,1|in,4|this,1|diagnosis,1|is,1|2,1|3,1|4,1|5,1|were,1| 20,1|nevertheless,1|other,2|be,1|polyuria,1|anamnestic,1|germany,1|for,1|frequent,1|insipidus,2| appears,1|known,1|sg,1|low,1|of,2|studies,1|1957,1|on,2|a,3|disease,2|cases,2|more,1|one,1| verified,1|also,1|families,1|renal,2|the,6|such,2|with,2|there,1|report,2|to,1|family,2|diabetes, 2|first,1| MED-0959|hydrocephalus,4|helping,1|about,1|favorable,1|spontaneous,2|infant,1|years,1|observed,1| evaluation, 1|children, 2|review, 1|yr, 2|between, 3|they, 1|e.a, 1|infants, 10|14, 1|vein, 1|method, 1|in, 9|diseases,1|is,5|survived,1|an,1|symptoms,1|1,1|as,2|itself,1|at,2|3,1|246,1|discrepancy,1| 369,1|must,1|3.8,1|20,2|cardiac,1|treatment,3|average,2|other,1|be,1|27,1|operated,5|merits,1| proved,1|into,2|67.8,1|found,1|advocated,1|are,3|procedures,1|jugular,1|examined,2|operating,1| after,1|agreed,1|compared,1|a,4|means,1|laurence's,2|analyzed,2|procedure,1|onset,1|great,1| opinion,1|the,24|showed,1|manifests,1|6.1,1|to,1|combined,1|under,1|operation,4|first,3|but,1| till, 1 | arrest, 1 | findings, 1 | used, 1 | experience, 1 | 394, 1 | 66.7, 1 | shown, 1 | spite, 1 | late, 1 | suffered, 1 | only,3|surgical,2|dynamic,2|from,2|50,1|consider,1|group,1|which,1|mth,1|pathological,1|15.33,1| development,1|patients,1|survival,1|surviving,1|this,4|1943,1|month,2|were,5|present,1|who,1| since,1|macrocephaly,1|cause,1|mental,1|life,1|thirteen,1|total,1|not,2|rate,1|and,6|of,23| atrium,1|1957,1|42.6,1|introduction,2|on,5|process,1|disease,1|or,1|was,3|deviation,1|evolution, 1|distinguished,1|with,3|1962,2|102,1|1961,1|form,1|csf,1|until,1|time,3|age,1| MED-0960|been,1|shunt,3|hydrocephalus,1|hr,1|used,1|ventricular,1|lateral,1|radio,1|dynamics,1| than,1|malformation,1|surgical,1|fluid,1|from,1|has,1|flow,1|selected,1|described,1|ml,1|using,1| infants,1|method,1|test,1|in,2|patients,1|arnold,1|less,1|develop,1|disappearance,1| cerebrospinal,1|volume,1|measure,1|system,1|safe,1|iodinated,1|myclomeningocele,1|allow,1|repair, 1|24,1|be,1|detect,1|atrial,2|ventriculo,2|patency,1|can,1|rate,2|and,2|of,7|70,1|after,1|a,4| may,1|will,1|newborn,1|chiari,1|ventricles,1|the,9|with,1|requiring,1|albumin,1|csf,1|removal,1| progressive, 1 lto, 2 lserum, 1 l MED-0961|hydrocephalus.2|coexistent.2|craniofenestra.1|these.2|malformations.1|expired.1| bacterial,1|central,1|varying,1|are,2|and,6|of,5|reviewed,1|five,1|described,1|all,1|cranial,4| infants,3|or,2|complications,1|in,4|meningocele,2|etiology,1|etiologic,2|factors,2|the,5| significance, 2|with, 2|clinical, 1|system, 1|myelomeningocele, 1|spinal, 2|5, 1|nervous, 1|defects, 5| roentgenographic,1|craniolacunia,2| MED-0962|resulted,1|prophylactic,2|been,1|shunt,1|hydrocephalus,2|before,1|shunting,1| methicillin,1|appeared,2|staphylococcus,1|infections,4|majority,1|50,1|because,1|portal,1| nonspecific,1|combination,3|given,1|organism,1|in,9|patients,5|bacilli,1|received,1|survived,2| kanamycin,2|done,1|an,2|resulting,1|vitro,2|both,1|most,2|thirds,1|entry,1|sodium,1|system,1| myelomeningocele,3|4,1|5,2|oozing,1|organisms,1|60,1|chloramphenicol,2|cocci,1|who,1|no,2| infection, 2|be, 3|frequently, 1|against, 2|nearly, 1|two, 1|effective, 2|negative, 2|central, 1|and, 4|of, 15|induced,1|incidents,1|have,1|demonstrated,1|33,1|a,6|34,1|situ,1|b,1|or,1|occurred,2|38,1| more,1|caused,2|could,1|therapy,2|gram,4|one,1|was,1|cns,1|summarized,1|polymixin,1|positive,2| procedure, 1 | any, 1 | the, 8 | with, 2 | nervous, 1 | series, 1 | mortality, 2 | obvious, 1 | to, 2 | MED-0963|developmental,3|hydrocephalus,2|thought,1|year,1|fifty,1|poor,1|yr,1|urinary,1| evaluated,1|case,1|deaths,1|11,1|based,2|encouraging,1|13,2|infants,1|in,3|whichever,1| classified,1|is,2|personal,1|each,1|as,1|2,1|at,1|myelomeningocele,2|seventeen,1|6,1|competitive,

```
2|motor,1|infection,1|study,1|26,1|seem,1|adaptive,1|current,1|by,1|have,1|older,1|behavior,1|
twenty,1|latest,1|a,6|occurred,1|more,1|39,1|team,1|specialists,1|prognosis,1|the,6|report,2|
progress,1|to,2|first,3|data,1|noncompetitive,2|language,1|that,1|than,2|from,2|50,1|results,1|
group,1|treated,1|development,3|comparison,1|irreversibly,1|patients,5|this,1|less,1|judged,1|
decompensated,1|survivors,3|were,5|longitudinal,1|birthday,1|tract,1|comprehensively,1|death,1|
show,1|died,1|thirteen,1|not,1|bacterial,1|previously,1|and,5|of,4|on,2|79,1|or,1|social,1|was,3|
followed,1|surveyed,1|quotient,3|with,2|80,1|
MED-0964|csp,3|been,1|hydrocephalus,2|considered,1|intermittent,1|resemble,1|intracranial,1|
ventricular,1|these,1|that,1|view,1|rare,1|symmetrical,1|malformation,1|pellucidi,2|foramina,1|
fluid,1|has,1|communication,1|author's,1|flow,1|those,1|group,1|moderate,1|combination,1|11,1|in,
7|author,1|mild,1|this,1|is,3|pressure,1|basis,1|most,1|clinical,3|system,1|narrowed,1|must,1|
formed,1|conditions,1|problems,1|since,1|cerebral,1|hypersecretory,1|no,1|some,1|internal,1|
obstruction,1|be,3|reasons,1|changes,1|direct,1|for,1|their,1|etiological,1|non,2|cavum,5|
appearances,1|result,1|rejects,1|are,1|aqueduct,1|and,5|variations,1|septi,2|of,9|continues,1|
after,1|possibility,1|headaches,1|on,1|established,1|a,7|rest,1|cases,4|may,2|discussed,1|
representing,1|lead,1|generally,1|opinion,1|the,15|significance,2|special,1|with,4|due,1|
associated,2|csf,1|pneumoencephalographic,2|communicating,5|to,5|monro,1|
MED-0965|been,4|hydrocephalus,3|extradural,1|endotheliomas,1|kyphosis,1|when,1|years,2|without,1|
lipomas,1|these,1|neurofibromatosis,1|near,1|intradural,1|between,1|shorter,1|having,1|in,5|17,1|
posterior,2|is,1|it,1|congenital,1|1,1|2,2|scalloping,4|at,1|3,1|4,1|defects,1|must,1|23,1|
increased,1|bodies,5|association,1|two,2|long,1|myelodysplasia,1|are,2|cysts,4|vertebral,5|have,
1/lepiphysis,1/meningoceles,1/canal,1/gliomas,1/lumbar,1/a,3/meningiomas,1/caused,1/meningocele,1/
one,1|pedicle,1|aged,1|many,1|the,11|controlled,1|single,1|standing,1|extensive,1|dorsalis,1|
entities,1|spinal,1|arch,1|partially,1|first,1|junction,1|but,1|widening,1|vertebra,1|that,1|
uncontrolled,1|presented,1|excavation,1|only,2|neurofibromas,1|has,3|arachnoid,1|closure,1|
described,1|which,1|patients,1|hemangio,1|pressure,1|cord,1|fusion,1|intraspinal,2|supposed,1|
present,3|neoplasms,1|no,1|absence,1|additional,1|for,2|tarlov's,1|not,1|and,5|hydromyelia,1|of,
12|men,1|cases,2|or,1|previous,1|was,1|also,2|spine,1|recorded,1|hemangiomas,1|anomalies,1|noted,
1|with,2|juvenilis,1|time,2|perineural,1|thoracic,2|
MED-0966|be,1|hydrocephalus,4|eeg,4|examinations,2|concluded,1|recording,2|asymmetry,1|none,1|
that,1|common,1|children,1|and,1|of,6|revealed,1|differentiating,1|examined,1|from,1|50,1|
because, 1 | acquired, 2 | electroencephalographic, 1 | 33, 1 | normal, 2 | a, 1 | cases, 1 | infantile, 1 | in, 4 | nature,
1|could,1|was,1|is,1|congenital,4|it,1|any,1|neurological,1|picture,1|both,1|the,7|most,1|
encountered,1|symptoms,1|suggested,1|condition,1|focal,1|were,1|abnormality,1|useful,1|
MED-0967|hydrocephalus,2|for,1|two,1|are,1|of,1|hydrocephalic,1|reported,1|genetic,1|a,1|cases,1|
in,1|patients,1|was,1|newborns,1|is,1|families,1|basis,1|consecutive,2|each,1|both,1|the,1|with,
1/2,1/suggested,1/3,1/consanguinity,1/report,1/present,1/
MED-0968|but,1|hydrocephalus,2|persistently,1|findings,1|without,1|high,1|hypoplastic,1|suffered,
1|dwarfism,1|function,1|corticosteroid,1|yr,1|from,2|unusual,1|case,2|described,1|pituitary,1|
fanconi's,1|in,3|spleen,1|this,1|is,1|congenital,3|girl,1|apparent,1|itself,1|2,1|at,1|thyroid,3|
were,1|pbi,1|manifested,1|abnormality,1|who,1|treatment,1|other,1|changes,1|pancytopenia,1|
resistant,1|malformations,1|hypoplasia,2|and,4|of,3|together,1|a,3|anaemia,1|testosterone,1|was,
1|the,3|with,2|due,1|to,2|combined,1|serum,1|age,1|levels,1|
MED-0969|taggart,2|been,1|dilatation,1|dandy,2|ventricle,2|features,1|hypoplastic,1|syndrome,2|
substantiated,1|and,2|by,1|of,4|have,1|foramina,1|has,1|midline,1|case,1|all,1|a,3|pathological,
11in,2lold,114th,11structures,11posterior,11failed,11walker,21girl,11resulting,11the,21exit,11
clinical,1|3,1|month,1|correlation,1|6,1|severe,1|cerebellar,1|report,1|to,1|open,1|cystic,1|
distortion,1
MED-0970|hydrocephalus,3|contracted,1|data,1|had,1|during,1|histopathologically,1|years,1|these,
1|that,1|mothers,1|presented,1|from,1|based,1|given,1|period,1|manifestation,1|15,1|in,3|3rd,1|
inferences,1|pregnancy,1|personal,1|smallpox,1|it,1|whose,1|clinical,1|2,1|as,1|month,1|sparse,1|
were, 2|biological, 1|fetus, 1|involving, 1|infection, 1|be, 1|eeg, 1|aspects, 1|liquor, 1|fetal, 1|out, 1|
450,1|fatal,1|literature,1|found,1|are,2|and,4|of,5|by,1|examination,1|histopathological,1|
examined,1|1959,1|after,1|skull,1|demonstrated,1|gestation,1|variola,2|on,1|a,3|cases,3|
epidemiological,1|disease,1|occurred,1|could,1|caused,1|was,1|occurring,1|the,10|1962,1|due,1|to,
1|radiographical,1|
MED-0971|extent,1|but,1|small,1|very,1|hydrocephalus,4|intracranial,1|coexistent,1|ventricular,1|
lateral, 1 | evaluation, 1 | bypassing, 1 | amounts, 1 | presented, 1 | function, 1 | only, 1 | infants, 3 | method, 1 | in,
```

```
4|this,1|pathways,1|is,2|congenital,2|it,1|an,1|important,1|clinical,1|system,1|myelomeningocele,
3|permits,1|immediate,1|exact,1|demonstration,1|pantopaque,5|status,1|precipitate,1|study,1|
obstruction,1|for,1|cause,1|air,3|unmanifested,1|malformations,1|into,1|not,4|ventriculography,3|
are,1|and,7|provides,1|of,13|by,1|procedures,1|early,1|introduction,1|retention,1|a,2|disclosure,
1|detection,1|reaction,1|discussed,1|also,1|prognosis,1|produce,1|ventricles,1|the,15|with,3|
advantages,1|deterioration,1|management,1|csf,1|location,1|latter,1|combined,2|interfere,1|
complete,1|did,3|
MED-0972|quickly,1|postoperational,1|years,1|without,1|turns,1|children,1|malformation,1|yr,1|
restoration,1|flow,1|images,1|in,2|going,1|old,1|posterior,2|is,4|ray,1|being,1|unpublished,1|an,
1|pathogenesis,1|2,1|3,1|must,1|completely,1|authors,1|pathognomonic,1|be,2|dandy,2|association,
1|fossa,1|two,1|out,2|syndrome,3|by,3|after,1|characterized,1|a,5|more,2|magendie,1|malformative,
2|hydrocephaly,4|picture,2|the,22|anatomically,1|sequelae,1|recovered,1|dysgenetic,1|tumor,1|x,1|
report,1|obvious,1|cyst,1|to,2|operation,1|first,1|but,1|passage,1|subject,1|several,1|simple,1|
remains,1|had,1|second,1|that,1|rare,1|foramina,1|surgical,1|imperfection,1|results,1|extreme,1|
which,1|walker's,2|already,1|kind,2|this,2|diagnosis,1|ventriculographic,1|particular,1|less,2|
agenesis,1|respect,1|clinical,1|refers,1|obscure,1|cerebellar,1|unfavorable,1|curable,1|1945,1|
ease,1|back,1|luschka,1|life,1|can,1|not,1|considerable,1|interest,1|and,5|of,19|examination,1|
emphasize,1|carried,1|effectiveness,1|cases,2|or,2|nature,1|resection,1|etiology,1|with,2|
compensated,1|1962,1|vermis,1|timely,1|wall,1|
MED-0973|been,1|shunt,1|hydrocephalus,4|infant,2|without,1|excluded,1|state,1|if,1|period,1|
still,1|infants,1|14,1|in,6|made,1|19,1|active,1|is,2|1,1|4,1|even,2|5,1|among,1|7,2|
postmeningitic,2|treatment,1|weeks,1|be,1|frequently,1|eventually,1|air,1|matter,1|how,1|are,1|
emphasized,1|by,2|demonstrated,1|a,4|occurred,1|drugs,1|could,1|many,1|prognosis,1|the,10|
ventriculocaval, 1| sequelae, 1| recovered, 1| powerful, 1| bifida, 1| associated, 1| severe, 1| to, 1| complete,
1 lincidence, 2 lcomparable, 1 loperation, 2 lfirst, 1 lantibiotic, 1 lbefore, 1 ldeveloped, 1 leither, 1 llater,
1|post,1|spite,1|maternity,1|than,1|only,1|few,1|has,1|others,1|extreme,1|group,1|
contraindication,1|which,2|treated,1|this,1|degree,1|unit,1|survivors,1|were,1|higher,1|since,1|
who,1|no,2|recovery,1|died,1|life,2|not,1|and,3|spina,1|of,10|meningitic,1|studies,1|cystica,1|
introduction, 1 | cases, 2 | or, 1 | meningitis, 2 | was, 1 | newborn, 1 | any, 1 | with, 2 | gravity, 1 | referred, 1 |
MED-0974|harbouring,1|comparative,1|thick,3|filaria,1|from,2|diagnostic,1|drawn,1|per,2|11,1|a.m,
1 | Ivis, 2 | Ivein, 1 | 14, 1 | method, 4 | in, 3 | being, 1 | both, 2 | 2, 1 | 246, 1 | 4, 1 | 5, 1 | were, 1 | slide, 2 | higher, 1 | drop,
3|infection,3|compare,1|be,2|methods,3|against,1|values,1|students,2|found,2|same,1|rate,2|and,3|
of,3|by,2|finger,1|a,1|detection,1|was,3|concentration,3|positive,1|blood,1|p.m,1|efficacy,1|the,
5linfestation,1l2.5,1lto,4l
MED-0975 Ino, 1 | been, 2 | filariasis, 4 | for, 4 | association, 2 | bo, 2 | relation, 1 | out, 1 | these, 1 | 178, 1 | found,
1|and,6|find,1|have,1|has,1|factor,2|if,1|between,2|whatsoever,1|a,4|mn,2|in,1|studied,2|
patients,1|kell,2|its,1|groups,6|is,1|281,1|blood,6|any,1|the,1|secretor,2|rhesus,2|there,1|
503,11603,11to,21duffy,21
MED-0976|small,1|very,1|compact,1|use,1|numbers,1|larvae,2|polyethylene,3|newly,1|that,1|number,
1/extremely,1/than,1/infections,1/amami,1/easily,1/diagnostic,1/has,1/results,1/others,1/new,1/
efficiency,1|method,2|test,1|in,2|made,1|island,1|devised,1|bangkok,1|diagnosis,1|is,1|it,1|
sensitive,1|overlooking,1|tube,3|light,1|were,1|greatly,1|compare,1|other,1|infection,1|be,1|
methods,1|for,3|direct,1|show,1|technique,1|parasitic,1|can,1|related,1|are,1|and,6|of,9|by,1|
microscopical,1|examination,1|studies,1|reduces,1|disposed,1|after,1|over,1|a,2|detection,2|
filariform, 1 | cases, 1 | slight, 1 | more, 1 | hookworms, 1 | cheap, 1 | nematodes, 1 | the, 10 | advantages, 1 | culture,
3|tubes,1|risk,1|to,1|
MED-0977|worms,3|nocturnal,1|smaller,1|been,1|hr,4|during,1|degrees,1|observed,1|boas,1|
temperatures, 3|fluctuate, 1|above, 1|enter, 1|they, 3|eliminated, 1|using, 1|period, 2|biology, 1|in, 4|
lower,1|is,2|it,1|limiting,1|an,1|2,1|as,1|at,2|size,1|exposure,1|light,1|mexicanus,1|apparently,
2|aperiodic,1|following,1|obtained,1|indication,1|adult,1|20,1|oschei,4|larger,1|24,1|infection,
1|probably,1|capillaries,1|serves,1|experiments,1|constrictor,2|ambient,3|snakes,1|dead,1|cycle,
11varying,11are,31low,21have,21temperature,21after,11apart,11infected,11a,3136,11c,11density,31
within,2|decomposed,1|more,2|parasitemia,1|born,1|kill,1|m,3|blood,1|the,22|144,1|altogether,1|
species,1|severe,1|maximum,2|days,4|information,1|to,5|minimum,2|levels,1|but,1|die,1|habits,1|
48,2|before,1|macdonaldius,1|sharply,1|several,1|upon,1|that,6|either,1|prior,1|than,2|
sufficient,1|enlarge,1|host,4|infections,1|disappeared,1|from,5|vivo,1|day,2|those,2|all,2|new,1|
microfilariae,5|peripheral,1|occur,1|this,1|distorted,1|respect,1|effects,1|288,1|were,2|effect,
```

1|correlated,1|little,1|however,1|some,1|death,1|postulated,1|for,3|appears,1|point,1|times,1|

```
not,1|and,4|observations,1|of,11|factor,1|on,6|slight,1|or,1|recently,1|filarial,2|was,1|with,3|
suggested,1|parasite,1|although,1|circulation,1|variable,1|approx,1|
MED-0978|filariasis,1|used,1|during,1|preparation,1|circulating,1|enrichment,1|that,1|bancrofti,
1|filaria,1|from,1|preliminary,1|case,1|immunological,1|obtain,1|leucoconcentration,2|method,1|
in,3|steinberg's,1|this,1|diagnosis,1|it,1|antigens,1|an,1|neoplasic,1|daylight,1|demonstration,
2|obtained,1|study,1|be,2|applied,2|technique,2|out,1|can,1|routine,1|considerable,1|of,5|
microfilaraemia,1|make,1|on,1|carried,1|a,1|wuchereria,1|may,1|was,1|makes,1|possible,2|specific,
1|blood,1|performed,1|the,5|cells,1|material,1|due,1|report,1|to,3|
MED-0979|microfilariae,2|a,2|summers,1|method,1|harris,1|for,1|technique,1|concentration,2|
sanguicolous,2lis,1ltechniques,1land,1lof,2lmodified,1ldescribed,1l
MED-0980|explain,1|worms,2|tissue,1|when,1|nosophora,1|appeared,1|rabbit,1|sch,2|ii,2|eqqs,2|
resultant,1|similar,1|worm,2|large,2|natural,4|in,4|liver,2|made,1|is,2|an,1|susceptible,1|
dissimilar,1|altered,1|as,1|toward,1|3,1|4,1|atypical,2|served,1|intermediate,1|adult,1|partial,
1|infection,1|be,1|progressively,1|strains,2|schistosome,1|schistosoma,1|macaca,2|low,1|are,1|
cyclopis,2|by,2|irritants,1|compared,1|infected,2|more,1|could,1|discussed,1|i,2|the,22|
extensive,1|severe,1|mortality,1|responses,1|reactions,2|to,3|infect,1|through,2|but,1|snail,2|
monkey,1|controls,1|generations,1|fewer,1|used,1|that,2|japanese,9|than,2|only,1|host,1|from,2|
formosan,11lthose,1lstrain,14lnew,1lcomparison,2lpossessed,1lproduced,1lmonkeys,4lproposed,1l
laboratory, 3 were, 6 leffect, 1 loncomelania, 1 lpathology, 1 lsusceptibility, 1 lrising, 1 lyoung, 1 lnearly,
1|for,1|recovery,3|and,5|stronger,1|of,11|passed,1|possibility,1|highly,1|japonicum,3|
characteristics,1|or,1|degenerating,1|rates,4|considerably,1|was,3|alternative,1|groups,1|
recorded,2|granulomas,5|consecutive,1|equal,1|with,4|taiwanese,3|contained,1|snails,1|
conventional,1|passing,1|signifying,1|hypothesis,1|granulomatous,1|
MED-0981|kuestner,1|references,1|filariasis,1|subject,1|historical,1|bentonite,1|areas,1|
discussion,1|furnish,1|that,1|reliable,1|reviews,1|review,1|infections,1|supplementary,1|from,1|
animals,1|recent,1|order,1|period,1|test,3|in,2|author,1|made,1|past,1|diagnosis,3|is,1|includes,
1|list,1|flocculation,1|125,1|unreliability,1|techniques,1|lists,1|22,1|study,1|be,1|covering,1|
methods,3|for,1|skin,1|aspects,1|standardization,1|papers,2|can,1|general,1|bibliography,1|
arranged, 1|precipitin, 1|and, 4|of, 11|1916, 1|man, 1|prausnitz, 1|on, 1|haemagglutination, 1|a, 5|means,
1 Inotwithstanding, 1 I filarial, 1 I immunologic, 2 I opinion, 1 I the, 9 I cft, 1 I with, 2 I such, 1 I 1962, 1 I
application,1|various,1|requiring,1|to,3|further,1|he,1|chronological,1|
MED-0982|been,1|used,1|required,1|strips,1|that,2|sufficient,1|dale,2|antibodies,1|eosinophilic,
2|preliminary,1|between,1|microfilariae,1|in,3|patients,1|2000,1|particular,1|completed,1|an,1|
lung,2|1,2|tests,2|sera,1|were,1|schultz,2|present,1|concentrations,1|indicated,1|1000,1|
perceptible,1|cause,1|products,1|not,1|metabolite,1|are,1|patient,1|and,2|of,5|have,2|
contraction, 1 | indicate, 1 | relationship, 1 | a, 2 | reaction, 1 | disease, 1 | e, 1 | filarial, 1 | yet, 1 | consistent,
1|specific,1|l,1|any,1|the,1|with,1|intestinal,1|species,1|cessation,1|report,1|to,3|serum,1|
diethylcarbamazine,1
MED-0983|been,1|serologic,3|filariasis,3|criteria,1|evaluation,1|112,1|632,1|92,1|evaluated,1|
schistosomiasis, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 15, 1 | in, 5 | endemic, 1 | past, 1 | testing, 1 | diseases, 2 | acanthocheilonema, 1 | 10, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 | 13, 1 
an,3|1,4|symptomatic,2|2,1|sera,8|400,1|5,3|7,1|following,1|obtained,1|20,1|21,2|other,1|27,1|
utilizing,2|29,1|dirofilaria,1|parasitic,1|253,1|titres,1|hemagglutination,1|have,1|helminth,1|a,
10|35,1|reaction,1|may,1|asymptomatic,2|missionaries,1|born,1|positive,7|blood,2|141,1|the,10|
americans,1|trichinosis,1|showed,3|reactions,2|to,2|immitis,1|42,1|represent,1|saline,1|perstans,
1 | Ititre,2|bentonite,2|individuals,7|experience,1|high,1|infections,2|only,1|from,7|group,3|area,
1/microfilariae,5/indirect,2/test,4/patients,5/this,1/diagnosis,1/flocculation,4/200,1/tests,2/
extract,1|reactive,1|were,4|overall,1|62,1|helminthic,1|higher,3|since,1|67,1|ascariasis,2|for,4|
non,3|295,2|negative,3|bacterial,1|rate,2|and,9|of,16|haemagglutination,3|normal,3|or,3|was,3|
cross,1|specific,2|with,11|due,1|various,1|response,2|84,2|
MED-0984|republic,1|filariasis,1|focus,1|flavirostris,1|areas,1|mountain,2|transmission,1|
province,2|children,2|road,1|bancrofti,1|luzon,2|houses,1|yr,1|from,1|philippines,1|recent,1|
11,1|area,2|which,1|12,1|development,1|in,6|endemic,1|this,1|is,2|correlates,1|an,2|urbanization,
1|most,1|important,1|as,1|were,1|valley,1|microfilaremia,1|since,1|become,1|however,1|no,1|some,
1|infection,1|brought,1|culex,1|probably,2|non,1|local,1|into,1|1953,1|fatigans,1|found,2|
unsprayed,1|rate,1|and,3|of,4|came,1|vector,2|human,1|live,1|immigrants,1|infected,2|finlaya,1|a,
1 | move, 1 | original, 1 | may, 1 | will, 1 | anopheles, 1 | discussed, 1 | minimus, 1 | was, 3 | aedes, 1 | also, 1 | spraying,
1|increase,1|people,1|the,5|p,1|with,2|currently,1|w,1|calaccad,1|undoubtedly,1|migration,1|
parasites,1|niveus,1|under,1|age,1|coming,1|
```

```
MED-0985|extent,1|filariasis,2|extracted,1|carbohydrate,1|appeared,1|qlycine,1|chromatography,2|
protein,2|broad,1|band,1|immunological,1|15,1|in,2|isolation,1|antigen,6|an,2|at,1|gave,1|7.2,1|
antigenic,1|fact,1|activity,1|iii,1|skin,3|dirofilaria,1|enzymes,1|deae,1|gel,1|weak,1|proved,2|
min,1|lubricoides,1|purification,1|by,4|alanine,1|examined,1|a,7|within,1|hookworm,1|e,1|g,1|
noticed,1|column,1|cm,1|the,11|p,1|destroyed,1|s,1|hydrolyzate,1|2.5,1|reactions,2|qlutamic,1|to,
1|immitis,1|small,1|but,1|wheals,1|acid,1|that,1|high,1|arginine,1|0.05,1|aspartic,1|only,1|from,
1|buffer,1|50,1|westermani,1|all,1|purified,2|finally,1|patients,2|film,1|lysine,1|filtration,1|
tests,2|erythema,1|cellulose,1|were,3|relatively,1|cellogel,1|for,2|electrophoresis,2|
intradermal,2|homogenate,1|fscd1,1|proteolytic,1|acids,1|considerable,1|paper,1|and,7|of,8|
studies,1|on,3|japonicum,1|sephadex,2|amount,1|or,1|cases,1|nature,1|was,3|phosphate,1|cross,1|
vermicularis, 1 | voltage, 1 | with, 3 | 100, 1 | aminoacids, 1 | ph, 1 | detected, 1 | valine, 1 | further, 1 | injection,
MED-0986 other, 1 stains, 1 filariasis, 1 staining, 2 criteria, 1 for, 1 obtainable, 1 simple, 1 clearly,
1|characteristic,1|these,1|identification,1|outlined,1|previously,1|are,2|and,1|of,4|procedures,
1|than,1|morphologic,2|details,1|demonstrated,1|human,3|greater,1|key,1|on,2|described,1|
microfilariae,3|new,1|a,1|based,1|characteristics,1|is,1|basis,1|each,1|apparent,1|the,3|with,2|
illustrated,1|clarity,1|species,2|to,1|
MED-0987|worms,1|parent,1|been,1|filariasis,6|tested,3|carbohydrate,1|these,2|reliable,1|
chromatography, 3 | protein, 4 | per, 1 | immunological, 1 | order, 1 | similar, 1 | in, 7 | containing, 1 | active, 1 | is,
1|antigen,13|it,2|whose,1|each,2|1,6|as,1|2,3|3,2|at,2|4,6|5,1|6,3|fsc,7|obtained,3|sensitivity,
1|adult,1|fsi,2|1,500,1|treatment,1|study,1|components,1|be,2|iii,1|skin,4|dirofilaria,1|deae,1|
gel,1|out,1|into,1|proved,1|purification,2|by,6|yield,1|reported,1|specificity,1|have,1|
demonstrated, 1 | elimination, 1 | proteinic, 1 | a, 2 | infected, 1 | reaction, 5 | may, 1 | could, 1 | more, 1 | q, 1 |
column,2|cm,1|noticeable,3|blood,1|fraction,1|the,19|component,2|viz.fscd,1|report,1|reactions,2|
to,6|40,1|immitis,1|but,1|had,1|used,1|that,4|fscdp,1|high,1|fscdn,1|0.05,1|bancrofti,1|than,1|
inferred,1|from,3|described,1|ml,1|obtain,2|which,1|microfilariae,1|level,2|patients,6|this,2|
antigens,5|produced,5|most,2|filtration,1|reactive,1|cellulose,1|were,2|a50,1|next,1|for,3|fs,2|
intradermal,1|proteolytic,1|tca,1|and,10|of,10|responsible,2|studies,2|fscd,6|on,4|highly,1|
carried,1|enzyme,1|pronase,1|fractionation,3|sephadex,2|wuchereria,1|nagase,1|previous,1|
substance, 21 was, 91 weaker, 11 separated, 11 with, 31100, 11 material, 11 viz.fsc, 11 further, 21 attempted, 21
fractions, 1 linjection, 1
MED-0988|44,1|2,450,1|inapparent,1|reports,1|filariasis,1|criteria,1|had,2|improved,1|reliable,1|
number,1|identification,1|235,1|infections,3|dogs,5|only,3|modified,1|differentiating,1|
morphologic,1|from,1|50,2|different,1|per,2|female,1|ml,2|microfilariae,3|new,1|peripheral,1|
similar,1|method,1|in,2|17,1|microfilarial,3|count,1|comparing,1|its,1|personal,1|published,1|
analysis,1|experiences,1|an,2|most,1|were,1|determined,1|male,1|usefulness,1|average,2|be,1|
concentrations,3|importance,1|methods,1|dipetalonema,1|diagnosing,1|for,4|dirofilaria,1|range,3|
naturally,1|found,2|emphasized,1|and,3|of,12|by,2|reconditum,3|compared,1|simplest,1|a,1|
infected, 3|practical, 1|24,430,1|d,3|38,1|within,1|was,3|canine,2|blood,2|identifications,1|the,7|
significance,1|with,5|100,1|due,1|species,1|168,350,1|to,4|knott,1|immitis,2|
MED-0989|colorectum,1|been,2|advanced,1|criteria,1|digestive,1|chemotherapy,5|objective,1|these,
2|number,1|hepatic,2|10,1|using,1|incurable,2|large,1|in,7|liver,1|is,2|artery,1|it,1|benefit,1|
secondary,1|system,1|selection,1|protracted,1|fluorinated,1|primary,2|systemic,3|treatment,1|be,
2|methods,1|concluded,1|anticancer,1|anti,1|receiving,1|found,1|are,2|pyrimidines,1|30,1|a,1|may,
1|drugs,1|gastro,1|the,13|tumor,2|associated,1|to,3|resulted,1|agent,1|alkylating,1|cytoxan,1|
drug,1|employed,1|that,1|outlined,1|infusion,1|biliary,1|reviewed,1|from,2|has,4|selected,1|
contributed,1|treated,1|antifol,1|patients,7|survival,1|significant,1|prolonged,1|
gastrointestinal,1|candidates,1|clinical,1|60,1|neoplasms,1|tract,2|death,1|united,1|regional,2|
for,3|cause,1|methotrexate,1|commonest,1|neoplastic,1|states,1|and,6|of,15|value,1|disease,1|or,
1|practical,2|cases,1|metastatic,2|therapy,1|length,1|specific,1|intestinal,1|with,4|tumors,2|
management, 11 response, 11 cancer, 61 forms, 11
MED-0990|treatment,2|osseous,1|palliative,2|fifty,1|suffering,1|three,1|radio,1|metastases,2|
outlined, 1 | are, 1 | and, 4 | of, 5 | reported, 1 | from, 3 | results, 1 | phosphorus, 1 | a, 1 | pain, 1 | testosterone, 1 |
method, 1| arising, 1| in, 1| discussed, 1| patients, 1| active, 1| is, 1| the, 4| with, 1| carcinoma, 3| bony, 1|
prostate,21breast,21
MED-0991|arterial,1|chemotherapy,1|superficial,1|decided,1|infusions,1|injected,1|mg,1|
preliminary,1|day,1|results,1|temporal,1|deaths,1|54,1|area,1|11,1|in,3|patients,2|violet,1|19,1|
```

artery,1|prolonged,1|1,1|3,2|thyroid,1|4,1|were,1|7,1|8,1|irrigated,1|be,1|patent,1|regional,1|

28,1|for,1|methotrexate,1|head,1|into,1|total,1|min,1|and,1|by,3|of,2|every,1|relieved,1|on,1| pain, 1|or, 1|perfusion, 2|failures, 1|was, 3|regressions, 1|neck, 1|the, 3|20drops, 1|100, 1|tumors, 1| superior,1|blue,1|days,1|to,1|inoperable,1|improvements,1| MED-0992|exception,1|been,2|advanced,1|threatening,1|arteries,1|ambulatory,1|during,1|via,1| therapeutic, 1 | review, 1 | english, 1 | easily, 1 | emphasizing, 1 | because, 1 | usually, 1 | embolic, 1 | inevitable, oncolytic,1|partial,1|primary,1|organ,1|treatment,1|accessible,1|internal,1|be,5|increased,1| frequently,1|dosages,1|5fudr,1|anti,1|prematurely,1|literature,1|are,1|by,1|have,2|course,1| complications,3|may,1|cns,1|continued,1|many,2|neck,2|agents,2|the,12|such,1|palliation,1| carotids,1|tumor,2|pelvic,1|summarizes,1|to,3|complete,1|phenomena,1|hemorrhage,1|small,1|but,2| toxicity,1|medical,1|concerned,1|minor,1|almost,1|arterial,4|do,1|malignant,1|degeneration,1| drug,1|that,1|infusion,6|femoral,1|serious,1|from,3|recurrent,1|day,1|results,1|carotid,1|aroup, 1|mth,1|treated,1|given,1|intra,4|occur,1|patients,4|this,3|significant,1|most,2|external,1| involved,1|techniques,1|neoplasms,1|present,1|brachial,1|however,1|largest,1|technical,1|for,2| technique,1|best,1|appears,1|units,1|papers,1|life,1|head,2|effective,1|can,3|not,1|common,1| interest,1|and,6|patient,1|of,12|or,1|therapy,4|mobile,1|infused,1|bone,1|approaches,1|any,1| pumping,1|with,5|tumors,2|form,2|currently,1|regression,1|chemotherapeutic,2|permit,1|cancer,3| aplastic,1 MED-0993 lindications, 1 been, 1 | 48, 1 | references, 1 | arterial, 2 | chemotherapy, 1 | objective, 1 | infusion, 1 | review,1|presented,1|continuous,1|mg,1|described,1|which,1|amygdaloid,1|using,1|intra,2|in,2| patients,1|this,1|its,1|rhinopharynx,1|prolonged,1|operative,1|article,1|selection,1|principles, 1|dealt,1|reticulosarcoma,1|partial,1|treatment,1|woman,1|27,1|technique,1|methotrexate,1|fossa, aged,1|infused,1|1050,1|the,3|with,5|1600,1|carcinoma,1|chemotherapeutic,1|remission,1|cancer,2| complete,1 MED-0994|chemotherapy,5|observed,3|via,2|objective,1|introduced,1|lesser,1|poor,1|hepatic,4|10,3| 12,3|period,2|liver,3|in,12|17,1|past,1|received,2|is,1|artery,4|survived,1|an,2|remaining,1|1,2| 2,2|as,1|3,4|route,3|selection,1|5,1|6,1|7,2|9,1|3.7,1|treatment,2|average,1|alive,1|differences, drugs,1|discussed,1|one,1|lasted,1|agents,1|intrahepatic,1|the,26|celiac,1|palliation,1|severe,1| 6.1,1|to,4|shrinkage,1|screening,1|administration,1|remains,1|had,1|arterial,2|axis,1| irradiation,1|leukopenia,1|infusion,1|major,1|from,2|directly,1|results,1|those,2|mth,4|all,1| treated,4|intra,5|level,1|need,1|patients,10|survival,2|this,1|degree,1|significant,2|both,1| candidates,1|immediate,3|were,5|failure,1|who,3|no,1|mths,1|complication,1|critical,1|for,4| proper,1|died,3|metastases,1|and,4|of,8|reserve,1|averaged,1|aortic,2|subjective,1|or,1| metastatic,2|was,3|groups,1|noted,1|with,2|chemotherapeutic,1|cancer,6|aorta,2|time,1| MED-0995|contraindicated,1|been,1|advanced,1|fifty,1|areas,1|type,1|chemotherapy,5|objective,1| evaluation, $1 \mid \text{ten}, 2 \mid \text{per}, 1 \mid 12, 1 \mid \text{in}, 6 \mid \text{is}, 2 \mid \text{it}, 1 \mid \text{benefit}, 1 \mid \text{adenocarcinomas}, 1 \mid 1, 1 \mid 365, 1 \mid \text{at}, 2 \mid 6, 1 \mid$ obtained,3|much,1|primary,1|treatment,1|study,2|hundred,1|other,1|be,2|28,1|concluded,1|methods, 1|least,1|two,1|poorest,1|receiving,1|are,3|by,2|have,3|whom,1|course,1|periods,1|complications, 2|may,1|discussed,1|more,2|one,1|analyzed,1|neck,1|brain,1|the,7|palliation,2|carcinoma,1|to,1| administration,1|cent,1|available,1|had,1|arterial,3|used,1|experience,2|individuals,1|frequency, satisfactory,1|results,3|group,1|all,1|treated,2|courses,1|57,1|months,2|intra,3|patients,5|this, 3|its,1|failed,1|were,1|abdominal,1|present,1|veterans,1|needed,1|for,3|technique,1|best,1|head, 1linterest,1land,10lof,14lor,2ltherapy,2lwas,1lgroups,1lspecial,1lwith,3ltumors,1lsuggested,1l conventional, 1 | form, 1 | response, 1 | various, 1 | epidermoid, 1 | investigation, 1 | cancer, 5 | further, 1 | worthwhile,1 MED-0996/been,1/sarcoma,1/palliative,1/use,1/used,1/experience,2/irradiation,1/objective,1/has,1/ adjunct,1|group,1|marked,1|encouraging,1|in,6|3rd,1|patients,3|melanoma,1|is,2|an,1|masses,1|as, 1|symptomatic,1|2,1|3,1|6,1|toxins,2|following,1|radiotherapy,2|8,1|curable,1|potentially,1| treatment,2|priming,1|study,1|indicated,1|for,3|localized,1|not,1|bacterial,2|toxin,3|and,2|of,5| by,2|reported,1|subsequent,1|injections,1|metastatic,1|supplemented,1|initial,1|therapy,2|was,1| groups,2|the,5|with,2|tumor,3|there,1|remission,1|cancer,1|to,2|further,1|operation,1|first,1| MED-0997|45,1|questionable,1|palliative,4|48,1|year,2|before,1|henschke,1|ottenheimer,1|271,2| malignant,1|irradiation,7|without,1|these,1|than,1|surgical,1|because,3|results,3|dukes,1|11,2|

given,1|14,1|in,3|made,1|anus,1|patients,7|survival,2|is,1|received,5|it,1|al,1|an,1|apparent,2|et,1|most,1|recurrence,1|anal,2|kilovoltage,2|5,2|6,1|radiotherapy,1|9,1|survey,1|20,1|higher,1|

```
treatment,3|stearns,1|deep,2|25,1|methods,1|according,4|rectal,2|literature,1|metastases,2|total,
2|21.3,1|are,1|rate,1|and,8|of,11|by,1|after,5|gives,1|on,1|a,2|cases,4|c,1|19.9,1|radical,3|
therapy, 2 | ultrahigh, 2 | 39,1 | guleke, 1 | rates, 1 | was, 2 | reifferscheid, 1 | performed, 1 | 262,1 | the,5 | better,
1|1,200,1|with,3|tumors,1|altogether,1|r,1|site,1|praeter,1|conventional,2|stage,1|carcinoma,1|
radiation, 1|showed, 1|to, 4|1,600, 1|surgery, 7|
MED-0998|medical,1|constant,1|disabling,1|advanced,2|administration,1|while,1|these,2|measures,2|
continuous,1|reviewed,1|from,1|usually,1|nonspecific,1|limitations,1|incurable,1|in,1|patients,2|
substantial,1|both,1|symptoms,2|selection,1|techniques,1|standpoint,1|compounds,1|sustain,1|
supportive,2Imental,1Ianticancer,1Igeneral,1Iare,1Iand,7Ipatient,1Iof,10Iby,1Irelief,1Imorale,1I
physical,1|value,2|receive,1|practical,1|may,2|limited,1|drugs,1|therapy,2|relieve,1|specific,1|
agents,1|the,5|with,2|patient's,1|application,1|management,2|various,2|chemotherapeutic,1|cancer,
5lto,1lcertain,1lforms,1l
MED-0999|extent,1|mostly,1|fifty,1|considered,1|during,2|hope,1|when,2|evaluation,1|these,1|
pyelonephritis,1|character,1|yr,1|urinary,1|10,1|11,1|cystectomy,1|12,1|period,2|in,12|carefully,
1|july,1|is,3|it,1|an,2|symptoms,1|exist,1|1,3|persons,1|as,3|2,4|at,1|3,1|4,3|8,1|
uncontrollable,1|detail,1|poorly,1|treatment,1|average,2|23,1|other,1|tolerated,1|alive,1|
indicated,1|city,1|concluded,1|intractable,1|respectively,1|conduit,5|thrombophlebitis,1|eight,1|
out,1|result,1|conjunction,1|known,1|are,4|have,1|whom,1|term,1|older,1|after,3|twenty,1|
established,2|a,3|organs,1|complications,1|discussed,1|39,1|one,1|2nd,1|procedure,6|performed,1|
the,23|removed,1|stage,3|carcinoma,2|tumor,1|severe,1|pelvic,1|to,1|under,1|6.5,1|operation,1|
but,1|nine,1|medical,1|palliative,3|lesions,1|fistulas,1|that,1|infections,1|only,3|surgical,1|
details,1|recurrent,1|selected,1|described,1|mth,4|including,1|patients,10|surviving,3|survival,
2|ending,1|were,2|ileal,4|1.5,1|lesion,1|uremia,1|died,5|wound,1|alone,1|total,1|operations,1|
common, 1|and, 7|patient, 1|of, 14|lived, 1|postoperative, 1|carried, 1|79, 1|cases, 1|center, 1|was, 8|
control,1|enteric,1|with,1|1963,1|bladder,1|107,2|stages,1|time,1|4.5,1|8.5,1|
MED-1000|but,1|45,1|advanced,2|lesions,2|had,1|arterial,3|used,1|during,1|chemotherapy,2|
malignant,3|three,1|infusions,1|suggests,1|that,1|infusion,1|continuous,3|than,1|from,1|greater,
2|those,1|all,1|given,1|intra,3|in,5|16,1|patients,6|lower,1|this,1|is,1|less,1|remaining,1|dose,
2|4,1|were,1|beneficial,1|7,1|cancers,1|region,1|partial,1|thirty,1|treatment,3|no,2|other,1|
tolerated,1|role,1|for,1|methotrexate,4|died,1|immediately,1|local,1|eight,1|head,3|total,2|
varying,1|and,4|by,1|of,16|periods,1|after,1|30,1|limb,1|organs,1|disease,2|or,1|chance,1|
discussed,1|was,2|benefited,1|neck,3|the,16|with,6|management,1|regression,2|tumor,2|response,3|
mean, 1|epidermoid, 1|there, 1|showed, 1|pelvic, 1|cancer, 2|time, 1|complete, 1|significantly, 1|
MED-1001|illustrating,1|radioactive,1|advanced,1|year,1|during,1|type,1|entire,1|approach,1|when,
3|chemotherapy,1|oncology,1|modest,1|consist,1|therapeutic,1|histology,1|yr,1|because,1|3,500,1|
ii,1|in,5|active,1|is,3|received,1|it,4|iv,2|an,1|facilitating,1|apparent,1|2,3|as,2|dose,1|3,1|
at,1|field,1|chemical,1|must,1|diagnosed,1|recurrences,1|treatment,1|systemic,1|be,3|indicated,2|
instillation,1|ovarian,3|methods,1|iii,2|range,1|eventually,1|immediately,1|anticancer,2|seen,1|
anti,1|moment,1|seem,1|into,2|are,3|by,1|subsequent,1|aggressive,1|after,1|a,3|initial,1|within,
1|drugs,4|more,2|one,1|i,1|possible,1|produce,1|agents,1|the,16|controlled,2|stage,3|trials,2|
carcinoma,3|tumor,2|series,2|to,6|40,1|operation,1|first,1|medical,1|almost,1|use,2|available,1|
while,1|irradiation,2|employed,1|that,2|protocol,1|earlier,1|infusion,1|adjuvant,1|presented,1|
find,1|continue,1|should,1|from,1|results,1|regardless,1|selected,1|combination,1|all,2|recurs,1|
which,1|demonstrates,1|might,3|patients,5|survival,1|finally,1|this,1|diagnosis,3|sequentially,1|
includes,1|cavity,1|employing,1|graph,1|formal,1|most,1|important,1|efforts,1|abdominal,2|who,1|
since,1|supportive,1|no,1|purpose,1|figures,1|abdomen,1|for,6|show,1|their,1|died,2|rads,1|life,
1|effective,1|not,1|expanded,1|alone,1|patient,2|and,3|of,22|standardized,1|75,1|early,1|
directed,1|disease,4|or,6|therapy,3|was,1|judicious,1|increase,1|followed,1|with,3|although,1|
currently,1|approximately,2|management,2|service,1|there,1|stages,1|well,1|attention,1|
investigation, 1 laorta, 1 l referred, 1 l
MED-1002|medical,1|half,1|that,1|either,1|high,1|review,1|lesser,1|reviewed,1|yr,1|from,5|
results,1|if,3|they,1|embolic,4|justifiable,2|underwent,1|lobectomy,1|liver,6|in,2|patients,1|is,
3|classified,1|often,1|it,2|an,1|operative,1|recurrence,1|ever,1|as,1|lobe,2|left,2|5,1|cancers,
1|curable,1|rectum,4|simultaneously,1|rarely,1|lesion,1|who,1|primary,3|favorably,1|internal,1|
be,2|anatomy,1|relates,1|cures,1|for,6|appears,1|two,1|situated,1|metastases,3|literature,1|can,
1|found,1|operations,1|freedom,1|resections,3|are,5|terminology,1|metastasis,2|rate,1|
metastasectomy,1|and,8|hemihepatectomy,1|patient,1|of,13|seldom,1|by,1|reported,1|occasionally,1|
periods,1|so,1|carried,1|a,1|technic,1|cases,1|or,3|more,1|analyzed,1|right,1|resection,2|
```

```
performed,2|followed,1|the,17|such,1|with,1|extensive,1|colon,4|mortality,1|removal,1|cancer,3|
to,2|complete,1|operation,1|
MED-1003|agent,2|half,2|palliative,2|upper,2|alkylating,2|experience,1|body,2|while,1|
nonresectable,2|awareness,1|five,1|potential,1|method,1|patients,2|temporarily,1|lower,1|is,1|an,
1|lung,2|selection,1|safe,1|chlorimine,1|hemibody,1|acting,2|treatment,2|providing,1|be,1|for,2|
proper,1|appears,1|effective,1|and,2|of,7|by,2|a,2|means,1|occluding,1|perfusion,1|cases,1|
complications,1|discussed,1|administering,1|procedure,1|the,7|with,3|circulation,1|short,2|
cancer,21to,31
MED-1004|manifestations,1|year,1|surgeon,1|digestive,1|collected,1|juvantibus,1|hope,1|years,1|
without,1|polyethylene,1|evaluation,1|gradually,1|four,1|diagnostic,3|case,3|safely,1|vit,1|
discussing,1|successfully,1|briefly,1|in,8|abnormalities,1|old,1|reduced,1|personal,2|is,1|
associations,1|average,1|other,2|statistical,1|obstruction,1|weeks,1|be,2|emphasizes,1|direct,1|
operated,2|out,1|result,1|literature,1|found,1|believes,1|icterus,1|by,3|term,1|anastomosis,1|
relieved,1|latest,1|metabolic,1|a,5|may,1|complications,1|could,1|one,1|k,1|duodenostomy,1|
performed,2|the,34|ladd's,1|nasal,1|help,1|recovered,1|removed,1|increasing,1|to,4|serum,1|bilio,
1|first,1|publications,1|surgery,1|proposing,1|data,1|extrahepatic,2|administration,1|own,1|
solved,1|had,1|developed,1|him,1|points,1|genesis,1|that,1|later,1|his,1|reviews,1|biliary,2|
theoretically,1|correctable,3|surgical,2|from,1|957,1|up,2|which,3|advantageous,1|all,2|
exploration,2|ductus,1|stresses,1|need,1|dehiscence,1|author,5|occur,1|its,1|supposes,1|history,
1|girl,2|alluding,1|most,1|she,1|tube,1|ex,1|hepatico,1|were,1|absolutely,1|anatomical,1|50.8,1|
problems,1|atresia,2|week,1|differentiation,1|according,1|changes,1|for,1|hepaticus,1|cause,1|
differential, 2|fatal, 1|177, 1|can, 1|wound, 1|signs, 1|operations, 1|passes, 1|and, 9|of, 17|lies, 1|end,
1|value,1|early,2|successful,3|on,2|postoperative,1|cases,7|19.8,1|was,1|also,1|with,2|1961,1|
ones,1|until,1|drainage,1|time,1|he,5|age,1|normally,1|
MED-1005|reaches,1|guinea,1|pigs,1|that,3|gradually,1|shown,1|50,1|day,1|results,1|inability,1|
in,1|level,1|3rd,1|liver,1|made,1|birth,2|its,1|is,4|an,2|decrease,1|at,1|highest,1|excrete,1|
bilirubin,1|demonstrate,1|support,1|no,1|be,1|activity,2|simplex,1|neonatal,1|life,1|increases,1|
can,1|adaptive,1|icterus,1|and,1|of,4|by,1|studies,1|after,1|on,1|enzyme,1|a,1|gradual,1|
glucuronyltransferase,2|hereafter,1|caused,1|suggestion,1|jaundice,1|newborn,1|the,6|there,1|to,
1|hypothesis,1|neonatorum,1|
MED-1006|explain,1|experimental,1|during,1|conjugation,2|these,4|newly,1|therapeutic,1|conjugate,
2|mothers,1|erythroblastosis,1|between,1|steroid,4|inability,1|aggravating,1|period,1|infants,1|
in,5|liver,2|placental,1|is,2|an,1|pathogenesis,2|as,1|at,1|excretion,1|concepts,1|
interpretation,1|qlucuronic,1|bilirubin,5|must,1|qlucuronyl,1|relative,1|become,1|functional,1|
be,1|hormones,4|probably,1|neonatal,5|facts,1|capacity,1|increases,1|naturally,1|same,1|
conjunction,1|icterus,1|does,1|have,1|after,1|a,1|implications,1|necessary,1|may,1|inhibit,1|
possible,1|the,24|estriol,1|pregnanediol,2|insufficiency,1|hyperbilirubinemia,2|report,1|to,6|
compete,1|date,1|cortisone,1|11th,1|administration,2|findings,1|nursing,1|developed,1|acid,1|
that,1|high,2|later,1|sufficient,1|only,1|day,1|results,1|mechanisms,1|substrate,1|which,2|
development,1|level,1|author,1|both,1|clinical,1|leads,1|importance,3|progesterone,1|for,3|show,
enzyme,2!amount,1|or,1|will,1|newborns,1|jaundice,3|newborn,1|7th,1|enough,1|transferase,1|
occurring,1|with,3|furthermore,1|due,1|steroids,4|
MED-1007/very,1/lesions,1/led,1/that,1/high,1/obstructive,3/surgically,1/later,1/stressed,1/
percentage,1|correctable,1|if,1|mth,1|treated,1|57,1|in,2|liver,1|patients,1|hazardous,1|
diagnosis,1|is,2|analysis,1|3,1|even,1|determined,1|among,1|bilirubin,1|problems,1|study,1|
conservative,1|be,1|critical,1|neonatal,3|proper,1|conclusion,1|can,1|fall,1|low,1|are,1|and,3|
of,7|by,1|a,3|cases,2|jaundice,3|hepatitis,1|recommended,1|the,4|noted,1|with,2|management,1|
serial,1|seriousness,1|biopsy,1|mortality,1|until,1|to,1|operation,1|age,1|
MED-1008|markedly,1|called,1|tissue,1|type,8|sgot,2|observed,3|giant,4|hepatic,1|scanty,1|they,1|
similar,1|infants,3|liver,12|in,21|made,1|infancy,2|it,1|classification,1|bile,5|each,1|
infiltration,2|1,3|multinuclear,1|2,3|cords,1|3,5|granules,1|cellular,2|bilirubin,1|viral,1|
presenting,1|study,4|other,1|activity,1|ducts,3|inflammatory,2|range,1|formation,2|cell,3|
characteristic,4|unknown,1|into,1|cholangiolitis,1|found,2|poisoning,1|low,1|by,2|so,1|lobules,2|
proliferation,1|e,1|within,1|could,1|histologically,1|i,2|replaced,1|consistent,1|hepatitis,8|
many,1|sgpt,1|picture,1|the,11|stasis,5|glisson's,2|necrosis,3|to,2|serum,1|findings,3|had,1|
while,1|degeneration,2|points,1|drug,1|that,1|high,1|japanese,1|obstructive,1|differentiate,1|
```

```
fine,1|biliary,4|morphologically,1|than,1|conspicuous,1|extreme,1|which,2|marked,1|
cholangiolitic,1|divisible,1|capillary,1|clinical,4|craing,1|laboratory,1|acidophilic,1|were,12|
relatively,1|clinically,1|distortion,1|no,2|capsule,2|values,1|changes,4|cause,1|general,1|not,1|
and,15lof,17lobservations,1|studies,2|histological,6|on,1|normal,1|types,2|characteristics,1|
balloon,1|slight,3|was,9|jaundice,1|specific,2|noted,1|with,2|cells,8|landing,1|due,1|activities,
1|there,1|biopsy,1|plugs,1|
MED-1009|glands,1|langerhans,1|regeneration,1|areas,3|tissue,2|infant,1|type,1|ascites,1|
histology,1|stimuli,1|pancreas,1|revealed,1|malformation,1|giant,6|basophile,1|hepatic,1|because,
1|portal,1|case,1|macronodular,1|margin,1|still,1|antibody,1|large,1|predominance,1|in,10|liver,
4|spleen,1|old,1|pigment,3|infancy,1|is,5|it,2|an,1|vacuolar,1|1,2|pathogenesis,1|as,4|2,1|size,
1|left,1|granules,1|intermediate,1|widened,1|infiltrations,1|viral,1|splenomegaly,1|male,1|
cardiac,1|nuclei,2|infection,1|prominent,1|be,1|degenerated,1|dilatation,1|irregular,1|cell,5|
scattered,1|unknown,1|salivary,1|found,2|variety,1|islets,1|pulpa,1|a,6|lobules,1|proliferation,
1|may,1|connective,2|hepatitis,4|transformation,1|immunologic,1|the,19|stage,1|showed,3|to,4|
45,1|bizarre,1|presumably,1|circulatory,1|sometimes,1|inborn,1|kupffer,1|hyperplastic,1|
ventricular,1|that,1|variant,1|from,1|erythropoiesis,2|has,1|which,1|admitted,1|this,1|varied,1|
its,1|heart,1|deposits,1|month,1|failure,1|were,4|60,1|metabolism,1|present,1|autopsy,1|errors,1|
acute,1|some,2|histiocytic,1|pathology,1|borders,1|changes,1|for,1|their,2|ft,1|cytoplasm,1|
interest, 1|and, 9|of, 18|hospital, 1|immature, 1|early, 1|cirrhosis, 1|foci, 1|normal, 1|or, 2|was, 3|
hydrothorax,1|also,2|etiology,1|with,3|suggested,1|cells,5|due,1|response,2|there,1|well,2|iron,
3|degenerative,1|
MED-1010|been,1|edema,1|differentiated,1|circulatory,1|upper,1|required,1|obstructive,1|problem,
2|biliary,1|protein,1|fat,1|should,1|up,1|results,2|extremity,1|order,1|obtain,1|period,1|14,1|
infantile,1|in,3|this,3|difficult,1|is,3|congenital,1|diarrhea,1|an,1|at,1|yamazaki's,1|
metabolism,1|electrolyte,1|atresia,1|disturbance,1|study,1|be,1|anorexia,1|long,1|not,1|found,1|
are,1|and,2|of,4|reported,1|have,1|term,1|after,1|suruga,1|early,1|postoperative,2|a,2|cases,1|
or,1|disease,1|continued,1|jaundice,1|procedure,1|technically,1|follow,1|duct,1|the,4|better,1|
due,11to,21operation,21surgery,11
MED-1011|been,1|caucasian,1|inhibitory,1|unidentified,1|developed,1|occurs,1|observed,1|these,2|
familial,2|that,3|suggests,1|mothers,2|inhibitor,2|four,1|than,1|from,2|has,1|described,1|10,1|
group,1|pregnant,1|steroid,1|progestational,1|infants,4|rat,1|in,6|liver,2|pregnancy,2|is,3|it,1|
trimester,1|sera,2|4,1|transient,2|glucuronide,1|8,2|bilirubin,1|unconjugated,1|glucuronyl,1|
women,3|requires,1|slices,1|24,1|study,1|fact,1|increased,1|beginning,1|activity,2|probably,1|
neonatal, 2 | direct, 1 | for, 1 | their, 2 | reacting, 1 | respectively, 1 | formation, 1 | neonates, 1 | unknown, 1 | not,
1 ltimes, 1 known, 1 syndrome, 1 homogenates, 1 land, 5 lof, 6 causes, 1 lby, 1 responsible, 1 linhibited, 1 l
inhibits,1|factor,2|mechanism,1|a,3|more,1|aminophenol,1|2nd,1|was,1|control,1|newborn,1|
transferase,1|o,1|the,8|with,1|kernicterus,1|due,1|unrelated,1|healthy,1|hyperbilirubinemia,2|to,
2|further,1|serum,3|
MED-1012|atresia,2|extrahepatic,1|neonatal,3|for,1|babies,2|virus,2|and,2|biliary,2|of,2|from,1|
presence,1|results,1|all,1|disease,1|infants,1|in,3|liver,2|studied,1|specimens,1|positive,1|
hepatitis,4|yielded,1|the,2|with,4|1,1|3,3|were,1|culture,1|biopsy,1|
MED-1013|histologic,3|but,2|resulted,1|numerous,1|almost,1|examinations,1|findings,2|type,11|
good,1|without,1|relation,1|features,1|that,3|poor,1|than,1|only,1|revealed,2|disappeared,1|
giant,3|hepatic,3|yr,1|greater,1|results,1|investigated,1|ii,4|infants,1|liver,2|in,11|made,1|
diagnosis,1lits,1|classified,1|transaminase,1|1,1|clinical,3|as,1|healed,1|3,1|cholestasis,2|
laboratory,1|were,2|bilirubin,1|completely,1|22,1|no,2|damage,2|some,1|prominent,1|be,2|
inflammatory, 1 | neonatal, 3 | direct, 1 | occurrence, 1 | increases, 1 | into, 1 | centrolobular, 1 | and, 7 | of, 5 |
examination,1|by,3|course,1|said,1|cirrhosis,1|on,1|characterized,2|a,2|types,1|slight,1|
reaction,1|cases,1|may,1|within,1|was,6|i,4|transaminases,1|hepatitis,3|specific,3|increase,1|
prognosis,1|the,7|with,2|sequelae,1|provisionally,1|cells,4|serial,1|undetermined,1|showed,1|
there,2|hyperbilirubinemia,1|biopsy,3|to,4|needle,1|intracellular,1|serum,2|
MED-1014|other,1|probably,1|existence,1|had,2|proven,1|homozygous,1|these,1|twins,1|obstructive,
1|xerophthalmia,1|low,1|syndrome,1|and,3|biliary,1|of,2|by,1|from,1|avitaminosis,1|hemolytic,1|
early,1|deglobulisation,1|on,2|hand,1|crises,1|a,4|crythrocyte,1|crisis,1|complicating,1|liver,1|
caused, 1 lone, 1 lcount, 1 lbirth, 1 lowing, 1 ljaundice, 1 lanemia, 1 lthe, 3 lwith, 1 l2, 1 lseries, 1 lbiopsy, 1 lto,
```

MED-1015|possibilities,1|siblings,1|been,1|called,1|findings,2|inborn,1|several,1|boys,2|girls,1|excluded,1|familial,1|that,1|obstructive,2|four,1|only,1|giant,3|from,2|has,1|chronic,1|day,1|

1|spherocytic,1|male,1|

```
described, 2|all, 1|which, 1|pathological, 1|in, 4|patients, 1|varied, 1|birth, 1|is, 2|it, 1|an, 1|1, 1|2, 1|
as,2|4,3|were,2|must,1|metabolism,1|other,2|weeks,1|be,3|concluded,1|neonatal,3|for,1|appears,1|
cell, 3|error, 1|two, 1|not, 1|same, 2|are, 2|and, 1|of, 6|causes, 2|whom, 1|after, 1|so, 1|hitherto, 1|a, 1|
morphological,1|or,1|cases,1|could,1|one,2|jaundice,3|possible,1|hepatitis,5|onset,1|picture,1|
the,8|with,1|what,1|although,1|healthy,1|there,1|to,2|family,1|
MED-1016|slightly,1|very,1|numerous,1|considered,1|anlage,1|type,1|when,1|number,1|hypoplastic,1|
revealed,2|yr,1|narrow,1|connection,1|sprouts,2|case,2|13,1|solid,2|liver,6|in,2|primordial,1|
old,1|birth,1|reduced,1|is,2|it,1|an,1|bile,7|1,2|2,2|as,1|4,1|size,1|intestine,1|be,3|ducts,5|
collapsed,1|cell,2|long,1|capacity,1|hypoplasia,3|does,1|by,1|ontogenesis,1|regular,1|a,8|
proliferation,1|may,1|great,1|intrahepatic,1|the,15|stage,1|increasing,1|days,1|to,3|ductular,2|
corresponds, 1 | open, 1 | small, 1 | minor, 1 | coloration, 2 | had, 4 | empty, 1 | second, 1 | shows, 1 | from, 1 | faint, 1 |
which,2|mth,1|marked,1|survival,1|this,3|girl,1|were,2|present,1|autopsy,1|since,1|however,1|
atresia,2|smallest,1|show,1|description,1|reaching,2|explained,1|boy,1|can,1|not,1|signs,1|
pneumonia,1|common,1|and,8|of,12|examination,1|histological,1|probing,1|cases,1|green,2|was,1|
compensatory,1|enlarged,1|jaundice,1|also,1|distinguished,1|duct,2|with,2|cells,3|form,1|
MED-1017|lipids,1|year,1|regeneration,2|considered,1|tissue,1|areas,1|during,1|observed,1|these,
1|firm,1|appeared,1|revealed,1|hepatic,2|giant,3|action,1|eosinophilic,1|persistent,1|presence,1|
periportal,2|11,1|similar,1|infants,1|lymphocytes,1|necrotic,2|surface,1|in,6|liver,4|spleen,1|
old,1|18,1|birth,1|is,9|congenital,3|it,1|an,1|bile,3|secondary,1|1,2|2,2|cords,1|as,1|3,1|7,1|
cellular,1|infiltrations,1|fibrosis,2|viral,3|study,1|infection,1|weeks,1|increased,1|be,1|
nodular,1|pseudolobuli,1|neonatal,2|cell,3|fetal,2|virus,1|scattered,1|result,2|erythrocytes,1|
feature, 1 | are, 3 | mesenchymal, 1 | by, 1 | after, 1 | retention, 1 | cytotoxic, 1 | architecture, 1 | a, 5 |
morphological,1|proliferation,2|leucocytes,1|hepatitis,6|transformation,1|blood,1|picture,1|the,
27|stasis,1|incompatibility,1|framework,1|discolored,1|series,1|histiocytes,1|days,1|to,4|first,
1|but,1|reports,1|sometimes,1|polymorphism,1|granular,1|that,2|intrauterine,1|shows,3|post,1|
biliary,3|fibrous,1|only,1|consequences,1|from,1|stools,1|all,1|which,1|pathological,2|author,2|
tree,1|its,1|basis,1|vacuoles,1|acidophilic,1|were,1|spaces,1|interlobular,1|no,1|atresia,2|some,
1|pericholangiolitic,2|disturbed,1|changes,1|show,1|their,2|life,1|fatal,1|cytoplasm,1|icteric,1|
not,1|flabby,1|signs,1|and,12|similarity,1|of,20|extra,1|just,1|possibility,1|cirrhosis,2|on,2|
considers,1|normal,1|balloon,1|cases,6|or,3|stromal,1|green,1|erythrocytic,1|was,3|groups,1|
enlarged,2|jaundice,1|also,2|etiology,1|ductules,1|with,6|intralobular,1|suggested,1|cells,6|
material,1|due,1|dissociation,1|there,2|microscopy,2|collapse,1|
MED-1018|been,1|radioactive,1|urine,1|experimental,1|had,2|required,1|that,3|kidney,1|
obstructive,3|ligation,1|function,1|paralleled,1|injected,2|principally,1|from,2|state,1|
anticipated,1|animals,1|radioactivity,1|closely,1|in,8|level,1|liver,1|double,1|distributed,1|
bile,1|i.v,1|monkeys,1|as,2|2,1|excretion,2|stop,1|reached,2|daily,1|bilirubin,8|relatively,1|
metabolism,1|clinically,1|suggesting,1|average,1|other,1|rising,2|be,1|increased,1|production,1|
achieve,1|breakdown,1|nearly,1|for,2|extravascularly,1|seen,1|out,1|indicating,1|not,1|same,1|
found,1|wk,1|and,5|of,6|excreted,1|after,1|takes,1|steady,1|turnover,1|carried,1|over,1|a,3|
normal,1|stopped,1|c,1|was,5|jaundice,4|duct,1|followed,1|entirely,1|the,10|rhesus,1|series,1|
stable,1|albumin,1|80,1|hb,1|time,1|to,2|serum,3|levels,1|forms,1|radioisotope,1|ratio,1|
MED-1019|prevailing,1|considered,1|lightly,1|areas,1|three,1|when,2|required,1|relation,1|loss,1|
elective,1|gained,1|pseudotumor,2|resort,1|case,3|they,1|knowledge,1|ahg,1|still,1|tissues,2|
dint,1|temporizing,1|in,12|briefly,1|made,1|is,5|it,1|operative,1|demand,1|hemophiliacs,1|
secondary,1|as,1|at,2|left,1|5,1|delays,1|following,1|pericardial,1|completely,1|indication,1|
lessons,1|cardiac,1|electrocoagulation,1|authors,1|attitude,1|amputation,3|infection,2|be,2|skin,
1/direct,1/quarantee,1/believe,1/long,1/flaps,1/current,1/are,1/procedures,2/by,2/taken,1/
reported,1|course,2|tamponade,1|physician,1|outcome,1|infected,3|a,6|complications,1|
uncomplicated,1|one,1|hematologic,1|procedure,2|onset,1|performed,1|the,22|site,2|massive,1|
fastness,1|severe,2|proximal,1|to,8|plasma,2|open,1|first,1|surgery,4|hemorrhage,1|but,1|
resulted, 2 | antibiotic, 1 | separate, 1 | thigh, 2 | before, 1 | use, 2 | hemostasis, 1 | do, 1 | experience, 1 | hip, 1 |
second,2|that,3|septicemia,1|trivial,1|major,1|prior,1|should,1|only,1|surgical,4|from,1|
consider,1|has,1|which,3|all,1|last,2|level,1|timing,1|patients,1|felt,1|particular,1|
constitutes,1|significant,1|fide,1|plea,1|grossly,1|produced,1|revision,1|were,1|therefore,1|
intervention,1|disarticulation,1|here,1|reasons,1|proximally,1|hemophiliac,2|for,4|their,1|died,
1|fatal,1|can,1|not,2|and,7|patient,3|of,17|early,1|on,1|postoperative,1|cases,1|previous,1|
nihilistic,1|therapy,3|was,2|judicious,1|control,1|any,1|bona,1|endorse,1|with,1|application,1|
although,1|management,1|hemophilias,1|responsive,1|drainage,1|avoid,1|time,2|family,1|hematoma,1|
```

```
MED-1020|hemophilia,7|been,2|rabbits,1|mutants,1|finds,1|protein,2|action,1|because,2|
immunological,1|similar,2|accelerator,1|using,1|determinants,1|viii,11|dealing,1|in,4|
neutralization,1|made,2|lower,1|active,1|is,3|an,3|altered,1|hemophiliacs,1|insight,1|contains,2|
as,3|at,1|determined,1|competitive,1|demonstration,1|appearing,1|much,1|theory,1|authors,2|
treatment,1|antigenic,1|discovered,1|be,1|fact,1|against,2|reacting,1|antisera,1|into,1|same,1|
blocked, 1 | are, 2 | does, 1 | by, 6 | mammen, 1 | have, 1 | after, 1 | synthesis, 1 | pathogenetic, 1 | genetic, 1 | a, 12 |
product,2|substances,1|observation,1|one,2|possible,1|the,19|to,2|plasma,7|serum,1|but,1|agent,1|
bacteria,1|equally,1|genetically,1|absorbed,1|identical,1|that,2|either,1|shows,1|inhibitor,3|
amounts,1|antibodies,1|has,2|which,2|test,2|level,1|this,2|its,1|less,1|modification,1|
immunization,1|possesses,1|support,1|functionally,1|immunsera,1|some,2|concentrations,1|ether,1|
hemophiliac, 1|rejected, 1|for, 1|according, 2|explained, 1|can, 1|not, 1|and, 4|similarity, 1|of, 16|
factor,11|value,1|human,1|crm,1|normal,6|or,1|cross,1|inhibition,1|specific,1|structure,1|
considerations,1|obtains,1|with,3|analogy,1|thromboplastingenerations,1|hypothesis,2|properties,
MED-1021|localization,1|very,2|data,1|malignancy,1|sign,1|turgid,1|character,1|femoral,1|pseudo,
1|tumours,1|between,1|marked,1|image,1|in,2|this,1|is,3|affected,1|an,1|subjacent,1|remarkable,1|
symptoms,1|2,2|clinical,2|accompanied,1|iliac,1|3,1|discrepancy,1|wing,1|pseudotumours,1|osseous,
1|absence,1|adults,1|latency,1|infarction,1|their,2|veritable,1|literature,1|same,1|are,1|and,4|
tumour,3|of,9|by,1|gap,1|haemophilia,1|reported,1|haemophiliac,2|haemophiliac,1|histological,1|on,
1|a,4|stress,1|b,1|side,1|cases,2|any,1|the,8|with,2|extensive,2|third,1|intertrochanteric,1|
there,1|progressive,2|first,1|account,1|
MED-1022|resulted,1|small,1|hemophilia,1|bleeding,5|findings,1|developed,1|coincided,1|losing,2|
pints,1|110,1|protein,3|day,1|mucosal,2|marked,1|viii,1|in,3|suspected,1|ray,1|basis,1|prolonged,
1|altered,1|gastrointestinal,1|were,1|replacement,1|treatment,1|fibrinogen,1|hemophiliac,1|for,1|
pattern,1|thickening,1|not,1|eaca,1|94th,1|and,5|enteropathy,2|of,7|by,1|discontinuance,1|factor,
blood,1|263,1|the,4|with,2|appearance,1|hypoproteinemia,1|severe,1|cessation,1|x,1|days,1|
motility,1|steroids,2|fresh,1|did,1|
MED-1023|hemophilia,1|reports,1|been,1|year,1|hemophilic,1|irradiation,1|without,1|cuboid,2|
presented,1|yr,1|results,1|case,3|which,1|11,1|mth,1|treated,1|calcaneus,2|in,3|old,1|this,1|is,
1|ray,1|an,1|disappearance,1|apparent,1|recurrence,1|conflicting,1|2,1|effects,1|pseudotumors,3|
were,1|8,1|radiotherapy,1|treatment,1|deep,1|for,2|boy,1|and,4|bilateral,2|of,5|by,1|have,1|
promptly,1|subsequent,1|relief,1|after,1|responded,1|on,1|a,1|pain,1|previous,1|therapy,1|
dramatic,1|the,5|with,2|tumors,1|classic,1|although,1|report,1|x,1|to,1|
MED-1024|hemophilia,1|been,1|accurate,1|callus,3|reflected,1|cure,1|coaqulation,1|when,1|defect,
2|preliminary,1|fractures,5|in,6|pass,1|physiology,1|diseases,6|is,2|it,1|an,4|marrow,1|as,1|
abnormal,1|re,1|examples,1|consideration,1|authors,1|treatment,2|be,1|kinds,1|formation,2|
coagulum,1|myeloma,1|syndrome,2|are,2|by,2|course,2|after,1|embryology,1|mechanism,1|
plasmocytoma,1|characterized,1|a,2|necessary,1|may,1|subjects,1|blood,7|the,16|such,1|regard,1|
to, 8|plasma, 1|correct, 1|lesions, 1|suffering, 2|solitary, 1|hemostasis, 1|reference, 1|genesis, 1|that,
1|from,3|polyosteotic,1|has,1|which,1|qiven,1|pathological,1|pre,1|hemorrhages,1|patients,3|
waldenstroem's,1|this,1|diagnosis,1|basis,1|affected,1|establish,1|fibrin,1|present,1|changed,1|
some,4|for,1|coagulopathic,1|prevent,1|traumatic,1|effecient,1|structural,1|and,10|of,15|make,1|
on,4|bone,2|also,1|any,1|special,1|with,3|existing,1|bony,3|various,1|remarks,1|account,1|
MED-1025|hemophilia,1|very,1|been,3|tested,1|masked,1|heterozygotes,1|occurs,1|type,1|when,1|
these,1|would,1|model,3|if,1|ahf,11|using,1|antibody,1|viii,1|large,2|in,6|gene,1|reduced,1|is,6|
it, 1|an, 4|autosomal, 3|persons, 5|mutation, 1|difference, 1|obtained, 1|molecule, 1|conditions, 1|other,
2|antihemophilic,1|fact,1|be,4|methods,1|against,1|fulfilled,1|confirmed,1|out,1|homozygous,1|
coding,1|found,1|are,1|does,1|by,1|have,1|examined,1|after,1|neutralizes,1|deficient,1|hand,1|
linked,1|synthesis,1|a,6|may,2|one,2|sex,1|transfused,1|effector,1|produce,1|great,1|entirely,1|
operon,1|wrong,1|the,18|such,1|throw,1|x,2|to,2|plasma,1|under,1|implies,1|certain,1|levels,1|
homozygote,1|standard,1|illuminating,1|correct,1|repressor,1|before,1|prepared,1|willebrand's,6|
quantities,1|feel,1|transfusion,2|while,1|that,7|should,1|from,2|has,2|directly,1|results,1|
which,3lobtain,1lnew,1limply,1loccur,1lmight,1lthis,2ldoubt,1lreasonably,1lreal,1lbasis,1lvitro,
1|produced,1|tests,2|were,1|failure,1|prediction,3|suggesting,1|parameters,1|errors,1|
structurally,1|reasons,1|needed,1|regulatory,2|for,3|appears,1|can,2|not,1|perhaps,1|von,6|
structural,1|and,2|of,7|examination,1|studies,2|factor,2|fulfil,1|on,3|carried,1|normal,1|
```

```
disease,6|or,1|will,1|substance,1|chromosome,1|obviously,1|also,1|despite,1|complementation,1|
with,4|deficiency,2|due,1|locus,2|further,1|reduction,1|wild,1|
MED-1026|hemophilia,1|treatment,1|lesions,1|findings,1|hemophilic,1|observed,1|differential,1|
radiologic,2|are,1|and,2|pseudotumor,1|of,2|yr,1|10,1|over,1|a,2|period,1|like,1|in,2|discussed,
1|femur,1|this,1|diagnosis,1|bone,1|the,3|with,1|pathogenesis,1|clinical,1|tumor,1|deals,1|
report,1|
MED-1027|hemophilia,7|been,1|qenerations,2|had,1|type,1|three,1|number,1|that,2|daughters,1|her,
1|children,1|presented,1|members,1|only,1|reviewed,1|which,1|ab,2|i.e,1|grandchildren,1|in,5|
genes,2|briefly,1|suspected,1|is,2|it,1|christmas,3|both,1|relevant,1|mutation,1|must,2|study,1|
concurrent,1|for,2|their,1|two,1|afflicted,1|are,2|and,3|of,5|responsible,2|whom,1|have,2|so,1|
qenetic,1|a,6|types,1|disease,3|or,2|occurred,1|one,2|chromosome,1|qrandmother's,1|
considerations,1|the,3|with,1|inherited,1|x,1|preceding,1|family,3|segregated,1|
MED-1028/25,1/association,1/proper,1/angiohemophilia,2/reticulum,1/presented,1/and,2/of,4/rare,1/
resembling,1|man,1|case,2|basophilic,1|a,4|large,1|in,1|containing,1|is,1|bone,1|albinism,2|
occurring,1|the,1|marrow,1|with,1|contained,1|cells,2|associated,1|granules,1|report,1|
MED-1029|hemophilia,1|moderately,1|been,1|potency,1|potent,1|during,1|isoantibodies,1|without,1|
variation, 1 | therapeutic, 1 | these, 2 | problem, 1 | dental, 1 | review, 1 | 116, 1 | english, 1 | evaluated, 1 | purer,
1|severely,1|10,1|nondental,1|12,1|using,2|still,1|separately,1|viii,5|in,8|made,1|remain,1|is,1|
analysis,1|an,1|operative,1|hemophiliacs,4|as,1|abnormal,1|4,1|5,1|6,1|twelve,1|following,1|
methods,1|eliminate,1|literature,2|procedures,1|cysts,1|after,1|deficient,2|established,1|a,2|
include,1|product,1|efficient,1|more,2|could,1|analyzed,1|i,4|continued,1|combining,1|hepatitis,
11blood,11fraction,41the,14llots,11classic,11difficulties,11requiring,11series,11mortality,11to,
2|serum,1|incidence,1|surgery,5|hemorrhage,1|presently,1|adequate,1|hemostasis,1|source,1|
experience,1|that,1|contaminating,1|high,2|major,6|late,1|amounts,1|only,1|has,1|different,1|
results,1|which,1|all,1|development,1|concentrates,2|this,1|anemia,1|most,1|clinical,1|preparing,
1|laboratory,1|were,1|problems,1|operations,2|rate,1|and,6|provides,1|of,16|factor,5|regimen,2|
hemolytic,1|on,1|effectiveness,1|sole,1|over,1|postoperative,1|or,1|cost,1|therapy,2|was,4|
control,1|recorded,1|concentrate,1|special,1|with,2|although,1|due,1|
MED-1030 Inumerous, 1 | qinqivorrhaqia, 1 | had, 2 | developed, 2 | coaqulation, 1 | repeated, 1 | these, 1 |
hyperthrombocytic,1|chronic,1|given,1|treated,1|in,1|this,1|i.m,1|is,1|intrinsic,1|an,3|were,1|
thrombase,1|equine,4|disturbance,1|thrombin,4|be,1|against,1|hyperthrombocyte,1|for,1|cause,1|
two,1|anti,1|myelosis,2|can,1|not,1|patient,1|and,1|of,5|by,2|antithrombin,3|haemophilia,1|where,
1|after,1|on,1|compared,1|injections,2|a,4|cases,1|caused,1|observation,1|also,1|specific,2|any,
1|lengthening,1|the,3|ineffective,1|with,2|such,1|report,1|time,1|did,1|
MED-1031|called,1|boeck's,1|thrombolytic,1|haematuria,4|sarcoid,1|coaqulation,2|three,1|years,1|
preparation,1|observed,2|epsilon,1|therapeutic,1|thorax,1|pancreas,2|bleedings,1|hyperplasia,1|
urinary,2|connection,1|injury,1|per,1|if,1|reduce,1|based,1|dizziness,1|aminocaproic,1|in,17|
liver,3|is,5|it,1|an,2|1,1|as,3|2,1|dose,2|3,2|4,2|5,3|even,1|postmortem,1|6,1|e.c.g,1|following,
3|defects,1|7,1|leukaemia,1|substantially,1|become,1|authors,1|treatment,2|systemic,4|other,1|
increased,1|indicated,1|activity,3|intravenously,1|1000,1|association,2|macroscopically,1|local,
2|proved,1|receiving,1|are,1|by,1|haemophilia,1|consisted,1|after,4|so,1|kq,1|situations,2|a,7|
organs,1|b,1|ulcerative,1|side,1|particularly,1|complications,1|e,7|intravascular,1|more,1|g,3|
continued,1|blood,2|picture,1|the,17|series,1|complicated,1|operation,1|incidence,1|aca,7|did,2|
surgery,1|essential,1|but,1|agent,2|46,1|fibrinolytic,6|prostatic,2|colitis,1|reveal,1|controls,
1|urine,1|orally,1|use,1|equally,1|experience,3|losses,1|body,1|mainly,1|drug,2|acid,1|identical,
from,1|has,2|day,1|given,1|toxic,2|treated,1|occur,1|patients,3|this,1|weight,1|prolonged,1|
nausea,1|thromboembolic,1|clinical,1|effects,2|tests,1|especially,2|antidote,1|were,2|effect,1|
judging,1|acute,2|no,2|tract,2|for,1|diarrhoea,1|states,2|fibrinolysis,3|nor,1|can,1|traumatic,1|
effective,1|times,1|not,2|operations,1|signs,2|thrombosis,1|n.p.n,1|and,8|of,14|examination,1|
genital,1|every,1|cirrhosis,1|on,3|delivery,1|hours,1|or,1|cases,2|complicating,1|will,1|therapy,
2|clear,1|was,1|inhibition,1|haemorrhage,1|any,2|recommended,1|with,7|suggested,1|0.1,1|material,
1|various,1|744,1|prostatectomy,3|prostate,2|cancer,3|until,1|
MED-1032|hemophilia,1|been,1|hemophilic,2|analgesics,1|during,2|leg,1|hemarthrosis,1|begins,1|
diminution,1|depressed,1|absent,1|palsy,1|phase,2|thus,1|in,11|paralysis,1|opportunity,1|is,5|
swelling,1|propose,1|an,1|iliopectineal,1|convalescent,1|itself,1|at,2|fascia,1|compression,1|
theory,1|authors,2|treatment,1|discovered,1|functional,1|poupart's,1|be,1|freshfrozen,1|portion,
1 | Ililiacus, 2 | fossa, 1 | long, 1 | ligament, 5 | anteromedial, 1 | result, 2 | seeing, 1 | are, 1 | syndrome, 2 | aspect, 2 |
```

by,1|musculotendinous,2|protect,1|iliopsoas,2|tender,1|a,8|occurred,1|may,1|picture,1|the,36| confirm,1|knee,1|such,1|severe,1|contracture,1|proximal,1|to,4|compressed,2|validity,1|plasma,1| return, 1|hemorrhage, 3|junction, 2|bed, 1|date, 1|unyielding, 1|thigh, 2|used, 1|hip, 2|that, 3|femoris, 2| femoral, 7 | should, 1 | from, 1 | has, 2 | day, 1 | described, 1 | new, 1 | flexion, 1 | pronounced, 1 | beneath, 4 | lexion, 1 | flexion, 2 | day, 1 | described, 2 | day, 1 | described, 3 | day, 4 | described, 4 | day, 4 | dexploration,1|patients,1|finally,1|patellar,1|this,2|brace,1|becomes,1|external,1|iliac,1| clinical,1|proposed,1|nerve,4|neuropathy,3|region,1|present,1|acute,1|some,1|deep,1|absence,1| show,1|cause,1|appears,1|non,1|inguinal,3|hessing,1|traumatic,1|quadriceps,2|not,1|and,11| patient,1|of,13|muscle,1|flaccid,1|medially,1|superiorly,1|rest,1|pain,1|six,1|cases,1|or,2| inferior,1|rotation,1|center,1|verified,1|groin,2|reflex,1|followed,1|with,4|sensation,1| corresponding,1|anticipate,1|consists,1|until,1|depression,1| MED-1033|hemophilia,2|education,1|accurate,1|year,2|joints,1|hemophilic,4|about,1|episode,1| spontaneous,1|attempt,1|variation,2|these,2|loss,1|number,2|yr,1|because,1|severely,1|per,2| presence,2|they,1|between,1|knowledge,1|likely,1|agreement,1|thus,2|in,12|is,6|admissions,1|it,2| an,3|hemophiliacs,2|at,4|5,1|hemorrhagic,1|impression,1|bulk,1|21,1|treatment,1|study,1| providing,1|other,1|be,2|increased,1|advisability,1|overcome,1|least,2|pattern,1|grades,1| capacity,1|same,1|routine,1|known,2|are,2|too,1|does,1|by,1|course,1|destruction,1|a,1| complications,2|childhood,1|more,1|possible,1|prognosis,1|blood,1|destructive,1|the,29|knee,1| decreases,1|associated,1|atrophy,1|ages,1|to,8|under,1|longterm,1|joint,3|correct,1|disability,1| questions,1|hemarthroses,3|while,1|assessment,1|that,2|later,1|differing,1|whether,1|than,1|only, 1|few,1|from,1|different,2|recurrent,1|mechanisms,1|regardless,1|episodes,4|prospective,2|which, 3|all,1|given,1|pathological,1|development,2|tension,1|individual,5|involves,1|bearing,1| patients,2lowing,1lweight,1lits,1lparticular,1ladmission,2ldistorted,1laffected,1lobtaining,1l most,1|unstable,1|difficulty,1|never,1|clinical,2|leads,1|aspiration,1|relatively,1|present,1| little,2|however,1|importance,2|part,1|for,2|changes,1|cause,1|best,1|life,1|can,2|general,2| considerable, 2 and, 10 of, 28 muscle, 1 studies, 2 hospital, 3 earning, 1 severity, 4 disease, 3 or, 1 answered,1|spent,1|also,2|control,1|allowing,1|increase,1|any,1|differ,1|with,2|concerning,1| arthropathy,4|due,3|management,1|arises,1|there,1|medicosocial,2|opinions,1|until,1|suitable,1| time,2|avoid,1|further,1|age,3|tends,1|

BM25: 9.63547159719187 ATCATC: 0.13102067749834329 ATNATN: 0.16034644283942007 ANNBPN: 0.03795434165636695

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.005393

BM25: -58.873389521326494 ATCATC: 0.24914597470051333 ATNATN: 0.31107018835334177 ANNBPN: 0.08798403976947647

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002669

BM25: -29.730953422132703 ATCATC: 0.1391134785747555 ATNATN: 0.1539041603537755 ANNBPN: 0.07469955066449337

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.003555

BM25: -21.552599165258673 ATCATC: 0.10640939266102972 ATNATN: 0.1562056885392078 ANNBPN: 0.022061233777939327

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002718

BM25: -18.511288683926004

ATCATC: 0.17458564386500025 ATNATN: 0.25420542575543836 ANNBPN: 0.029635646531026308

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.006506

BM25: -1.6712002215588515 ATCATC: 0.15268231636078267 ATNATN: 0.1730532597019057 ANNBPN: 0.013973861703748919

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.029236

BM25: -0.7573558326142324 ATCATC: 0.7243293576820246 ATNATN: 0.6835890750094209 ANNBPN: 0.20773929979978584

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000581

BM25: -81.21578841830735 ATCATC: 0.1996687741710927 ATNATN: 0.2711115965425801 ANNBPN: 0.020180895304159573

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000189

BM25: -13.394732158998528 ATCATC: 0.27060348471047996 ATNATN: 0.3224676260570763 ANNBPN: 0.15458446843000326

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: 0.5468258958052988 ATCATC: 0.05789897508571352 ATNATN: 0.08684846262857027 ANNBPN: 0.03642671640140673

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.020000

BM25: 11.789076694072666 ATCATC: 0.11181969622949975 ATNATN: 0.20188721809977409 ANNBPN: 0.02704339967898915

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002413

BM25: -29.341289596126447 ATCATC: 0.21109496155118618 ATNATN: 0.27240130231016696 ANNBPN: 0.04175145201139878

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: -0.1313946629688211 ATCATC: 0.10442622714557333 ATNATN: 0.20614392352816968 ANNBPN: 0.051027723155834995

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.004541

BM25: -30.42665063631645 ATCATC: 0.43761439103039557 ATNATN: 0.5687154739151684 ANNBPN: 0.11093329845015566

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001281

BM25: -17.44604685183263 ATCATC: 0.2862688692150493 ATNATN: 0.3897649732945368 ANNBPN: 0.061710116154980836

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.008483

BM25: -18.23253076064302 ATCATC: 0.22838738581410348 ATNATN: 0.413313550050102 ANNBPN: 0.0439570411473381

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002956

BM25: -29.81315054823577 ATCATC: 0.42917635832069173 ATNATN: 0.4808250815910888 ANNBPN: 0.0697236188052774

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000635

BM25: -120.96968249766871 ATCATC: 0.0729691248065582 ATNATN: 0.12000638547286795 ANNBPN: 0.01487774750419339

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000000

BM25: -21.971378419447856 ATCATC: 0.09541077931037456 ATNATN: 0.14046147085841065 ANNBPN: 0.0063586418979128725

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.005583

BM25: -0.7512145897878144 ATCATC: 0.5864605462451398 ATNATN: 0.857084943649156 ANNBPN: 0.2162137028673175

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001908

BM25: 25.605704983328 ATCATC: 0.10207831792674481 ATNATN: 0.1391913846138418 ANNBPN: 0.012983470984088322

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.003021

BM25: -1.6761298554399764 ATCATC: 0.2561366241593822 ATNATN: 0.4265700772768514 ANNBPN: 0.038256748493215996

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001053

BM25: 5.531584554698984 ATCATC: 0.0382990192103269 ATNATN: 0.04689960710857239 ANNBPN: 0.003778820551394234

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.163242

BM25: -2.2967927648251534 ATCATC: 0.2857039742607084 ATNATN: 0.37445298017169615 ANNBPN: 0.04312222999616224

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.014804

BM25: -35.111205906736245 ATCATC: 0.3734419299212292 ATNATN: 0.444254526760421 ANNBPN: 0.1287893309838259

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.000827

BM25: -24.442909150955565 ATCATC: 0.195949230690332 ATNATN: 0.2189543640072456 ANNBPN: 0.032064753393048984

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002017

BM25: -41.74002430132796 ATCATC: 1.2443465596533272 ATNATN: 1.259132191054553 ANNBPN: 0.49336678252613225

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.001714

BM25: -2.517896266119703 ATCATC: 0.2332138881183104 ATNATN: 0.25133557414580987 ANNBPN: 0.027550393839572505

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.011174

BM25: -4.228524791059555 ATCATC: 1.044645004357478 ATNATN: 1.2281082705621267 ANNBPN: 0.16062060478962223

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.005138

BM25: -31.020522312416674 ATCATC: 0.36946994860439986 ATNATN: 0.45682411166513937 ANNBPN: 0.11381933444270179

THE ALEXV6 (SUPER AWESOME) WEIGHTING ALGORITHM: 2.0

0.002280

0.010130517772610637