



www.magnizon.com

ABOUT US



MAGNIZON POWER SYSTEMS LTD, UK


is a ISO9001:2015 & ISO14001:2015 certified global manufacturing firm with strong focus on Product engineering, research & development, production, sales and services in the field of green energy power products and solutions catering to various critical, telecom and renewable energy sectors. From our base in London, UK and regional office from Dubai-UAE we serve markets across UK, Europe, Middle East, Africa and central Asia. Our products are supplied, deployed and working successfully with 100% customer satisfaction from 60+ countries across the globe that enable our customers to organize and protect their critical loads, generate power for self and commercial usage.

MAGNIZON POWER SYSTEMS


core competency in product engineering, R&D and manufacturing the power products with very unique designs, greatest value added features and highly reliable products that our customers can bank on. Team with top R&D talent with 20+ years of multinational corporate experience and assembled senior marketing, product and sales teams who live by the MNC spirit of "Professionalism, Integrity, Innovation and Win-Win."

OUR MANUFACTURING CAPABILITIES of 500,000 power supplies each month including UPS, power inverter, Solar panels, street lights, AVR and battery & battery chargers. Magnizon Power Systems optimizes Just in Time (JIT) resource planning and inventory control and supports its customers with minimized lead-times and flexible delivery schedules.

YEARS OF EXPERIENCE



ORGANIZATION CHART




VISION

Our vision is to be known as the industry leader in secure power & sustainable energy products through setting industry standards for excellence in the products we make and services we provide.

We will constantly be tuned to our customers needs through our flexibility, innovation and commitment to outstand overall customer service.

GLOBAL PRESENCE



VALUE

INTEGRITY

Honoring commitments made to our customers and vendors in our daily activities. Creating an environment where personal responsibility is achieved in all aspects of the business through fairness and respect.

CUSTOMER SATISFACTION

Being proactive, innovative and flexible in creating processes and plans to meet or exceed customer expectations. Understanding our customer's requirements and delivering it continuously.

PEOPLE / TEAMWORK

Our competitive advantage is generated by our people. Empowering our people with a learning environment where ideas and knowledge is shared and executed in order to better our work environment and customer satisfaction.

Welcoming change, taking pride in everything we do and delivering best practices to all areas of Sunset.

QUALITY

Strive for continuous quality improvements with every product we produce. We are committed to providing superior service with the highest quality workmanship by adopting ISO9001:2015, ISO14001:2015 & TQM methods and being a responsible corporate strictly following the RoHS compliance in manufacturing process.

PARTNERING

Integrating our manufacturing practices to meet our customer's demands in a timely, cost efficient manner. One in which is mutually beneficial for both Magnizon and our customer's. Constant communication and planning is the essential to creating the true long term business partnerships we are successful in developing.



WHY MAGNIZON POWER SYSTEMS

Magnizon products with strong British technology, product engineering professionals with 20+years of international experience takes pride in its expertise to offer high quality power products and solutions. We welcome you to contact Magnizon Power Systems to obtain professional technology assistances.

WE ARE CONFIDENT TO BE YOUR OUTSTANDING PRODUCTS AND SOLUTIONS THROUGH

- Designed and engineered by Magnizon Power Systems Ltd, London, UK
- Designed for Each country specific needs with tailored made product development
- Modular design concepts with high quality materials from Taiwan, Korea, France, Germany, Italy, UK and US
- Products with aggressive pricings and highest warranties and design life up to 25 years
- Real-time technology supports from dedicated and trained engineering team
- 200+ service centers with readily available spare parts & well-trained service professional across 60+ countries around the world
- Simplified service and RMA process
- Regular pre-sales/technical/service trainings for the channel partners/SI's/VAR's
- One stop solution for all secure power & green energy products and solution
- Energy security for 25+ years
- A worldwide spread market and distribution network
- Customized channel development programs, rebates, MDFs, and marketing activities to promote distributors/resellers



QUALITY ASSURANCE

Magnizon Power Systems facilities are certified by ISO9001: 2015, ISO14001:2015, RoHs and its products are also recognized by CE, UL, TUV and IEC etc. to assure quality and safety. Our modern automated facilities incorporate world-class manufacturing capabilities and technologies to produce high quality power supplies. TQM (total quality management) system is in place to ensure adequate quality and standards are followed from component level testing, QC checks on each level of production, assembly and final product testing assures the product failure less than 5ppm(five parts per millions) enables our products and solutions most reliable for critical applications.

SOME OF THE KEY PRODUCTION PROCESS LISTED BELOW:

- **SMT Systems**
- **Solder Paste Screen Systems**
- **In-circuit Auto-test Systems**
- **Automated Parts Storage & Retrieval Systems**
- **Wave Solder Systems**
- **Burn-in Racks**
- **Automatic Test Systems**



ENTERPRISE QUALIFICATIONS

Having strong OEM contracts with larger production shop floors with sophisticated manufacturing process using automated production lines approved by TUV, IEC, CE, CEC, CQC and FIDE across China, Taiwan & Korea with the tie-ups from France, Germany, UK and US based technology giants enable us to develop future technology with affordable prices.





SMART LINE INTERACTIVE UPS FROM 500VA TO 3KVA

- Advanced DSP control system with large color LCD display
- Wide input voltage range(130~290VAC) can adapt to different power grid environment
- DC start (cold start) function
- USB based power monitoring software
- Fused inlet power cable with plug
- Equipped with Boost and Buck AVR to stabilize input voltage.
- Built in DC start function enables UPS to start up without AC power supply.
- Line Surge Protection
- Overload/ Over charge/ Short-circuit/Low battery automatic alarm protection.
- Auto restart while AC recovery.



3-PH SMART MODULAR UPS UP TO 2000KVA

- Advanced DSP based true on-line UPS technology for high stability, reliability and safety
- True hot swappable/scalable architecture ranging from 10KVA to 2000KVA
- 20/25/30/40/50KVA smart IGBT based power modules
- High power density with footprints of less than 2~ up to 2000KVA in parallel
- 0.9/1.0 Output power factor and 0.99 ~ unity power factor at Input side
- Low input harmonic distortion (THDi<3%)
- Biggest battery chargers to handle higher backup times
- 2~5 years warranty and 25 years design life
- Human machine interface with colorful touch screen with Independent LCD display for each power module
- Smart charging management system to improve the life time of the battery



OUTDOOR/INDUSTRIAL GRADE UPS

- Advanced DSP control systems based smart UPS
- Pure copper transformer and SCR based design
- IP40/IP54/IP65 optional design with operating temp up to 60degC
- Capacities from 1KVA to 3000KVA with lithium ion batteries
- Powerful overload 150% ability
- Big Range high/low voltage protect device
- Phase failure, instant black-out, short circuit protection



SMART ON-LINE 1-PH UPS FROM 1KVA TO 40KVA

- Smart Online double conversion technology With advanced DSP control
- Wide input voltage and frequency range(110~300VAC, 42~68Hz) can adapt to different power grid environment
- Built-in Input PFC filters, static bypass and manual bypass switches
- Parallel port to connect up to 4nos of UPS with N+1 or N+N configuration
- Input power factor above 0.98 and Output power factor of 0.9
- LCD display and LED indicator Friendly man-machine interface, Simple setting Output Voltage, Frequency parameter and Bypass function on the display
- Built-in protections: Over voltage, Over load, Over current, Battery overcharge, Battery deep discharge protection, battery low voltage protection, Lightning, surge, short -circuit protection
- Expandable runtime is supported with external battery packs and are field replaceable and hot swappable
- Smart RS232 communication with monitoring software, optional SNMP/dry contact closures
- Supporting rack/tower structure with telescopic rail kits and hardware



OFF-GRID/HYBRID SOLAR INVERTERS

- 12V/24V/48V DC or 230V AC input; 230V, 50 Hz output (hardwired)
- 1000-12000 watts continuous output, 2000-24000 watts peak output
- Microprocessor controlled Smart UPS & Solar operational mode
- Dual Battery chargers including smart MPPT and Utility mode battery charger
- Fully compatible for Solar/Wind solutions for Hybrid configuration
- Pure sine wave output with LCD display
- High Efficiency Using Line-Interactive Circuit Topology (Full Bridge Topology)
- Quiet, high efficiency operation, high surge capacity and low idle current
- RS232, SNMP/WIFI, GPRS based communication system with APP functions short circuit protection



UTILITY GRADE SOLAR HYBRID INVERTERS

- 360-900V PV input voltage range or 380/400/415 AC input; 380/400/415V, 50/60Hz output
- 10KW to 5MW range (both indoor and Outdoor models)
- Energy storage solution up to 25MWh/Day
- Advanced Solar MPPT modular based charge controllers
- Large capacity Utility mode battery charger
- Fully compatible for On-grid/Off-grid/Hybrid configuration
- SCR and advanced IGBT based technology controlled by smart DSP
- Quiet, high efficiency operation, high surge capacity and low idle current
- RS232, SNMP/WIFI, GPRS based communication system with APP functions



ON-GRID SOLAR INVERTERS

- Capacities from 1KW to 100MW(string, central, indoor And Outdoor models)
- 1000V-1500V DC PV input voltage ranges
- IP65 rated with high operating temperature up to 65degC
- Maximum efficiency reach to 99%
- Built-in internal DC switch and Multiple input to parallel
- Multiple independent MPPT tracking technology
- Natural cooling, 25-years maintenance-free design



AGM/VRLA/GEL/TUBULAR BATTERIES

- AGM/VRLA/GEL/Tubular batteries ranging from 12V-7Ah to 250 Ah and 2V-150Ah to 3000Ah
- Gel electrolyte technology for better wide temperature range operations & prevention from thermal runaway
- Special Pb-Ca alloy to minimize the grid growth, reducing gassing to extend the life of battery
- Gas recombination efficiency of up to 99% provides 100% maintenance free operations
- Excellent deep cycle performance
- Battery terminal is pure copper and silver plating with excellent electric conductivity
- High Operating temperature up to 60degC
- Lowest self-discharge rate allows better storage life up to 6 months @25degC (<2% per month)



LITHIUM ION BATTERIES

- Capacities from 2V/4Ah to 480V/1000Ah (customized capacities available)
- Inherently safe chemistry
- Drop-in Replacement. Available in standard industry sizes
- Lightweight. 50-60% less weight than lead-acid equivalent
- Longest Life with 90-100% depth of discharge
- 40-50% more capacity than lead-acid equivalent
- Temperature Tolerant upto 80degC
- Charging - Fast & Safe



OUTDOOR/INDOOR CABINETS AND RACKS

- IP57/IP65 Cabinets with building cooling enclosures
- Customized enclosures for outdoor DC power and battery enclosures
- Standard racks 6U/9U/12U/15U/18U/22U/24U/40U/42U/48U racks with multiple depths
- 3000 lb stationary / 2250 lb rolling load capacity
- Locking, removable, reversible front and rear doors
- Pre-installed casters/fans/PDUs/Intelligent door locks etc as optional accessories
- 5-year limited warranty



DC SYSTEMS & TELECOM POWER SYSTEMS

- Rectifier & sub-rack systems range up to 100KW
- Hot swappable Modular capacities: 1200W/2000W/3000W @ -48V DC
- Advanced MPPT based solar charge controller and hybrid DC power units
- 19" or 23" mounting arrangement
- Rack mountable Inverter ranges from 1kVA to 15kVA
- Front access design and Hot-plug and easy maintenance
- Temperature hardened -40degC to +70degC
- Modular DC distribution with LVD
- Interface: RS232/485/SNMP, dry contactors and Full range of protection



SOLAR PANELS

- Panel Capacity Range from 5W to 400W (Both Mono and Poly)
- A+ grade 5BB high efficiency Solar cells made in Germany
- Maximum system voltage: 1000V/1500V (optional)
- Operating temperature range: -40DegC to 85DegC
- Built in series fuse and IP67 Rated junction box
- Built in +ve & -ve cables lengths of 900mm
- Frame: Anodized Aluminum alloy
- Glass: High Transmissivity low-iron 3.2mm toughened glass
- 25 Years performance warranty



SOLAR WATER HEATERS

- Capacities from 100 Ltrs to 3000 Ltrs
- Intelligent and easy control over the system with the work station
- IC-CN patent technology gives higher efficiency and reliability
- Cu + H₂O, The most stable configuration in Anti-freezing performance certified by RoHS
- TU1 material to reduce the carrier of the non-condensable gas
- S-WHT technology, treatment of the inner tube wall and inner space
- Heat pipe tube of IC-CN patent technology gives higher efficiency and reliability
- The system can work with wide temperature range anywhere between -30degC to 75Deg C
- 10 years standard warranty



SOLAR WATER PUMPING STATIONS

- Capacity Ranges from 1HP to 300 HP
- Adopting the dynamic VI MPPT control system
- Advanced MPPT controlling technology can drive the pump at variable
- speeds based on SUN shine to adopt the optimum operational needs
- Adopting high efficiency IPM (intelligent power module) to achieve the highest efficiency up to 98%
- Protections: Over/under voltage, thunder, over load, over heat, reverse polarity and over flow
- Protection degree: IP20/65 and operating environment is -10Deg C to 50DegC
- LCD display, simple operations, easy to set the parameters and easy to detect the faults
- Advanced Built-in VFD technology, Hybrid Technology



INTEGRATED SOLAR STREET LIGHTS

- All in one integrated street light design capacities from 5W to 100W
- Life span of the LED chips is 100,000hrs
- High efficiency LED lights from Bridgelux USA
- Highly reliable lithium ion phosphate battery with operating temperature upto 55degC
- No field wiring/No additional hardware required
- Integrated CCTV camera (optional design and supply)
- Advanced MPPT based battery and LED light control system
- Built in motion detecting sensor and pre-configured timer operation
- IP65 rated enclosure with waterproof



SMART & FAST ELECTRIC VEHICLE CHARGING PODS

- Compact and contemporary design
- 20~180 kW continuous fast charging
- Robust, all-weather enclosure for indoor and outdoor use
- Highest efficiency in the range : 97%
- 7" Graphical user interface for status and configurations
- Single outlet: CCS or CHAdeMO
- Daylight readable 7" full color touchscreen display
- RFID reader RFID and ISO 15118 user identification
- Future proof connectivity
- OCPP and network connectivity enabling system integration
- Capability for remote services
- Future proof due to DC output voltage range from 200 to 1000 VDC supporting most kinds of electric vehicles.



SOLUTION PROFILE

RESIDENTIAL PV SOLUTIONS

Magnizon provides a solution to generate your own electricity that can power your own home. Energy independence for 25-30 years with almost zero maintenance and running expenses makes our solution special and unique. Capacity of residential PV power plants is usually decided according to electricity consumption, size of the available space for solar panel mounting, and user requirements, and is usually between 1 to 10kW and connected to the 1-Ph, 220/230/240Vac, 50/60Hz public grid. Specific applications of 3-Ph Solar systems also possible for the larger sized residences/villas/Bungalows.



COMMERCIAL PV SOLUTIONS

Magnizon provides smart PV solutions for customer to utilize the roof resources. There can be a Solar PV systems constructed on commercial centers, factories, ware houses, airports, schools & educational institutes, railway stations, large shopping malls, industrial campuses, car parking blocks, and other buildings and places with concentrated electricity usage, since the price of commercial use electricity is usually high, Magnizon PV power stations can be valuable with attractive ROI.

Energy independence for 25-30 years with almost zero maintenance and running expenses makes our solution special and unique. Capacity of PV power plants is usually decided according to electricity consumption, size of the available space for solar panel mounting, and user requirements. These types of power stations usually only release the unused portion of electricity back to the grid which will be 3-Ph, 380/400/415V, 50/60Hz national grid. Inverter capacity and type is generally chosen depending on power station capacity and distribution conditions.





UTILITY GRADE PV SOLUTIONS

Magnizon provides highly integrated solutions for large-scale centralized Solar PV power Plants. Usually installation capacity of this PV system is larger than 1MW and connected to the MV/HV utility grid through step-up transformer. More than the solar power plant, there is complex MV/HV substation architectures, switchgears, power transformers, CTs, PTs, Control switch gear, Sub-Station distribution BUS, plant and control station protection systems plays major rolls and needs high end expertise to handle the design, engineering, procurement, supply installation, testing and commissioning of the entire system. Magnizon provides single window solution for all your Utility grade Solar PV power plants.



OFF-GRID/HYBRID SOLAR SOLUTION

Magnizon provides a solution to generate your own electricity that can power your own home and get Energy independence up to 25 years. Off-grid solar power systems suitable for the places where national grid is not stable/not available and required backup time for critical loads or even during night times. Off- Grid energy storage system refers to the combination of inverters, storage battery groups and other energy storage components to implement an uninterruptible power supply system for home loads that combines renewable energy and implements load shifting to improve power quality and brings economy benefits while reducing the electricity bill.

The PV energy can be provided to the load and charge the battery during the daytime. And the energy stored in the battery can be discharged to power the load during night time. The public grid can also charge the battery via Magnizon smart hybrid inverters. Capacity of PV power plants is usually decided according to electricity consumption, size of the available space for solar panel mounting, and user requirements, and is usually between 1 to 12kW and connected to the 1-Ph, 220/230/240Vac, 50/60Hz public grid. Specific applications of 3-Ph Solar systems starts from 10KW to 5MW depends on application and customer needs.



TELECOM SOLUTIONS



Magnizon Telecom System is specially designed for remote applications where a power grid is not available. The system is free of maintenance and having 25 years of long life. The system will substitute the Diesel Generator sets and will supply power to the operating base Terminal stations, Microwave repeater stations and Satellite radio stations reliably are complete, integrated solar power systems designed for site loads requiring 12/24/48VDC or 110V-240V, 50Hz/60Hz AC voltage. Build according to the International Standards, each Magnizon Power Systems solar System provides safe and reliable power output without the expense of installing utility power. Magnizon solar Hybrid Systems provide continuous DC power with battery backup from a DC source. These fully-integrated, galvanized units use DC primary power to charge a 12, 24 or 48 VDC sealed battery bank while powering the DC load, or AC load with integral inverter option.



DATA CENTERS & NETWORK CLOSETS

Magnizon has the full data center products and solution, including smart racks, smart PDUs, Lithium Ion batteries, conventional UPS and battery banks, smart monitoring systems suitable for tier 4 data centers. Our unique high density true hot swappable modular UPS ranging from 10KW to 2000KW gives one stop solution when it comes to high end power supplies for critical applications. Usually the large data center is bigger than 500 m2 and the numbers of racks inside is a large number. The requirements for power system include high power, high reliability, easy for upgrading and etc.





SOLAR THERMAL SOLUTIONS

Solar water heating is one application of the Solar Thermal. Magnizon has non-pressurized solar water heating and Pressurized Solar Water Heating solutions ranging from 100ltrs to 5000ltrs capacity. In non-pressurized solar water heater, the collector (Vacuum tubes or flat plate) and tank are mounted on one fixture and are in one integrated unit. Tank is mounted at top of the collector. There is no pump used in this type of system.

This system works on flow of water through gravity from overhead tank to solar water heater tank (stainless steel tank with 55 mm poly-urethane insulation) and from this tank onward to vacuum tubes and by natural convection process, the hot water circulates and heats up the whole tank. It usually takes four hours to heat up the water of 300 liters up to 50 Degree in peak winter season and 60 Degree in moderate season and 90 degree in peak hot season. For industrial application of washing and cleaning, the total water load in terms of flow is calculated to design the system. The total number of solar water heaters connected in parallel or series depends upon the daily water consumption and temperature requirement.

SOLAR WATER PUMPING SOLUTIONS

Magnizon Power Systems Solar Pump driven by infinite solar energy, works from sunrise, and stops at sunset, need no connection to grid power nor diesel oil and battery. System can irrigate directly or store water instead of electricity in a reservoir. Magnizon Solar fountain Pumps works with sprinkling irrigation, drip irrigation and infiltrating irrigation facilities, can be more efficient for water saving and dramatically lower the cost of using fossil energy. Solution ranging from 1HP to 300HP that includes variety of applications such as agriculture water conservancy, desert control, daily water supply, city landscaping, sewage water treatment plants, Aquaculture and river connectivity etc.



OUTDOOR UPS SOLUTIONS

More and more precision equipment's are applied in modern industrial applications including power generation/transmission and distribution and manufacturing industries, and Outdoor applications such as traffic signal control systems/CCTV and surveillance applications needs high precision and reliable power supplies. Magnizon industrial grade UPS ranging from 1KVA to 500KVA customized to specific application. Solution includes IP65 rating enclosures with built-in cooling and high ambient temperatures up to 65degC, batteries designed for outdoor applications and remote management of UPS and batteries.





info@magnizon.com www.magnizon.com

Main office: 71-75 Shelton street , Greater London - United Kingdom.
Regional office: Office: 132, LOB 11, JAFZA, Dubai -UAE.

We conceptualize a unique way simplifying and customizing the products, at the same time ensuring best possible and optimized techno commercial solutions to our customers.
Copyright c 2020 Magnizon. All trademarks are the sole property their respective owners.

Magnizon has a policy of continuous improvement.

Specifications are subject to change with out notice. Photos may change slightly from final products.

 magnizon  magnizon1  info@magnizon.com  magnizon1  magnizon