

Subject Index

- abrupt termination, 4
- abstract epi, 185
- abstract mono, 185
- abstraction morphism, 42
- AC, 45
- accessible functor, 227
- ACP, 151
- action, monoid, 58, 299
- Aczel–Mendler bisimulation, 133, 170, 172, 214
- additive monad, 47, 303
- adjunction, 95
 - behaviour-realisation, 101, 102
 - map of, 106
- admissible subset (of a dcpo), 184
- affine functor, 76, 233
- Agda, 86
- algebra, 78
 - bi-, 90
 - free, 98, 392
 - hidden, 90
 - initial, 79
 - Kleene, 312
 - of a monad, 296
 - process, 151
 - quotient, 140
 - Zermelo Fraenkel, 89
- algebraic category, 299
- algebraic specification, 402
- analytic function, 72
- analytical functor, 242
- arity, 51
 - functor, 51
 - multi-sorted, 52
 - single-sorted, 52
- arrow, 25, 248
- attribute, 22
- automaton, 11
 - deterministic, 56, 362
 - non-deterministic, 59
 - weighted, 165, 309
- axiom
 - of choice, 45, 123, 124, 139
 - for a comonad, 423
 - for a functor, 423
 - system for a comonad, 424
 - system for a monad, 405
- Böhm tree, 367
- Backus Naur Form, 61
- bag, 160
- Baire space, 30
- Beck–Chevalley condition, 201
- behaviour, 11
 - function
 - for deterministic automata, 57
 - for sequences, 8
 - realisation adjunction, 101, 102
- behavioural equivalence, 134, 214, 386
- behavioural validity, xii
- bialgebra, 90, 120
 - map of, 156
 - of processes, 155
- bicartesian closed category, 42
- BiCCC, 42
- binary method, 90, 91, 93
- binary tree, 53, 76, 83, 351
- biproduct, 39, 46, 194, 195, 391
- bisimilarity, 120
- bisimulation, 117
 - Aczel–Mendler, 133, 170, 172, 214
 - as coalgebra, 125

- bisimulation (cont.)
 - equivalence, 118
 - logical, 212
 - probabilistic, 217
 - for transition systems, 119
- black box, 3
- Boolean algebra, 252, 385
 - complete, 43
- Cantor space, 30, 74
- Cantor's diagonalisation, 70
- carrier
 - of an algebra, 78
 - of a coalgebra, 30
- cartesian
 - closed category, 42
 - natural transformation, 243
 - weak, 243
- category
 - algebraic, 299
 - dagger, 43
 - dcpo-enriched, 284
 - distributive, 46
 - indexed, 187, 383
 - Kleisli
 - of a comonad, 266
 - finitary, 393
 - of a monad, 263
 - monadic, 299
 - slice, 31, 106
- causal stream function, 75
- CCC, 42
- CCS, 151
- CFG, 61
- characteristic function, 44, 55
- CIRC, 138, 143
- circular rewriting, 143
- class, *x*
 - invariant, 23
 - in set theory, 64
 - in object-oriented programming, xiii, 22
- coalgebra, 30
 - cofree, 96, 357, 419
 - greatest invariant as, 365
 - of a comonad, 297
 - as comonoid, 2
 - of a functor, 30
 - observable, 143
 - quotient, 135, 222
 - recursive, 293
 - simple, 143, 147
 - sub-, 334
 - structure, 30
 - coalgebraic modal logic, 378
 - coalgebraic specification, 434
 - model of, 435
 - co-continuous functor, 224
 - codomain, 25
 - of a relation, 336, 348
 - coequaliser, 48
 - coequation, 370
 - cofree coalgebra, 96, 357, 419
 - greatest invariant as, 365
 - cofree comonad on a functor, 263, 303, 419
 - cofree construction, 96
 - coinduction, 6, 11
 - definition principle, 11, 68
 - \mathcal{EM} -, 329
 - proof principle, 11, 68
 - colimit, 173
 - of ω -chain, 224
 - colour, 419
 - commutative monad, 273
 - comonad, 259
 - cofree — on a functor, 263, 303, 419
 - map of, 259
 - subset, 428
 - comparison functor, 264, 315
 - complement, 43
 - complete Boolean algebra, 43
 - complete lattice, 24, 300
 - composition
 - of functors, 29
 - of relations, 27
 - compositional semantics, 80, 156
 - comprehension, 131, 188, 195, 339, 361
 - computation tree logic, 377
 - comultiplication of a comonad, 259
 - cone, 224
 - congruence, 117
 - as algebra, 125
 - for algebras, of a monad, 354
 - equivalence, 118, 140
 - logical, 213
 - rules, 403
- constant exponent functor, 50
- constant functor, 28
- constructor, *x*
 - of an algebra, 78
- container, 65, 244
- context-free grammar, 61, 284
- contraction, 395

- contravariance of exponents, 41
- contravariant powerset, 44
- convex set, 300
- convex sum, 164
- copower, 38, 293
- coproduct, 37
 - in a category of coalgebras, 39
 - of Eilenberg–Moore algebras, 314
 - n -fold, 38
 - set-indexed, 38
- coprojection morphism, 37
- Coq, 91
- corecursion, 11, 68
 - \mathcal{EM} -, 333
- coreduce, 68
- cospan, 134, 214
- cotuple morphism, 37
- counit
 - of an adjunction, 99
 - of a comonad, 259
- covariant powerset, 44
- cover modality, 389
- CSP, 151
- CTL, 377
- currying, 41, 85

- data type, x
- dcpo, 26
 - enriched category, 284
- denotational semantics, 155
- dependent polynomial functor, 64, 244
- dependent type theory, 65
- derivable equation, 403
- derivative, 144
 - of a function, 72
 - of a language, 72
- destructor, x
- deterministic automaton, 56, 362
 - minimal, 109
 - observable, 109
 - reachable, 109
- diagonal -fill-in, 112, 135, 185
- diagonal relation, 27
- diagram chasing, 27
- dialgebra, 90
- Dijkstra monad, 254
- direct image, 43, 123
- directed complete partial order, 26, 223
- discrete preorder, 96
- discrete topology, 107
- disjoint coproduct, 37

- distribution
 - Dirac, 169, 250
 - functor, 76, 163
 - monad, 250
 - sub-, 164, 251
 - uniform, 167
- distributive category, 46
- distributive law, 267, 305
- domain, 25
 - of a relation, 336, 348

- earlier operator, 373
- effect module, 252
- effective equivalence relation, 139, 359
- \mathcal{EM} -law, 305
- embedding, 285
- endo
 - function, 5
 - functor, 29
 - map, 27
 - morphism, 27
 - relation, 27, 200
- EPF, 50
- epi, 45, 108
 - abstract, 185
- epic map, 45
- epimorphism, 45, 108
 - in a category of coalgebras, 135
- equaliser, 48
 - for coalgebras, 356
- equality
 - external, 190
 - internal, 190
 - relation, 27
- equation, 402
- equivalence
 - of automata, 143
 - of categories, 100, 110
 - effective relation, 139, 359
- evaluation morphism, 42
- event system, vii
- exception
 - in Java, 4
 - monad, 278
- expectation monad, 252
- exponent
 - in a category, 42
 - polynomial functor, 50
- expressivity, 386
- external equality, 190

- factorisation, 135
 - logical system, 185
 - system, 136, 185
- falsity
 - predicate, 43
 - relation, 43
- field, 22, 435
- filter, 252, 390
- final coalgebra
 - for deterministic automata, 70
 - for image-finite non-deterministic automata, 73
 - of sequences, 8
 - weakly, 229
- final object, 35
- final state, 55, 72
- finitary functor, 227
 - Kleisli category, 393
- finite coproducts, 38
- finite Kripke polynomial functor, 50
- finite powerset, 44
- finite products, 36
- finitely branching transition system, 149
- fixed point
 - greatest, 24, 75
 - least, 24
- fold, 79
- free algebra, 98, 112, 392
- free construction, 96
- free iterative monad, 331
- free monad on a functor, 257, 303
- free monoid, 32, 65, 96
- free variable, 113
 - for Böhm tree, 368
- free Zermelo Fraenkel algebra, 89
- Frobenius condition, 191
- full abstractness, 143
- full and faithful functor, 106
- fully abstract interpretation, 81
- functor, 1, 28
 - accessible, 227
 - affine, 76, 233
 - analytical, 242
 - arity, 51
 - co-continuous, 224
 - comparison, 264, 315
 - composition of, 29
 - constant, 28
 - distribution, 76, 163
 - endo, 29
 - finitary, 227
 - forgetful, 29
 - full and faithful, 106
 - identity, 28
 - locally continuous, 295
 - locally monotone, 287
 - multiset, 161
 - shapely, 243
 - strong, 273
 - ω -accessible, 227
- functorial, 30
- functorial semantics, 395
- fuzzy predicate, 311
- Galois connection, 94, 130
 - between backward and forward temporal operators, 373
 - between direct and inverse image, 47
 - between inverse image and product, 47
 - for predicate lifting, 339, 340
- game, 65
- generic (term), 117
- generic temporal operators, 20
- Giry monad, 165, 181
- grammar, context-free, 61, 284
- graph, 126, 128, 280
 - relation, 29
- grep, 144
- group, 26
- Haskell, 248
- Hausdorff space, 193
- head, 7
 - normal form, 367
- henceforth, 354, 361
 - for sequences, 19
- Hennessy–Milner property, 386
- hidden algebra, 90
- hidden sort, 91
- Hoare monad, 254
- Hofstadter’s MU-puzzle, 366
- homomorphism
 - of algebras, 78
 - of coalgebras, 30
- ideal in a poset, 301
- identity functor, 28
- identity relation, 27
- image
 - direct, 43, 123
 - finite non-deterministic automaton, 73
 - as invariant, 349
 - inverse, 44, 123

- indexed category, 187, 383
- indiscrete preorder, 96
- indiscrete topology, 107
- induction
 - binary, 120, 141, 350
 - definition principle, 82
 - with parameters, 107
 - proof principle, 82, 119
 - rule of temporal logic, 375
- infinite binary tree, 54
- infinite sequence, 7, 53, 71
- initial algebra, 79
 - of natural numbers, 82
- initial object, 38
 - strict, 38
- injection, 45
- injective function, 45
- interface, 1
- interference, 167
- interior operator, 23, 355
- internal equality, 190
- interpretation map, 79
- invariant, 18
 - for an algebra, 348
 - class, 23
 - for a coalgebra, 348
 - of a comonad, 353
 - greatest, 354
 - for sequences, 19
- inverse image, 44, 123
- isomorphism, 27

- Java, 4, 6, 253, 390, 436
- join, directed, 26

- kernel, 125, 128
- \mathcal{K} -law, 267
- Kleene algebra, 312
- Kleene star, 144
- Kleisli category
 - of a comonad, 266
 - of a monad, 263
- Kleisli extension, 266
- KPF, 50
- Kripke polynomial functor, 50
 - finite, 50
- Kripke structure, 60

- labelled transition system, 60, 120
- lambda
 - calculus, 367
 - notation, 2
- language, 72, 144
 - accepted, 72, 143
 - monad, 312
 - regular, 144
- lasttime operator, 373
- lattice
 - complete, 24
 - join semi-, 301
 - meet semi-, 188
- Lawvere theory, 393, 395
- lax relation lifting, 122
- lift monad, 250
- lifting
 - of adjunctions, 103
 - lax relation, 122
 - predicate, 336
 - relation, 116
- limit, 173
 - of an ω -chain, 224
- linear dynamical system, xi, 58, 66
 - minimal, 111
 - observable, 111
 - reachable, 111
- linear logic, 260
- linear map, between complete lattices, 301
- list, 6, 7
 - functor, 50
 - lazy, 6
 - monad, 250
- liveness property, 23
- locally continuous functor, 295
- locally monotone functor, 287
- logical bisimulation, 212
- logical congruence, 213
- logical factorisation system, 185
- logical relation, 117
- lowering, predicate, 339
- LTS, 60

- machine, Mealy, 75
- maintainable, 377
- map, 25
 - of adjunctions, 106
 - of comonads, 259
 - endo, 27
 - epic, 45
 - mediating, 170
 - of monads, 257
 - monic, 45
- Markov chain, 164, 250
- maybe monad, 250

- Mealy machine, 75
- mediating map, 170
- method, 22, 435
 - binary, 90, 91, 93
- metric space, 26
- minimal deterministic automaton, 109
- minimal linear dynamical system, 111
- minimal representation, 67
- modal logic, 363
 - coalgebraic, 378
- modal signature functor, 378
- model
 - checking, 60
 - of a coalgebraic specification, 435
- module over a semiring, 300
- monad, 248
 - commutative, 273
 - Dijkstra, 254
 - distribution, 250
 - exception, 278
 - expectation, 252
 - free, on a functor, 257, 303
 - free iterative, 331
 - Hoare, 254
 - I/O, 253
 - language, 312
 - lift, 250
 - list, 250
 - map of, 257
 - maybe, 250
 - powerset, 249
 - predicate transformer, 254
 - quotient, 412
 - state, 251
 - strong, 273
 - transformer, 253, 278
 - ultrafilter, 252
- monadic category, 299
- monic map, 45
- mono, 45, 108
 - abstract, 185
- monoid, 26, 119
 - action, 31, 58, 299
 - free, 32
 - positive, 167
 - of processes, 152
 - refinement, 177
 - of sequences, 17
 - of statements, 6
 - zerosumfree, 167
- monomorphism, 45, 108
 - in a category of coalgebras, 135
 - split, 76
- monotone function, 24, 29
- morphism
 - in a category, 25
 - endo, 27
- MU-puzzle, 366
- multigraph, 165
- multiplication of a monad, 248
- multiset, 160
 - functor, 161
- multi-sorted algebra, 80
- multi-sorted arity, 52
- mutual recursion, 92
- natural transformation, 99
 - cartesian, 243
 - weak cartesian, 243
- negation, 43
- neighbourhood functor, 65, 183, 251, 382
- Nerode realisation, 109
- nexttime, 364
 - for sequences, 19
 - strong, 23
 - weak, 23
 - strong, 365
- non-deterministic automaton, 59
- non-expansive function, 26
- non-termination, 3
- non-well-founded set, xii, 63
- null process, 152
- ω -accessible functor, 227
- object
 - in a category, 25
 - in object-oriented programming, 23
 - orientation, xiii, 22
- observable coalgebra, 143
- observable deterministic automaton, 109
- observable linear dynamical system, 111
- observation function
 - in a deterministic automaton, 56
 - in a non-deterministic automaton, 59
- observer, 435
- operation, of an algebra, 78
- operational model of the λ -calculus, 367, 370
- operational semantics, 155
 - structural, 120, 155
- operator, temporal, 18

- order
 - flat, 122
 - on a functor, 121
 - prefix, 122
- orthogonal maps, 201
- π -calculus, 89
- parametricity, 230
- parsing, 62
- Petri net, vii
- polymorphic type theory, 230
- polynomial, 163
 - Laurent, 169
 - multivariate, 163
 - univariate, 163
- polynomial functor
 - dependent, 64, 244
 - exponent, 50
 - Kripke, 50
 - finite, 50
 - simple, 49
- polytypic (term), 117
- polytypic temporal operators, 20
- positive monoid, 167
- power, 35
- powerset
 - contravariant, 44
 - covariant, 44
 - finite, 44
 - functor, 44
 - monad, 249
- predicate, 43
 - category of, 338
 - in a category, 186
 - falsity, 43
 - fuzzy, 311
 - lifting, 336
 - lowering, 339
 - truth, 43
- prefix, 8
 - action, 152
- preorder, 26, 96
 - discrete, 96
 - indiscrete, 96
- presheaf, 89, 396
- probabilistic bisimulation, 217
- probabilistic transition system, 164
- process, 3, 15, 149
 - algebra, 151
 - category, 103
 - as element of a final coalgebra, 150
 - terms, 155
- product
 - category, 28
 - in a category, 35
 - of algebras, 92
 - for coalgebras, 357
 - n -fold, 35
 - set-indexed, 36
- projection morphism, 35
- pullback, 126, 128, 170
 - countable, 233
 - in **Sets**, 171
 - lemma, 182
 - weak, 170
 - countable, 233
- quantale, 312
- quotient, 141
 - coalgebra, 135, 222
 - monad, 412
- reachable deterministic automaton, 109
- reachable linear dynamical system, 111
- real number, 30
- realisation
 - behaviour, 102
 - functor, 102
 - Nerode, 109
- recolouring, 434
- recursion, 11, 82, 89
 - mutual, 92
- recursive coalgebra, 293
- reduce, 79
- refinement
 - monoid, 177
 - type, 86
- regular expression, 148
- regular language, 144
- relation, 43
 - category of, 124
 - category of sets and, 27
 - classifier, 44
 - in a category, 186
 - endo, 27, 200
 - equality, 27
 - falsity, 43
 - graph, 29
 - inhabitation, 44
 - lax lifting, 122

- relation (cont.)
 - lifting, 116
 - via predicate lifting, 346
 - logical, 117
 - pullback, 126
 - reverse, 43
 - stochastic, 264
 - truth, 43
- relator, 124, 208
- retract, 131
- reverse relation, 43
- rig, 255
- Rolling lemma, 92
- rule, 12
 - double, 34
- safety property, 23, 334
- section, 45
- Segala system, 166
 - simple, 166, 309
- semantics
 - compositional, 80, 156
 - functorial, 395
- sequence, 6
 - finite, 7
 - infinite, 7, 53, 71
- shapely functor, 243
- shift, 66
- side effect, 3
- signature, 79
- similarity, 122
- simple coalgebra, 143, 147
- simple polynomial functor, 49
- simulation, 122, 131
- since operator, 373, 376
- single-sorted, 79
 - algebra, 80
 - arity, 52
- single-typed, 80
- slice category, 31, 106
- SOS, *see* structural operational semantics
- soundness, 415
- space, Hausdorff, 193
- span, 134, 214, 295
- specification, algebraic, 402
- SPF, 49
- split monomorphism, 76
- splitting, 45
- state
 - monad, 251
 - space, 1, 30
- successor, 1
 - transformer, 3
- stochastic relation, 264
- Stone space, 30
- stream, 7, 71
 - causal function, 75
 - comonad, 260, 302
 - of real numbers, 72
- strength, 107, 272
 - double, 273, 303
 - swapped, 272
- strict initial object, 38
- strong functor, 273
- strong monad, 273
- structural operational semantics (SOS),
 - x
- subalgebra, 350
- subcoalgebra, 334, 347, 350
 - greatest, 362
- subdistribution, 164, 251
- subobject, 184
 - classifier, 359
- subset, 43
 - comonad, 428
 - type functor, 361
- subsort, 91
- substitution, 395
 - as Kleisli composition, 394
- sum of processes, 152
- support, 161
- surjection, 45
- surjective function, 45
- symmetric monoidal structure, 47, 103
- tail, 7
- Taylor series, 72
- temporal logic, 354
- temporal operator, 18
- term, 392
- terminal object, 35
- termination
 - abrupt, 4
 - non-, 3
- theorem, 403
 - prover, 91
- topological space, 26, 77
- topology
 - discrete, 107
 - indiscrete, 107
- topos, 44, 194, 359

- trace
 - equivalence, 296
 - monoidal, 293
- transition function, 1
 - in a deterministic automaton, 55, 56
 - iterated, 57
 - in a non-deterministic automaton, 59
- transition structure, 1, 30
- transition system
 - bisimulation, 119
 - finite branching, 149
 - labelled, 60, 120
 - multiple-step, 57
 - probabilistic, 164
 - unlabelled, 60, 342, 371, 374
- transpose, 95
- tree
 - binary, 53, 76, 83, 351
 - Böhm, 367
- triangular identities, 108
- truth predicate, 43
- truth relation, 43
- tuple morphism, 35
- Turing machine, vii, 62
- type, 1
 - refinement, 86
 - theory
 - dependent, 65
 - polymorphic, 230
- ultrafilter, 252
 - monad, 252
- unfold, 68
- uniform distribution, 167
- unit
 - of an adjunction, 99
 - of a monad, 248
- unlabelled transition system, 60, 342, 371, 374
- until operator, 365, 376
- UTS, 60
- valuation, 60
- vector space, 66, 194
- Vietoris functor, 30
- weak cartesian natural transformation, 243
- weak pullback, 170
- weakening, 395
- weakest precondition, 262, 276
- weakly final coalgebra, 229
- Whisky problem, 376
- word, 6, 7
- Ynot, 255
- zero map, 287
- zero object, 46, 276, 287
- zerosumfree monoid, 167
- zig-zag morphism, 61