

HEMATOLOGIC AND LYMPHATIC CONDITIONS, INCLUDING LEUKEMIA
DISABILITY BENEFITS QUESTIONNAIRE

Name of Patient/Veteran _____

Patient/Veteran's Social Security Number _____

Date of examination: _____

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) **WILL NOT PAY OR REIMBURSE** ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM.

Note - The Veteran is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the Veteran's claim. VA may obtain additional medical information, including an examination, if necessary, to complete VA's review of the Veteran's application. VA reserves the right to confirm the authenticity of ALL completed questionnaires. **It is intended that this questionnaire will be completed by the Veteran's healthcare provider.**

Are you completing this Disability Benefits Questionnaire at the request of:

☐ Veteran/Claimant☐ Third party (please list name(s) of organization(s) or individual(s))☐ Other: please describeAre you a VA Healthcare provider? ☐ Yes ☐ NoIs the Veteran regularly seen as a patient in your clinic? ☐ Yes ☐ NoWas the Veteran examined in person? ☐ Yes ☐ No

If no, how was the examination conducted?

EVIDENCE REVIEW

Evidence reviewed:

☐ No records were reviewed☐ Records reviewed

Please identify the evidence reviewed (e.g. service treatment records, VA treatment records, private treatment records) and the date range.

SECTION 1 - DIAGNOSIS

Note: These are condition(s) for which an evaluation has been requested on the exam request form (Internal VA) or for which the Veteran has requested medical evidence be provided for submission to VA.

1A. List the claimed condition(s) that pertain to this questionnaire:

Note: These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition(s), explain your findings and reasons in the Remarks section. Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis or an approximate date determined through record review or reported history.

1B. Select diagnoses associated with the claimed condition(s) (check all that apply):

☐ The Veteran does not have a current diagnosis associated with any claimed condition(s) listed above. (Explain your findings and reasons in the Remarks section)		
☐ Agranulocytosis, acquired	ICD code: _____	Date of diagnosis: _____
☐ Leukemia		
☐ Chronic myelogenous leukemia (CML) (chronic myeloid leukemia or chronic granulocytic leukemia)	ICD code: _____	Date of diagnosis: _____
☐ Chronic lymphocytic leukemia (CLL)	ICD code: _____	Date of diagnosis: _____
☐ Hairy cell or other B-cell leukemia	ICD code: _____	Date of diagnosis: _____
☐ Other Specify: _____	ICD code: _____	Date of diagnosis: _____
☐ Hodgkin's lymphoma	ICD code: _____	Date of diagnosis: _____
☐ Non-Hodgkin's lymphoma (NHL)	ICD code: _____	Date of diagnosis: _____
☐ Multiple myeloma	ICD code: _____	Date of diagnosis: _____
☐ Monoclonal gammopathy of undetermined significance (MGUS)	ICD code: _____	Date of diagnosis: _____
☐ Myelodysplastic syndrome	ICD code: _____	Date of diagnosis: _____
☐ Solitary plasmacytoma	ICD code: _____	Date of diagnosis: _____
☐ Anemia		
☐ Aplastic anemia	ICD code: _____	Date of diagnosis: _____
☐ Iron deficiency anemia	ICD code: _____	Date of diagnosis: _____
☐ Folic acid deficiency	ICD code: _____	Date of diagnosis: _____
☐ Pernicious anemia or other Vitamin B12 deficiency anemia	ICD code: _____	Date of diagnosis: _____
☐ Acquired hemolytic anemia	ICD code: _____	Date of diagnosis: _____
☐ Other Specify: _____	ICD code: _____	Date of diagnosis: _____
☐ AL amyloidosis (primary amyloidosis)	ICD code: _____	Date of diagnosis: _____
☐ Immune thrombocytopenia	ICD code: _____	Date of diagnosis: _____
☐ Polycythemia vera	ICD code: _____	Date of diagnosis: _____
☐ Sickle cell anemia	ICD code: _____	Date of diagnosis: _____
☐ Splenectomy	ICD code: _____	Date of diagnosis: _____
Are there complications such as systemic infections with encapsulated bacteria? ☐ Yes ☐ No		
If Yes, complete Section 6 - Other Pertinent Physical Findings, Complications, Conditions, Signs and/or Symptoms.		
☐ Injury to Spleen	ICD code: _____	Date of diagnosis: _____
If checked, complete Section 6 - Other Pertinent Physical Findings, Complications, Conditions, Signs and/or Symptoms.		
☐ Adenitis, tuberculous (Also complete the Infectious Diseases (Other than HIV-Related Illness, Chronic Fatigue Syndrome, or Tuberculosis) Disability Benefits Questionnaire).	ICD code: _____	Date of diagnosis: _____
☐ Active ☐ Inactive		
☐ Essential thrombocythemia or primary myelofibrosis	ICD code: _____	Date of diagnosis: _____

☐ Other, specify

Other diagnosis #1: _____	ICD code _____	Date of diagnosis: _____
Other diagnosis #2: _____	ICD code: _____	Date of diagnosis: _____
Other diagnosis #3: _____	ICD code: _____	Date of diagnosis: _____

1C. If there are additional or prior diagnoses that pertain to hematologic or lymphatic conditions, list using above format:

SECTION 2 - MEDICAL HISTORY

2A. Describe the history (including cause (if known), onset and course) of the Veteran's current hematologic or lymphatic condition(s) (brief summary):

2B. Is continuous medication required for control of a hematologic or lymphatic condition, including anemia or thrombocytopenia caused by treatment for a hematologic or lymphatic condition?

☐ Yes ☐ No

If yes, list only those medications required for control of the Veteran's hematologic or lymphatic condition, including anemia or thrombocytopenia caused by treatment for a hematologic or lymphatic condition. Provide the name of the medication and the condition the medication is used to treat:

2C. Has the Veteran completed any treatment or is the Veteran currently undergoing any treatment for any hematologic or lymphatic condition, including leukemia?

☐ Yes ☐ No; watchful waiting If yes, indicate type of treatment the Veteran is currently undergoing or has completed in the applicable section(s) below.

SECTION 3 - ANEMIA AND THROMBOCYTOPENIA

Note: If treatment was provided beyond that specified under the specific diagnosis below, or if more than one course of treatment was provided, describe in the Remarks Section.

3A. Does the Veteran have anemia or thrombocytopenia including that which is caused by treatment for a hematologic or lymphatic condition?

☐ Yes ☐ No

If yes, please check type:

- ☐ Aplastic anemia (complete 3B)
- ☐ Iron deficiency anemia (complete 3C)

- ☐ Folic acid deficiency (complete 3D)
- ☐ Pernicious anemia or other Vitamin B12 deficiency anemia (complete 3E)
- ☐ Acquired hemolytic anemia (complete 3F)
- ☐ Immune thrombocytopenia (complete 3G)
- ☐ Sickle cell anemia (complete 3H)
- ☐ Other Specify _____

Is the anemia caused by treatment for another hematologic or lymphatic condition?

☐ Yes ☐ No

If yes, provide the name of the other hematologic or lymphatic condition causing the secondary anemia:

3B. What is the status of aplastic anemia?

☐ Requiring peripheral blood or bone marrow stem cell transplant

If checked, provide the following:

Describe the type of transplant and date of hospitalization:

Date of hospital discharge following transplant (if known):

☐ Unknown

☐ Requiring transfusion of platelets, on average, at least:

- ☐ once every six weeks per 12-month period
- ☐ once every three months per 12-month period
- ☐ once per 12-month period

☐ Requiring transfusion of red cells, on average, at least:

- ☐ once every six weeks per 12-month period
- ☐ once every three months per 12-month period
- ☐ once per 12-month period

☐ Infections recurring, on average, at least:

- ☐ once every six weeks per 12-month period
- ☐ once every three months per 12-month period
- ☐ once per 12-month period

☐ Using continuous therapy with immunosuppressive agent

☐ Using continuous therapy with newer platelet stimulating factors

Note: The term "newer platelet stimulating factors" includes medication, factors, or other agents approved by the United States Food and Drug Administration.

3C. What is the status of iron deficiency anemia?

- ☐ Requiring intravenous iron infusions 4 or more times per 12-month period
- ☐ Requiring intravenous iron infusions at least 1 time but less than 4 times per 12-month period
- ☐ Requiring continuous treatment with oral supplementation
- ☐ Requiring treatment only by dietary modification
- ☐ Asymptomatic

3D. What is the status of folic acid deficiency?

- ☐ Requiring continuous treatment with high-dose oral supplementation
- ☐ Requiring treatment only by dietary modification
- ☐ Asymptomatic

3E. What is the status of pernicious anemia or other vitamin B12 deficiency anemia?

- ☐ Initial diagnosis requiring transfusion due to severe anemia

If checked, provide the following:

Date of initial diagnosis requiring transfusion:

Date of hospital discharge following transfusion (if known):

☐ Unknown

- ☐ Signs or symptoms related to central nervous system impairment, such as encephalopathy, myelopathy, or severe peripheral neuropathy, requiring parenteral B12 therapy

If checked, provide the following:

Describe signs/symptoms of central nervous system impairment:

Date of cessation of parenteral B12 therapy (if known):

☐ Unknown

- ☐ Requiring continuous treatment with Vitamin B12 injections
- ☐ Requiring continuous treatment with Vitamin B12 sublingual tablets
- ☐ Requiring continuous treatment with high-dose Vitamin B12 oral tablets
- ☐ Requiring continuous treatment with Vitamin B12 nasal spray or gel

Note: Following hospital discharge or cessation of parenteral B₁₂ therapy, if there are any residual effects of pernicious anemia, such as neurologic involvement causing peripheral neuropathy, myelopathy, dementia, or related gastrointestinal residuals, also complete appropriate Questionnaire for each condition.

3F. What is the status of acquired hemolytic anemia?

- ☐ Required a bone marrow transplant

If checked, provide the following:

Date of hospitalization:

Date of hospital discharge following transplant (if known):

☐ Unknown

- ☐ Requiring continuous intravenous or immunosuppressive therapy (e.g., prednisone, Cytoxan, azathioprine, or rituximab)
- ☐ Requiring immunosuppressive medication 4 or more times per 12-month period
- ☐ Requiring 2-3 courses of immunosuppressive therapy per 12-month period
- ☐ Requiring one course of immunosuppressive therapy per 12-month period
- ☐ Required a splenectomy
- ☐ Asymptomatic

3G. What is the status of immune thrombocytopenia?

- ☐ Requiring chemotherapy for chronic refractory thrombocytopenia

If checked, provide the following:

Date treatment began:

Date of completion or anticipated date of completion of treatment (if known):

☐ Unknown

- ☐ Requiring immunosuppressive therapy
- ☐ Platelet count 30,000 or below despite treatment
- ☐ Platelet count higher than 30,000 but not higher than 50,000 with history of hospitalization because of severe bleeding requiring intravenous immune globulin, high dose parenteral corticosteroids, and platelet transfusions

- ☐ Platelet count higher than 30,000 but not higher than 50,000 with mild mucous membrane bleeding which requires oral corticosteroid therapy or intravenous immune globulin
- ☐ Platelet count higher than 30,000 but not higher than 50,000 with immune thrombocytopenia which requires oral corticosteroid therapy or intravenous immune globulin
- ☐ Platelet count higher than 30,000 but not higher than 50,000, not requiring treatment
- ☐ Platelet count above 50,000 and asymptomatic
- ☐ Required a splenectomy
- ☐ In remission

3H. What is the status of sickle cell anemia?

- ☐ With 4 or more painful episodes per 12-month period (occurring in skin, joints, bones, or any major organs) caused by hemolysis and sickling of red blood cells with anemia, thrombosis, and infarction; symptoms preclude light manual labor
- ☐ With 3 painful episodes per 12-month period
- ☐ With 1 or 2 painful episodes per 12-month period
- ☐ Symptoms preclude other than light manual labor
- ☐ Asymptomatic, established case in remission, but with identifiable organ impairment
- ☐ Asymptomatic with no identifiable organ impairment
- ☐ Other Specify: _____

SECTION 4 - LEUKEMIA, MULTIPLE MYELOMA, MONOCLONAL GAMMOPATHY OF UNDETERMINED SIGNIFICANCE (MGUS), AGRANULOCYTOSIS, ACQUIRED, ESSENTIAL THROMBOCYTHEMIA, PRIMARY MYELOFIBROSIS, AND MYELOYDYSPLASTIC SYNDROMES

Note: If treatment was provided beyond that specified under the specific diagnosis below, or if more than one course of treatment was provided, describe in the Remarks Section.

4A. Does the Veteran have leukemia, multiple myeloma, monoclonal gammopathy of undetermined significance (MGUS), agranulocytosis, acquired, essential thrombocythemia, primary myelofibrosis, or myelodysplastic syndromes?

☐ Yes ☐ No

If yes, please check type:

- ☐ Chronic lymphocytic leukemia (complete 4B)
- ☐ Monoclonal B-cell lymphocytosis (MBL) (complete 4B)
- ☐ Hairy cell or other B-cell leukemia (complete 4B)
- ☐ Chronic myelogenous leukemia (complete 4C)
- ☐ Chronic myeloid leukemia (complete 4C)
- ☐ Chronic granulocytic leukemia (complete 4C)
- ☐ Multiple myeloma (complete 4D)
- ☐ Monoclonal gammopathy of undetermined significance (MGUS) (complete 4D)
- ☐ Agranulocytosis, acquired (complete 4E)
- ☐ Essential thrombocythemia or primary myelofibrosis (complete 4F)
- ☐ Myelodysplastic syndromes (complete 4G)
- ☐ Other Specify: _____

4B. What is the status of chronic lymphocytic leukemia, hairy cell leukemia, other B-cell leukemia, or monoclonal B-cell lymphocytosis?

- ☐ Active (no treatment) (including Rai Stage I, II, III, or IV)

☐ Undergoing treatment (chemotherapy, radiation therapy, surgical therapy, or other therapeutic procedures/treatment)

If checked, provide the following:

Describe the type of treatment and date treatment began:

Anticipated date of completion of treatment (if known):

☐ Unknown

☐ In remission, treatment completed

If checked, provide the following:

Describe the type of treatment and date treatment began:

Date of completion of treatment (if known):

☐ Unknown

Note: If in remission and there are any residual effects following cessation of treatment for the above condition(s), also complete appropriate Questionnaire for each condition.

☐ Asymptomatic, Rai Stage 0

4C. What is the status of chronic myelogenous leukemia (CML) (chronic myeloid leukemia, or chronic granulocytic leukemia)?

☐ Condition has undergone leukemic transformation (complete 4B)

☐ Requiring peripheral blood or bone marrow stem cell transplant

If checked, provide the following:

Describe the type of transplant and date of hospitalization:

Date of hospital discharge following transplant (if known):

☐ Unknown

☐ Requiring continuous myelosuppressive or immunosuppressive therapy treatment

If checked, provide the following:

Describe the type of treatment and date treatment began:

Date of completion or anticipated date of completion of treatment (if known):

☐ Unknown

☐ Requiring intermittent myelosuppressive therapy, or molecularly targeted therapy with tyrosine kinase inhibitors, or interferon treatment when not in apparent remission

☐ In apparent remission on continuous molecularly targeted therapy with tyrosine kinase inhibitors

☐ In apparent remission with no active treatment or therapy

☐ Asymptomatic

4D. What is the status of multiple myeloma?

☐ Symptomatic

If checked, provide date of diagnosis of symptomatic multiple myeloma:

Note: Current validated biomarkers of symptomatic multiple myeloma, asymptomatic, smoldering or monoclonal gammopathy of undetermined significance (MGUS) are acceptable for the diagnosis of multiple myeloma as defined by the American Society of Hematology (ASH) and International Myeloma Working Group (IMWG).

☐ Smoldering multiple myeloma (SMM)

☐ Monoclonal gammopathy of undetermined significance (MGUS)

☐ Asymptomatic

4E. What is the status of agranulocytosis, acquired?

☐ Requiring bone marrow transplant

If checked, provide the following:

Date of hospital admission for bone marrow transplant:

Date of hospital discharge following transplant (if known):

☐ Unknown

☐ Requiring intermittent myeloid growth factors (granulocyte colony-stimulating factor (G-CSF) to maintain absolute neutrophil count (ANC) greater than 500/microliter (l) but less than 1000/l

- ☐ Requiring granulocyte-macrophage colony-stimulating factor (GM-CSF) to maintain ANC greater than 500/microliter (l) but less than 1000/μ
- ☐ Requiring continuous immunosuppressive therapy such as cyclosporine to maintain ANC greater than 500/microliter (μl) but less than 1000/μl
- ☐ Requiring intermittent myeloid growth factors to maintain ANC greater than 1000/μl
- ☐ Requiring intermittent use of a myeloid growth factor to maintain ANC greater than or equal to 1500/μl
- ☐ Infections recurring, on average, at least once every six weeks per 12-month period
- ☐ Infections recurring, on average, at least once every three months per 12-month period
- ☐ Infections recurring, on average, at least once per 12-month period but less than once every three months per 12-month period
- ☐ Requiring continuous medication (e.g., antibiotics) for control
- ☐ Asymptomatic

4F. What is the status of essential thrombocythemia and primary myelofibrosis?

- ☐ Condition has undergone leukemic transformation (complete 4B)
- ☐ Requiring continuous myelosuppressive therapy
- ☐ Requiring hospital admission for peripheral blood or bone marrow stem cell transplant

If checked, provide the following:

Describe the type of transplant and date of hospitalization:

Date of hospital discharge following transplant (if known):

☐ Unknown

- ☐ Requiring hospital admission for chemotherapy (including myelosuppressants) or interferon treatment

If checked, provide the following:

Describe the type of treatment and date of hospitalization:

Date of completion or anticipated date of completion of treatment (if known):

☐ Unknown

- ☐ Requiring continuous or intermittent myelosuppressive therapy, or chemotherapy, or interferon treatment for the purpose of maintaining platelet counts $<500 \times 10^9/L$
- ☐ Requiring continuous or intermittent myelosuppressive therapy, or chemotherapy, or interferon treatment for the purpose of maintaining platelet counts of 200,000-400,000
- ☐ Requiring continuous or intermittent myelosuppressive therapy, or chemotherapy, or interferon treatment for the purpose of maintaining white blood cell (WBC) counts of 4,000-10,000
- ☐ Asymptomatic

4G. What is the status of myelodysplastic syndromes?

- ☐ Condition has undergone progression to leukemia (complete 4B)
- ☐ Requiring peripheral blood or bone marrow stem cell transplant

If checked, provide the following:

Describe the type of transplant and date of hospitalization:

Date of hospital discharge following transplant (if known):

☐ Unknown

- ☐ Requiring chemotherapy

If checked, provide the following:

Date treatment began:

Date of completion or anticipated date of completion of treatment (if known):

☐ Unknown

- ☐ Requiring 4 or more blood or platelet transfusions per 12-month period
- ☐ Requiring 1 to 3 blood or platelet transfusions per 12-month period
- ☐ Infections requiring hospitalization 3 or more times per 12-month period

- ☐ Infections requiring hospitalization 1 to 2 times per 12-month period
- ☐ Requiring biologic therapy on an ongoing basis
- ☐ Requiring erythropoiesis stimulating agent (ESA) for 12 weeks or less per 12-month period
- ☐ Asymptomatic

SECTION 5 - LYMPHOMAS, POLYCYTHEMIA VERA, AND SOLITARY PLASMACYTOMA

Note: If treatment was provided beyond that specified under the specific diagnosis below, or if more than one course of treatment was provided, describe in the Remarks Section.

5A. Does the Veteran have Hodgkin's lymphoma, Non-Hodgkin's lymphoma, polycythemia vera or solitary plasmacytoma?

☐ Yes ☐ No

If yes, please check type:

- ☐ Hodgkin's lymphoma (complete 5B)
- ☐ Non-Hodgkin's lymphoma (NHL) (complete 5B)
- ☐ Polycythemia vera (complete 5C)
- ☐ Plasmacytoma (complete 5D)
- ☐ Other

Specify:

5B. What is the status of the Hodgkin's lymphoma or Non-Hodgkin's lymphoma?

- ☐ Active disease (no treatment)
- ☐ Indolent and non-contiguous phase of low grade NHL
- ☐ Undergoing treatment (chemotherapy, radiation therapy, surgical therapy, or other therapeutic procedures/treatment)

If checked, provide the following:

Describe the type of treatment and date treatment began:

Anticipated date of completion of treatment (if known):

☐ Unknown

- ☐ In remission, treatment completed

If checked, provide the following:

Describe the type of treatment and date treatment began:

Date of completion of treatment (if known):

☐ Unknown

- ☐ Asymptomatic

5C. What is the status of the polycythemia vera?

- ☐ Condition has undergone leukemic transformation (complete 4B)
- ☐ Requiring peripheral blood or bone marrow stem-cell transplant for the purpose of ameliorating the symptom burden

If checked, provide the following:

Describe the type of transplant and date of hospitalization:

Date of hospital discharge following transplant:

☐ Unknown

☐ Requiring chemotherapy (including myelosuppressants) for the purpose of ameliorating the symptom burden

If checked, provide the following:

Date treatment began:

Date of completion or anticipated date of completion of treatment (if known):

☐ Unknown

☐ Requiring phlebotomy 6 or more times per 12-month period for the purpose of controlling RBC count

☐ Requiring phlebotomy 4-5 times per 12-month period to maintain platelets < 200,000 or white blood cells (WBC) < 12,000

☐ Requiring phlebotomy 3 or fewer times per 12-month period to maintain all blood values at reference range levels

☐ Requiring molecularly targeted therapy for the purpose of controlling RBC count

☐ Requiring continuous biologic therapy or myelosuppressive agents, to include interferon, to maintain platelets < 200,000 or white blood cells (WBC) < 12,000

☐ Requiring biologic therapy or interferon on an intermittent basis as needed to maintain all blood values at reference range levels

☐ Asymptomatic

☐ Other Describe:

Note: If there are complications due to polycythemia vera such as hypertension, gout, stroke or thrombotic disease, ALSO complete appropriate Questionnaire for each condition.

5D. What is the status of the solitary plasmacytoma?

☐ Active disease (no treatment)

☐ Developed into multiple myeloma (complete 4D)

☐ Undergoing treatment (chemotherapy, radiation therapy, surgical therapy, or other therapeutic procedures/treatment (including autologous stem cell transplantation))

If checked, provide the following:

Describe the type of treatment and date treatment began:

Anticipated date of completion of treatment (if known):

☐ Unknown

☐ In remission, treatment completed

If checked, provide the following:

Describe the type of treatment and date treatment began:

Date of completion of treatment (if known):

☐ Unknown

☐ Asymptomatic

Note: If there are any residual effects (plasma cell dysplasia and/or adverse effects of medical treatment), also complete appropriate Questionnaire for each condition.

SECTION 6 - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS, AND SCARS

6A. Does the Veteran have any other pertinent physical findings, complications, conditions, signs or symptoms related to any conditions listed in the diagnosis section above?

☐ Yes ☐ No

If yes, describe (brief summary) (Also if indicated, complete the appropriate questionnaire for each condition):

6B. Does the Veteran have any scars or other disfigurement (of the skin) related to any conditions or to the treatment of any conditions listed in the diagnosis section?

☐ Yes ☐ No

If yes, also complete the appropriate dermatological questionnaire.

SECTION 7 - DIAGNOSTIC TESTING

Note: If testing has been performed and reflects Veteran's current condition, no further testing is required. When appropriate, provide most recent complete blood count.

7A. Has clinically relevant laboratory testing been performed or reviewed in conjunction with this examination?

☐ Yes ☐ No

If yes, provide results:

Hemoglobin (Hgb) (gm/dL):

Date:

Hematocrit (HCT) %:

Date:

Red blood cell (RBC) count:

Date:

White blood cell (WBC) count:

Date:

Platelet count (K/ μ):

Date:

7B. Are there any other clinically relevant diagnostic test findings or results related to the claimed condition(s) and/or diagnosis(es), that were reviewed in conjunction with this examination?

☐ Yes ☐ No

If yes, provide type of test or procedure, date and results (brief summary):

7C. If any test results are other than normal, indicate relationship of abnormal findings to diagnosed conditions:

SECTION 8 - FUNCTIONAL IMPACT

Note: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.

8A. Regardless of the Veteran's current employment status, do the conditions listed in the diagnosis section impact his/her ability to perform any type of occupational task (such as standing, walking, lifting, sitting, etc.)?

☐ Yes ☐ No

If yes, describe the functional impact of each condition, providing one or more examples:

SECTION 9 - REMARKS

9A. Remarks (if any - please identify the section to which the remark pertains when appropriate).

SECTION 10 - EXAMINER'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

PENALTY: The law provides severe penalties which include fine or imprisonment, or both, for the willful submission of any statement or evidence of a material fact, knowing it to be false, or for the fraudulent acceptance of any payment to which you are not entitled.

10A. Examiner's signature:

10B. Examiner's printed name and title (e.g. MD, DO, DDS, DMD, Ph.D, Psy.D, NP, PA-C):

10C. Examiner's area of practice/specialty (e.g. Cardiology, Orthopedics, Psychology/Psychiatry, General Practice):

10D. Date signed:

10E. Examiner's phone/fax numbers:

10F. National Provider Identifier (NPI) number:

10G. Medical license number and state:

10H. Examiner's address: