

Lab 2: Miscellaneous Calculations

Smit, A. J.

University of the Western Cape

Table of contents

1	Background	1
1.1	Pre-Lab	1
1.2	Post-Lab	1
2	Questions	2
2.1	Question 1: Dilutions (10 marks)	2
2.2	Question 2: Quantum Light Measurements (4 marks)	2
2.3	Question 3: Plant Growth Rates (9 marks)	2
2.4	Question 4: Light Attenuation (15 marks)	2
2.5	Question 5: Photosynthetic Rate Calculation (10 marks)	3
2.6	Question 6: Relative Growth Rate (RGR) (5 marks)	3
2.7	Question 7: Respiration Rate and Plant Carbon Balance (5 marks)	3
2.8	Question 8: Additive Light Intensity at Different Depths in Water (10 marks)	3
2.9	Question 9: Spectrally resolved attenuation and the euphotic boundary (12 marks)	3
	Bibliography	4

i Date

- **Lab Date:** 23 September 2024 (Monday)
- **Due Date:** 7:00, 30 September 2024 (Monday)

1 Background

Students will work as individuals; assignments are per individual. This lab is due on Monday 30 September 2024 at 7:00 on iKamva.

1.1 Pre-Lab

Read this lab and contextualise within the pertinent material in your text.

1.2 Post-Lab

Upon completion of this lab:

- transcribe all tables and questions (Exercises A-E) to an electronic document and submit on iKamva. To submit online on Monday 30 September 2024 at 7:00.

2 Questions

2.1 Question 1: Dilutions (10 marks)

A 1.5% (mass:volume) carrageenan gel consists of 0.75g of carrageenan dissolved in 50 ml of 1% KCl. You accidentally added 0.87g to the 50 ml.

- What percentage gel have you inadvertently prepared?
- How much additional water must be added to the 50 ml to achieve the desired 1.5% gel?
- Carrageenan is a polysaccharide. Identify its biological origin: which photoautotrophs synthesise it?
- Explain its ecological role in those organisms.
- Describe how humans exploit carrageenan's properties in food or industry.

2.2 Question 2: Quantum Light Measurements (4 marks)

monochromatic blue light source (420 nm) provides a photon flux density of 120 $\mu\text{mol photons.m}^{-2}.\text{s}^{-1}$.

How many photons will fall on an area of 25 cm^2 over a 2-hour period?

(Be sure to convert the area into square metres, and assume flux density remains constant.)

2.3 Question 3: Plant Growth Rates (9 marks)

For each scenario below:

- Identify the biological process the measurements represent;
- Write down a suitable equation for calculating the process;
- Calculate the rate;
- State the resulting units.

Scenario i (4 marks)	Scenario ii (5 marks)
<ul style="list-style-type: none">Day 1: Plant biomass of 99 gDay 100: Plant biomass of 149 g	<ul style="list-style-type: none">Time, 0 minutes: 7.95 mg/L O_2Time, 20 minutes: 11.39 mg/L O_2Algal biomass: 2.3 g fresh mass

(In Scenario ii, calculate the oxygen production rate per gram of algal fresh mass.)

2.4 Question 4: Light Attenuation (15 marks)

You are a marine scientist assessing light penetration in the water column off Richards Bay, KZN. Measurements are taken in 5 m increments down to 50 m. Two stations are sampled:

- 1 km from shore (incident radiation at surface, 8:00: 1,213 $\mu\text{mol photons.m}^{-2}.\text{s}^{-1}$)
- 20 km from shore (incident radiation at surface, 9:35: 2,166 $\mu\text{mol photons.m}^{-2}.\text{s}^{-1}$)

Unfortunately, your submersible light meter was left in the lab; only surface values are available.

- Using the Beer-Lambert law $I_z = I_0 e^{-kz}$, construct vertical light intensity curves for each site (surface to 50 m). State any assumptions made about the attenuation coefficient k .

2. Justify why these theoretical curves are a reasonable approximation of reality.
3. Identify physical and methodological factors that would cause deviation from the actual in situ profiles.

2.5 Question 5: Photosynthetic Rate Calculation (10 marks)

A leaf in full sunlight absorbs 10 mol of photons per square meter per second ($\text{mol m}^{-2} \text{s}^{-1}$). Its quantum yield is 0.05 mol of CO_2 fixed per mol of photons absorbed.

Calculate the photosynthetic rate (in $\mu\text{mol CO}_2 \text{ m}^{-2} \text{s}^{-1}$) of the leaf under these conditions.

2.6 Question 6: Relative Growth Rate (RGR) (5 marks)

The biomass of a plant at time t_0 is 50 g. After 10 days (time t_1), the biomass is 80 g.

Calculate the relative growth rate (RGR) in $\text{g g}^{-1} \text{day}^{-1}$ using the equation:

$$RGR = \frac{\ln(W_1) - \ln(W_0)}{t_1 - t_0}$$

Where:

- (W_1) is the biomass at time (t_1)
- (W_0) is the biomass at time (t_0)

Explain why logarithmic growth is used instead of simple arithmetic increase.

2.7 Question 7: Respiration Rate and Plant Carbon Balance (5 marks)

A plant in darkness consumes 5 mg CO_2 per hour for respiration. During the day, its photosynthetic rate is 15 mg CO_2 per hour. Assume 12 hours light and 12 hours dark.

Calculate the net carbon balance of the plant over a 24-hour period. Is it positive or negative?

(Clarify whether the rates refer to whole-plant values or per unit biomass in your calculation.)

2.8 Question 8: Additive Light Intensity at Different Depths in Water (10 marks)

In an aquatic experiment, photon flux density at 2 m depth arises from multiple sources:

- Direct sunlight = $400 \mu\text{mol photons m}^{-2} \text{s}^{-1}$
 - Diffuse underwater reflections = $120 \mu\text{mol photons m}^{-2} \text{s}^{-1}$
 - Scattered light from particles = $50 \mu\text{mol photons m}^{-2} \text{s}^{-1}$
1. Calculate the total photon flux density at a depth of 2 meters.
 2. If a plant requires $\geq 500 \mu\text{mol photons m}^{-2} \text{s}^{-1}$ for photosynthesis, is the requirement met?
 3. Briefly discuss how turbidity or scattering would affect these additive contributions in natural waters.

2.9 Question 9: Spectrally resolved attenuation and the euphotic boundary (12 marks)

At noon the surface PAR is $I_0 = 1,800 \mu\text{mol photons m}^{-2} \text{s}^{-1}$. Treat the incident spectrum as two quasi-monochromatic bands:

- “Blue–green” centred at 490 nm, comprising 45% of I_0 , with diffuse attenuation $k_{BG} = 0.040 \text{ m}^{-1}$.
- “Red–yellow” centred at 620 nm, comprising 55% of I_0 , with diffuse attenuation $k_{RY} = 0.25 \text{ m}^{-1}$.

Assume independent exponential loss with depth and no internal sources.

1. Write an explicit expression for total PAR at depth z as the sum of the two bands, $I(z) = I_{BG}(z) + I_{RY}(z)$. State the units at each step.
2. Compute the 1% light level $z_{1\%}$ defined by $I(z_{1\%}) = 0.01 I_0$. Because the sum of two exponentials lacks a closed-form inverse, determine $z_{1\%}$ to the nearest metre by a transparent numerical bracketing (show at least three evaluated depths and your final interpolation).
3. At $z = 30 \text{ m}$ and $z = 60 \text{ m}$, calculate the fractional contribution of the blue–green band to total PAR, i.e., $f_{BG}(z) = I_{BG}(z)/I(z)$. Interpret the change in f_{BG} with depth in one or two sentences.

(Note. Answers that hide the unit conversions or skip the bracketing will be penalised.)

Bibliography