Lecture 6 Daily Activity

screenshots

```
1 / 1 ▼   +   ⏏   ⊡         ⋯ jel-ThinkPad-T420: ~/practice   🔍  ≡   −  ↺  ⊗

1: jel@jel-ThinkPad-T420: ~/practice ▼                                    +   ✕

''$'\033\033''0A'$'\033''0A'$'\033''0A'$'\033''0A'$'\033''0A'$'\033''0A'$'\033'
0A'$'\033''0A'$'\033''0B'$'\033''0B'$'\033''0B'$'\033''0B'$'\033''0B'$'\033''0E
$'\033''0Bqq'$'\033\033''0A'$'\033''0A'$'\033''0Aq'
'obsidian vaults'/
 Pictures/
 practice/
 practicels/
 practicels.tar.xz
 Problem.sh
 Public/
 rmlint.json
 rmlint.sh*
 setoolkit/                          I
 snap/
 Solution.sh
 Templates/
 Videos/
 vmware-jel/
 vscode.sh*
jel@jel-ThinkPad-T420:~$ cd practice
jel@jel-ThinkPad-T420:~/practice$ touch file{1..3}.txt
jel@jel-ThinkPad-T420:~/practice$ l
Course.sh  file1.txt  file2.txt  file3.txt  Problem.sh  Solution.sh
jel@jel-ThinkPad-T420:~/practice$ █
```

```
1 / 1 ▼   +   ⏏   ⊡         ⋯jel-ThinkPad-T420: ~/practice   🔍  ≡   −  ↺  ⊗

⋯ jel-ThinkPad-T420: ~/practice ▼   +   ✕   ⋯ el@jel-ThinkPad-T420: ~/practice ▼   +   ✕

ls: cannot access 'P': No such file or directory   jel@jel-ThinkPad-T4jel@jel-ThinkPad-T420jel@je
jel@jel-ThinkPad-T420:~/practice$ ls -a "p"        jel@jel-ThinkPad-T420:~$ cd ~/practice
ls: cannot access 'p': No such file or directory   jel@jel-ThinkPad-T420:~/practice$ ls
jel@jel-ThinkPad-T420:~/practice$ ls -a            Course.sh  file2.txt  Problem.sh
.   Course.sh  file2.txt  Problem.sh               file1.txt  file3.txt  Solution.sh
..  file1.txt  file3.txt  Solution.sh              jel@jel-ThinkPad-T420:~/practice$ █
jel@jel-ThinkPad-T420:~/practice$ ls *o*
Course.sh  Problem.sh  Solution.sh
jel@jel-ThinkPad-T420:~/practice$ ls -1x
Course.sh  file1.txt  file2.txt  file3.txt  Proble
m.sh  Solution.sh
jel@jel-ThinkPad-T420:~/practice$ ls -1x *e*
Course.sh  file1.txt  file2.txt  file3.txt  Proble
m.sh
jel@jel-ThinkPad-T420:~/practice$ ls -1x *e*.sh
Course.sh  Problem.sh
jel@jel-ThinkPad-T420:~/practice$ ▯

⋯ l@jel-ThinkPad-T420: ~/cis106 ▼   +   ✕

Warning: governor overwritten using `--force` flag
.
Not setting EPP (not supported by system)
Setting to use: "balance_performance" EPB

Total CPU usage: 16.0 %
Total system load: 0.73
Average temp. of all cores: 50.00 °C

High CPU load (load average: 0.73, 0.90, 0.95)
Setting turbo boost: on

.......................................
........................
```

```
              "auto-cpufreq" is about to refresh
...
```

```
1 / 1 ▼   +    ⎘    ⎘     ···jel-ThinkPad-T420: ~/practice    🔍   ≡    –   ⬚   ❌
```

```
··· jel-ThinkPad-T420: ~/practice ▼  +  ✕    ··· el@jel-ThinkPad-T420: ~/practice ▼  +  ✕
file3.txt                                    file1.txt  file2.txt  file3.txt  song.mp3
jel@jel-ThinkPad-T420:~/practice$ ls -1x f*[0-9].t    jel@jel-ThinkPad-T420:~/practice$ ls
xt                                           file1.txt  file2.txt  file3.txt  song.mp3
file1.txt  file2.txt  file3.txt              jel@jel-ThinkPad-T420:~/practice$ rm *
jel@jel-ThinkPad-T420:~/practice$ ls -1x f*[0-9]*.    jel@jel-ThinkPad-T420:~/practice$ touch file{a
txt                                          ..z}.txt
file1.txt  file2.txt  file3.txt              jel@jel-ThinkPad-T420:~/practice$ ls
jel@jel-ThinkPad-T420:~/practice$ l1 [A-Z]*  filea.txt   fileh.txt   fileo.txt   filev.txt
l1: command not found                        fileb.txt   filei.txt   filep.txt   filew.txt
jel@jel-ThinkPad-T420:~/practice$ vim ~/.bash_alia    filec.txt   filej.txt   fileq.txt   filex.txt
ses                                          filed.txt   filek.txt   filer.txt   filey.txt
jel@jel-ThinkPad-T420:~/practice$ li *[a-z][0-9]*    filee.txt   filel.txt   files.txt   filez.txt
li: command not found                        filef.txt   filem.txt   filet.txt
jel@jel-ThinkPad-T420:~/practice$ ls *[a-z][0-9]*    fileg.txt   filen.txt   fileu.txt
file1.txt  file2.txt  file3.txt              jel@jel-ThinkPad-T420:~/practice$ mkdir -p web
jel@jel-ThinkPad-T420:~/practice$ touch song.mp3    site/assets/{1..3}
jel@jel-ThinkPad-T420:~/practice$            jel@jel-ThinkPad-T420:~/practice$ ls
                                             filea.txt   fileh.txt   fileo.txt   filev.txt
··· l@jel-ThinkPad-T420: ~/cis106 ▼  +  ✕    fileb.txt   filei.txt   filep.txt   filew.txt
                                             filec.txt   filej.txt   fileq.txt   filex.txt
Not setting EPP (not supported by system)    filed.txt   filek.txt   filer.txt   filey.txt
Setting to use: "balance_performance" EPB    filee.txt   filel.txt   files.txt   filez.txt
                                             filef.txt   filem.txt   filet.txt   website
Total CPU usage: 9.1 %                        fileg.txt   filen.txt   fileu.txt
Total system load: 0.64                      jel@jel-ThinkPad-T420:~/practice$ cd website
Average temp. of all cores: 49.50°C          jel@jel-ThinkPad-T420:~/practice/website$ ls
                                             assets
Load optimal (load average: 0.64, 0.66, 0.75)    jel@jel-ThinkPad-T420:~/practice/website$ mkdi
Optimal total CPU usage: 9.1%, high average core t    r -p website/assets/{img,video,audio}
emp: 49.5°C                                  jel@jel-ThinkPad-T420:~/practice/website$ cd /
Setting turbo boost: off                     jel@jel-ThinkPad-T420:/$ cd ~/practice
                                             jel@jel-ThinkPad-T420:~/practice$
-----------------------------------------
----------------------------
              "auto-cpufreq" is about to refresh
...
```