


REV. 0 CTQ TABLE (DIMENSIONS FOR REFERENCE ONLY)											
LOCAT	ION	FEATURE		TOLERANCE		MIN.					
SHT	ZONE	DESCRIPTION	DIM	+	_	Z(LT)					
		LOCATION SHT ZONE	LOCATION FEATURE	LOCATION FEATURE	LOCATION FEATURE TOLEF	LOCATION FEATURE TOLERANCE					

	D	XP3_	CABI	NE.	T_	DC	OOR	SHT	1
			RE'	VISIO	N				
RE	ΞV	BCN:			-				
		DATE:		-	-				
F		CAD	FILE NA	ME		\Box	PART	I	REV
\vdash						4		+	
\vdash						\dashv		+	
\vdash						\dashv		+	$\neg \neg$



UNCONTROLLED IF PRINTED

GENERAL



ELECTRIC

TECHNOLOGY DEPT LOC LOUISVILLE, KY.

AP3 DISH DOE CABINET DOOR

DATE

3/23/2017

AP3_CABINET_DOOR

0 GEOM --- STATUS SHEET: 1 OF 1

ARTICLE OR MATERIAL MUST
CONFORM TO RoHS PROCEDURE
SI 900000S013P001 & P002
AND REACH PROCEDURE
SI 900000S014P001 & P002

DO NOT SCALE

THIS DRAWING
THIRD ANGLE PROJECTION

DIMENSIONS IN [] ARE IN MM. TOLERANCES ON: 2 PL DECIMAL<u>s</u> 3 PL DECIMAL<u>s</u> ANGLES \pm° FRACTIONS \pm PART MUST CONFORM TO SI 900000S004P001 & P002

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES.

NOT RELEASED B

APPROVED BY:

CHECKED

ENGRG.

ISSUED

GEA TOXICITY PROCEDURE

