Köppen–Geiger time-slice sensitivity for the 35 dated sites

Beck et al. (2023) 1-km maps. 13/35 sites change zone across the four historical slices; 5 cross a major A/B/C boundary (bold).

	1901–1930	1931–1960	1961–1990	1991–2020 (main analysis)
Scott's Cave	Cfb	Cfa	BSk	Cfa
Sehonghong	Cwb	Cwb	Cwb	BSk
Nebraska Ranch	Cwa	BSh	BSh	BSh
Kalundu Mound	Cwa	Cwa	Cwa	BSh
Kadzi	BSh	BSh	Aw	BSh
Shongweni	Cfb	Cfb	Cfa	Cfa
Schroda	BSh	BWh	BWh	BWh
Ndondondwane	Cwa	Cwa	Cfa	Cfa
Maunatlala	BSh	BSh	BSh	BWh
Mananzve	BSh	BSh	BSh	BWh
Magogo	Cwb	Cwb	Cwb	Cwa
Great Zimbabwe	Cwb	Cwb	Cwb	Cwa
Balerno Shelter 2	BSh	BSh	BWh	BWh
Vryheid	BSh	BSh	BSh	BSh
Spitzkoppe	BWh	BWh	BWh	BWh
Silver Leaves	Cwb	Cwb	Cwb	Cwb
Mwenezi Farm	BSh	BSh	BSh	BSh
Mutamba	BSh	BSh	BSh	BSh
Mondake 1	Cwa	Cwa	Cwa	Cwa
Mirabib Hill Shelter	BWh	BWh	BWh	BWh
Matlapaneng	BSh	BSh	BSh	BSh
Magagarape	BSh	BSh	BSh	BSh
M'teteshi 1	Cwa	Cwa	Cwa	Cwa
Leopard's Kopje Main Kraal	BSh	BSh	BSh	BSh
Leopard's Kopje	BSh	BSh	BSh	BSh
Lanlory	Cwa	Cwa	Cwa	Cwa
Klein Bolayi	BSh	BSh	BSh	BSh
Khami	BSh	BSh	BSh	BSh
Kgaswe	BSh	BSh	BSh	BSh
Ingombe Ilede	BSh	BSh	BSh	BSh
Geduld	BWh	BWh	BWh	BWh
Frampton 2	BSh	BSh	BSh	BSh
Frampton 1	BSh	BSh	BSh	BSh
Fibobe II	Cwa	Cwa	Cwa	Cwa
Evelyn	BSh	BSh	BSh	BSh

K–G zone (Beck 2023)

- Aw
- BSh
- BSk
- BWh
- Cfa
- Cfb
- Cwa
- Cwb

Reference = 1991–2020 (used in main analysis). All four slices are 20th-century observational climate, not Iron-Age.