

mk 04/08/2023

```
In [1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
import re
from sklearn.datasets import load_digits
from sklearn.model_selection import train_test_split
```

```
In [2]: a=pd.read_csv(r"C:\Users\user\Downloads\Book11.csv")
a
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2
1	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6
2	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8
3	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7
4	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0
...
110	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7
111	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9
112	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5
113	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3
114	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0

115 rows × 20 columns



In [3]: a.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null    int64
1   SUBDIVISION     115 non-null    object
2   YEAR            115 non-null    int64
3   JAN             115 non-null    float64
4   FEB             115 non-null    float64
5   MAR             115 non-null    float64
6   APR             115 non-null    float64
7   MAY             115 non-null    float64
8   JUN             115 non-null    float64
9   JUL             115 non-null    float64
10  AUG             115 non-null    float64
11  SEP             115 non-null    float64
12  OCT             115 non-null    float64
13  NOV             115 non-null    float64
14  DEC             115 non-null    float64
15  ANNUAL          115 non-null    float64
16  Jan-Feb         115 non-null    float64
17  Mar-May         115 non-null    float64
18  Jun-Sep         115 non-null    float64
19  Oct-Dec         115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB
```

In [4]: b=a.fillna(method='ffill')
b


Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2
1	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6
2	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8
3	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7
4	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0
...
110	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7
111	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9
112	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5
113	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3
114	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0

115 rows × 20 columns


```
In [5]: b.plot.bar(legend=None)
```

```
Out[5]: <AxesSubplot:>
```




```
In [6]: b.plot.line(legend=None)
```

```
Out[6]: <AxesSubplot:>
```




```
In [7]: b.plot.hist(legend=None)
```

```
Out[7]: <AxesSubplot:ylabel='Frequency'>
```



```
In [8]: a.plot.pie(y='NOV',figsize=(8,8),labels=None,legend=None)
```

```
Out[8]: <AxesSubplot:ylabel='NOV'>
```



```
In [ ]:
```

