mk 04/08/2023

```
In [1]: import numpy as np
   import pandas as pd
   import matplotlib.pyplot as plt
   import seaborn as sns
   from sklearn.linear_model import LogisticRegression
   from sklearn.preprocessing import StandardScaler
   import re
   from sklearn.datasets import load_digits
   from sklearn.model_selection import train_test_split
```

In [2]: a=pd.read_csv(r"C:\Users\user\Downloads\Book30.csv")
a

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	oc
0	437	SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	55
1	438	SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	74
2	439	SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	141
3	440	SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	164
4	441	SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	87
110	547	SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	46
111	548	SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	119
112	549	SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	199
113	550	SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	31
114	551	SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9	53
115 r	115 rows × 20 columns												

In [3]: a.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype					
0	index	115 non-null	int64					
1	SUBDIVISION	115 non-null	object					
2	YEAR	115 non-null	int64					
3	JAN	115 non-null	float64					
4	FEB	115 non-null	float64					
5	MAR	115 non-null	float64					
6	APR	115 non-null	float64					
7	MAY	115 non-null	float64					
8	JUN	115 non-null	float64					
9	JUL	115 non-null	float64					
10	AUG	115 non-null	float64					
11	SEP	115 non-null	float64					
12	OCT	115 non-null	float64					
13	NOV	115 non-null	float64					
14	DEC	115 non-null	float64					
15	ANNUAL	115 non-null	float64					
16	Jan-Feb	115 non-null	float64					
17	Mar-May	115 non-null	float64					
18	Jun-Sep	115 non-null	float64					
19	Oct-Dec	115 non-null	float64					
<pre>dtypes: float64(17), int64(2), object(1)</pre>								
memory usage: 18.1+ KB								


```
In [4]: b=a.fillna(method='ffill')
b
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC
0	437	SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	55
1	438	SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	74
2	439	SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	141
3	440	SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	164
4	441	SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	87
110	547	SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	46
111	548	SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	119
112	549	SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	199
113	550	SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	31
114	551	SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9	53
115 rows × 20 columns													


In [5]: b.plot.bar(legend=None)

Out[5]: <AxesSubplot:>




In [6]: b.plot.line(legend=None)

Out[6]: <AxesSubplot:>



```
In [7]: b.plot.hist(legend=None)
```

Out[7]: <AxesSubplot:ylabel='Frequency'>



In [8]: a.plot.pie(y='MAR',figsize=(8,8),labels=None,legend=None)

Out[8]: <AxesSubplot:ylabel='MAR'>



In []: