

mk 04/08/2023

```
In [1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
import re
from sklearn.datasets import load_digits
from sklearn.model_selection import train_test_split
```

```
In [2]: a=pd.read_csv(r"C:\Users\user\Downloads\Book35.csv")
a
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1012	EAST UTTAR PRADESH	1901	62.6	31.3	8.2	1.1	13.6	21.8	226.5	285.6	215.4	4.9
1	1013	EAST UTTAR PRADESH	1902	6.1	2.3	2.4	2.0	21.4	32.5	411.5	155.4	257.2	13.2
2	1014	EAST UTTAR PRADESH	1903	8.2	0.4	1.3	0.7	15.3	71.6	115.3	420.2	258.7	324.7
3	1015	EAST UTTAR PRADESH	1904	7.3	1.5	8.3	0.4	28.7	148.0	359.4	328.8	95.0	50.6
4	1016	EAST UTTAR PRADESH	1905	16.8	23.6	20.0	5.4	15.4	17.3	302.4	316.2	169.5	3.3
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	1122	EAST UTTAR PRADESH	2011	1.0	2.7	1.6	2.9	32.2	163.8	197.9	232.1	146.4	0.6
111	1123	EAST UTTAR PRADESH	2012	20.3	1.2	3.4	2.8	0.2	18.5	234.2	156.0	164.4	0.7
112	1124	EAST UTTAR PRADESH	2013	6.1	59.6	2.7	8.7	1.1	309.7	230.0	246.1	78.2	97.4
113	1125	EAST UTTAR PRADESH	2014	47.4	25.8	15.4	1.7	10.7	47.8	224.5	138.1	106.7	74.7
114	1126	EAST UTTAR PRADESH	2015	30.0	4.1	48.2	23.2	8.6	95.3	179.0	175.8	21.9	11.8

115 rows × 20 columns



```
In [3]: a.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column                Non-Null Count  Dtype
---  -
0   index                 115 non-null   int64
1   SUBDIVISION           115 non-null   object
2   YEAR                  115 non-null   int64
3   JAN                   115 non-null   float64
4   FEB                   115 non-null   float64
5   MAR                   115 non-null   float64
6   APR                   115 non-null   float64
7   MAY                   115 non-null   float64
8   JUN                   115 non-null   float64
9   JUL                   115 non-null   float64
10  AUG                   115 non-null   float64
11  SEP                   115 non-null   float64
12  OCT                   115 non-null   float64
13  NOV                   115 non-null   float64
14  DEC                   115 non-null   float64
15  ANNUAL                115 non-null   float64
16  Jan-Feb               115 non-null   float64
17  Mar-May               115 non-null   float64
18  Jun-Sep               115 non-null   float64
19  Oct-Dec               115 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB
```

```
In [4]: b=a.fillna(method='ffill')
b
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1012	EAST UTTAR PRADESH	1901	62.6	31.3	8.2	1.1	13.6	21.8	226.5	285.6	215.4	4.9
1	1013	EAST UTTAR PRADESH	1902	6.1	2.3	2.4	2.0	21.4	32.5	411.5	155.4	257.2	13.2
2	1014	EAST UTTAR PRADESH	1903	8.2	0.4	1.3	0.7	15.3	71.6	115.3	420.2	258.7	324.7
3	1015	EAST UTTAR PRADESH	1904	7.3	1.5	8.3	0.4	28.7	148.0	359.4	328.8	95.0	50.6
4	1016	EAST UTTAR PRADESH	1905	16.8	23.6	20.0	5.4	15.4	17.3	302.4	316.2	169.5	3.3
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	1122	EAST UTTAR PRADESH	2011	1.0	2.7	1.6	2.9	32.2	163.8	197.9	232.1	146.4	0.6
111	1123	EAST UTTAR PRADESH	2012	20.3	1.2	3.4	2.8	0.2	18.5	234.2	156.0	164.4	0.7
112	1124	EAST UTTAR PRADESH	2013	6.1	59.6	2.7	8.7	1.1	309.7	230.0	246.1	78.2	97.4
113	1125	EAST UTTAR PRADESH	2014	47.4	25.8	15.4	1.7	10.7	47.8	224.5	138.1	106.7	74.7
114	1126	EAST UTTAR PRADESH	2015	30.0	4.1	48.2	23.2	8.6	95.3	179.0	175.8	21.9	11.8

115 rows × 20 columns



```
In [*]: b.plot.bar(legend=None)
```

Out[5]: <AxesSubplot:>

```
In [*]: b.plot.line(legend=None)
```

```
In [*]: b.plot.hist(legend=None)
```

```
In [*]: a.plot.pie(y='MAR',figsize=(8,8),labels=None,legend=None)
```

```
In [ ]:
```

