

mk 27-07-2023

```
In [ ]: # import libraries
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
```

```
In [76]: x=pd.read_csv(r"C:\Users\user\Downloads\8_BreastCancerPrediction.csv")
```

Out[76]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_
0	842302	M	17.99	10.38	122.80	1001.0	0
1	842517	M	20.57	17.77	132.90	1326.0	0.
2	84300903	M	19.69	21.25	130.00	1203.0	0.
3	84348301	M	11.42	20.38	77.58	386.1	0.
4	84358402	M	20.29	14.34	135.10	1297.0	0.
...	
564	926424	M	21.56	22.39	142.00	1479.0	0
565	926682	M	20.13	28.25	131.20	1261.0	0.
566	926954	M	16.60	28.08	108.30	858.1	0.
567	927241	M	20.60	29.33	140.10	1265.0	0
568	92751	B	7.76	24.54	47.92	181.0	0.

569 rows × 33 columns

```
In [77]: x=x.head(100)
```

Out[77]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_m
0	842302	M	17.990	10.38	122.80	1001.0	0.1
1	842517	M	20.570	17.77	132.90	1326.0	0.0
2	84300903	M	19.690	21.25	130.00	1203.0	0.1
3	84348301	M	11.420	20.38	77.58	386.1	0.1
4	84358402	M	20.290	14.34	135.10	1297.0	0.1
...
95	86208	M	20.260	23.03	132.40	1264.0	0.0
96	86211	B	12.180	17.84	77.79	451.1	0.1
97	862261	B	9.787	19.94	62.11	294.5	0.1
98	862485	B	11.600	12.84	74.34	412.6	0.0
99	862548	M	14.420	19.77	94.48	642.5	0.0

100 rows × 33 columns

In [78]:

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 100 entries, 0 to 99
Data columns (total 33 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   id                                     100 non-null    int64
1   diagnosis                             100 non-null    object
2   radius_mean                           100 non-null    float64
3   texture_mean                           100 non-null    float64
4   perimeter_mean                         100 non-null    float64
5   area_mean                             100 non-null    float64
6   smoothness_mean                       100 non-null    float64
7   compactness_mean                      100 non-null    float64
8   concavity_mean                        100 non-null    float64
9   concave points_mean                   100 non-null    float64
10  symmetry_mean                         100 non-null    float64
11  fractal_dimension_mean                100 non-null    float64
12  radius_se                             100 non-null    float64
13  texture_se                             100 non-null    float64
14  perimeter_se                           100 non-null    float64
15  area_se                               100 non-null    float64
16  smoothness_se                         100 non-null    float64
17  compactness_se                        100 non-null    float64
18  concavity_se                          100 non-null    float64
19  concave points_se                     100 non-null    float64
20  symmetry_se                           100 non-null    float64
21  fractal_dimension_se                  100 non-null    float64
22  radius_worst                          100 non-null    float64
23  texture_worst                         100 non-null    float64
24  perimeter_worst                       100 non-null    float64
25  area_worst                            100 non-null    float64
26  smoothness_worst                      100 non-null    float64
27  compactness_worst                     100 non-null    float64
28  concavity_worst                       100 non-null    float64
29  concave points_worst                  100 non-null    float64
30  symmetry_worst                        100 non-null    float64
31  fractal_dimension_worst                100 non-null    float64
32  Unnamed: 32                           0 non-null      float64
dtypes: float64(31), int64(1), object(1)
memory usage: 25.9+ KB
```

In [79]:

```
Out[79]: Index(['id', 'diagnosis', 'radius_mean', 'texture_mean', 'perimeter_mean',
               'area_mean', 'smoothness_mean', 'compactness_mean', 'concavity_mean',
               'concave points_mean', 'symmetry_mean', 'fractal_dimension_mean',
               'radius_se', 'texture_se', 'perimeter_se', 'area_se', 'smoothness_se',
               'compactness_se', 'concavity_se', 'concave points_se', 'symmetry_se',
               'fractal_dimension_se', 'radius_worst', 'texture_worst',
               'perimeter_worst', 'area_worst', 'smoothness_worst',
               'compactness_worst', 'concavity_worst', 'concave points_worst',
               'symmetry_worst', 'fractal_dimension_worst', 'Unnamed: 32'],
              dtype='object')
```

```
In [80]: d=x[['id', 'diagnosis', 'radius_mean', 'texture_mean', 'perimeter_mean',  
            'area_mean']]
```

Out[80]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean
0	842302	M	17.990	10.38	122.80	1001.0
1	842517	M	20.570	17.77	132.90	1326.0
2	84300903	M	19.690	21.25	130.00	1203.0
3	84348301	M	11.420	20.38	77.58	386.1
4	84358402	M	20.290	14.34	135.10	1297.0
...
95	86208	M	20.260	23.03	132.40	1264.0
96	86211	B	12.180	17.84	77.79	451.1
97	862261	B	9.787	19.94	62.11	294.5
98	862485	B	11.600	12.84	74.34	412.6
99	862548	M	14.420	19.77	94.48	642.5

100 rows × 6 columns

```
In [81]:
```


Out[81]:

	id	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean
count	1.000000e+02	100.000000	100.000000	100.000000	100.000000	100.000000
mean	1.547093e+07	14.707780	19.692200	96.471200	703.293000	0.102040
std	3.066549e+07	3.349245	3.759176	23.187471	320.152301	0.013150
min	8.571500e+04	8.196000	10.380000	51.710000	201.900000	0.073500
25%	8.542642e+05	12.457500	16.760000	82.270000	476.800000	0.093400
50%	8.593735e+05	14.335000	20.190000	94.365000	643.650000	0.101150
75%	8.610460e+06	17.155000	22.150000	114.400000	916.875000	0.110300
max	8.613550e+07	25.220000	27.540000	171.500000	1878.000000	0.142500

8 rows × 7 columns


In [82]:

Out[82]: <seaborn.axisgrid.PairGrid at 0x2602b9dae20>



In [84]:


Out[84]: <AxesSubplot:xlabel='area_worst', ylabel='Density'>



In [91]: x1=x[['id', 'radius_mean', 'texture_mean', 'perimeter_mean',

In [92]:

Out[92]: <AxesSubplot:>

In [97]: x=x1[['id', 'radius_mean', 'texture_mean', 'perimeter_mean',
'area_mean']]In [98]: *# to split my dataset into training and test data***from** sklearn.model_selection **import** train_test_split

x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.3)

```
In [99]: from sklearn.linear_model import LinearRegression
```

```
lr=LinearRegression()
```

```
Out[99]: LinearRegression()
```

```
In [100]:
```

```
-1.4662049352409667e-11
```


```
In [101]: coeff=pd.DataFrame(lr.coef_,x.columns,columns=['Co-efficient'])
```

```
Out[101]:
```

	Co-efficient
id	9.486571e-19
radius_mean	1.000000e+00
texture_mean	1.554636e-16
perimeter_mean	-2.494632e-16
area_mean	6.534537e-17

```
In [102]: prediction=lr.predict(x_test)
```

```
Out[102]: <matplotlib.collections.PathCollection at 0x2602cb39670>
```



```
In [103]:
```

```
Out[103]: 1.0
```

```
In [ ]:
```