

```
Administrator: C:\Windows\system32\cmd.exe

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2ceb:ccb5:788:1e35%11
    IPv4 Address. . . . . : 140.0.0.2
    Subnet Mask . . . . . : 255.255.0.0
    Default Gateway . . . . . : 

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Tunnel adapter 6T04 Adapter:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002:8c00:2::8c00:2
    Default Gateway . . . . . : 

C:\Users\user>ping 140.0.0.1

Pinging 140.0.0.1 with 32 bytes of data:
Reply from 140.0.0.1: bytes=32 time=5ms TTL=128
Reply from 140.0.0.1: bytes=32 time=1ms TTL=128
Reply from 140.0.0.1: bytes=32 time=1ms TTL=128
Reply from 140.0.0.1: bytes=32 time=1ms TTL=128

Ping statistics for 140.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 5ms, Average = 2ms

C:\Users\user>
```

```
Administrator: C:\Windows\system32\cmd.exe

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::35fd:cc8:9b31:c87e%11
    IPv4 Address. . . . . : 140.0.0.1
    Subnet Mask . . . . . : 255.255.0.0
    Default Gateway . . . . . : 

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Tunnel adapter 6T04 Adapter:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002:8c00:1::8c00:1
    Default Gateway . . . . . : 

C:\Users\user>ping 140.0.0.2

Pinging 140.0.0.2 with 32 bytes of data:
Reply from 140.0.0.2: bytes=32 time=3ms TTL=128
Reply from 140.0.0.2: bytes=32 time=1ms TTL=128
Reply from 140.0.0.2: bytes=32 time=1ms TTL=128
Reply from 140.0.0.2: bytes=32 time=1ms TTL=128

Ping statistics for 140.0.0.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 1ms

C:\Users\user>_
```

```
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\user>ping system1

Pinging system1 [fe80::2ceb:ccb5:788:1e35%11] with 32 bytes of data:
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms
Reply from fe80::2ceb:ccb5:788:1e35%11: time=1ms

Ping statistics for fe80::2ceb:ccb5:788:1e35%11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\user>_
```

```
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\user>ping system2

Pinging system2 [fe80::35fd:cc8:9b31:c87e%11] with 32 bytes of data:
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=2ms
Reply from fe80::35fd:cc8:9b31:c87e%11: time=2ms

Ping statistics for fe80::35fd:cc8:9b31:c87e%11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Users\user>
```



