




QEMU (DNS)

Command Prompt

Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.

C:\Users\Admin>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

Connection-specific DNS Suffix . . :
Link-local IPv6 Address : fe80::213c:d8d5:5c79:f59e%3
IPv4 Address. : 8.8.8.8
Subnet Mask : 255.0.0.0
Default Gateway : 8.0.0.1

Tunnel adapter isatap.{2523F545-554E-44BA-9326-684149241DC5}:

Media State : Media disconnected
Connection-specific DNS Suffix . . :

C:\Users\Admin>

PuTTY

6:44 PM
7/24/2026

ROUTER

ROUTER#sh ip int brief


Interface	IP-Address	OK?	Method	Status	Prot
Ethernet0/0	172.16.0.1	YES	manual	up	up
Ethernet0/1	8.0.0.1	YES	manual	up	up
Ethernet0/2	50.0.0.1	YES	manual	up	up
Ethernet0/3	unassigned	YES	TFTP	down	down

ROUTER#

Search

12:16 AM

7/25/2026



```
ENABLE=yes
NAME=Ethernet
IPADDRESS=172.16.0.10
CIDRLEN=16
NETWORK=172.16.0.0
NETMASK=255.255.0.0
GATEWAY=172.16.0.1
BROADCAST=172.16.255.255
DHCP=no
```

```
- /etc/sysconfig/network-scripts/ifcfg-eth0 1/9 11%
```

QEMU (Winserver)

Command Prompt

Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.

C:\Users\Admin>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

Connection-specific DNS Suffix . . :
Link-local IPv6 Address : fe80::9dcc:1a66:96d1:6cb3%3
IPv4 Address. : 172.16.0.20
Subnet Mask : 255.255.0.0
Default Gateway : 172.16.0.1

Tunnel adapter isatap.{2523F545-554E-44BA-9326-684149241DC5}:

Media State : Media disconnected
Connection-specific DNS Suffix . . :

C:\Users\Admin>

Logoff

PuTTY

6:43 PM
7/24/2026

