

Cullinos Production Manual Test Plan

Full functionality manual QA for production, starting from a **fresh tenant** onboarded via Super Admin.

Environment: Production
Tenant: New restaurant (Enterprise plan)
Staff: 1 employee (Waiter role)

Exhaustive click-paths: [COMPLETE_FEATURE_TEST_GUIDE.md](#) · **Score sheet:** [TEST_RUN_SHEET.md](#) (**190** cases)

Table of contents

- 1. Overview
- 2. Phase 0 — Preflight
- 3. Phase 1 — Tenant bootstrap
- 4. Phase 2 — Core operational workflows
- 5. Phase 3 — Admin back office
- 6. Phase 4 — Enterprise Management
- 7. Phase 5 — Super Admin platform ops
- 8. Phase 6 — Marketing website
- 9. Phase 7 — API smoke (Swagger)
- 10. Out of scope / expected N/A items

Overview

Test approach

One QA lead switches between roles (Super Admin, Owner, Guest) while one employee tests floor operations (Waiter). Record all credentials in [CREDENTIALS_LOG.md](#), defects in [BUG_LOG.md](#), and results in [TEST_RUN_SHEET.md](#).

Production constraints

Constraint	Impact
POS / KDS hosted	https://pos.cullinos.com and https://kds.cullinos.com
Admin Portal POS	https://admin.cullinos.com/pos (requires POS_ACCESS)
Business-type nav	Banquets / Brands / Guests / Rooms may be hidden on restaurant → N/A
Razorpay pay-now	N/A unless production keys configured

Phase flow

```

flowchart TD
    subgraph phase0 [Phase 0 - Preflight]
        Health[API health checks]
        SuperLogin[Super Admin login]
    end
    subgraph phase1 [Phase 1 - Tenant bootstrap]
        Onboard[Onboard restaurant Enterprise plan]
        OwnerLogin[Owner first login]
        Wizard[Onboarding wizard]
        MenuStaff[Menu plus 1 staff account]
    end
    subgraph phase2 [Phase 2 - Core ops]
        WaiterFlow[Waiter table order]
        KDSVerify[KDS kitchen display]
        POSFlow[POS counter order]
        PortalPos[Admin Portal POS]
        CustomerFlow[Guest online order]
        CdsFlow[Order Display CDS]
    end
    subgraph phase3 [Phase 3 - Back office]
        AdminModules[Admin dashboard menu orders tables inventory]
        NewModules[Recipes loyalty delivery promo billing]
        EventsProd[Events or Production by business type]
        ManagementEnt[Management multi-outlet if 2nd outlet added]
    end
    subgraph phase4 [Phase 4 - Platform]
        SuperOps[Tenant suspend activate subscription plans]
        MarketingCMS[Marketing CMS plus public site]
    end
    phase0 --> phase1 --> phase2 --> phase3 --> phase4

```

Phase 0 — Preflight

Goal: Confirm production is healthy and tooling is ready.

Production URLs

App	URL
API health	https://api.cullinos.com/api/v1/health
API DB health	https://api.cullinos.com/api/v1/health/db
Swagger	https://api.cullinos.com/docs
Super Admin	https://platform.cullinos.com
Admin	https://admin.cullinos.com
Management	https://manage.cullinos.com
Waiter	Cullinos Waiter Android app
Cullinos App	https://guest.cullinos.com/{orgSlug}/{outletSlug}
Marketing	https://cullinos.com

Steps

1. Open API health URL in browser — expect JSON with healthy status.
2. Open API DB health URL — expect database connectivity OK.
3. Login to Super Admin — confirm dashboard loads.
4. Prepare run folder: `docs/qa/runs/RUN-YYYYMMDD/` with copied templates.
5. Prepare two browsers (main + incognito).
6. Optional: start local POS/KDS with `VITE_API_URL=https://api.cullinos.com/api/v1`.

Naming convention (fresh tenant)

Field	Example
Restaurant name	QA Test Kitchen
Owner email	qa-owner+20260830@yourdomain.com
Staff email	qa-waiter+20260830@yourdomain.com
Plan	enterprise

Phase 1 — Tenant bootstrap

Goal: Create a new restaurant tenant and minimum test data.

1.1 Super Admin — Onboard restaurant

App: <https://platform.cullinos.com>

Route: `/` (Tenants)

Steps:

1. Login with Super Admin credentials.

2. Click **Onboard restaurant**.
3. Fill the form:
 - Restaurant name (e.g. QA Test Kitchen)
 - First outlet name (e.g. Main Outlet)
 - Plan: **enterprise**
 - Owner name, email, password
4. Submit and copy the success message (owner email + Admin URL).
5. Record org slug, outlet slug, and credentials in Credentials Log.
6. Verify new tenant appears in list with **active** status.

Expected:

- Tenant created with default outlet and subscription.
- Owner can log in at <https://admin.cullinos.com>.

1.2 Owner — First login and onboarding wizard

App: <https://admin.cullinos.com>

Route: `/onboarding`

Steps:

1. Login with owner credentials from onboarding.
2. Navigate to **Setup** (`/onboarding`) if not redirected automatically.
3. Select business type: **restaurant** (full-service, includes tables step).
4. Complete wizard steps:
 - **Business info:** name, GSTIN (test: `27AAAAA0000A1Z5`)
 - **Menu setup:** note recommended categories
 - **Tables:** follow wizard guidance
 - **Tax & GST:** follow wizard guidance
 - **Staff:** follow wizard guidance
 - **Done:** reach completion step
5. Record business type and operating mode in Credentials Log.

Expected:

- Wizard saves settings without error.
- Owner lands on Done step.

1.3 Owner — Seed minimum test data

Area	Route	Minimum data
Menu	/menu	2 categories, 4+ items (mix veg/non-veg, varied prices)
Tables	/tables	2+ tables (e.g. T1, T2) via Admin UI
Staff	/staff	1 Waiter + 1 Cashier (for POS), assigned to main outlet
Settings	/settings	Confirm businessType, operatingMode, enabledOrderTypes
2nd outlet (optional)	Swagger	Add second outlet for Management stock transfer tests

Staff creation steps:

1. Admin → Staff → **Add staff member**
2. Name, email, password, role: Waiter
3. Assign main outlet
4. Submit — record credentials in Credentials Log (password ref only)
5. Repeat for **Cashier** (POS at pos.cullinos.com and Admin /pos)

Auth recovery (Phase 1.4):

- Admin /forgot-password and Super Admin /forgot-password — page loads, accepts email (do not need to complete mailbox delivery)
- Owner /change-password — page reachable after login

Phase 2 — Core operational workflows

Goal: Verify end-to-end order flows across customer-facing and staff apps.

Record order IDs, timestamps, and screenshots on failure in Bug Log.

2.1 Dine-in: Waiter order + QR guest ordering → KDS

```
sequenceDiagram
    participant W as WaiterApp
    participant G as GuestPhone
    participant API as ProductionAPI
    participant K as KDS
    W->>API: Start table session show QR
    G->>API: Scan session link add items submit
    API->>K: KOT via WebSocket
    W->>API: View table order end session
```

Apps: Waiter, Customer (session QR), KDS (https://kds.cullinos.com), Admin

Step	Action	Expected
1	Employee logs into Cullinos Waiter Android app	Login succeeds
2	Select main outlet	Table grid visible
3	Tap table → Show QR to customers	QR modal with session link
4	Open QR link on phone (incognito)	Menu loads; "Ordering for Table ..."
5	Guest adds items → checkout	Order sent to kitchen
6	Waiter View table order	Same order shows guest items
7	Open https://kds.cullinos.com (kitchen login)	KOT card appears
8	Waiter End session	Guest link shows expired on refresh
9	Alt: Take order on waiter app	Waiter adds items directly (same table order)

2.2 Counter / takeaway: POS

App: <https://pos.cullinos.com>

Step	Action	Expected
1	Open POS URL, login as Cashier	POS loads with outlet
2	Browse menu, add items, set takeaway	Cart subtotal correct
3	Hold order	Order appears in held panel
4	Resume held order	Cart restores
5	Checkout (quick order)	Order confirmed

2.3 Guest online ordering: Customer app

URL: <https://guest.cullinos.com/{orgSlug}/{outletSlug}>

Step	Action	Expected
1	Open storefront in incognito	Menu categories and items from Phase 1
2	Add items (with modifiers if available)	Cart badge updates
3	Go to cart	Items and totals correct
4	Checkout — enter name, phone	Form validates
5	Optional: scheduled pickup, tip	Fields accept input
6	Pay later (default)	Order placed; confirmation shown
7	Admin → <code>/orders</code>	Online/QR source order visible
8	Session QR flow (waiter generates QR, guest orders)	Items merge into table order; KOT on KDS
9	Open customer login modal	Modal opens; guest can still checkout without login

Pay now (Razorpay): Test only if keys configured; otherwise N/A.

2.4 Displays hub & Order Display (CDS)

Admin route: `/displays` (legacy `/cds`, `/pickup-queue`, `/kds`, `/promo-display` redirect here)

Step	Action	Expected
1	Admin → Displays (<code>/displays</code>)	Page loads with KDS / CDS / Pickup / Promo URLs
2	Copy CDS or Pickup URL and open	Public board loads without staff login
3	Place counter/online order	Appears in Preparing
4	Mark ready on KDS	Moves to Ready column

2.5 Admin Portal POS

App: <https://admin.cullinos.com/pos> (owner or staff with `POS_ACCESS`)

Step	Action	Expected
1	Open <code>/pos</code> as owner	Portal POS loads
2	Add items, hold, resume	Cart restores from held panel
3	Checkout	Order confirmed and listed in Admin Orders

2.6 Digital Ordering (kiosk) launcher

Step	Action	Expected
1	Admin → <code>/kiosk</code>	Launcher page loads
2	Copy / open storefront or kiosk URL	Storefront usable

Phase 3 — Admin back office

App: <https://admin.cullinos.com>

Role: Owner

Detail steps: [COMPLETE_FEATURE_TEST_GUIDE.md](#)

Test each module after Phase 2 orders exist (for meaningful dashboard/reports data).

Module	Route	Test focus	Notes
Dashboard	/	KPIs: revenue, orders, AOV, payment breakdown	Numbers reflect test orders
Menu	/menu	Categories, items, combos, schedules, outlet prices	Changes visible on Waiter/Guest
Orders	/orders	List all test orders; check status, source, total	All Phase 2 orders present
Tables	/tables	Create/edit tables; QR	Real UI
Reservations	/reservations	Create reservation; copy book link	TABLES feature
Inventory	/inventory	List stock; add or adjust item	Real UI
Customers	/customers	Create / search; stamps	
Loyalty	/loyalty	Settings, tiers, rewards	Size-gated
Coupons	/coupons	Create / deactivate	
Recipes	/recipes	Create recipe; appears in list	
Purchasing / Suppliers	/purchasing , /suppliers	Draft PO; add supplier	
Central kitchen	/central-kitchen	Hub / indent	Often N/A
Delivery	/delivery	Add zone / list	May be empty
Aggregators	/aggregators	Swiggy/Zomato tabs	N/A without credentials
Payments	/payments	Razorpay / Cashfree Save	N/A without keys
App listing / Banners / SMS	/marketplace , /guest-banners , /sms-campaigns	Cullinos App marketing	
Billing	/billing	Page loads	Subscription / invoices
Events	/events	Create event	
Production	/production	Schedule / complete batch	May be N/A
Displays	/displays	Copy KDS / CDS / Pickup / Promo URLs	Unified hub
Digital Ordering	/kiosk	Launcher shows storefront URL	
Banquets	/banquets	Page loads	N/A on restaurant tenant
Brands	/brands	Page loads	N/A on restaurant tenant
Guests	/hospitality/guests	Page loads	N/A on restaurant tenant
Rooms	/hospitality/rooms	Page loads	N/A on restaurant tenant
Staff	/staff	Employees listed; Waiter without POS denied /pos	

Module	Route	Test focus	Notes
Reports	/reports	Revenue, tabs, Export	Non-zero after test orders
Settings	/settings	Form Save; location / tax / device	Not a JSON editor
Onboarding	/onboarding	Revisit wizard; Complete setup seeds categories	
Login	/login	Logout and re-login	Session persists correctly

Note: Promo Email is Super Admin `/promo-email` only — not an Admin route.

Phase 4 — Enterprise Management

App: <https://manage.cullinos.com>

Role: Owner

Requires: Enterprise plan (set during onboarding)

Module	Route	Test focus	Blocked if
Overview	/	Consolidated KPIs, payment mix, hourly breakdown	—
Reports	/reports	Network-level report loads	—
Outlet Comparison	/comparison	Cross-outlet metrics	Only 1 outlet
Stock Transfer	/stock-transfer	Create transfer between outlets	Only 1 outlet
Franchise	/franchise	Franchisee list	May be empty on fresh tenant

If only one outlet: Add second outlet via Swagger, then retest comparison and stock transfer.

Phase 5 — Super Admin platform ops

App: <https://platform.cullinos.com>

Role: Super Admin

Safety: Use QA tenant only for destructive actions.

Module	Route	Test focus
Tenants	/	Find QA tenant in list
Onboard	modal	Completed in Phase 1 — verify tenant details
Plans	/plans	Plans list / editor loads
Subscriptions	/subscriptions	Change plan for QA tenant; verify entitlements
Promo Email	/promo-email	Page loads
Guest App Ops overview	/guest-ops	KPIs load; maintenance alert if set
Marketplace	/guest-ops/marketplace	List outlets; toggle featured / unlist
Discover CMS	/guest-ops/discover	Create a section; appears in Guest Discover after refresh
Banners	/guest-ops/banners	Create platform banner; deactivate org banner
Push	/guest-ops/push	Draft + send (or schedule) campaign
Offers	/guest-ops/offers	Create coupon; toggle marketplace featured
Reviews	/guest-ops/reviews	Hide / restore a review
Guest users	/guest-ops/users	Search user; open detail; export JSON
Analytics	/guest-ops/analytics	Summary cards load
Runtime	/guest-ops/runtime	Save soft-update message; preview app-config
Settings	/settings	Platform settings page loads
System Health	/health	Platform metrics load (orgs, orders, sync)
Forgot password	/forgot-password	Page loads (logged out)
Marketing CMS	/marketing	Dashboard loads
Hero editor	/marketing/hero	Edit and save draft
Pages editor	/marketing/pages	Edit page content
Theme editor	/marketing/theme	View/edit theme tokens
Pricing editor	/marketing/pricing	View/edit pricing tiers
Navigation editor	/marketing/navigation	View/edit nav links
Testimonials	/marketing/testimonials	Editor loads
Blog editor	/marketing/blog	Create/edit draft post
Media library	/marketing/media	Upload or list media
Design lab	/marketing/design-lab	Page loads

Destructive tests (QA tenant only)

1. **Suspend tenant** — provide reason, confirm owner cannot login to Admin.
2. **Reactivate tenant** — confirm owner can login again.
3. Document any unexpected behavior in Bug Log.

Phase 6 — Marketing website

App: <https://cullinos.com> (public, no login)

Page	Path	Check
Home	/	Hero, CTAs, navigation
Features	/features	Content renders
Pricing	/pricing	Plans/pricing visible
Integrations	/integrations	Page loads
About	/about	Page loads
Blog index	/blog	Post list loads
Blog article	/blog/[slug]	At least one article readable
Contact	/contact	Form submits or graceful error without Resend
Privacy	/privacy	Legal content
Terms	/terms	Legal content
Solutions — Restaurants	/solutions/restaurants	Vertical page loads
Solutions — Cafes	/solutions/cafes	Vertical page loads
Solutions — Food trucks	/solutions/food-trucks	Vertical page loads
Solutions — Bakeries	/solutions/bakeries	Vertical page loads
Solutions — Chains	/solutions/chains	Vertical page loads
Solutions — Hospitality	/solutions/hospitality	Vertical page loads

CMS cross-check: If Super Admin marketing edits were saved, verify they appear on the public site after revalidation (if configured).

Phase 7 — API smoke (Swagger)

Tool: <https://api.cullinos.com/docs>

Auth: Owner JWT from browser DevTools (Network tab after Admin login) or `POST /api/v1/auth/login`.

Recipes, Delivery, and Hospitality also have Admin UIs — Swagger remains a valid smoke path.

Module	API prefix	Smoke test
Billing	/billing	List invoices for a test order
KOT	/kot	List kitchen tickets for outlet
Tax	/tax	Get tax configuration
Recipes	/recipes	Create and list one recipe
Purchasing	/purchasing	Create purchase order draft
Wastage	/wastage	Log one wastage entry
Delivery	/delivery	List delivery orders
Hospitality	/hospitality	Create guest and room (Enterprise)
Audit	/audit	Recent entries after admin actions
Notifications	/notifications	List notifications
Devices	/devices	List registered devices
Integrations	/integrations	List integrations
Insights	/insights	Fetch insights payload
Sync	/sync	Document only — API endpoint for device sync

Record HTTP status and response shape in TEST_RUN_SHEET notes column.

Out of scope / expected N/A items

Document these as **Known limitations**, not defects:

Item	Reason
Razorpay pay-now	Requires production payment keys — use Pay later
Banquets / Brands / Guests / Rooms on restaurant tenant	Hidden by business-type nav — mark N/A
Outlet comparison / stock transfer	Needs 2+ outlets
Gateway offline sync	Needs Electron app on restaurant LAN
Marketing CMS publish to live site	Needs team lead approval before publish

Sign-off criteria

A run is **complete** when:

- ☐ All TEST_RUN_SHEET cases marked Pass, Fail, Blocked, or N/A
- ☐ Credentials Log filled (references only, no plaintext passwords in git)
- ☐ All Fail/Blocked cases have Bug Log entries
- ☐ Known limitations documented separately from open bugs

- ☐ Sign-off block completed in TEST_RUN_SHEET