

Cullinos QA — Quick Start Guide

For new testers. Read this first, then use the detailed [Manual Test Plan](#) and [Test Run Sheet](#).

What is Cullinos?

Cullinos is Rkyves’s restaurant platform. One backend powers several **web apps**, each for a different job:

Who uses it	App	What they do
Rkyves platform team	Super Admin	Onboard restaurants, manage subscriptions
Restaurant owner / manager	Admin	Menu, staff, orders, reports, settings
Multi-outlet chains	Management	Compare outlets, stock transfers, franchise
Floor staff	Waiter	Take table orders or start QR sessions for guests
Cashier	POS	Counter / takeaway billing — https://pos.cullinos.com
Kitchen	KDS	Kitchen display — https://kds.cullinos.com
Guest / customer	Cullinos App	Order online via QR or link (guest OK; optional login)
Public	Marketing site	cullinos.com — no login

Your test setup: Production environment, **fresh restaurant** created via Super Admin, **one Waiter** and **one Cashier** for floor/POS tests.

Also read [WHATS_NEW.md](#) for features added in this cycle.

Full click-by-click guide: [COMPLETE_FEATURE_TEST_GUIDE.md](#) — every portal, page, and major action.

Portal URLs (Production)

Bookmark these. All production testing uses these domains.

Main apps (login required)

App	URL	Who logs in
Super Admin	https://platform.cullinos.com	Platform ops (Rkyves)
Admin (owner dashboard)	https://admin.cullinos.com	Restaurant owner
Management (chains)	https://manage.cullinos.com	Owner (Enterprise plan)
Cullinos Waiter (floor)	Android app (Play Store)	Waiter staff
POS (cashier)	https://pos.cullinos.com	Cashier staff
KDS (kitchen)	https://kds.cullinos.com	Kitchen staff
Admin Portal POS	https://admin.cullinos.com/pos	Owner / staff with POS access

No login

App	URL	Notes
Cullinos App	https://guest.cullinos.com/{orgSlug}/{outletSlug}	Replace slugs after tenant is created
QR session link	<code>...?session={token}</code>	Generated by waiter — expires when session ends
Marketing website	https://cullinos.com	Public pages

Example storefront (demo org — do not use for your QA run if testing fresh tenant):

<https://guest.cullinos.com/demo-restaurant/main-outlet>

API & developer tools

Tool	URL	Purpose
API health	https://api.cullinos.com/api/v1/health	Quick “is API up?” check
API DB health	https://api.cullinos.com/api/v1/health/db	Database connectivity
Swagger (API docs)	https://api.cullinos.com/docs	Test API-only features, create tables if needed

QR table ordering (waiter → guest)

1. Waiter opens **Cullinos Waiter** (Android) → tap a table → **Show QR to customers**
2. Guest scans QR (or opens copied link) → adds items → checkout
3. Items appear on the **same table order** in waiter app and on KDS
4. Waiter taps **End session** when the table is cleared (old QR stops working)

Pickup / Order Display setup:

1. Admin → **Displays** (/displays) — copy CDS / Pickup URL (legacy /cds and /pickup-queue redirect here).
2. Copy it and open in another tab, tablet, or TV — no login required for the public board.
3. Place a takeaway/counter order to see it appear in the queue.

Local dev (optional fallback)

For development only — production QA uses the URLs above:

App	Local URL
POS	http://localhost:5173
KDS	http://localhost:5174
KDS Order Display	http://localhost:5174/?outletId=YOUR_OUTLET_ID&mode=pickup

Credentials — fill this in before testing

Important: Do **not** put real passwords in files you commit to git.
Ask your team lead for production passwords, or use a password manager.
Copy this section into `docs/qa/runs/RUN-YYYYMMDD/CREDENTIALS_LOG.md` and fill it there (that folder is gitignored).

Where passwords come from

Role	How you get login
Super Admin	Team lead shares platform login (stored locally in <code>secrets-export.txt</code> — never commit that file)
Owner	Created when Super Admin onboards a new restaurant — you choose email/password during onboard
Waiter (your 1 employee)	Owner creates in Admin → Staff — you set email/password there
Cashier	Same as Waiter — create in Admin → Staff for POS
Guest customer	No login required — use incognito; optional login modal is extra

Credential worksheet (copy & fill in)

RUN ID: RUN-YYYYMMDD

Tester name:

Date:

— PLATFORM (Rkyves) —

Super Admin URL: https://platform.cullinos.com

Super Admin email:

Password: (password manager / ask team lead)

— QA RESTAURANT (created this run) —

Restaurant name: e.g. QA Test Kitchen

Org slug: ← needed for storefront URL

Outlet name: e.g. Main Outlet

Outlet slug:

Outlet ID: ← needed for KDS URL

Plan: enterprise

Owner URL: https://admin.cullinos.com

Owner email:

Owner password: (password manager)

Storefront URL: https://guest.cullinos.com/{orgSlug}/{outletSlug}

— STAFF (1 employee) —

Name:

Role: Waiter

Waiter URL: https://waiter.cullinos.com

Email:

Password: (password manager)

— OPTIONAL —

Cashier email: (only if testing POS)

Management URL: https://manage.cullinos.com (login as owner)

Demo credentials (local dev only — NOT for production QA)

If you run the app **locally** with `npm run db:seed`, these demo accounts exist:

Role	Email	Password
Super Admin	akshrkd@gmail.com	Missyou@1
Owner	owner@cullinos.com	demo1234

Local app ports: API `3000`, Admin `5181`, etc. — Waiter is Flutter `apps/waiter_mobile`; see root [README.md](#).

Production QA uses a fresh tenant, not these demo accounts.

Who tests what?

One QA person switches roles; one employee tests Waiter only.

Role	Person	App	When
Super Admin	You	platform.cullinos.com	Day 1 — onboard restaurant
Owner	You	admin.cullinos.com	Day 1–4 — setup, admin, reports
Waiter	Your employee	Cullinos Waiter Android	Day 2 — table orders
Guest	You (incognito)	guest.cullinos.com/...	Day 2 — online checkout
Owner	You	manage.cullinos.com	Day 3 — chain features

You need **two browsers**: normal window (staff/owner) + **incognito** (guest customer).

Start testing in 30 minutes

Step 1 — Preflight (5 min)

Open in browser and confirm each works:

1. <https://api.cullinos.com/api/v1/health> → should show healthy JSON
2. <https://api.cullinos.com/api/v1/health/db> → database OK
3. <https://platform.cullinos.com> → Super Admin login page loads

Checklist: [README preflight](#)

Step 2 — Create QA restaurant (10 min)

1. Login to **Super Admin**
2. Click **Onboard restaurant**
3. Fill in:
 - Restaurant name: `QA Test Kitchen` (or unique name)
 - First outlet: `Main Outlet`
 - Plan: `enterprise`
 - Owner name, email, password (save in password manager)
4. Copy the success message — it has the Admin URL and owner email
5. Write **org slug** and **outlet slug** in your credential worksheet

Step 3 — Owner setup (10 min)

1. Login to **Admin** with owner credentials
2. Go to **Setup** (/onboarding) — choose business type **Restaurant**
3. Complete the wizard (business info, GSTIN test value `27AAAAA0000A1Z5` , etc.)
4. **Menu** (/menu) — create 2 categories and at least 4 items
5. **Staff** (/staff) — add **Waiter** and **Cashier**, assign main outlet
6. **Tables** (/tables) — create at least 2 tables (T1, T2)
7. Share waiter login with your employee (securely — not in git)

Step 4 — First real test (5 min)

Employee: Login to Waiter → select outlet → open a table → add items → confirm order

You: Check **Admin** → **Orders** — the order should appear; optionally confirm KOT on <https://kds.cullinos.com>

If **no tables** show in Waiter: create them in Admin → **Tables**, or via Swagger (`POST /api/v1/tables`) if the UI fails.

What to test next (4-day plan)

Day	Focus	Document
1	Preflight + onboard + menu + tables + staff	This guide + Phase 1 in Manual Test Plan
2	Waiter, POS, KDS, guest checkout, CDS	Phase 2 + mark Test Run Sheet
3	Admin modules (incl. new pages), Management, Super Admin	Phases 3–5
4	Marketing site + API (Swagger)	Phases 6–7

Full details: [MANUAL_TEST_PLAN.md](#)
Track pass/fail: [TEST_RUN_SHEET.md](#) (**190** test cases)
Click-paths: [COMPLETE_FEATURE_TEST_GUIDE.md](#)
Log bugs: [BUG_LOG.md](#) What's new: [WHATS_NEW.md](#)

App cheat sheet — what each page does

Admin (owner) — <https://admin.cullinos.com>

Menu	Path	What to check
Dashboard	/	Revenue, order counts after you place test orders
Portal POS	/pos	Hold / resume / checkout (needs POS permission)
Menu	/menu	Add/edit categories, items, combos, schedules, outlet prices
Orders	/orders	All orders from Waiter, Guest, POS
Tables	/tables	Create/edit tables — real UI
Reservations	/reservations	Bookings + public book link
Inventory	/inventory	List / add / adjust stock — real UI
Customers	/customers	Create / search customers
Loyalty	/loyalty	Settings, tiers, rewards
Coupons	/coupons	Create / deactivate coupons
Recipes	/recipes	Create and list recipes
Purchasing / Suppliers	/purchasing , /suppliers	Draft PO, GRN, supplier directory
Central kitchen	/central-kitchen	Often N/A until multi-outlet
Delivery	/delivery	Zones / delivery orders
Aggregators	/aggregators	Swiggy / Zomato connect
Payments	/payments	Razorpay / Cashfree keys
App listing	/marketplace	Cullinos App listing
Guest banners	/guest-banners	App banners
SMS campaigns	/sms-campaigns	MSG91 SMS (needs wallet)
Billing	/billing	Billing / subscription page
Events	/events	Schedule events; select outlet, fill form
Production	/production	Schedule batches, mark complete
Banquets	/banquets	Often N/A on restaurant tenant
Brands	/brands	Often N/A on restaurant tenant
Guests / Rooms	/hospitality/*	Often N/A on restaurant tenant
Displays	/displays	KDS / CDS / Pickup / Promo URLs (legacy /kds /cds redirect here)
Digital Ordering	/kiosk	Kiosk / storefront launcher
Staff	/staff	Create waiter/cashier/manager logins
Reports	/reports	Revenue, top items, Export

Menu	Path	What to check
Settings	/settings	Form: restaurant details, order types, locations, tax, devices
Setup	/onboarding	Initial wizard (seeds sample categories on Complete setup)
Forgot / Change password	/forgot-password , /change-password	Auth recovery

Note: There is no Admin “Demo data” button. Sample menu categories come from **Complete setup**. Promo Email is on **Super Admin** only.

Super Admin — <https://platform.cullinos.com>

Menu	Path	What to check
Tenants	/ or /tenants	List restaurants, onboard, suspend, impersonate
Plans	/plans	Plan catalog
Subscriptions	/subscriptions	Change plan per tenant
Promo Email	/promo-email	Platform promo campaigns (not in Admin)
Cullinos App / Guest Ops	/guest-ops/*	Marketplace, discover, banners, push, offers, reviews, users, analytics, runtime
Settings	/settings	Platform settings
System Health	/health	Platform metrics
Marketing	/marketing/*	Edit website content (careful on production)
Testimonials	/marketing/testimonials	Testimonials editor
Design Lab	/marketing/design-lab	Design lab page

Management — <https://manage.cullinos.com>

Menu	Path	What to check
Overview	/	Multi-outlet KPIs
Reports	/reports	Network reports
Comparison	/comparison	Needs 2+ outlets
Stock Transfer	/stock-transfer	Needs 2+ outlets
Franchise	/franchise	Franchise list

Cullinos Waiter — Android app

1. Login → pick outlet
2. Tap a table
3. Add menu items → confirm → order goes to kitchen

Cullinos App (Guest) — deep link / Android

Use `https://guest.cullinos.com/o/{orgSlug}/{outletSlug}` (or the Android app).

1. Browse menu (guest OK)
2. Optional: phone OTP / Google login
3. Cart → Checkout (auth required for checkout)
4. Pay later or UPI → order placed
5. Also test: Home, Explore, Scan, Offers, Profile, Kiosk mode

Full steps: [COMPLETE_FEATURE_TEST_GUIDE.md](#) chapter 10.

CRM & Loyalty — how to test

The Admin **Customers** page (`/customers`) is a read-only display of loyalty tiers and active coupons. Also open **Loyalty** (`/loyalty`). There is no Admin UI to add stamps — stamps are added via API call.

What is pre-seeded (demo org)

Item	Value
Loyalty tier	Stamp Card — 10 stamps = 100 loyalty points = free drink
Coupon	<code>WELCOME10</code> — 10% off, minimum order ₹200

Step-by-step loyalty test

1. **Place an order** as a guest customer (Customer app → checkout) so a customer record is created.
2. **Find the customer ID**: open Swagger (`/docs`) → `GET /api/v1/customers` → Authorise with owner Bearer token → Execute. Copy the `id` from the response.
3. **Add stamps** via Swagger → `POST /api/v1/loyalty/customers/{customerId}/stamp` — execute it 10 times.
4. After 10 stamps the system automatically adds 100 loyalty points and resets the stamp count.
5. **Verify on Admin Customers page**: tier list and coupon list load without error → **Pass**.

Step-by-step coupon test

1. Add items to cart in the Customer app (total ≥ ₹200).
2. At checkout, enter coupon code `WELCOME10` in the coupon field.
3. Verify 10% discount is applied to the total.
4. Complete the order.

Test case results

Check	Expected	Result
Admin Customers page loads	Tier list + coupon list visible	Pass/Fail
Coupon <code>WELCOME10</code> applies at checkout	10% discount on orders $\geq$ ₹200	Pass/Fail
Stamp endpoint reachable via Swagger	HTTP 200, stamp count increments	Pass/Fail

Local setup (optional fallback)

Only needed if production POS/KDS URLs are unavailable.

Prerequisites: Node.js, repo cloned, `npm install`

```
# Terminal 1 – POS (cashier)
cd a:\cullinos
set VITE_API_URL=https://api.cullinos.com/api/v1
set VITE_WS_URL=https://api.cullinos.com
npm run dev --workspace=@cullinos/pos

# Terminal 2 – KDS (kitchen)
set VITE_API_URL=https://api.cullinos.com/api/v1
set VITE_WS_URL=https://api.cullinos.com
npm run dev --workspace=@cullinos/kds
```

Then open:

- POS: <http://localhost:5173> (login as **Cashier** — create in Admin → Staff)
- KDS: http://localhost:5174?outletId=**YOUR_OUTLET_ID**

Get `outletId` from Admin Settings, Swagger, or your credential worksheet.

Common issues (not bugs)

Problem	What to do
No tables in Waiter	Create in Admin → Tables (or Swagger if UI fails)
Banquets / Brands / Guests / Rooms missing	Expected on restaurant tenant — mark N/A
Management comparison empty	Add a second outlet via API, or mark test Blocked
Pay now fails on Customer	Razorpay may not be configured — use Pay later
Login “Failed to fetch”	Frontends must point to <code>api.cullinos.com</code> — tell your lead if prod is misconfigured

Files you will use daily

File	Use
This guide	URLs, credentials worksheet, first-day steps
MANUAL_TEST_PLAN.md	Full workflows and expected results
TEST_RUN_SHEET.md	Mark Pass / Fail / Blocked / N/A per test
BUG_LOG.md	Record every failure with steps to reproduce
CREDENTIALS_LOG.md	Detailed credential template for each run

Per run: copy templates to `docs/qa/runs/RUN-YYYYMMDD/` (private, not committed).

Quick reference card (print or pin)

PRODUCTION PORTALS

Super Admin

<https://platform.cullinos.com>

Admin

<https://admin.cullinos.com>

Portal POS

<https://admin.cullinos.com/pos>

Management

<https://manage.cullinos.com>

Waiter

Cullinos Waiter Android app

POS

<https://pos.cullinos.com>

KDS

<https://kds.cullinos.com>

Customer

<https://guest.cullinos.com/{orgSlug}/{outletSlug}>

Marketing

<https://cullinos.com>

Swagger

<https://api.cullinos.com/docs>

Health

<https://api.cullinos.com/api/v1/health>

TEST ORDER

1. Super Admin → Onboard (enterprise plan)

2. Admin → Menu + Tables + Staff (Waiter + Cashier)

3. Waiter → Table order → KDS verifies

4. POS / Portal POS → checkout

5. Customer → Checkout incognito (verify)

6. TEST_RUN_SHEET → mark all 190 cases

NEVER commit real passwords to git.

Need help?

1. Read [MANUAL_TEST_PLAN.md](#) for the phase you're on
2. Check [ARCHITECTURE.md](#) for how apps connect
3. Ask your team lead for Super Admin access and tenant slugs
4. Log blockers in [BUG_LOG.md](#) with screenshots