

Cullinos QA Tester Handbook

For new testers. Read Sections 1–2 first, then follow the day-by-day checklists. Mark results in your Excel Test Run Sheet.

Also read **WHATS NEW.md** for features added in this QA cycle.

How to use this handbook

Step	Action
1	Read Sections 1–2 below and What's New
2	Open <code>CREDENTIALS_LOG.xlsx</code> — save a copy named <code>CREDENTIALS_RUN-YYYYMMDD.xlsx</code>
3	Day 1: health checks → Super Admin onboard → Admin wizard → menu + tables + Waiter + Cashier
4	Open <code>TEST_RUN_SHEET.xlsx</code> — mark each test Pass / Fail / Blocked / N/A the same day you run it
5	Any Fail → add a row in <code>BUG_LOG.xlsx</code> + save a screenshot in your <code>evidence/</code> folder
6	Days 2–4: follow the day checklists in order
7	Last day: complete the Sign-off sheet in Excel; send all Excel files + evidence zip to your team lead

1. Welcome — what is Cullinos?

Cullinos is a restaurant software platform made by Rkyves. One backend powers several websites, each for a different job:

Who uses it	Website name	What they do
Rkyves platform team	Super Admin	Create restaurants, manage subscriptions
Restaurant owner	Admin	Menu, staff, orders, reports, settings, Portal POS
Multi-outlet chains	Management	Compare outlets, stock transfers
Floor staff	Waiter	Take table orders
Cashier	POS	Counter / takeaway billing — https://pos.cullinos.com
Kitchen	KDS	Kitchen tickets — https://kds.cullinos.com
Guest customer	Customer	Order online (guest OK; optional login)
Public visitors	Marketing site	cullinos.com — no login

Your job: Test all **160 test cases** on **production** using a **fresh test restaurant** you create on Day 1.

2. Before Day 1 — what you need

Tools

- **Google Chrome** (or Edge) — main browser
- **Incognito / private window** — for guest customer tests (Ctrl+Shift+N in Chrome)
- **Screenshot tool** — Windows: Win+Shift+S
- **Excel** — to fill in Test Run Sheet, Bug Log, Credentials Log
- **Folder for evidence** — e.g. `RUN-20260906/evidence/` for bug screenshots

Files from your team lead

You should receive these files:

1. `Whats_New.pdf` — new features in this cycle
2. `QA_Tester_Handbook.pdf` (this document)
3. `Quick_Reference_Card.pdf`
4. `Employee_Brief.pdf`
5. `TEST_RUN_SHEET.xlsx`
6. `BUG_LOG.xlsx`
7. `CREDENTIALS_LOG.xlsx`

Access from your team lead

- **Super Admin login** — shared securely on Day 1 morning (password manager or verbal). **Never write real passwords in Excel or email.**

Production URLs — bookmark these

App	URL
Super Admin	https://platform.cullinos.com
Admin (owner)	https://admin.cullinos.com
Admin Portal POS	https://admin.cullinos.com/pos
Management	https://manage.cullinos.com
Waiter	https://waiter.cullinos.com
POS	https://pos.cullinos.com
KDS	https://kds.cullinos.com
Customer storefront	https://order.cullinos.com/{orgSlug}/{outletSlug}
Marketing site	https://cullinos.com
Swagger (API docs)	https://api.cullinos.com/docs
API health	https://api.cullinos.com/api/v1/health
API DB health	https://api.cullinos.com/api/v1/health/db

Replace `{orgSlug}` and `{outletSlug}` with values from Day 1 setup.

3. Glossary

Term	Meaning
Slug	Short name in the URL (e.g. <code>qa-test-kitchen</code>)
Outlet	One restaurant location (branch)
Org / Tenant	The restaurant business account
KOT	Kitchen Order Ticket — order sent to kitchen
CDS	Customer / Order Display — preparing & ready board
Portal POS	Counter POS inside Admin at <code>/pos</code>
JWT / Token	Secret login key used by API tools (Swagger)
Incognito	Private browser window — acts like a guest with no saved login
Pass	Feature works as expected
Fail	Wrong behavior — you must log a bug
Blocked	Cannot test (missing access, DNS, etc.)
N/A	Not applicable (e.g. payment not configured, business-type gated page)
Swagger	Web page to test backend API directly
Enterprise plan	Highest plan — unlocks all modules for testing

4. Result codes — simple rules

Code	When to use
Pass	Works exactly as this handbook describes
Fail	Wrong behavior, error, or missing feature → log in <code>BUG_LOG.xlsx</code>
Blocked	You cannot run the test (no Super Admin access, POS URL down)
N/A	Test does not apply (Razorpay without keys, Banquets on restaurant tenant, only 1 outlet for comparison)

5. Day 1 — Setup (Phases 0 and 1)

Goal: Confirm production works, create a test restaurant, add menu, tables, and staff.

Time: ~6–8 hours

Apps: Super Admin, Admin

Excel tests: TC-0-01 through TC-1.4-03

Morning — Preflight (Phase 0)

1. Open <https://api.cullinos.com/api/v1/health>
 - **Expected:** JSON text showing healthy status → mark TC-0-01 **Pass**
2. Open <https://api.cullinos.com/api/v1/health/db>
 - **Expected:** Database OK → mark TC-0-02 **Pass**
3. Open <https://api.cullinos.com/docs>
 - **Expected:** Swagger API docs page loads → mark TC-0-03 **Pass**
4. Go to <https://platform.cullinos.com> — login with Super Admin credentials from team lead
 - **Expected:** Dashboard loads → mark TC-0-04 **Pass**
5. Create a folder for this run (e.g. `RUN-20260906/`) and copy your Excel files there
 - Mark TC-0-05 **Pass**
6. Open a second browser window in **Incognito** mode — keep it ready for Day 2
 - Mark TC-0-06 **Pass**

Midday — Create test restaurant (Phase 1.1)

1. In Super Admin, click **Onboard restaurant** → mark TC-1.1-01 **Pass** when form opens
2. Fill the form:
 - Restaurant name: `QA Test Kitchen` (or unique name with today's date)
 - First outlet name: `Main Outlet`
 - Plan: **enterprise**
 - Owner name, email, password (save in password manager — **not** in Excel)
3. Click Submit
 - **Expected:** Success message with owner email and Admin URL → TC-1.1-02, TC-1.1-03 **Pass**
4. Find the new tenant in the list — status should be **active** → TC-1.1-04 **Pass**
5. Write **org slug** and **outlet slug** in CREDENTIALS_LOG.xlsx → TC-1.1-05 **Pass**

Afternoon — Owner setup (Phases 1.2 and 1.3)

1. Go to <https://admin.cullinos.com> — login with owner credentials → TC-1.2-01 **Pass**
2. Go to **Setup** (`/onboarding`) if not redirected → TC-1.2-02 **Pass**
3. Select business type: **Restaurant** (prefer **medium** or **large** size if asked, so Inventory / Loyalty / Recipes / Delivery appear) → TC-1.2-03 **Pass**
4. Complete wizard steps:
 - Business info: name, GSTIN test value `27AAAAA0000A1Z5`
 - Follow remaining steps (menu, tables, tax, staff guidance)
 - Reach the **Done** step without errors → TC-1.2-04, TC-1.2-05 **Pass**
5. Go to **Menu** (`/menu`):
 - Create **2 categories** → TC-1.3-01, TC-1.3-02 **Pass**
 - Create **4 or more items** with different prices → TC-1.3-03 **Pass**
6. Go to **Tables** (`/tables`):
 - Create at least **2 tables** (e.g. T1, T2) → TC-1.3-07 **Pass**
7. Go to **Staff** (`/staff`):
 - Add **Waiter**, assign main outlet → TC-1.3-04, TC-1.3-05 **Pass**

- Add **Cashier**, assign main outlet → TC-1.3-08 **Pass**

8. Go to **Settings** (/settings) — confirm businessType is correct → TC-1.3-06 **Pass**

Auth recovery (Phase 1.4)

1. Log out → open <https://admin.cullinos.com/forgot-password> — enter owner email → TC-1.4-01 **Pass** (page accepts email; mailbox delivery optional)
2. Open <https://platform.cullinos.com/forgot-password> — enter Super Admin email → TC-1.4-02 **Pass**
3. Log in as owner → open /change-password → TC-1.4-03 **Pass** (page loads; changing password optional)

End of Day 1: All Phase 0 and Phase 1 rows marked in Excel. Credentials Log filled (no real passwords — use "PM entry #" only).

6. Day 2 — Orders (Phase 2)

Goal: Test real order flows — waiter, POS, KDS, customer, CDS, Portal POS.

Time: ~6–8 hours

Apps: Waiter, POS, KDS, Customer (incognito), Admin

Excel tests: TC-2.1-01 through TC-2.6-02

6.1 Waiter dine-in order (TC-2.1-xx)

1. Go to <https://waiter.cullinos.com> — login as Waiter staff → TC-2.1-01 **Pass**
2. Select main outlet → TC-2.1-02 **Pass**
3. Check table grid shows tables → TC-2.1-03 **Pass**
 - If no tables: create them in Admin → Tables, or mark **Blocked** and tell team lead
4. Tap/open a table — menu should load → TC-2.1-04 **Pass**
5. Add 2 or more items → TC-2.1-05 **Pass**
6. Confirm order — note the order number → TC-2.1-06 **Pass**
7. Open <https://kds.cullinos.com> (kitchen login) — KOT appears within ~5 seconds → TC-2.1-07 **Pass** or **Blocked** if KDS URL unavailable
8. In Admin → **Orders** (/orders) — find the dine-in order → TC-2.1-08 **Pass**
9. Verify order total matches items → TC-2.1-09 **Pass**
10. On a table: **Show QR to customers** — open link in phone/incognito → TC-2.1-10 **Pass**
11. Waiter **End session** — refresh guest link → expired → TC-2.1-11 **Pass**

6.2 POS counter — production (TC-2.2-xx)

1. Open <https://pos.cullinos.com> — login as Cashier → TC-2.2-01, TC-2.2-02 **Pass**
2. Add items, check cart subtotal → TC-2.2-03 **Pass**
3. Set order type to takeaway → TC-2.2-04 **Pass**
4. Hold order, then resume it → TC-2.2-05, TC-2.2-06 **Pass**
5. Checkout (quick order) → TC-2.2-07 **Pass**

If POS URL is down, mark **Blocked** (local fallback is optional — see Section 10).

6.3 Guest online order (TC-2.3-xx)

Use **Incognito** window — you are a customer with no login.

1. Open <https://order.cullinos.com/{orgSlug}/{outletSlug}> → TC-2.3-01 **Pass**
2. Menu shows your Day 1 categories and items → TC-2.3-02 **Pass**
3. Add item to cart — badge/count updates → TC-2.3-03 **Pass**
4. Open cart — items and totals correct → TC-2.3-04 **Pass**
5. Checkout — enter name and phone → TC-2.3-05 **Pass**
6. Choose **Pay later** — order places successfully → TC-2.3-06, TC-2.3-07 **Pass**
7. Admin → Orders — online/QR order visible → TC-2.3-08 **Pass**
8. Retry storefront with `?table=T1` on URL if table T1 exists → TC-2.3-09 **Pass** or **N/A**
9. **Pay now (Razorpay)**: Mark TC-2.3-10 **N/A** unless team lead confirms payment keys are configured
10. Open **customer login** control/modal — opens without blocking guest checkout → TC-2.3-11 **Pass**

6.4 Order Display / CDS (TC-2.4-xx)

1. Admin → **Order Display** (`/cfs`) — page loads → TC-2.4-01 **Pass**
(`/pickup-queue` redirects here — that is expected)
2. Copy display URL and open it → TC-2.4-02 **Pass** or **Blocked**
3. Place a counter/online order — appears in Preparing → TC-2.4-03 **Pass** or **N/A**
4. Mark ready — moves to Ready column → TC-2.4-04 **Pass** or **N/A**

6.5 Admin Portal POS (TC-2.5-xx)

1. As owner, open <https://admin.cullinos.com/pos> → TC-2.5-01 **Pass**
2. Add items — subtotal correct → TC-2.5-02 **Pass**
3. Hold and resume → TC-2.5-03 **Pass**
4. Checkout confirms → TC-2.5-04 **Pass**

6.6 Digital Ordering launcher (TC-2.6-xx)

1. Admin → **Digital Ordering** (`/kiosk`) → TC-2.6-01 **Pass**
2. Launcher shows a usable storefront / kiosk URL → TC-2.6-02 **Pass**

7. Day 3 — Back office and platform (Phases 3, 4, 5)

Goal: Test Admin modules (including new pages), Management, Super Admin.

Time: ~6–8 hours

Apps: Admin, Management, Super Admin

7.1 Admin back office (TC-3-xx)

Login as **Owner** at <https://admin.cullinos.com>. Visit each page and verify:

Page	Path	What to check
Dashboard	/	KPI cards load; revenue reflects Day 2 orders
Menu	/menu	Edit price, create item, toggle availability
Orders	/orders	All Day 2 orders visible with correct status/source
Tables	/tables	Create/edit a table (real UI)
Inventory	/inventory	List stock; add or adjust an item
Customers	/customers	Loyalty tiers and coupons lists load (see §7.4)
Loyalty	/loyalty	Page loads
Recipes	/recipes	Create recipe; appears in list
Delivery	/delivery	Page / list loads
Promo Email	/promo-email	Page loads; compose draft or send without crash
Billing	/billing	Page loads
Events	/events	Create event; appears in list
Production	/production	Schedule/complete batch if applicable, else N/A
Kitchen Display	/kds	Launcher opens usable KDS URL
Order Display	/cds	URL includes correct outletId
Digital Ordering	/kiosk	Storefront URL shown
Banquets	/banquets	N/A on restaurant tenant (or Pass if visible)
Brands	/brands	N/A on restaurant tenant
Guests	/hospitality/guests	N/A on restaurant tenant
Rooms	/hospitality/rooms	N/A on restaurant tenant
Staff	/staff	Waiter + Cashier listed; Waiter without POS denied /pos
Reports	/reports	Revenue and top items (non-empty after orders)
Settings	/settings	Save valid JSON; invalid JSON shows error
Login	/login	Logout and re-login works

Mark TC-3-01 through TC-3-36 in Excel.

7.2 Enterprise Management (TC-4-xx)

Login as **Owner** at <https://manage.cullinos.com>.

1. Overview dashboard — KPIs load → TC-4-01, TC-4-02, TC-4-03 **Pass**

2. Reports page loads → TC-4-04 **Pass**
3. Outlet comparison — needs 2+ outlets → TC-4-05 **Pass** or **Blocked/N/A** if only 1 outlet
4. Stock transfer — needs 2+ outlets → TC-4-06 **Pass** or **Blocked/N/A**
5. Franchise page loads → TC-4-07 **Pass**
6. If needed, add second outlet via Swagger → TC-4-08

7.4 CRM & Loyalty (TC-3-xx)

Background: The Admin Customers page is read-only — it displays loyalty tiers and active coupons. There is no UI button to add stamps; stamps are added via API (Swagger). Also open Admin **Loyalty** (`/loyalty`) for TC-3-25.

Pre-seeded data (demo org):

- Loyalty tier: Stamp Card — 10 stamps = 100 points = free drink reward
- Coupon: `WELCOME10` — 10% off, minimum order ₹200

Stamp test steps:

1. Place an order via the Customer app so a customer record exists.
2. Open Swagger at `https://api.cullinos.com/docs`.
3. Click **Authorize** — paste your owner Bearer token.
4. `GET /api/v1/customers` → find the customer `id` from the response.
5. `POST /api/v1/loyalty/customers/{customerId}/stamp` — execute 10 times.
6. After 10 stamps the tier reward triggers automatically (100 loyalty points, stamp count resets).
7. Admin Customers page → Loyalty tiers section shows the tier → **Pass**.

Coupon test steps:

1. Add items to cart in Customer app totalling ≥ ₹200.
2. At checkout enter coupon code `WELCOME10`.
3. Verify 10% discount is applied → **Pass**.

7.3 Super Admin platform (TC-5-xx)

Login at <https://platform.cullinos.com>. **Use QA test tenant only** for destructive tests.

1. Find QA tenant in list → TC-5-01 **Pass**
2. Subscriptions — change plan for QA tenant → TC-5-02, TC-5-03 **Pass**
3. System Health — metrics load → TC-5-04 **Pass**
4. **Plans** (`/plans`) → TC-5-15 **Pass**
5. **Promo Email** (`/promo-email`) → TC-5-16 **Pass**
6. **Settings** (`/settings`) → TC-5-19 **Pass**
7. Marketing section — open each editor (Hero, Pages, Theme, Pricing, Navigation, Blog, Media, Testimonials, Design Lab) → TC-5-05 through TC-5-12, TC-5-17, TC-5-18 **Pass**
8. Logged out: `/forgot-password` → TC-5-20 **Pass**
9. **Destructive (QA tenant only):**

- Suspend tenant — owner cannot login to Admin → TC-5-13 **Pass**
- Reactivate tenant — owner can login again → TC-5-14 **Pass**

Do not publish breaking changes to the live marketing website without team lead approval.

8. Day 4 — Marketing site and API (Phases 6 and 7)

Goal: Check public website pages and API smoke tests.

Time: ~6–8 hours

Apps: cullinos.com, Swagger

8.1 Marketing website (TC-6-xx)

Open each URL in a normal browser (no login). Page should load without errors:

Page	URL
Home	https://cullinos.com/
Features	https://cullinos.com/features
Pricing	https://cullinos.com/pricing
Integrations	https://cullinos.com/integrations
About	https://cullinos.com/about
Blog	https://cullinos.com/blog
Blog article	https://cullinos.com/blog/{any-slug}
Contact	https://cullinos.com/contact
Privacy	https://cullinos.com/privacy
Terms	https://cullinos.com/terms
Solutions — restaurants	https://cullinos.com/solutions/restaurants
Solutions — cafes	https://cullinos.com/solutions/cafes
Solutions — food-trucks	https://cullinos.com/solutions/food-trucks
Solutions — bakeries	https://cullinos.com/solutions/bakeries
Solutions — chains	https://cullinos.com/solutions/chains
Solutions — hospitality	https://cullinos.com/solutions/hospitality

Mark TC-6-01 through TC-6-16. Contact form: submit is OK, or graceful error without crash → TC-6-08.

8.2 API smoke tests via Swagger (TC-7-xx)

See **Section 9 — Swagger mini-guide** below. Run each API check and mark TC-7-01 through TC-7-14.

Recipes, Delivery, and Hospitality also have Admin UIs — Swagger is still a valid smoke path.

9. Swagger mini-guide (for Day 4)

Swagger lets you test backend features and create data when needed.

Step A — Get your login token (JWT)

1. Login to **Admin** as Owner at <https://admin.cullinos.com>
2. Press **F12** to open Developer Tools
3. Click the **Network** tab
4. Click any page in Admin (e.g. Dashboard) to trigger requests
5. Click a request to `api.cullinos.com` in the list
6. In **Request Headers**, find `Authorization: Bearer eyJ...` (long text)
7. Copy everything **after** `Bearer` — that is your JWT token
8. Mark TC-7-01 **Pass**

Step B — Authorize in Swagger

1. Open <https://api.cullinos.com/docs>
2. Click the **Authorize** button (lock icon, top right)
3. In the value field, type: `Bearer YOUR_TOKEN_HERE` (paste your token)
4. Click **Authorize**, then **Close**

Step C — Run API smoke tests

Test ID	What to do	Expected
TC-7-02	Find Billing → GET list invoices	HTTP 200, JSON response
TC-7-03	KOT → GET list for your outlet	HTTP 200, tickets listed
TC-7-04	Tax → GET config	HTTP 200, tax settings
TC-7-05	Recipes → POST create one, then GET list	HTTP 200/201
TC-7-06	Purchasing → POST create PO draft	HTTP 200/201
TC-7-07	Wastage → POST log one entry	HTTP 200/201
TC-7-08	Delivery → GET list orders	HTTP 200
TC-7-09	Hospitality → POST create guest	HTTP 200/201
TC-7-10	Hospitality → POST create room	HTTP 200/201
TC-7-11	Audit → GET recent entries	HTTP 200
TC-7-12	Notifications → GET list	HTTP 200
TC-7-13	Devices → GET list	HTTP 200
TC-7-14	Integrations → GET list	HTTP 200

Write HTTP status codes in the **Notes** column of your Test Run Sheet.

Step D — Create tables via Swagger (fallback only)

Prefer Admin → **Tables**. Use Swagger only if the UI fails:

1. With Swagger authorized (Step B), find **Tables** → `POST /api/v1/tables`
2. Click **Try it out**
3. Use a body like:

```
{
  "outletId": "YOUR_OUTLET_ID",
  "label": "T1",
  "capacity": 4
}
```

4. Click **Execute** — expect HTTP 201

Get `outletId` from CREDENTIALS_LOG or Admin Settings.

10. Optional — Local POS and KDS fallback

Production URLs are preferred (`pos.cullinos.com` , `kds.cullinos.com`). Use local only if production apps are down and your team lead asks you to.

Only if Node.js and the project are installed on your PC:

```
# Terminal 1 – POS
cd path\to\cullinos
set VITE_API_URL=https://api.cullinos.com/api/v1
set VITE_WS_URL=https://api.cullinos.com
npm run dev --workspace=@cullinos/pos

# Terminal 2 – KDS
set VITE_API_URL=https://api.cullinos.com/api/v1
set VITE_WS_URL=https://api.cullinos.com
npm run dev --workspace=@cullinos/kds
```

- POS: <http://localhost:5173> (login as **Cashier**)
- KDS: http://localhost:5174?outletId=**YOUR_OUTLET_ID**

11. Known limitations — NOT bugs

Do **not** file these as defects. Mark test **N/A** or note "Known limitation" in BUG_LOG:

Item	Why
Razorpay pay-now	Needs payment keys — use Pay later instead
Banquets / Brands / Guests / Rooms	Hidden for restaurant business type — mark N/A
Outlet comparison with 1 outlet	Needs 2+ outlets — mark N/A or add outlet via API
Gateway offline sync	Needs Electron app on restaurant LAN
Marketing CMS publish	Do not publish to live site without team lead approval

No longer limitations: Admin Tables, Admin Inventory, and hosted POS/KDS are real features — failures there are bugs.

12. How to report a bug

When any test is **Fail**:

1. Open `BUG_LOG.xlsx`
2. Add a new row:
 - **Bug ID:** BUG-001, BUG-002, ...

- **Date found**
- **Test ID:** e.g. TC-2.1-06
- **Module:** e.g. Waiter
- **Title:** Short description
- **Severity:** Critical / High / Medium / Low
- **Steps:** Numbered steps to reproduce
- **Expected:** What should happen
- **Actual:** What happened instead
- **Screenshot path:** e.g. `evidence/BUG-001-screenshot.png`
- **Status:** Open

3. Take a screenshot (Win+Shift+S) and save to your `evidence/` folder

4. Link Bug ID in the Test Run Sheet **Bug ID** column

Severity guide

Level	Example
Critical	Cannot login, orders fail to create
High	KOT never appears, checkout fails
Medium	Wrong totals but workaround exists
Low	Typo, small UI alignment issue

13. Sign-off (last day)

Before sending work to your team lead:

- ☐ All 160 test cases marked Pass / Fail / Blocked / N/A in TEST_RUN_SHEET.xlsx
- ☐ Summary sheet counts look correct
- ☐ Every **Fail** has a row in BUG_LOG.xlsx
- ☐ CREDENTIALS_LOG.xlsx filled (no real passwords)
- ☐ Known limitations noted separately from open bugs
- ☐ Sign-off sheet completed in Excel
- ☐ Zip and send: 3 Excel files + evidence folder

14. Need help?

1. Check the **Quick Reference Card** (1-page PDF) and **What's New**
2. Ask your team lead for Super Admin access or outlet IDs
3. Mark tests **Blocked** if you are stuck — do not guess Pass/Fail
4. Read `EMPLOYEE_BRIEF.pdf` for job expectations and rules