Cullinos — Complete Feature Testing Guide

Purpose: Exhaustive click-by-click manual tests for every active portal, page, and major action.
Companion docs: Day plan → TESTER_HANDBOOK.md · Score sheet → ../sheets/TEST_RUN_SHEET.md · Bugs → ../sheets/BUG_LOG.md · Credentials → ../sheets/CREDENTIALS_LOG.md
PDF: ../export/pdf/Complete_Feature_Test_Guide.pdf (regenerate with `npm run qa:export`)

How to mark: Check each `[ ]` as you go. Record Pass / Fail / Blocked / N/A on the Test Run Sheet. Failures → Bug Log + screenshot.

Environment: Production (default). Local ports and CLI commands are in the appendix.

Quick URL card (bookmark these)

Portal	Production URL	Who
Super Admin	https://platform.cullinos.com	Rkyves platform
Admin (owner)	https://admin.cullinos.com	Owner / manager
Portal POS	https://admin.cullinos.com/pos	Staff with `POS_ACCESS`
Management	https://manage.cullinos.com	Multi-outlet owner
POS	https://pos.cullinos.com	Cashier
KDS	https://kds.cullinos.com	Kitchen
Guest deep link	https://guest.cullinos.com/o/`{org}`/`{outlet}`	Diner
Guest + table	`…/o/{org}/{outlet}?table=T1`	QR dine-in
Guest + session	`…/o/{org}/{outlet}?session={token}`	Waiter QR session
Web kiosk	https://kiosk.cullinos.com/o/`{org}`/`{outlet}`	Self-order tablet
Support portal	https://support.cullinos.com	Owner (restaurant) / Rkyves agent
App Ops	https://app.cullinos.com	Rkyves guest-app ops
Marketing	https://cullinos.com	Public
API health	https://api.cullinos.com/api/v1/health	Preflight
API DB health	https://api.cullinos.com/api/v1/health/db	Preflight
Swagger	https://api.cullinos.com/docs	API smoke

Useful commands

Regenerate QA pack (PDF + Excel)

From repo root:

```
npm install
npm run qa:export
```

Outputs:

- PDFs → `docs/qa/export/pdf/`
- HTML (print fallback) → `docs/qa/export/html/`
- Excel → `docs/qa/export/excel/`

Start a test run folder

```
# PowerShell (Windows)
$run = "docs/qa/runs/RUN-$(Get-Date -Format yyyyMMdd)"
New-Item -ItemType Directory -Force -Path "$run/evidence" | Out-Null
Copy-Item docs/qa/export/excel/*.xlsx $run/
```

```
# bash / Git Bash
RUN="docs/qa/runs/RUN-$(date +%Y%m%d)"
mkdir -p "$RUN/evidence"
cp docs/qa/export/excel/*.xlsx "$RUN/"
```

Preflight health checks

```
curl -sS https://api.cullinos.com/api/v1/health
curl -sS https://api.cullinos.com/api/v1/health/db
```

Optional local apps (against production API)

```
# POS — http://localhost:5173
VITE_API_URL=https://api.cullinos.com/api/v1 VITE_WS_URL=https://api.cullinos.com npm run dev --
workspace=@cullinos/pos

# KDS — http://localhost:5174
VITE_API_URL=https://api.cullinos.com/api/v1 VITE_WS_URL=https://api.cullinos.com npm run dev --
workspace=@cullinos/kds

# Admin — http://localhost:5181
npm run dev --workspace=@cullinos/admin

# Super Admin — http://localhost:5183
npm run dev --workspace=@cullinos/super-admin

# Management — http://localhost:5182
npm run dev --workspace=@cullinos/management

# Marketing web — http://localhost:5180
npm run dev --workspace=@cullinos/web
```

Display URL patterns (from Admin → Displays)

Replace slugs after tenant setup:

```
https://kds.cullinos.com/?mode=cds&orgSlug={org}&outletSlug={outlet}
https://kds.cullinos.com/?mode=pickup&orgSlug={org}&outletSlug={outlet}
https://kds.cullinos.com/?mode=playlist&orgSlug={org}&outletSlug={outlet}
https://kds.cullinos.com/?mode=receipt&outletId={outletId}
```

Table of contents

0. How to use & result codes
1. Setup & sample data (no Demo button)
2. Gating matrix (when to mark N/A)
3. Cross-portal journeys
4. Super Admin
5. Admin / Owner portal
6. Management
7. POS
8. KDS & public displays
9. Waiter Android
10. Cullinos App (Guest)
11. Marketing website
12. Web kiosk
13. Support portal
14. App Ops
15. Appendix — URLs, ports & commands

---

0. How to use & result codes

Code	Meaning
Pass	Steps completed; expected result matched
Fail	Unexpected behaviour — log bug with steps + screenshot
Blocked	Cannot run (missing access, outage, dependency failed)
N/A	Feature hidden by business type, plan, permission, or no gateway keys

Who	Portal	Login
Rkyves platform	Super Admin	Platform credentials (secure handoff)
Restaurant owner	Admin, Management	Created by Super Admin onboard
Floor / cashier / kitchen	Waiter, POS, KDS	Created by Owner in **Admin** → **Staff**
Diner	Cullinos App	Phone OTP / Google / guest browse; checkout may require auth
Public	Marketing site	None

There is no Admin "Demo data" button. Sample categories are seeded only when the owner finishes **Complete setup** on the onboarding wizard. Everything else (items, tables, staff) you create manually — see Chapter 1.

---

1. Setup & sample data (no Demo button)

Use a **fresh QA restaurant** (do not reuse the public demo org for scored runs).

1.1 Create the tenant

1. ☐ Open https://platform.cullinos.com → **Sign in**
2. ☐ Go to **Tenants** → **Onboard restaurant**
3. ☐ Fill: Restaurant name*, Business category **Restaurant**, size **Medium** or **Large**, First outlet name*, Plan **Enterprise**, Owner name, Owner email*
4. ☐ Click **Create tenant**
5. ☐ Copy one-time owner password (**Reveal once**) into your password manager — record slug/email in Credentials Log (no password in git)
6. ☐ Confirm new tenant appears as **active**

Expected: Success message with Admin URL and owner email; tenant list shows the new org.

1.2 Owner first login & wizard

1. ☐ Open https://admin.cullinos.com → sign in with owner email + temporary password
2. ☐ If forced: **Change password** → **Save new password**
3. ☐ Complete onboarding steps with **Continue** / **Back**:
   - Business details (category, size, name*, GSTIN, timezone, currency)
   - Your features (read-only chips)
   - Menu categories (sample categories will be seeded)
   - Tables / Tax / Staff tips as shown
4. ☐ Last step → **Complete setup**

Expected: `setupCompleted`; sample **menu categories** appear under **Menu**; Setup nav item may hide; dashboard loads.

1.3 Minimum test data (create manually)

1. ☐ **Menu** → **items** → **Add item** — create 4+ items across 2 categories (varied prices). Optional: variants, modifiers, **Upload photo**
2. ☐ **Tables** → **Add floor** (if needed) → **Add table** → **Create table** — at least 2 tables. Open detail → **Generate QR** / **Download QR**
3. ☐ **Staff** → **Add staff member**:
   - Waiter: name, phone (for OTP), email, temp password, role **Waiter**, assign outlet → **Create account**
   - Cashier: same with role **Cashier**
4. ☐ **Settings** → enable order types you need → **Save settings**; optionally **Create tax group**, **Register device**, **Add location**
5. ☐ **Payments** (optional for pay-now): configure Razorpay and/or Cashfree → **Save**; without keys mark pay-now **N/A**
6. ☐ **Displays** → copy KDS / CDS / Pickup / Promo URLs for later
7. ☐ **Digital Ordering** (`/kiosk`) → copy storefront / kiosk links

Record org slug, outlet slug, outletId, staff emails in Credentials Log.

---

2. Gating matrix (when to mark N/A)

Feature / path	Visible when	Typical restaurant QA
Tables, Reservations	Business feature `TABLES`	Pass
Displays (KDS/CDS/Promo)	`KDS`	Pass
Inventory, Recipes, Purchasing, Suppliers	Inventory / purchasing features	Pass on medium+
Loyalty, Coupons	`LOYALTY`	Pass
Delivery	`DELIVERY`	Pass
Marketplace, Guest banners	`ONLINE_ORDERING`	Pass
Digital Ordering / kiosk	`QR_ORDERING`	Pass
Central kitchen	`MULTI_OUTLET` + transfer permission	Often N/A until 2nd outlet / CK
Banquets	`BANQUET`	**N/A** on plain restaurant
Brands	`MULTI_BRAND`	**N/A**
Guests / Rooms	`ROOM_SERVICE`	**N/A** (hospitality tenant)
Events / Production	`EVENTS` / `PRODUCTION`	May be N/A by type
Portal POS `/pos`	Permission `POS_ACCESS`	Pass for owner
Billing	`ORG_MANAGE_SETTINGS`	Pass for owner
Razorpay / Cashfree pay-now	Keys configured	**N/A** without keys
QSR ERP ↔ POS switch	Cafe / bakery / food_truck / qsr parent	N/A on classic restaurant
Management comparison / stock transfer	2+ outlets	Needs second outlet

Nav also filters by staff **permissions**. Staff without a permission should not see or should be denied the route.

---

3. Cross-portal journeys

Journey A — Floor order → kitchen → reports

1. ☐ Waiter: login → open table → **Add items** → **Confirm order** / **Send to kitchen**
2. ☐ KDS: ticket appears within ~5s → **Mark Preparing** → **Mark Ready** → **Mark Served**
3. ☐ Admin **Orders**: dine-in order listed with correct total/source
4. ☐ Admin **Reports** → **Today** → Daily summary / Item-wise reflect the order

Journey B — QR guest session

1. ☐ Waiter table → **Start QR session** / **Show QR** → **Copy link**
2. ☐ Incognito or Guest app: open link → menu loads with table/session
3. ☐ Guest adds items → checkout (pay later or UPI if keys exist)
4. ☐ Waiter **End session** → guest refresh fails or session ends
5. ☐ Admin Orders shows online/QR source

Journey C — Counter POS

1. ☐ POS login as Cashier → **Open shift** if required
2. ☐ Add items → **Pickup** → **Hold** → **Resume** → **Pay full** → **Cash**
3. ☐ Optional e-bill **SMS** / **Email** / **Dismiss**
4. ☐ Admin Orders + Reports updated

Journey D — CDS board

1. ☐ Admin **Displays** → copy CDS or Pickup URL → open in new tab
2. ☐ Place a takeaway/POS order
3. ☐ Order appears in **Preparing**; after kitchen ready → **Ready**

Journey E — Marketplace listing (Cullinos App)

1. ☐ Admin **App listing** → enable **List on Cullinos App** → hours/photos → **Save listing**
2. ☐ Super Admin **Guest Ops** → **Marketplace** → **Approve** / Featured / rank **Set**
3. ☐ Guest app **Home** / **Explore** shows outlet (may need geo / discover config)

---

4. Super Admin — platform.cullinos.com

Who: Platform ops only.

4.1 Auth

Login (`/login`)

1. ☐ Open login → enter email/password → **Sign in**
2. ☐ If OTP: enter code → **Verify and sign in**; try **Resend code**
3. ☐ **Forgot password?** link works

Expected: Lands on Dashboard.

Forgot password (`/forgot-password`)

1. ☐ **Send reset code** with valid email
2. ☐ **Update password** with code + new password (or confirm UI accepts flow without crashing)

4.2 Dashboard (`/`)

1. ☐ KPIs and recent tenants load without error
2. ☐ Nav links work: Tenants, Plans, Subscriptions, Cullinos App, Settings, System health, Marketing

4.3 Tenants (`/tenants`)

1. ☐ List loads; search/filter by status/plan if present
2. ☐ **Onboard restaurant** → fill required fields → **Create tenant** (use a throwaway QA org or skip if already created in Ch.1)
3. ☐ Row **Open** → tenant detail
4. ☐ **Suspend** (reason) → owner Admin login blocked
5. ☐ **Activate** → owner login works again
6. ☐ **Delete** only on disposable QA tenant (type name → **Delete forever**) — skip on shared tenants
7. ☐ **Load more** if many tenants

Tenant detail (`/tenants/:id`)

1. ☐ **Open as tenant** (impersonation) → Admin opens with banner; exit cleanly
2. ☐ **Collect payment** / **Reset password** UI opens without crash (complete only on QA tenant)
3. ☐ Suspend / Activate from detail matches list behaviour

4.4 Plans (`/plans`)

1. ☐ Plans list loads
2. ☐ **Create plan** → **Create** (QA-only; or cancel)
3. ☐ Row **Edit** → **Save**

4.5 Subscriptions (`/subscriptions`)

1. ☐ Select QA tenant → change plan → **Update subscription**
2. ☐ Confirm entitlements update (Admin modules appear/disappear as expected)

4.6 Promo email (`/promo-email`)

1. [ ] Page loads
2. [ ] Compose draft → **Send campaign** only to internal test list (or cancel after validating UI)

Note: Promo email is **platform** only — not Admin.

4.7 Cullinos App — Guest Ops

Moved: Guest Ops now lives in **App Ops** (https://app.cullinos.com); platform `/guest-ops/*` redirects there. Use the same steps below with paths minus the `/guest-ops` prefix. Push is now **Notifications** (`/notifications`); `/offers` redirects home (mark offer cases N/A). Login / redirect checks: §14.

Overview (`/guest-ops`)

1. [ ] KPIs load; section links open marketplace, discover, banners, push, offers, reviews, users, analytics, runtime
2. [ ] If maintenance banner: **Edit runtime settings**

Marketplace (`/guest-ops/marketplace`)

1. [ ] Filters/search work
2. [ ] Toggle Featured / Listed; rank **Set**
3. [ ] **Approve** / **Reject** / **Force unlist** / **Clear unlist** on QA listing

Discover (`/guest-ops/discover`)

1. [ ] **Create section** → **Save changes**
2. [ ] **Edit** / **Delete** section

Banners (`/guest-ops/banners`)

1. [ ] **Create banner** → **Save changes**
2. [ ] **Edit**, **Deactivate**, **Delete**

Push (`/guest-ops/push`)

1. [ ] **Create draft** → **Save draft**
2. [ ] **Schedule** or **Send now** only to test devices; **Cancel** draft if unused

Offers (`/guest-ops/offers`)

1. [ ] **Create offer** → **Save changes**
2. [ ] **Edit**, **Deactivate**, **Delete**

Reviews (`/guest-ops/reviews`)

1. [ ] Filter/search
2. [ ] **Hide**, **Remove**, **Restore**

Users (`/guest-ops/users`)

1. ☐ **Search** guest user
2. ☐ **Export JSON**
3. ☐ **Erase user** only on disposable test account

Analytics (`/guest-ops/analytics`)

1. ☐ 30-day metrics load (read-only)

Runtime (`/guest-ops/runtime`)

1. ☐ Edit theme/maintenance/flags carefully → **Save runtime settings** (prefer QA-safe toggles; reverse after)

Legacy redirects: `/guest-banners` , `/guest-push` , `/guest-coupons` → guest-ops equivalents.

4.8 Settings (`/settings`)

1. ☐ Open page → **Refresh**
2. ☐ Change a safe field → **Save**

4.9 System health (`/health`)

1. ☐ Metrics load → **Refresh**

4.10 Marketing CMS

Hub (`/marketing`)

1. ☐ Hub links open all editors
2. ☐ **Publish site** only when intentionally publishing (or skip)

Media (`/marketing/media`)

1. ☐ **Upload file** → appears in library
2. ☐ **Delete** test file

Hero (`/marketing/hero`)

1. ☐ Edit slide → **Save slide**

Pages (`/marketing/pages`)

1. ☐ Edit block → **Save block**

Theme (`/marketing/theme`)

1. ☐ Edit → **Save theme draft**

Pricing (`/marketing/pricing`)

1. ☐ Edit cards → **Save**

Testimonials (`/marketing/testimonials`)

1. ☐ **Add testimonial** → **Save**; **Delete** test entry

Navigation (`/marketing/navigation`)

1. ☐ Edit item → **Save**

Blog (`/marketing/blog`)

1. ☐ **Create draft** → **Save**; **Delete** test draft

Design lab (`/marketing/design-lab`)

1. ☐ **Generate suggestions** / seed presets if present → apply only as draft

4.11 Sign out

1. ☐ **Sign out** → login page; session cleared

4.12 Employees, Approvals & People

Gate: `team.manage` (Employees), `directory.read` (People). See PLATFORM_STAFF.md.

1. ☐ `/employees` — list loads
2. ☐ **Onboard employee** → QA email + role → submit (human approval; QA addresses only)
3. ☐ `/approvals` — inbox loads → open a request (`/approvals/:id`)
4. ☐ `/approvals/policies` — page loads
5. ☐ Approval email **action link** (`/approvals/email-action?...`) opens the approval page
6. ☐ `/people` directory → `/people/org-chart` → open a profile (`/people/:userId`)
7. ☐ `/people/shifts` redirects to the Support portal agent shifts page

---

5. Admin / Owner portal — admin.cullinos.com

Who: Owner / managers with ERP permissions. QSR orgs may see **ERP | POS** switch; cashiers may be POS-only.

5.1 Auth & onboarding

Login (`/login`)

1. ☐ Email/password → **Sign in**; optional **Keep me signed in**
2. ☐ OTP path if challenged: **Verify and sign in**, **Resend code**, **Back to sign in**
3. ☐ **Forgot password?**

Forgot password (`/forgot-password`)

1. ☐ **Send reset code** → **Update password** (or confirm UI)

Change password (`/change-password`)

1. ☐ Forced after temp password → **Save new password**
2. ☐ Impersonation: **Back to dashboard** if shown

Onboarding (`/onboarding`)

1. ☐ Reachable when `!setupCompleted` or via Settings → **Open restaurant setup**
2. ☐ Walk all steps → **Complete setup** (seeds sample categories)

5.2 Dashboard (`/`)

1. ☐ KPI cards load
2. ☐ Toggle trend **7d** / **14d** / **30d**
3. ☐ Chart mode **Revenue** / **Orders**
4. ☐ After test orders, revenue/order counts look sane

5.3 Portal POS (`/pos`)

Gate: `POS_ACCESS`

1. ☐ Open **/pos** (or POS mode switch)
2. ☐ **Open shift** if prompted
3. ☐ Tap categories / items; cart subtotal correct
4. ☐ Set **Pickup** or **Eat in**
5. ☐ **Hold (H)** → Held panel → **Resume**
6. ☐ **Pay full** → **Cash (Enter)** or **UPI / card** (UPI N/A without keys)
7. ☐ E-bill: **SMS** / **Email** / **Dismiss**
8. ☐ **Close shift**
9. ☐ Staff without POS access denied or redirected
10. ☐ **Online** panel (Swiggy/Zomato via UrbanPiper — N/A if not connected): new order chimes, accept timer runs
11. ☐ **Accept** with prep time → KOT prints; **Reject** demands a reason
12. ☐ **Food ready** → **Handed to rider**

5.4 Menu (`/menu`)

Gate: `MENU_READ`

Categories tab

1. ☐ **Add category** → save → appears in list
2. ☐ **Edit** / **Save changes**; **Delete** unused test category

Items tab

1. ☐ **Add item** → category, name, price, flags → **Add item**
2. ☐ **Add variant** / **Add group** / **Add modifier** → save
3. ☐ **Upload photo** after save
4. ☐ Toggle Online; **Edit** price; **Delete** disposable item

Combos tab

1. ☐ **Create combo** → **Add item** lines → save
2. ☐ **Edit** / **Delete**

Schedules tab

1. ☐ **Create schedule** → save → **Edit** / **Delete**

Outlet prices tab

1. ☐ With outlet selected, edit price/availability → **Save**

5.5 Orders (`/orders`)

1. ☐ List shows Phase 2 orders; filter **Scheduled / pre-orders only** if used
2. ☐ Open row → detail **Close**
3. ☐ Advance status: **CONFIRMED** → **PREPARING** → **READY** → **SERVED** → **COMPLETED** (and **CANCELLED** on a throwaway order)

5.6 Tables (`/tables`)

Gate: `TABLES`

1. ☐ **Add floor**; filter **All** / floor / **Unassigned**
2. ☐ **Add table** → **Create table**
3. ☐ Detail: **Edit table** → **Save changes**; status select
4. ☐ **Generate QR** / **Regenerate QR** → **Download QR** → **Copy URL**
5. ☐ **Print QR sheet**
6. ☐ Takeaway QR: **Download QR (800 px)** / **Copy URL**
7. ☐ Select two tables → **Merge selected** / **Transfer** (if available)
8. ☐ **Delete table** on disposable table only

5.7 Reservations (`/reservations`)

Gate: `TABLES`

1. ☐ **Copy public book link** → opens booking surface
2. ☐ **Create reservation** → appears in list
3. ☐ Row **Confirm** / **Cancel**

5.8 Inventory (`/inventory`)

Gate: Inventory feature + `INVENTORY_READ`

1. ☐ **Add item** → **Create item**
2. ☐ **Edit** → **Apply adjustment**; **Record wastage**
3. ☐ **Filter low-stock** / **Show all**
4. ☐ **Transfer stock** → **Transfer** (needs destinations)
5. ☐ **Delete** disposable item

5.9 Recipes (`/recipes`)

Gate: `RECIPES`

1. ☐ **Add recipe** → **Add ingredient** → **Create recipe**
2. ☐ **Edit** / **Save changes**; **Delete**

5.10 Purchasing (`/purchasing`)

Gate: Purchasing + `PURCHASE_READ` (create supplier first)

1. ☐ **New PO** → **Create draft PO**
2. ☐ Row **Send** → **Receive (GRN)**

5.11 Suppliers (`/suppliers`)

1. ☐ **Add supplier** → **Save supplier**
2. ☐ Row **Delete** disposable supplier

5.12 Central kitchen (`/central-kitchen`)

Gate: `MULTI_OUTLET` + transfer permission — often **N/A**

1. ☐ **Add hub** → **Create hub**
2. ☐ **New indent** → **Submit indent**
3. ☐ **Plan route**; indent **Fulfill**

5.13 Customers (`/customers`)

1. ☐ Form **Create** (optional **Opt in to promotional email**)
2. ☐ **Search**
3. ☐ Row **Add stamp**; detail **Redeem points**; **Close**
4. ☐ **Export** / **Erase** only on disposable test customer
5. ☐ Create a customer with an existing phone → toast **Matched existing customer …** (no duplicate created)
6. ☐ **Find duplicates** → **Duplicate customers** preview (or **No duplicate customers found** — then mark TC-3-57 N/A)
7. ☐ **Merge duplicates** → toast **Merged N duplicate customer(s)**; oldest record kept with orders/points

5.14 Loyalty (`/loyalty`)

Gate: `LOYALTY`

1. ☐ Toggle **Stamp card enabled** → **Save settings**
2. ☐ **Create tier**; **Remove** disposable tier
3. ☐ **Add reward** → **Enable** / **Disable** / **Remove**

5.15 Coupons (`/coupons`)

1. ☐ **Create coupon** (Active) → list shows it
2. ☐ **Edit** / **Save changes**; **Deactivate**; **Delete**

5.16 Guests & Rooms (hospitality)

Gate: `ROOM_SERVICE` — **N/A** on restaurant

1. ☐ `/hospitality/guests` — list loads; **Erase** only disposable
2. ☐ `/hospitality/rooms` — table loads (read-only)

5.17 Events (`/events`)

Gate: `EVENTS` — may be N/A

1. ☐ **Schedule event** → appears in list

5.18 Banquets (`/banquets`)

Gate: `BANQUET` — usually **N/A**

1. ☐ **Add package**; **Add booking**

5.19 Brands (`/brands`)

Gate: `MULTI_BRAND` — usually **N/A**

1. ☐ **Add brand**

5.20 Production (`/production`)

Gate: `PRODUCTION` — may be N/A

1. ☐ **Schedule batch** → **Mark complete**

5.21 Displays (`/displays`)

Gate: `KDS`
Legacy bookmarks `/kds`, `/cds`, `/promo-display`, `/pickup-queue` redirect here.

1. ☐ For Kitchen / CDS / Pickup / Promo: **Copy URL** → **Open in new tab ↗**
2. ☐ **Refresh** active displays / device status

3. ☐ Promo: **Add slide** → **Remove** test slide

5.22 Digital Ordering (`/kiosk`)

Gate: `QR_ORDERING`

1. ☐ **Copy** / **Open in new tab** for Ordering kiosk, Phone menu QR, Receipt printer station as shown
2. ☐ Kiosk URL opens Guest kiosk mode (pay at counter)
3. ☐ Table system **off** (§5.31): **Counter QR** card shown → open link → guest picks **Eat in** / **Takeaway** → place order → **Your token** + order number
4. ☐ KDS ticket shows **Token XXXXXX** (no table); pickup / CDS lists the same token

5.23 Delivery (`/delivery`)

Gate: `DELIVERY`

1. ☐ Page lists delivery orders/zones
2. ☐ **Add zone** → saved

5.24 Aggregators (`/aggregators`)

Gate: `REPORTS_READ`

1. ☐ Tabs **Swiggy** / **Zomato**
2. ☐ **Connect** / **Disconnect** (sandbox or N/A without credentials)
3. ☐ **Generate secret** / **Regenerate secret**
4. ☐ Per outlet: **Connected**, **Menu sync**, **Sync now**
5. ☐ UrbanPiper connect (sandbox): webhook URL + secret shown; per-outlet store link saves
6. ☐ **Menu push** succeeds or shows a clear error
7. ☐ **Store pause** and per-outlet item stock toggles persist after refresh
8. ☐ Unknown-item linking maps an incoming item; **settlement CSV import** completes

5.25 Payments (`/payments`)

Gate: `SETTINGS_READ`

1. ☐ Tabs **Razorpay** / **Cashfree**
2. ☐ Toggle **Active**, **Default for online payments** → **Save Razorpay** / **Save Cashfree**
3. ☐ Outlet **Edit** → **Use outlet-specific keys** / prefer provider → **Save outlet** / **Cancel**
4. ☐ Without real keys: save may fail validation — mark pay-now flows **N/A**

5.26 App listing / Marketplace (`/marketplace`)

Gate: Online ordering + outlet/settings update

1. ☐ Enable **List on Cullinos App**
2. ☐ **Upload image** / **Add photo** → **Set cover**; set hours (**Open** / **Close** / **Closed**)
3. ☐ **Save listing**

5.27 Guest banners (`/guest-banners`)

1. ☐ **Create banner** → **Save changes**
2. ☐ **Edit** / **Delete**

5.28 SMS campaigns (`/sms-campaigns`)

Gate: `SETTINGS_UPDATE`

1. ☐ Link **Top up wallet** / **Open Billing** works
2. ☐ Select **All opted-in** or recipients → **Send campaign** only if wallet funded (else Blocked/N/A)

5.29 Staff (`/staff`)

1. ☐ **Add staff member** → fill name*, phone, email*, temp password*, role → outlets → **Create account**
2. ☐ Status **active** / **inactive**
3. ☐ **Delete** disposable staff (not owner)

5.30 Reports (`/reports`)

1. ☐ Presets **Today** / **7 days** / **30 days**
2. ☐ Tabs: **Daily summary**, **Item-wise**, **Category**, **Payment methods**, **Discounts**, **Cancellations**, **Food cost**
3. ☐ Choose export type → **Export** downloads/opens

5.31 Settings (`/settings`)

Gate: `SETTINGS_READ` — form UI (not JSON editor)

1. ☐ Edit restaurant name, phone, email, GSTIN, city, address → **Save settings**
2. ☐ Toggle **Dine-in**, **Takeaway / pickup**, **Home delivery**, **QR ordering** → Save
3. ☐ Toggle **Enable pre-orders & scheduling** if shown → Save
4. ☐ **Open restaurant setup** → onboarding
5. ☐ **Add location** → name* → **Add location**
6. ☐ **Create tax group** (group name, rate name, %)
7. ☐ **Register device** (Printer / KDS / POS)
8. ☐ General → **Table system**: turn **Use tables at this outlet** off → Tables / Reservations leave nav; **Counter QR** card appears; table QR links show counter flow; new table session rejected
9. ☐ Turn it on (or **Use category default**) → Tables nav returns (needs Tables plan module); table QR sessions work

Expected: Toast/success; values persist after refresh. Invalid empty required fields blocked by UI.

5.32 Billing (`/billing`)

1. ☐ Subscription status loads
2. ☐ **Pay / activate** / **Open payment page** (complete only if intentional)
3. ☐ Wallet **Top up ₹…** presets (N/A without payment)

5.33 Logout

1. ☐ Sign out → re-login works; session persistence matches “Keep me signed in”

---

6. Management — manage.cullinos.com

Who: Chain / multi-outlet owners (Enterprise).

6.1 Login (`/login`)

1. ☐ **Sign in** with owner credentials

6.2 Overview (`/`)

1. ☐ KPIs, outlets, payment mix load
2. ☐ Brand / outlet selectors (**All brands**, **All outlets**)

6.3 Reports (`/reports`)

1. ☐ Consolidated revenue / recent orders load

6.4 Outlet comparison (`/comparison`)

1. ☐ Filters **Date**, **City**, **Zone**, **State**
2. ☐ Needs **2+ outlets** — else N/A / empty

6.5 Stock transfer (`/stock-transfer`)

1. ☐ Select **From outlet**, **To outlet**, **Inventory item**, **Quantity** → **Submit transfer**
2. ☐ N/A with single outlet

6.6 Franchise (`/franchise`)

1. ☐ Franchisees table loads

6.7 Sign out

1. ☐ **Sign out**

---

7. POS — pos.cullinos.com

Who: Cashier (and owners with POS access). Desktop Electron uses the same SPA.

7.1 Login (`/login`)

1. ☐ **Open register** with cashier email/password; **Keep me signed in**

7.2 Register (`/`)

1. ☐ **Open shift** / later **Close shift**
2. ☐ Search **Search items... (/)**; category tabs; **Recent**
3. ☐ Add items; cart subtotal correct; qty / **Remove item**
4. ☐ **Find** loyalty phone if testing loyalty
5. ☐ Order type **Pickup** / **Eat in**
6. ☐ Coupon / Discount / Tip / **Pay amount** as available
7. ☐ **Hold (H)** → **Resume** from Held orders
8. ☐ **Split selected items** (optional)
9. ☐ **Pay full** → **Cash (Enter)** or **UPI / card**
10. ☐ E-bill **SMS** / **Email** / **Dismiss**
11. ☐ Header **Sign out**

Expected: Order in Admin Orders; KDS ticket if kitchen flow enabled.

---

8. KDS & public displays — kds.cullinos.com

8.1 Kitchen login (`/login`)

1. ☐ **Open KDS**; OTP: **Verify and open KDS**, **Resend code**, **Back to sign in**

8.2 Kitchen board (`/`)

1. ☐ Select **Outlet** → live tickets
2. ☐ **Refresh**; fullscreen; ticket **Mark Preparing** → **Mark Ready** → **Mark Served**
3. ☐ **Logout**

8.3 Order status / CDS (public)

URL from Admin Displays, e.g. `?mode=cds&orgSlug=…&outletSlug=…` or `?mode=pickup&…`

1. ☐ Board loads without login
2. ☐ Columns **Preparing** / **Ready** update with live orders
3. ☐ Fullscreen works

8.4 Promo playlist (public)

`?mode=playlist&orgSlug=…&outletSlug=…`

1. ☐ Slides auto-play from Admin promo content
2. ☐ **Enter fullscreen** / **Exit fullscreen**

8.5 Receipt mode

`?mode=receipt&outletId=…`

1. ☐ Auth + outlet as required
2. ☐ **Reprint last** works after a print event

---

9. Waiter Android — Cullinos Waiter

Package: floor staff. Accounts from Admin → Staff (Waiter).

9.1 Splash & login

1. ☐ App opens splash → login
2. ☐ Phone **Send OTP** → **Verify OTP** / **Resend OTP**, or **Use email instead** → **Sign in**
3. ☐ **Keep me signed in**

9.2 Floor (`/`)

1. ☐ Outlet picker; floor filter **All floors**
2. ☐ Table grid shows Admin tables; tap table

9.3 Table detail (`/table/:tableId`)

1. ☐ **Assign table** → occupied
2. ☐ **Add items** → cart → **Send to kitchen** / **Confirm order**
3. ☐ **Mark served**
4. ☐ **Start QR session** / **Show QR** → **Copy link** → **OK**
5. ☐ **End session**
6. ☐ **Transfer table** / **Merge tables**
7. ☐ **Collect payment** → **Confirm cash** or **Online (UPI / card)** → **Paid**

9.4 Calls (`/calls`)

1. ☐ Filters **Open** / **Acknowledged** / **All**
2. ☐ **Acknowledge** → **Done**
3. ☐ Sound/haptic respect More settings

9.5 Orders hub (`/orders`)

1. ☐ Filters; mark **Served**

9.6 More / settings (`/more`)

1. ☐ Change outlet; language → **Confirm language**
2. ☐ Toggle **Call alert sound**, **Call haptic feedback**
3. ☐ **Log out**

---

10. Cullinos App (Guest)

Android app + deep links `https://guest.cullinos.com/o/{org}/{outlet}` (± `?table=` / `?session=`).
Decommissioned customer web is **out of scope**.

10.1 Auth (`/login`)

1. ☐ **Continue with Google** / **Email** / **Phone**
2. ☐ Phone: **Send OTP** → **Verify & continue** / **Resend OTP**
3. ☐ PIN: **Sign in with PIN** / **Save PIN & continue**
4. ☐ **Change number**, **Other options**

10.2 Marketplace shell

Home (`/`)

1. ☐ Quick **Dine In** / **Takeaway** / **Delivery** / **Offers**
2. ☐ Nearby restaurants list; **Retry** on error

Explore (`/explore`)

1. ☐ Filters **Veg Only**, **Offers Only**, radius
2. ☐ Open a restaurant → outlet shell

Offers (`/offers`)

1. ☐ Offers list loads

Scan (`/scan`)

1. ☐ Camera; **Album**, **Light**; scan table QR → outlet/session

Profile (`/profile`) — auth required

1. ☐ Links **Orders**, **Loyalty**, **Coins**
2. ☐ **Edit** profile → **Save** / **Cancel**
3. ☐ Addresses **Edit** / **Set default**
4. ☐ Privacy / Terms; **Log out**

10.3 Location (`/location/map`)

1. ☐ Pin location → confirm for discover/delivery

10.4 Notifications / orders / loyalty

1. ☐ `/notifications` list loads when logged in
2. ☐ `/orders` → open `/orders/:id`; empty state **Explore restaurants** / **Scan a table QR**

3. ☐ `/wallets` and `/coins` load

10.5 Outlet ordering

1. ☐ Open `/o/{org}/{outlet}` (from Admin Digital Ordering or QR)
2. ☐ **Menu** → category **All** → **ADD +** on item
3. ☐ Item detail → qty → **Add to Cart | ₹...** → **View Cart**
4. ☐ Cart: notes **Save**; **Clear Cart**; **Proceed to Checkout**
5. ☐ Checkout (auth): **Delivery** / **Dine In** / **Takeaway**; **ASAP** / **Schedule for later**; coupon **Apply**; tip; pay **UPI** / **Card** / **Wallet** or pay-later → **Pay ₹...**
6. ☐ Confirm **Paid** / success; order in Admin Orders

10.6 Kiosk (`…/kiosk`)

1. ☐ No login required
2. ☐ **Pickup** / **Eat in** → add items → **Place order · Pay at counter · ₹...**
3. ☐ Success → **New order**
4. ☐ Ticket appears for counter/kitchen as designed

10.7 Legal

1. ☐ `/privacy`, `/terms` → **Open in browser** if offered

---

11. Marketing website — cullinos.com

No login. CMS content comes from Super Admin Marketing.

Path	Steps
`/`	[ ] Hero + nav; **Start free trial** / **Contact**; cookie **Accept** / **Decline**
`/features`	[ ] Page loads; CTA
`/about`	[ ] Page loads; CTAs
`/pricing`	[ ] Plans; **Start free trial** / **Contact sales**
`/contact`	[ ] **Send message** → `/thank-you` or graceful error
`/thank-you`	[ ] **Back to home**
`/integrations`	[ ] Loads; **Contact us**
`/blog`	[ ] Index; **Subscribe via RSS**
`/blog/[slug]`	[ ] Article readable
`/solutions/restaurants`	[ ] Loads
`/solutions/cafes`	[ ] Loads
`/solutions/bakeries`	[ ] Loads
`/solutions/food-trucks`	[ ] Loads
`/solutions/chains`	[ ] Loads
`/solutions/hospitality`	[ ] Loads
`/privacy`	[ ] Loads
`/terms`	[ ] Loads
`/unsubscribe`	[ ] Token flow or Privacy link

Nav/footer: **Home**, **Features**, **About**, **Pricing**, **Contact**, Product/Solutions links.

---

12. Web kiosk — kiosk.cullinos.com

No login. Open on a tablet-sized window.

1. [ ] `https://kiosk.cullinos.com/o/{org}/{outlet}` → welcome screen
2. [ ] **Start** → add item with modifiers → cart correct
3. [ ] **Place order** → pickup code shown
4. [ ] Order appears in POS / KDS
5. [ ] Leave idle ~2 min → returns to welcome screen

---

13. Support portal — support.cullinos.com

13.1 Restaurant (owner login)

1. [ ] `/login` → **Restaurant** → owner email/password (OTP if prompted) → portal home

2. ☐ Open a KB article (`/kb/:slug`)
3. ☐ **Raise ticket** (`/tickets/new`) → appears in **My tickets**
4. ☐ Ticket detail → post reply

13.2 Agent (Rkyves staff — platform login, human only)

1. ☐ `/login?as=agent` → lands on `/agent/queue/mine`
2. ☐ Open the QA tenant ticket → reply → visible to restaurant
3. ☐ `/agent/dashboard` loads
4. ☐ `/agent/grants` → request tenant access → step-up dialog prompts
5. ☐ `/agent/shifts` and `/agent/knowledge` load

---

14. App Ops — app.cullinos.com

Platform login, human only. Feature steps are in §4.7.

1. ☐ `/login` succeeds → overview
2. ☐ `https://platform.cullinos.com/guest-ops` redirects here
3. ☐ `/forgot-password` page loads

---

15. Appendix — URLs, ports & commands

Production URLs (full)

App	URL	Notes
Super Admin	https://platform.cullinos.com	Onboard, Guest Ops, Marketing CMS
Super Admin login	https://platform.cullinos.com/login	
Super Admin tenants	https://platform.cullinos.com/tenants	
Super Admin guest-ops	https://platform.cullinos.com/guest-ops	Redirects to App Ops
App Ops	https://app.cullinos.com	Guest Ops (platform login)
Support portal	https://support.cullinos.com	Restaurant + agent (`/login?as=agent`)
Web kiosk	https://kiosk.cullinos.com/o/{org}/{outlet}	No login
Super Admin promo email	https://platform.cullinos.com/promo-email	Not in Admin
Admin	https://admin.cullinos.com	Owner ERP
Admin login	https://admin.cullinos.com/login	
Admin Portal POS	https://admin.cullinos.com/pos	Needs `POS_ACCESS`
Admin Displays	https://admin.cullinos.com/displays	KDS/CDS/Pickup/Promo
Admin Digital Ordering	https://admin.cullinos.com/kiosk	Storefront / kiosk links
Admin Payments	https://admin.cullinos.com/payments	Gateway keys
Admin Settings	https://admin.cullinos.com/settings	Form UI (not JSON)
Management	https://manage.cullinos.com	Multi-outlet
POS	https://pos.cullinos.com	Cashier terminal
KDS kitchen	https://kds.cullinos.com	Staff login
Guest outlet	https://guest.cullinos.com/o/{orgSlug}/{outletSlug}	Replace slugs
Guest kiosk	https://guest.cullinos.com/o/{orgSlug}/{outletSlug}/kiosk	Pay at counter
Marketing	https://cullinos.com	Public site
API health	https://api.cullinos.com/api/v1/health	Expect healthy JSON
API DB health	https://api.cullinos.com/api/v1/health/db	
Swagger	https://api.cullinos.com/docs	Authorize with Bearer JWT

Local ports (optional)

App	Port	Dev command
Marketing web	5180	`npm run dev --workspace=@cullinos/web`
Admin	5181	`npm run dev --workspace=@cullinos/admin`
Management	5182	`npm run dev --workspace=@cullinos/management`
Super Admin	5183	`npm run dev --workspace=@cullinos/super-admin`
POS	5173	See commands above (set `VITE_API_URL`)
KDS	5174	See commands above (set `VITE_API_URL`)

Pack & evidence commands

```
# Regenerate all PDFs + Excel from markdown
npm run qa:export

# PDF only
node scripts/generate-qa-pdf.mjs

# Excel only
node scripts/generate-qa-excel.mjs
```

Out of scope

- Decommissioned **Customer web** (`apps/customer`) and **Waiter web** (`apps/waiter`)
- Admin orphan pages without routes (`GuestPushPage`, `PromoEmailPage`) — use Super Admin Guest Ops / Promo email
- Live payment capture without configured keys → **N/A**
- Destructive Super Admin delete on non-QA tenants → skip

Sign-off (optional)

Field	Value
Tester	
Run ID	RUN-YYYYMMDD
Tenant slug	
Guide version date	2026-09-20
Incomplete sections	
Signature	