Cullinos QA Tester Handbook

For new testers. Read Sections 1–2 first, then follow the day-by-day checklists. Mark results in your Excel Test Run Sheet.

Also read **WHATS_NEW.md** for features added in this QA cycle.

For every portal/page click-path, use **COMPLETE_FEATURE_TEST_GUIDE.md**.

How to use this handbook

Step	Action
1	Read Sections 1–2 below and What's New
2	Open `CREDENTIALS_LOG.xlsx` — save a copy named `CREDENTIALS_RUN-YYYYMMDD.xlsx`
3	**Day 1:** health checks → Super Admin onboard → Admin wizard → menu + tables + Waiter + Cashier
4	Open `TEST_RUN_SHEET.xlsx` — mark each test **Pass / Fail / Blocked / N/A** the same day you run it
5	Any **Fail** → add a row in `BUG_LOG.xlsx` + save a screenshot in your `evidence/` folder
6	**Days 2–4:** follow the day checklists in order
7	Last day: complete the Sign-off sheet in Excel; send all Excel files + evidence zip to your team lead

---

1. Welcome — what is Cullinos?

Cullinos is a restaurant software platform made by Rkyves. One backend powers several websites, each for a different job:

Who uses it	Website name	What they do
Rkyves platform team	**Super Admin**	Create restaurants, manage subscriptions
Restaurant owner	**Admin**	Menu, staff, orders, reports, settings, Portal POS
Multi-outlet chains	**Management**	Compare outlets, stock transfers
Floor staff	**Waiter**	Take table orders
Cashier	**POS**	Counter / takeaway billing — https://pos.cullinos.com
Kitchen	**KDS**	Kitchen tickets — https://kds.cullinos.com
Guest customer	**Cullinos App**	Order online (guest OK; optional login)
Public visitors	**Marketing site**	cullinos.com — no login

Your job: Test all **232 test cases** on **production** using a **fresh test restaurant** you create on Day 1.

For click-by-click steps on every page, use **COMPLETE_FEATURE_TEST_GUIDE.md**.

2. Before Day 1 — what you need

Tools

- **Google Chrome** (or Edge) — main browser
- **Incognito / private window** — for guest customer tests (Ctrl+Shift+N in Chrome)
- **Screenshot tool** — Windows: Win+Shift+S
- **Excel** — to fill in Test Run Sheet, Bug Log, Credentials Log
- **Folder for evidence** — e.g. `RUN-20260906/evidence/` for bug screenshots

Files from your team lead

You should receive these files:

1. `Whats_New.pdf` — new features in this cycle
2. `Complete_Feature_Test_Guide.pdf` — click every portal/page (URLs + commands)
3. `QA_Tester_Handbook.pdf` (this document)
4. `QA_Quick_Start.pdf` / `Manual_Test_Plan.pdf`
5. `Quick_Reference_Card.pdf`
6. `Employee_Brief.pdf`
7. `TEST_RUN_SHEET.xlsx` (232 cases)
8. `BUG_LOG.xlsx`
9. `CREDENTIALS_LOG.xlsx`

Access from your team lead

- **Super Admin login** — shared securely on Day 1 morning (password manager or verbal). **Never write real passwords in Excel or email.**

Production URLs — bookmark these

App	URL
Super Admin	https://platform.cullinos.com
Admin (owner)	https://admin.cullinos.com
Admin Portal POS	https://admin.cullinos.com/pos
Management	https://manage.cullinos.com
Waiter	Cullinos Waiter Android app
POS	https://pos.cullinos.com
KDS	https://kds.cullinos.com
Cullinos App	https://guest.cullinos.com/{orgSlug}/{outletSlug}
Marketing site	https://cullinos.com
Swagger (API docs)	https://api.cullinos.com/docs
API health	https://api.cullinos.com/api/v1/health
API DB health	https://api.cullinos.com/api/v1/health/db

Replace `{orgSlug}` and `{outletSlug}` with values from Day 1 setup.

---

3. Glossary

Term	Meaning
Slug	Short name in the URL (e.g. `qa-test-kitchen`)
Outlet	One restaurant location (branch)
Org / Tenant	The restaurant business account
KOT	Kitchen Order Ticket — order sent to kitchen
CDS	Customer / Order Display — preparing & ready board
Portal POS	Counter POS inside Admin at `/pos`
JWT / Token	Secret login key used by API tools (Swagger)
Incognito	Private browser window — acts like a guest with no saved login
Pass	Feature works as expected
Fail	Wrong behavior — you **must** log a bug
Blocked	Cannot test (missing access, DNS, etc.)
N/A	Not applicable (e.g. payment not configured, business-type gated page)
Swagger	Web page to test backend API directly
Enterprise plan	Highest plan — unlocks all modules for testing

---

4. Result codes — simple rules

Code	When to use
Pass	Works exactly as this handbook describes
Fail	Wrong behavior, error, or missing feature → log in BUG_LOG.xlsx
Blocked	You cannot run the test (no Super Admin access, POS URL down)
N/A	Test does not apply (Razorpay without keys, Banquets on restaurant tenant, only 1 outlet for comparison)

---

5. Day 1 — Setup (Phases 0 and 1)

Goal: Confirm production works, create a test restaurant, add menu, tables, and staff.

Time: ~6–8 hours
Apps: Super Admin, Admin
Excel tests: TC-0-01 through TC-1.4-03

Morning — Preflight (Phase 0)

1. Open https://api.cullinos.com/api/v1/health
   - **Expected:** JSON text showing healthy status → mark TC-0-01 **Pass**
2. Open https://api.cullinos.com/api/v1/health/db
   - **Expected:** Database OK → mark TC-0-02 **Pass**
3. Open https://api.cullinos.com/docs
   - **Expected:** Swagger API docs page loads → mark TC-0-03 **Pass**
4. Go to https://platform.cullinos.com — login with Super Admin credentials from team lead
   - **Expected:** Dashboard loads → mark TC-0-04 **Pass**
5. Create a folder for this run (e.g. `RUN-20260906/`) and copy your Excel files there
   - Mark TC-0-05 **Pass**
6. Open a second browser window in **Incognito** mode — keep it ready for Day 2
   - Mark TC-0-06 **Pass**

Midday — Create test restaurant (Phase 1.1)

1. In Super Admin, click **Onboard restaurant** → mark TC-1.1-01 **Pass** when form opens
2. Fill the form:
   - Restaurant name: `QA Test Kitchen` (or unique name with today's date)
   - First outlet name: `Main Outlet`
   - Plan: **enterprise**
   - Owner name, email, password (save in password manager — **not** in Excel)

3. Click Submit
   - **Expected:** Success message with owner email and Admin URL → TC-1.1-02, TC-1.1-03 **Pass**
4. Find the new tenant in the list — status should be **active** → TC-1.1-04 **Pass**
5. Write **org slug** and **outlet slug** in CREDENTIALS_LOG.xlsx → TC-1.1-05 **Pass**

Afternoon — Owner setup (Phases 1.2 and 1.3)

1. Go to https://admin.cullinos.com — login with owner credentials → TC-1.2-01 **Pass**
2. Go to **Setup** (`/onboarding`) if not redirected → TC-1.2-02 **Pass**
3. Select business type: **Restaurant** (prefer **medium** or **large** size if asked, so Inventory / Loyalty / Recipes / Delivery appear) → TC-1.2-03 **Pass**
4. Complete wizard steps:
   - Business info: name, GSTIN test value `27AAAAA0000A1Z5`
   - Follow remaining steps (menu, tables, tax, staff guidance)
   - Reach the **Done** step without errors → TC-1.2-04, TC-1.2-05 **Pass**
5. Go to **Menu** (`/menu`):
   - Create **2 categories** → TC-1.3-01, TC-1.3-02 **Pass**
   - Create **4 or more items** with different prices → TC-1.3-03 **Pass**
6. Go to **Tables** (`/tables`):
   - Create at least **2 tables** (e.g. T1, T2) → TC-1.3-07 **Pass**
7. Go to **Staff** (`/staff`):
   - Add **Waiter**, assign main outlet → TC-1.3-04, TC-1.3-05 **Pass**
   - Add **Cashier**, assign main outlet → TC-1.3-08 **Pass**
8. Go to **Settings** (`/settings`) — confirm businessType is correct → TC-1.3-06 **Pass**

Auth recovery (Phase 1.4)

1. Log out → open https://admin.cullinos.com/forgot-password — enter owner email → TC-1.4-01 **Pass** (page accepts email; mailbox delivery optional)
2. Open https://platform.cullinos.com/forgot-password — enter Super Admin email → TC-1.4-02 **Pass**
3. Log in as owner → open `/change-password` → TC-1.4-03 **Pass** (page loads; changing password optional)

End of Day 1: All Phase 0 and Phase 1 rows marked in Excel. Credentials Log filled (no real passwords — use "PM entry #" only).

---

6. Day 2 — Orders (Phase 2)

Goal: Test real order flows — waiter, POS, KDS, customer, CDS, Portal POS.
Time: ~6–8 hours
Apps: Waiter, POS, KDS, Customer (incognito), Admin
Excel tests: TC-2.1-01 through TC-2.6-02

6.1 Waiter dine-in order (TC-2.1-xx)

1. Open Cullinos Waiter (Android) — login as Waiter staff → TC-2.1-01 **Pass**
2. Select main outlet → TC-2.1-02 **Pass**
3. Check table grid shows tables → TC-2.1-03 **Pass**
   - If no tables: create them in Admin → Tables, or mark **Blocked** and tell team lead
4. Tap/open a table — menu should load → TC-2.1-04 **Pass**
5. Add 2 or more items → TC-2.1-05 **Pass**
6. Confirm order — note the order number → TC-2.1-06 **Pass**
7. Open https://kds.cullinos.com (kitchen login) — KOT appears within ~5 seconds → TC-2.1-07 **Pass** or **Blocked** if KDS URL unavailable
8. In Admin → **Orders** (`/orders`) — find the dine-in order → TC-2.1-08 **Pass**
9. Verify order total matches items → TC-2.1-09 **Pass**
10. On a table: **Show QR to customers** — open link in phone/incognito → TC-2.1-10 **Pass**
11. Waiter **End session** — refresh guest link → expired → TC-2.1-11 **Pass**

6.2 POS counter — production (TC-2.2-xx)

1. Open https://pos.cullinos.com — login as Cashier → TC-2.2-01, TC-2.2-02 **Pass**
2. Add items, check cart subtotal → TC-2.2-03 **Pass**
3. Set order type to takeaway → TC-2.2-04 **Pass**
4. Hold order, then resume it → TC-2.2-05, TC-2.2-06 **Pass**
5. Checkout (quick order) → TC-2.2-07 **Pass**

If POS URL is down, mark **Blocked** (local fallback is optional — see Section 10).

6.3 Guest online order (TC-2.3-xx)

Use **Incognito** window — you are a customer with no login.

1. Open `https://guest.cullinos.com/{orgSlug}/{outletSlug}` → TC-2.3-01 **Pass**
2. Menu shows your Day 1 categories and items → TC-2.3-02 **Pass**
3. Add item to cart — badge/count updates → TC-2.3-03 **Pass**
4. Open cart — items and totals correct → TC-2.3-04 **Pass**
5. Checkout — enter name and phone → TC-2.3-05 **Pass**
6. Choose **Pay later** — order places successfully → TC-2.3-06, TC-2.3-07 **Pass**
7. Admin → Orders — online/QR order visible → TC-2.3-08 **Pass**
8. Retry storefront with `?table=T1` on URL if table T1 exists → TC-2.3-09 **Pass** or **N/A**
9. **Pay now (Razorpay):** Mark TC-2.3-10 **N/A** unless team lead confirms payment keys are configured
10. Open **customer login** control/modal — opens without blocking guest checkout → TC-2.3-11 **Pass**

6.4 Displays hub & Order Display / CDS (TC-2.4-xx)

1. Admin → **Displays** (`/displays`) — page loads → TC-2.4-01 **Pass**
2. Copy CDS / Pickup / KDS / Promo URLs and open in new tabs → TC-2.4-02 **Pass** or **Blocked**

3. Place a takeaway/POS order; confirm it appears in **Preparing** → TC-2.4-03 **Pass** or **N/A**
4. After kitchen marks ready, confirm **Ready** column → TC-2.4-04 **Pass** or **N/A**
5. Legacy bookmarks `/cds`, `/kds`, `/promo-display`, `/pickup-queue` redirect to `/displays` → TC-2.4-05 **Pass**

6.5 Admin Portal POS (TC-2.5-xx)

1. As owner, open https://admin.cullinos.com/pos → TC-2.5-01 **Pass**
2. Add items — subtotal correct → TC-2.5-02 **Pass**
3. Hold and resume → TC-2.5-03 **Pass**
4. Checkout confirms → TC-2.5-04 **Pass**

6.6 Digital Ordering launcher (TC-2.6-xx)

1. Admin → **Digital Ordering** (`/kiosk`) → TC-2.6-01 **Pass**
2. Launcher shows a usable storefront / kiosk URL → TC-2.6-02 **Pass**

6.7 Cullinos App Guest screens (TC-2.7-xx)

Follow COMPLETE_FEATURE_TEST_GUIDE.md chapter 10 for Home, Explore, Scan, Offers, Profile, Orders, Wallets, Kiosk.

---

7. Day 3 — Back office and platform (Phases 3, 4, 5)

Goal: Test Admin modules (including new pages), Management, Super Admin.
Time: ~6–8 hours
Apps: Admin, Management, Super Admin

7.1 Admin back office (TC-3-xx)

Login as **Owner** at https://admin.cullinos.com. Visit each page and verify:

Page	Path	What to check
Dashboard	`/`	KPI cards load; revenue reflects Day 2 orders
Menu	`/menu`	Edit price, create item, toggle availability
Orders	`/orders`	All Day 2 orders visible with correct status/source
Tables	`/tables`	Create/edit a table (real UI)
Inventory	`/inventory`	List stock; add or adjust an item
Customers	`/customers`	Create / search; stamps / redeem
Coupons	`/coupons`	Create coupon
Loyalty	`/loyalty`	Save settings; tiers / rewards
Recipes	`/recipes`	Create recipe; appears in list
Delivery	`/delivery`	Add zone / list loads
Payments	`/payments`	Razorpay / Cashfree Save (N/A without keys)
Reservations	`/reservations`	Create reservation; copy book link
Purchasing / Suppliers	`/purchasing`, `/suppliers`	Draft PO; add supplier
Aggregators	`/aggregators`	Swiggy/Zomato tabs
App listing / Banners / SMS	`/marketplace`, `/guest-banners`, `/sms-campaigns`	Cullinos App marketing
Billing	`/billing`	Page loads
Events	`/events`	Create event; appears in list
Production	`/production`	Schedule/complete batch if applicable, else **N/A**
Displays	`/displays`	Copy/open KDS, CDS, Pickup, Promo URLs (legacy `/kds` `/cds` redirect here)
Digital Ordering	`/kiosk`	Storefront / kiosk URL shown
Banquets	`/banquets`	**N/A** on restaurant tenant (or Pass if visible)
Brands	`/brands`	**N/A** on restaurant tenant
Guests	`/hospitality/guests`	**N/A** on restaurant tenant
Rooms	`/hospitality/rooms`	**N/A** on restaurant tenant
Staff	`/staff`	Waiter + Cashier listed; Waiter without POS denied `/pos`
Reports	`/reports`	Revenue, top items, Export
Settings	`/settings`	Form Save settings; add location / tax / device
Login	`/login`	Logout and re-login works

Mark TC-3-01 through TC-3-45 in Excel. Full click-paths: COMPLETE_FEATURE_TEST_GUIDE.md.

Note: Promo Email is **Super Admin only** (`/promo-email`), not Admin.

7.2 Enterprise Management (TC-4-xx)

Login as **Owner** at https://manage.cullinos.com.

1. Overview dashboard — KPIs load → TC-4-01, TC-4-02, TC-4-03 **Pass**
2. Reports page loads → TC-4-04 **Pass**
3. Outlet comparison — needs 2+ outlets → TC-4-05 **Pass** or **Blocked/N/A** if only 1 outlet
4. Stock transfer — needs 2+ outlets → TC-4-06 **Pass** or **Blocked/N/A**
5. Franchise page loads → TC-4-07 **Pass**
6. If needed, add second outlet via Swagger → TC-4-08

7.4 CRM & Loyalty (TC-3-xx)

Background: Use Admin **Customers** (`/customers`) to create/search customers, and **Loyalty** (`/loyalty`) / **Coupons** (`/coupons`) for program setup. Stamp add may still be done via API (Swagger) if needed for reward thresholds.

Pre-seeded data (demo org only — not your fresh QA tenant):

- Loyalty tier: Stamp Card — 10 stamps = 100 points = free drink reward
- Coupon: `WELCOME10` — 10% off, minimum order ₹200

On a fresh QA tenant, create tiers/rewards/coupons in Admin UI first (see Complete Feature Test Guide).

Stamp test steps:

1. Place an order via the Cullinos App so a customer record exists.
2. Open Swagger at `https://api.cullinos.com/docs`.
3. Click **Authorize** — paste your owner Bearer token.
4. `GET /api/v1/customers` → find the customer `id` from the response.
5. `POST /api/v1/loyalty/customers/{customerId}/stamp` — execute 10 times (or use Admin **Add stamp** if shown).
6. After 10 stamps the tier reward triggers automatically (100 loyalty points, stamp count resets).
7. Admin Customers / Loyalty shows updated state → **Pass**.

Coupon test steps:

1. Add items to cart in Cullinos App totalling ≥ ₹200.
2. At checkout enter a coupon you created (or `WELCOME10` on demo org).
3. Verify discount is applied → **Pass**.

7.3 Super Admin platform (TC-5-xx)

Login at https://platform.cullinos.com. **Use QA test tenant only** for destructive tests.

1. Find QA tenant in list → TC-5-01 **Pass**
2. Subscriptions — change plan for QA tenant → TC-5-02, TC-5-03 **Pass**
3. System Health — metrics load → TC-5-04 **Pass**
4. **Plans** (`/plans`) → TC-5-15 **Pass**
5. **Promo Email** (`/promo-email`) — platform only → TC-5-16, TC-5-29 **Pass**

6. **Settings** (`/settings`) → TC-5-19 **Pass**
7. Marketing section — open each editor (Hero, Pages, Theme, Pricing, Navigation, Blog, Media, Testimonials, Design Lab) → TC-5-05 through TC-5-12, TC-5-17, TC-5-18 **Pass**
8. **Cullinos App / Guest Ops** — overview + marketplace/discover/banners/push/offers/reviews/users/analytics/runtime → TC-5-21 through TC-5-28 **Pass**
9. Tenant detail **Open as tenant** → TC-5-30 **Pass**
10. Logged out: `/forgot-password` → TC-5-20 **Pass**
11. **Destructive (QA tenant only):**

- Suspend tenant — owner cannot login to Admin → TC-5-13 **Pass**
- Reactivate tenant — owner can login again → TC-5-14 **Pass**

Do not publish breaking changes to the live marketing website without team lead approval.

---

8. Day 4 — Marketing site and API (Phases 6 and 7)

Goal: Check public website pages and API smoke tests.
Time: ~6–8 hours
Apps: cullinos.com, Swagger

8.1 Marketing website (TC-6-xx)

Open each URL in a normal browser (no login). Page should load without errors:

Page	URL
Home	https://cullinos.com/
Features	https://cullinos.com/features
Pricing	https://cullinos.com/pricing
Integrations	https://cullinos.com/integrations
About	https://cullinos.com/about
Blog	https://cullinos.com/blog
Blog article	https://cullinos.com/blog/{any-slug}
Contact	https://cullinos.com/contact
Privacy	https://cullinos.com/privacy
Terms	https://cullinos.com/terms
Solutions — restaurants	https://cullinos.com/solutions/restaurants
Solutions — cafes	https://cullinos.com/solutions/cafes
Solutions — food-trucks	https://cullinos.com/solutions/food-trucks
Solutions — bakeries	https://cullinos.com/solutions/bakeries
Solutions — chains	https://cullinos.com/solutions/chains
Solutions — hospitality	https://cullinos.com/solutions/hospitality

Mark TC-6-01 through TC-6-16. Contact form: submit is OK, or graceful error without crash → TC-6-08.

8.2 API smoke tests via Swagger (TC-7-xx)

See **Section 9 — Swagger mini-guide** below. Run each API check and mark TC-7-01 through TC-7-14.

Recipes, Delivery, and Hospitality also have Admin UIs — Swagger is still a valid smoke path.

---

9. Swagger mini-guide (for Day 4)

Swagger lets you test backend features and create data when needed.

Step A — Get your login token (JWT)

1. Login to **Admin** as Owner at https://admin.cullinos.com
2. Press **F12** to open Developer Tools
3. Click the **Network** tab
4. Click any page in Admin (e.g. Dashboard) to trigger requests
5. Click a request to `api.cullinos.com` in the list
6. In **Request Headers**, find `Authorization: Bearer eyJ...` (long text)
7. Copy everything **after** `Bearer ` — that is your JWT token
8. Mark TC-7-01 **Pass**

Step B — Authorize in Swagger

1. Open https://api.cullinos.com/docs
2. Click the **Authorize** button (lock icon, top right)
3. In the value field, type: `Bearer YOUR_TOKEN_HERE` (paste your token)
4. Click **Authorize**, then **Close**

Step C — Run API smoke tests

Test ID	What to do	Expected
TC-7-02	Find Billing → GET list invoices	HTTP 200, JSON response
TC-7-03	KOT → GET list for your outlet	HTTP 200, tickets listed
TC-7-04	Tax → GET config	HTTP 200, tax settings
TC-7-05	Recipes → POST create one, then GET list	HTTP 200/201
TC-7-06	Purchasing → POST create PO draft	HTTP 200/201
TC-7-07	Wastage → POST log one entry	HTTP 200/201
TC-7-08	Delivery → GET list orders	HTTP 200
TC-7-09	Hospitality → POST create guest	HTTP 200/201
TC-7-10	Hospitality → POST create room	HTTP 200/201
TC-7-11	Audit → GET recent entries	HTTP 200
TC-7-12	Notifications → GET list	HTTP 200
TC-7-13	Devices → GET list	HTTP 200
TC-7-14	Integrations → GET list	HTTP 200

Write HTTP status codes in the **Notes** column of your Test Run Sheet.

Step D — Create tables via Swagger (fallback only)

Prefer Admin → **Tables**. Use Swagger only if the UI fails:

1. With Swagger authorized (Step B), find **Tables** → `POST /api/v1/tables`
2. Click **Try it out**
3. Use a body like:

```
{
  "outletId": "YOUR_OUTLET_ID",
  "label": "T1",
  "capacity": 4
}
```

4. Click **Execute** — expect HTTP 201

Get `outletId` from CREDENTIALS_LOG or Admin Settings.

10. Optional — Local POS and KDS fallback

Production URLs are preferred (`pos.cullinos.com`, `kds.cullinos.com`). Use local only if production apps are down and your team lead asks you to.

Only if Node.js and the project are installed on your PC:

```
# Terminal 1 — POS
cd path\to\cullinos
set VITE_API_URL=https://api.cullinos.com/api/v1
set VITE_WS_URL=https://api.cullinos.com
npm run dev --workspace=@cullinos/pos

# Terminal 2 — KDS
set VITE_API_URL=https://api.cullinos.com/api/v1
set VITE_WS_URL=https://api.cullinos.com
npm run dev --workspace=@cullinos/kds
```

- POS: http://localhost:5173 (login as **Cashier**)
- KDS: http://localhost:5174?outletId=**YOUR_OUTLET_ID**

---

11. Known limitations — NOT bugs

Do **not** file these as defects. Mark test **N/A** or note "Known limitation" in BUG_LOG:

Item	Why
Razorpay pay-now	Needs payment keys — use Pay later instead
Banquets / Brands / Guests / Rooms	Hidden for restaurant business type — mark N/A
Outlet comparison with 1 outlet	Needs 2+ outlets — mark N/A or add outlet via API
Gateway offline sync	Needs Electron app on restaurant LAN
Marketing CMS publish	Do not publish to live site without team lead approval

No longer limitations: Admin Tables, Admin Inventory, and hosted POS/KDS are real features — failures there are bugs.

---

12. How to report a bug

When any test is **Fail**:

1. Open `BUG_LOG.xlsx`
2. Add a new row:
   - **Bug ID:** BUG-001, BUG-002, …
   - **Date found**
   - **Test ID:** e.g. TC-2.1-06
   - **Module:** e.g. Waiter

- **Title:** Short description
- **Severity:** Critical / High / Medium / Low
- **Steps:** Numbered steps to reproduce
- **Expected:** What should happen
- **Actual:** What happened instead
- **Screenshot path:** e.g. `evidence/BUG-001-screenshot.png`
- **Status:** Open

3. Take a screenshot (Win+Shift+S) and save to your `evidence/` folder
4. Link Bug ID in the Test Run Sheet **Bug ID** column

Severity guide

Level	Example
Critical	Cannot login, orders fail to create
High	KOT never appears, checkout fails
Medium	Wrong totals but workaround exists
Low	Typo, small UI alignment issue

---

13. Sign-off (last day)

Before sending work to your team lead:

- [ ] All 232 test cases marked Pass / Fail / Blocked / N/A in TEST_RUN_SHEET.xlsx
- [ ] Summary sheet counts look correct
- [ ] Every **Fail** has a row in BUG_LOG.xlsx
- [ ] CREDENTIALS_LOG.xlsx filled (no real passwords)
- [ ] Known limitations noted separately from open bugs
- [ ] Sign-off sheet completed in Excel
- [ ] Zip and send: 3 Excel files + evidence folder

---

14. Need help?

1. Check the **Quick Reference Card** (1-page PDF) and **What's New**
2. Ask your team lead for Super Admin access or outlet IDs
3. Mark tests **Blocked** if you are stuck — do not guess Pass/Fail
4. Read `EMPLOYEE_BRIEF.pdf` for job expectations and rules