```
from google.colab import userdata
import requests

API_KEY = userdata.get("API_KEY")

url = "https://api.themoviedb.org/3/discover/movie"

params = {
    "api_key": API_KEY,
    "language": "en-US",
    "sort_by": "popularity.desc",
    "page": 1
}

response = requests.get(url, params=params)

print(response.status_code)
data = response.json()
movies = data.get("results", [])

print("Movies fetched:", len(movies))
```

```
200
Movies fetched: 20
```

Start coding or generate with AI.

CONVERING INTO DATFRAME

```
import pandas as pd
df = pd.DataFrame(movies)

# Select useful columns (clean dataset)
df = df[[
    "id", "title", "release_date", "popularity",
    "vote_average", "vote_count", "genre_ids", "overview"
]]

print(df.shape)
```

```
(20, 8)
```

Start coding or generate with AI.

Start coding or generate with AI.

```
import sqlite3

# Convert problematic column
df["genre_ids"] = df["genre_ids"].astype(str)

conn = sqlite3.connect("tmdb_movies.db")

df.to_sql("movies", conn, if_exists="replace", index=False)

conn.commit()

# Verify
df_check = pd.read_sql("SELECT * FROM movies", conn)

print(df_check.shape)
print(df_check.head())

conn.close()
```

```
(20, 8)
        id                       title release_date  popularity  vote_average  \
0  1523145   Your Heart Will Be Broken   2026-03-26   1165.1266         6.900
1    83533        Avatar: Fire and Ash   2025-12-17    503.6662         7.300
2  1115544  Mike & Nick & Nick & Alice   2026-03-14    352.9397         6.700
3  1084187               Pretty Lethal   2026-03-13    311.0726         6.745
```

```
4  1297842                      GOAT   2026-02-11    297.8194         7.700

   vote_count        genre_ids  \
0          24      [10749, 18]
1        2074    [878, 12, 14]
2         109    [35, 878, 80]
3         157  [28, 53, 10402]
4         249  [16, 35, 10751]

                                          overview
0  High school student Polina is saved from bully...
1  In the wake of the devastating war against the...
2  Two gangsters and the woman they love try to s...
3  A troupe of ballerinas find themselves fightin...
4  A small goat with big dreams gets a once-in-a-...
```

Load from SQLite

```
import sqlite3
import pandas as pd

conn = sqlite3.connect("tmdb_movies.db")

df = pd.read_sql("SELECT * FROM movies", conn)

conn.close()
```

```
df.head()
```

	id	title	release_date	popularity	vote_average	vote_count	genre_ids	overview
0	1523145	Your Heart Will Be Broken	2026-03-26	1165.1266	6.900	24	[10749, 18]	High school student Polina is saved from bully...
1	83533	Avatar: Fire and Ash	2025-12-17	503.6662	7.300	2074	[878, 12, 14]	In the wake of the devastating war against the...
2	1115544	Mike & Nick & Nick & Alice	2026-03-14	352.9397	6.700	109	[35, 878, 80]	Two gangsters and the woman they love try to s...
3	1084187	Pretty Lethal	2026-03-13	311.0726	6.745	157	[28, 53, 10402]	A troupe of ballerinas find themselves fightin...
4	1297842	GOAT	2026-02-11	297.8194	7.700	249	[16, 35, 10751]	A small goat with big dreams gets a once-in-a-...

Next steps: Generate code with df New interactive sheet

```
df.describe()
```

	id	popularity	vote_average	vote_count
count	2.000000e+01	20.000000	20.000000	20.000000
mean	1.062134e+06	263.099260	6.932400	587.650000
std	3.097655e+05	234.540901	0.806402	656.930444
min	8.353300e+04	101.340400	5.200000	2.000000
25%	8.789158e+05	151.561075	6.482750	145.000000
50%	1.137552e+06	181.292600	6.950000	399.500000
75%	1.271912e+06	300.460725	7.381750	761.500000
max	1.523145e+06	1165.126600	8.500000	2408.000000

```
df.isnull().sum()
```

	0
id	0
title	0
release_date	0
popularity	0
vote_average	0
vote_count	0
genre_ids	0
overview	0

dtype: int64

```
df["genre_ids"].value_counts()
```

genre_ids	count
[10749, 18]	2
[878, 12, 14]	1
[35, 878, 80]	1
[28, 53, 10402]	1
[16, 35, 10751]	1
[28, 80, 53]	1
[878, 12]	1
[27, 9648, 80]	1
[27, 53, 35]	1
[80, 53]	1
[12, 53, 878]	1
[80, 18]	1
[28, 878, 53]	1
[35, 18, 10751, 10749]	1
[16, 35, 12, 10751, 9648]	1
[27]	1
[16, 10751, 878, 35, 12]	1
[27, 9648]	1
[18]	1

dtype: int64

Convert genre_ids back to list

```
df["genre_ids"] = df["genre_ids"].str.replace("[", "", regex=False)
df["genre_ids"] = df["genre_ids"].str.replace("]", "", regex=False)
df["genre_ids"] = df["genre_ids"].str.split(",")

df_exploded = df.explode("genre_ids")

df_exploded["genre_ids"] = df_exploded["genre_ids"].str.strip()

df_exploded["genre_ids"].value_counts()
```

genre_ids	count
35	6
878	6
53	6
12	5
80	5
18	5
27	4
10751	4
16	3
10749	3
9648	3
28	3
14	1
10402	1

dtype: int64