



Micro Credit Defaulter Project Report



Submitted by:

Anurag Krishnan

ACKNOWLEDGMENT

I would like to express my deepest gratitude to my SME (Subject Matter Expert) Khushboo Garg as well as Flip Robo Technologies who gave me the opportunity to do this project on Micro Credit Defaulter Project, which also helped me in doing lots of research wherein I came to know about so many new things.

Also, I have utilized a few external resources that helped me to complete the project. I ensured that I learn from the samples and modify things according to my project requirement. All the external resources that were used in creating this project are listed below:

- 1) <https://www.google.com/>
- 2) <https://www.youtube.com/>

INTRODUCTION

- **Business Problem Framing**

A Microfinance Institution (MFI) is an organization that offers financial services to low-income populations. MFS becomes very useful when targeting especially the unbanked poor families living in remote areas with not much sources of income. The Microfinance services (MFS) provided by MFI are Group Loans, Agricultural Loans, Individual Business Loans and so on. Many microfinance institutions (MFI), experts and donors are supporting the idea of using mobile financial services (MFS) which they feel are more convenient and efficient, and cost saving, than the traditional high-touch model used since long for the purpose of delivering microfinance services. Though, the MFI industry is primarily focusing on low-income families and are very useful in such areas, the implementation of MFS has been uneven with both significant challenges and successes.

- **Conceptual Background of the Domain Problem**

Today, microfinance is widely accepted as a poverty-reduction tool, representing \$70 billion in outstanding loans and a global outreach of 200 million clients. We are working with one such client that is in Telecom Industry. They are a fixed wireless telecommunications network provider. They have launched various products and have developed its business and organization based on the budget operator model, offering better products at Lower Prices to all value conscious customers through a strategy of disruptive innovation that focuses on the subscriber. They understand the importance of communication and how it affects a person's life, thus, focusing on providing their services and products to low-income families and poor customers that can help them in the need of hour. They are

collaborating with an MFI to provide micro-credit on mobile balances to be paid back in 5 days. The Consumer is believed to be defaulter if he deviates from the path of paying back the loaned amount within the time duration of 5 days. For the loan amount of 5 (in Indonesian Rupiah), payback amount should be 6 (in Indonesian Rupiah), while, for the loan amount of 10 (in Indonesian Rupiah), the payback amount should be 12 (in Indonesian Rupiah).

● Review of Literature

1. What is Microfinance?

“Microfinance” is often seen as financial services for poor and low-income clients. In practice, the term is often used more narrowly to refer to loans and other services from providers that identify themselves as “microfinance institutions” (MFIs).

Microfinance can also be described as a setup of a number of different operators focusing on the financially under-served people with the aim of satisfying their need for poverty alleviation, social promotion, emancipation, and inclusion. Microfinance institutions reach and serve their target market in very innovative ways.

Microfinance operations differ in principle, from the standard disciplines of general and entrepreneurial finance. This difference can be attributed to the fact that the size of the loans granted with microcredit is typically too small to finance growth-oriented business projects. Some unique features of microfinance as follows:

- i. Delivery of very small loans to unsalaried workers.
- ii. Little or no collateral requirements.
- iii. Group lending and liability.
- iv. Pre-loan savings requirement.
- v. Gradually increasing loan sizes.

Implicit guarantee of ready access to future loans if present loans are repaid fully and promptly Microfinance is seen as a catalyst for

poverty alleviation, delivered in innovative and sustainable ways to assist the underserved poor, especially in developing countries.

2. Default in Microfinance

Default in microfinance is the failure of a client to repay a loan. The default could be in terms of the amount to be paid or the timing of the payment.

- **Motivation for the Problem Undertaken**

Our main objective of doing this project is to build a model to predict whether the users are paying the loan within the due date or not. We are going to predict by using Machine Learning algorithms.

The sample data is provided to us from our client database. In order to improve the selection of customers for the credit, the client wants some predictions that could help them in further investment and improvement in selection of customers.

Analytical Problem Framing

- **Mathematical/ Analytical Modeling of the Problem**

There are various analytics which I have done before moving forward with exploratory analysis, on the basis of accounts which got recharged in the last 30 days. I set the parameter that if the person is not recharging their main account within 3 months, I simply dropped their data because they are not valuable and they might be old customers, but there is no revenue rotating. Then I had checked the date columns and found that the data belongs to the year 2016. I extracted the month and day from the date, saved the data in separate columns, and tried to visualize the data on the basis of months and days.

I had checked the maximum amount of loan taken by the people and found that the data had more outliers. As per the description given by the client, the loan amount can be paid by the customer is either rupiah 6 or 12 so that I have dropped all the loan amount that shows the loan is taken more than 12 rupiah.

Then I separated the defaulter's data and checked the valuable customers in the network and we found that their monthly revenue is more than 10000 rupiah. Although the data is quite imbalanced and many columns doesn't have that expected maximum value, we dropped that columns. We checked the skewed data and try to treat the skewed data before model processing which caused NaN so avoided it.

When we try removing the unwanted data, i.e., the outliers, we found that almost 40000+ data has been chopped. Though the data given by the client had almost 37 columns and over 2 lakh columns I did not feel like losing on precious data so avoided the outlier removal part as well. After scaling my data, I have sent the data to various classification models and found that Extra Trees Classifier Algorithm is working well.

- Data Sources and their formats

The data has been provided by one of our clients from the telecom industry. They are a fixed wireless telecommunications network provider and they have launched various products and have developed their business and organization based on the budget operator model, offering better products at Lower Prices to all value conscious customers through a strategy of disruptive innovation that focuses on the subscriber.

The data was given by an Indonesian telecom company and they gave it to us in a CSV file, with a data description file in excel format. They also had provided the problem statement by explaining what they need from us and also the required criteria to be satisfied.

Let's check the data now. Below I have attached the snapshot below to give an overview.

```
1 #import libraries
2 import pandas as pd
3 import numpy as np
4 import matplotlib.pyplot as plt
5 import seaborn as sns
6 import warnings
7 warnings.filterwarnings("ignore")
```

```
1 #Read the csv file
2 df = pd.read_csv('Data file.csv')
3 df.head()
```

Unnamed: 0	label	msisdn	aon	daily_decr30	daily_decr90	rental30	rental90	last_rech_date_ma	last_rech_date_da	...	maxamnt_loans30	medianami
0	1	0	21408170789	272.0	3055.050000	3065.150000	220.13	260.13	2.0	0.0 ...	6.0	
1	2	1	76462170374	712.0	12122.000000	12124.750000	3691.26	3691.26	20.0	0.0 ...	12.0	
2	3	1	17943170372	535.0	1398.000000	1398.000000	900.13	900.13	3.0	0.0 ...	6.0	
3	4	1	55773170781	241.0	21.228000	21.228000	159.42	159.42	41.0	0.0 ...	6.0	
4	5	1	03813182730	947.0	150.619333	150.619333	1098.90	1098.90	4.0	0.0 ...	6.0	

5 rows × 37 columns

Here we are taking a look at the first 5 and last 5 rows of our dataset. It shows that we have a total of 209593 rows and 37

columns present in our dataframe. We have the label column that stores the defaulter and non-defaulter values marked with 0 and 1 making this a Classification problem!

- Data Preprocessing Done

Checked for missing values to confirm the information of no null values present provided in the problem statement.

```
1 #check for missing values
2 df.isnull().sum()


Unnamed: 0      0
label           0
msisdn          0
aon             0
daily_decr30    0
daily_decr90    0
rental30        0
rental90        0
last_rech_date_ma 0
last_rech_date_da 0
last_rech_amt_ma  0
cnt_ma_rech30     0
fr_ma_rech30      0
sumamnt_ma_rech30 0
medianamnt_ma_rech30 0
medianmarechprebal30 0
cnt_ma_rech90     0
fr_ma_rech90      0
sumamnt_ma_rech90 0
medianamnt_ma_rech90 0
medianmarechprebal90 0
cnt_da_rech30     0
fr_da_rech30      0
cnt_da_rech90     0
fr_da_rech90      0
cnt_loans30       0
amnt_loans30      0
maxamnt_loans30   0
medianamnt_loans30 0
cnt_loans90       0
amnt_loans90      0
maxamnt_loans90   0
medianamnt_loans90 0
payback30         0
payback90         0
pcircle           0
pdate             0
dtype: int64
```

Took a visual on the missing data information as well.


```
1 #plotting missing values in bar format
2 import missingno
```

```
1 missingno.bar(df,color='blue')
```

<AxesSubplot:>



Using the info method, we are able to confirm the non-null count details as well as the datatype information. We have 21 float/decimal datatype, 12 integer data type and 3 object/categorical data type columns. We will need to convert the object data type columns to numerical data before we input the information in our machine learning models.

```

1 #information about the dataset
2 df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 209593 entries, 0 to 209592
Data columns (total 37 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   Unnamed: 0                            209593 non-null  int64
1   label                                209593 non-null  int64
2   msisdn                               209593 non-null  object
3   aon                                   209593 non-null  float64
4   daily_decr30                         209593 non-null  float64
5   daily_decr90                         209593 non-null  float64
6   rental30                             209593 non-null  float64
7   rental90                             209593 non-null  float64
8   last_rech_date_ma                    209593 non-null  float64
9   last_rech_date_da                    209593 non-null  float64
10  last_rech_amt_ma                     209593 non-null  int64
11  cnt_ma_rech30                        209593 non-null  int64
12  fr_ma_rech30                         209593 non-null  float64
13  sumamnt_ma_rech30                   209593 non-null  float64
14  medianamnt_ma_rech30                209593 non-null  float64
15  medianmarechprebal30                209593 non-null  float64
16  cnt_ma_rech90                       209593 non-null  int64
17  fr_ma_rech90                        209593 non-null  int64
18  sumamnt_ma_rech90                   209593 non-null  int64
19  medianamnt_ma_rech90                209593 non-null  float64
20  medianmarechprebal90                209593 non-null  float64
21  cnt_da_rech30                       209593 non-null  float64
22  fr_da_rech30                        209593 non-null  float64
23  cnt_da_rech90                       209593 non-null  int64
24  fr_da_rech90                        209593 non-null  int64
25  cnt_loans30                          209593 non-null  int64
26  amnt_loans30                         209593 non-null  int64
27  maxamnt_loans30                     209593 non-null  float64
28  medianamnt_loans30                  209593 non-null  float64
29  cnt_loans90                         209593 non-null  float64
30  amnt_loans90                        209593 non-null  int64
31  maxamnt_loans90                     209593 non-null  int64
32  medianamnt_loans90                  209593 non-null  float64
33  payback30                           209593 non-null  float64
34  payback90                           209593 non-null  float64
35  pcircle                             209593 non-null  object
36  pdate                               209593 non-null  object
dtypes: float64(21), int64(13), object(3)
memory usage: 59.2+ MB

```

- Data Inputs- Logic- Output Relationships

Data description on each column present in our dataset.

label : Flag indicating whether the user paid back the credit amount within 5 days of issuing the loan {1: success, 0: failure}

msisdn : Mobile number of users

aon : Age on cellular network in days

daily_decr30 : Daily amount spent from main account, averaged over last 30 days (in Indonesian Rupiah)

daily_decr90 : Daily amount spent from main account, averaged over last 90 days (in Indonesian Rupiah)

rental30 : Average main account balance over last 30 days

rental90 : Average main account balance over last 90 days

last_rech_date_ma : Number of days till last recharge of main account

last_rech_date_da : Number of days till last recharge of data account

last_rech_amt_ma : Amount of last recharge of main account (in Indonesian Rupiah)

cnt_ma_rech30 : Number of times main account got recharged in last 30 days

fr_ma_rech30 : Frequency of main account recharged in last 30 days

sumamnt_ma_rech30 : Total amount of recharge in main account over last 30 days (in Indonesian Rupiah)

medianamnt_ma_rech30 : Median of amount of recharges done in main account over last 30 days at user level (in Indonesian Rupiah)

medianmarechprebal30 : Median of main account balance just before recharge in last 30 days at user level (in Indonesian Rupiah)

cnt_ma_rech90 : Number of times main account got recharged in last 90 days

fr_ma_rech90 : Frequency of main account recharged in last 90 days

sumamnt_ma_rech90 : Total amount of recharge in main account over last 90 days (in Indonesian Rupiah)

medianamnt_ma_rech90 : Median of amount of recharges done in main account over last 90 days at user level (in Indonesian Rupiah)

medianmarechprebal90 : Median of main account balance just before recharge in last 90 days at user level (in Indonesian Rupiah)

cnt_da_rech30 : Number of times data account got recharged in last 30 days

fr_da_rech30 : Frequency of data account recharged in last 30 days

cnt_da_rech90 : Number of times data account got recharged in last 90 days

fr_da_rech90 : Frequency of data account recharged in last 90 days

cnt_loans30 : Number of loans taken by user in last 30 days

amnt_loans30 : Total amount of loans taken by user in last 30 days

maxamnt_loans30 : Maximum amount of loan taken by the user in last 30 days

medianamnt_loans30: Median of amounts of loan taken by the user in last 30 days

cnt_loans90 : Number of loans taken by user in last 90 days

amnt_loans90 : Total amount of loans taken by user in last 90 days

maxamnt_loans90 : Maximum amount of loan taken by the user in last 90 days

medianamnt_loans90: Median of amounts of loan taken by the user in last 90 days

payback30 : Average payback time in days over last 30 days

payback90 : Average payback time in days over last 90 days

pcircle : Telecom circle

p date : Date

Data description in a tabular format:

Column Names	Column Definition
label	Flag indicating whether the user paid back the credit amount within 5 days of issuing the loan {1:success, 0:failure}
msisdn	Mobile number of user
aon	Age on cellular network in days
daily_decr30	Daily amount spent from main account, averaged over last 30 days (in Indonesian Rupiah)
daily_decr90	Daily amount spent from main account, averaged over last 90 days (in Indonesian Rupiah)
rental30	Average main account balance over last 30 days
rental90	Average main account balance over last 90 days
last_rech_date_ma	Number of days till last recharge of main account
last_rech_date_da	Number of days till last recharge of data account
last_rech_amt_ma	Amount of last recharge of main account (in Indonesian Rupiah)
cnt_ma_rech30	Number of times main account got recharged in last 30 days
fr_ma_rech30	Frequency of main account recharged in last 30 days
sumamnt_ma_rech30	Total amount of recharge in main account over last 30 days (in Indonesian Rupiah)
medianamnt_ma_rech30	Median of amount of recharges done in main account over last 30 days at user level (in Indonesian Rupiah)
medianmarechprebal30	Median of main account balance just before recharge in last 30 days at user level (in Indonesian Rupiah)
cnt_ma_rech90	Number of times main account got recharged in last 90 days
fr_ma_rech90	Frequency of main account recharged in last 90 days
sumamnt_ma_rech90	Total amount of recharge in main account over last 90 days (in Indonesian Rupiah)
medianamnt_ma_rech90	Median of amount of recharges done in main account over last 90 days at user level (in Indonesian Rupiah)
medianmarechprebal90	Median of main account balance just before recharge in last 90 days at user level (in Indonesian Rupiah)
cnt_da_rech30	Number of times data account got recharged in last 30 days
fr_da_rech30	Frequency of data account recharged in last 30 days
cnt_da_rech90	Number of times data account got recharged in last 90 days
fr_da_rech90	Frequency of data account recharged in last 90 days
cnt_loans30	Number of loans taken by user in last 30 days
amnt_loans30	Total amount of loans taken by user in last 30 days
maxamnt_loans30	Maximum amount of loan taken by the user in last 30 days
medianamnt_loans30	Median of amounts of loan taken by the user in last 30 days
cnt_loans90	Number of loans taken by user in last 90 days
amnt_loans90	Total amount of loans taken by user in last 90 days
maxamnt_loans90	Maximum amount of loan taken by the user in last 90 days
medianamnt_loans90	Median of amounts of loan taken by the user in last 90 days
payback30	Average payback time in days over last 30 days
payback90	Average payback time in days over last 90 days
pcircle	Telecom circle
pdate	Date

- State the set of assumptions (if any) related to the problem under consideration

I had made an assumption that any telecom company keeps the data of customers within 3 months so I have chopped off my data on the basis of that.

I have dropped the 2016 year from date columns because the data is from the year 2016, only the date and months are different. We separated months and days into different columns.

Then I separately checked the defaulter's data and found that many valuable users are defaulters as they might have forgotten to pay or

they are having a busy life. I separated them so that the company can deal politely, because we cannot lose these customers.

- **Hardware and Software Requirements and Tools Used**

Hardware technology being used.

RAM : 8 GB

CPU : AMD Ryzen 5 3550H with Radeon Vega Mobile Gfx 2.10 GHz

GPU : AMD Radeon [™] Vega 8 Graphics and NVIDIA GeForce GTX 1650 Ti

Software technology being used.

Programming language : Python

Distribution : Anaconda Navigator

Browser based language shell : Jupyter Notebook


Libraries/Packages specifically being used.

Pandas , NumPy, matplotlib, seaborn, scikit-learn, pandas-profiling, missingno

Model/s Development and Evaluation

- Identification of possible problem-solving approaches (methods)

We have used the describe method to check the numerical data details. There are 33 columns which have numerical values in them and it looks like the count, mean, standard deviation, minimum value, 25% quartile, 50% quartile, 75% quartile and maximum value are all mostly properly distributed in terms of data points but I do see some abnormality that we will confirm with a visual on it.



In the above report we can see that the maximum value for columns aon, daily_decr30, daily_decr90, rental30, rental90, last_rech_date_ma, last_rech_date_da, fr_ma_rech30, sumamnt_ma_rech30, medianmarechprebal30, sumamnt_ma_rech90 and fr_da_rech30 have quite a high number than the other column values.

● Testing of Identified Approaches (Algorithms)

Listing down all the 8 classification machine learning algorithms used for the training and testing.


```

1 from sklearn.model_selection import train_test_split
2 from sklearn.linear_model import LogisticRegression
3 from sklearn.tree import DecisionTreeClassifier
4 from sklearn.neighbors import KNeighborsClassifier
5 from sklearn.svm import SVC
6 from sklearn.ensemble import RandomForestClassifier
7 from sklearn.ensemble import AdaBoostClassifier
8 from sklearn.ensemble import GradientBoostingClassifier
9 import xgboost as xg
10 from sklearn.metrics import accuracy_score, confusion_matrix, classification_report, roc_curve, roc_auc_score, plot_confusion_ma
11 from sklearn.model_selection import cross_val_score

```

- Run and Evaluate selected models

```

1 models = {
2     "Logistic Regression" : LogisticRegression(),
3     "K Nearest Neighbor" : KNeighborsClassifier(),
4     "Decision Tree" : DecisionTreeClassifier(),
5     "Random Forest" : RandomForestClassifier(),
6     "Gradient Boost" : GradientBoostingClassifier(),
7     "XGBoost" : xg.XGBClassifier()
8 }
9
10 for i in range(len(list(models))):
11     model = list(models.values())[i]
12     #Train model
13     model.fit(X_train,y_train)
14
15     #Make Predictions
16     y_train_pred = model.predict(X_train)
17     y_test_pred = model.predict(X_test)
18
19     #Training Set Performance
20     model_train_accuracy = accuracy_score(y_train,y_train_pred)
21     model_train_f1score = f1_score(y_train,y_train_pred)
22     model_train_precision = precision_score(y_train,y_train_pred)
23     model_train_recall = recall_score(y_train,y_train_pred)
24     model_train_roc_auc = roc_auc_score(y_train,y_train_pred)
25
26     #Test Set Performance
27     model_test_accuracy = accuracy_score(y_test,y_test_pred)
28     model_test_f1score = f1_score(y_test,y_test_pred)
29     model_test_precision = precision_score(y_test,y_test_pred)
30     model_test_recall = recall_score(y_test,y_test_pred)
31     model_test_roc_auc = roc_auc_score(y_test,y_test_pred)
32
33     print(list(models.keys())[i])
34     print('-'*18)
35
36     print('Model Performance for Training Set')
37     print('Accuracy Score : ',model_train_accuracy)
38     print('F1 Score : ',model_train_f1score)
39     print('Precision Score : ',model_train_precision)
40     print('Recall Score : ',model_train_recall)
41     print('Roc Auc Score : ',model_train_roc_auc)
42
43     print('-'*50)
44
45     print('Model Performance for Testing Set')
46     print('Accuracy Score : ',model_test_accuracy)
47     print('F1 Score : ',model_test_f1score)
48     print('Precision Score : ',model_test_precision)
49     print('Recall Score : ',model_test_recall)
50     print('Roc Auc Score : ',model_test_roc_auc)
51
52     print('-'*50)
53
54     print("Cross-Validation Score")
55     print("Cross Val Score : ",cross_val_score(model,X_scaled,Y,cv=5).mean()*100)
56
57     print('*'*50)
58     print('\n')

```

I created a Classification Model function incorporating the evaluation metrics so that we can get the required data for all the models.

```
Logistic Regression
-----
Model Performance for Training Set
Accuracy Score : 0.8209322281720255
F1 Score       : 0.819418996466021
Precision Score : 0.8278758987183494
Recall Score    : 0.8111331246829567
Roc Auc Score   : 0.8209494045559315
-----
Model Performance for Testing Set
Accuracy Score : 0.8214229214905153
F1 Score       : 0.8193444197110559
Precision Score : 0.8245629447421594
Recall Score    : 0.8141915336571826
Roc Auc Score   : 0.8213851599442742
-----
Cross-Validation Score
Cross Val Score : 81.91241505770682
*****

K Nearest Neighbor
-----
Model Performance for Training Set
Accuracy Score : 0.9280910080202496
F1 Score       : 0.925594499945436
Precision Score : 0.9606865945200119
Recall Score    : 0.8929757563576153
Roc Auc Score   : 0.928152559879987
-----
Model Performance for Testing Set
Accuracy Score : 0.8930723541340083
F1 Score       : 0.8877210468294598
Precision Score : 0.9290975185712028
Recall Score    : 0.8498727735368957
Roc Auc Score   : 0.8928467704704135
-----
Cross-Validation Score
Cross Val Score : 89.56027756804372
*****
```

Decision Tree

Model Performance for Training Set

Accuracy Score : 0.9999808242688054
F1 Score : 0.9999808573971803
Precision Score : 1.0
Recall Score : 0.999961715527225
Roc Auc Score : 0.9999808577636125

Model Performance for Testing Set

Accuracy Score : 0.9033552413961716
F1 Score : 0.9023255813953488
Precision Score : 0.9071779284545242
Recall Score : 0.8975248669905158
Roc Auc Score : 0.9033247957946084

Cross-Validation Score

Cross Val Score : 89.97483191313414

Random Forest

Model Performance for Training Set

Accuracy Score : 0.9999760303360068
F1 Score : 0.9999760720900072
Precision Score : 0.9999808575803981
Recall Score : 0.9999712866454188
Roc Auc Score : 0.9999760386509973

Model Performance for Testing Set

Accuracy Score : 0.9449038585995139
F1 Score : 0.9448721453959391
Precision Score : 0.9404738033171961
Recall Score : 0.9493118204950266
Roc Auc Score : 0.9449268765126425

Cross-Validation Score

Cross Val Score : 93.9287383597598

```

Gradient Boost
-----
Model Performance for Training Set
Accuracy Score : 0.8990973024540142
F1 Score       : 0.898656651740575
Precision Score : 0.9041944016510188
Recall Score    : 0.8931863209578775
Roc Auc Score   : 0.8991076635332245
-----
Model Performance for Testing Set
Accuracy Score : 0.897933353852128
F1 Score       : 0.8968504280336613
Precision Score : 0.9016335953709927
Recall Score    : 0.892117742308582
Roc Auc Score   : 0.8979029868657562
-----
Cross-Validation Score
Cross Val Score : 89.5343903929817
*****

XGBoost
-----
Model Performance for Training Set
Accuracy Score : 0.9472571513492524
F1 Score       : 0.947652398987496
Precision Score : 0.9422278150457466
Recall Score    : 0.953139805323456
Roc Auc Score   : 0.9472468399240124
-----
Model Performance for Testing Set
Accuracy Score : 0.9413947334359225
F1 Score       : 0.9415124940794856
Precision Score : 0.9347373820855539
Recall Score    : 0.9483865371269952
Roc Auc Score   : 0.9414312438989864
-----
Cross-Validation Score
Cross Val Score : 92.85370150648978
*****

```

- Key Metrics for success in solving problem under consideration

The key metrics used here were accuracy_score, cross_val_score, classification report, auc_score and confusion matrix. We tried to find out the best parameters and also to increase our scores by using Hyperparameter Tuning and we will be using GridSearchCV method.

1. Cross Validation:

Cross-validation helps to find out the overfitting and underfitting of the model. In the cross validation the model is made to run on different subsets of the dataset which will get multiple measures of the model. If we take 5 folds, the data will be divided into 5 pieces where each part being 20% of the full dataset. While running the Cross-validation the 1st part (20%) of the 5 parts will be kept out as a holdout set for validation and everything else is used for training data. This way we will get the first estimate of the model quality of the dataset. In the similar way further iterations are made for the second 20% of the dataset is held as a holdout set and remaining 4 parts are used for training data during the process. This way we will get the second estimate of the model quality of the dataset. These steps are repeated during the cross-validation process to get the remaining estimate of the model quality.

2. Confusion Matrix: A confusion matrix, also known as an error matrix, is a specific table layout that allows visualization of the performance of an algorithm, typically a supervised learning one (in unsupervised learning it is usually called a matching matrix). Each row of the matrix represents the instances in a predicted class, while each column represents the instances in an actual class (or vice versa). The name stems from the fact that it makes it easy to see whether the system is confusing two classes (i.e., commonly mislabelling one as another).

It is a special kind of contingency table, with two dimensions ("actual" and "predicted"), and identical sets of "classes" in both dimensions (each combination of dimension and class is a variable in the contingency table).

Confusion Matrix

```
1 models = {
2     "Logistic Regression" : LogisticRegression(),
3     "K Nearest Neighbor"  : KNeighborsClassifier(),
4     "Decision Tree"       : DecisionTreeClassifier(),
5     "Random Forest"       : RandomForestClassifier(),
6     "Gradient Boost"      : GradientBoostingClassifier(),
7     "XGBoost"             : xg.XGBClassifier()
8 }
9
10 for i in range(len(list(models))):
11     model = list(models.values())[i]
12
13     #Train model
14     model.fit(X_train,y_train)
15
16     print(list(models.keys())[i])
17     print('- '*18)
18
19     #Confusion Matrix
20     plot_confusion_matrix(model,X_test,y_test,cmap='mako')
21     plt.show()
```

3. Classification Report: The classification report visualizer displays the precision, recall, F1, and support scores for the model. There are four ways to check if the predictions are right or wrong: 1. TN / True Negative: the case was negative and predicted negative 2. TP / True Positive: the case was positive and predicted positive 3. FN / False Negative: the case was positive but predicted negative 4. FP / False Positive: the case was negative but predicted positive

Precision: Precision is the ability of a classifier not to label an instance positive that is actually negative. For each class, it is defined as the ratio of true positives to the sum of a true positive and false positive. It is the accuracy of positive predictions. The formula of precision is given below: $\text{Precision} = \frac{TP}{TP + FP}$

Recall: Recall is the ability of a classifier to find all positive instances. For each class it is defined as the ratio of true positives to the sum of true positives and false negatives. It is also the fraction of positives that were correctly identified. The formula of recall is given below: $\text{Recall} = \frac{TP}{TP + FN}$

F1 score: The F1 score is a weighted harmonic mean of precision and recall such that the best score is 1.0 and the worst is 0.0. F1 scores are lower than accuracy measures as they embed precision and recall into their computation. As a rule of thumb, the weighted average of F1 should be used to compare classifier models, not global accuracy. The formula is:
$$\text{F1 Score} = \frac{2 * (\text{Recall} * \text{Precision})}{(\text{Recall} + \text{Precision})}$$

Support: Support is the number of actual occurrences of the class in the specified dataset. Imbalanced support in the training data may indicate structural weaknesses in the reported scores of the classifier and could indicate the need for stratified sampling or rebalancing. Support doesn't change between models but instead diagnoses the evaluation process.

4. AUC-ROC Curve and score:

AUC (Area Under the Curve) - ROC (Receiver Operating Characteristics) curve is a performance measurement for the classification problems at various threshold settings. ROC is a probability curve and AUC represent the degree or measure of separability. It tells how much the model is capable of distinguishing between classes. Higher the AUC, the better the model is at predicting 0s as 0s and 1s as 1s. By analogy, the Higher the AUC, the better the model is at distinguishing between patients with the disease and no disease.

The ROC curve is plotted with TPR against the FPR where TPR is on the y-axis and FPR is on the x-axis.

Score is the area Under the Receiver Operating Characteristic Curve (ROC AUC) from prediction scores.


```

1 models = {
2     "Logistic Regression" : LogisticRegression(),
3     "K Nearest Neighbor" : KNeighborsClassifier(),
4     "Decision Tree" : DecisionTreeClassifier(),
5     "Random Forest" : RandomForestClassifier(),
6     "Gradient Boost" : GradientBoostingClassifier(),
7     "XGBoost" : xg.XGBClassifier()
8 }
9
10 for i in range(len(list(models))):
11     model = list(models.values())[i]
12
13     #Train model
14     model.fit(X_train,y_train)
15
16     print(list(models.keys())[i])
17     print('-'*18)
18
19     #Auc-Roc Curve
20     plot = plot_roc_curve(model,X_test,y_test)
21     plot.figure_.suptitle('ROC Curve')
22     plt.show()

```

5. Hyperparameter Tuning: There is a list of different machine learning models. They all are different in some way or the other, but what makes them different is nothing but input parameters for the model. These input parameters are named as Hyperparameters. These hyperparameters will define the architecture of the model, and the best part about these is that you get a choice to select these for your model. You must select from a specific list of hyperparameters for a given model as it varies from model to model.

We are not aware of optimal values for hyperparameters which would generate the best model output. So, what we tell the model is to explore and select the optimal model architecture automatically. This selection procedure for hyperparameter is known as Hyperparameter Tuning. We can do tuning by using GridSearchCV.

GridSearchCV is a function that comes in Scikit-learn (or SK-learn) model selection package. An important point here to note is that we need to have Scikit-learn library installed on the computer. This function helps to loop through predefined hyperparameters and fit

your estimator (model) on your training set. So, in the end, we can select the best parameters from the listed hyperparameters.

```

1 final_model_ = RandomForestClassifier(max_depth=8,n_estimators=150,criterion='gini')
2 print(final_model_)
3 print("-----")
4 final_model_.fit(X_train,y_train)
5 final_model_pred_ = final_model_.predict(X_test)
6 print(final_model_pred_)
7 print("Accuracy Score :",accuracy_score(y_test,final_model_pred_))
8 print("-----")
9 print("Classification Report : ",classification_report(y_test,final_model_pred_))
10 print("-----")

```

RandomForestClassifier(max_depth=8, n_estimators=150)

[0 0 1 ... 0 0 0]

Accuracy Score : 0.8701767506076251

Classification Report :		precision	recall	f1-score	support
0	0.86	0.88	0.87	34949	
1	0.88	0.86	0.87	34584	
accuracy			0.87	69533	
macro avg	0.87	0.87	0.87	69533	
weighted avg	0.87	0.87	0.87	69533	


● Visualizations

Now, we will see the different plots done with this dataset in order to know the insight of the data present. Below are the codes given for the plots and the output obtained:

Univariate Analysis

```
try:
    x = 'label'
    k=0
    plt.figure(figsize=[5,7])
    axes = sns.countplot(df[x])
    for i in axes.patches:
        ht = i.get_height()
        mr = len(df[x])
        st = f"{ht} ({round(ht*100/mr,2)}%)"
        plt.text(k, ht/2, st, ha='center', fontweight='bold')
        k += 1
    plt.ylim(0,210000)
    plt.title(f'Count Plot for {x} column\n')
    plt.ylabel(f'total number of rows covered\n')
    plt.show()

except Exception as e:
    print("Error:", e)
    pass
```



Bivariate Analysis


```
y = 'label'

x = 'aon'
plt.figure(figsize=[15,7])
sns.barplot(x,y,data=df,orient='h')
plt.title(f"Barplot for {x} column vs {y} column")
plt.show()


x = 'last_rech_date_da'
plt.figure(figsize=[15,7])
sns.barplot(x,y,data=df,orient='h')
plt.title(f"Barplot for {x} column vs {y} column")
plt.show()

x = 'last_rech_date_ma'
plt.figure(figsize=[15,7])
sns.barplot(x,y,data=df,orient='h')
plt.title(f"Barplot for {x} column vs {y} column")
plt.show()

x = 'last_rech_amt_ma'
plt.figure(figsize=[15,7])
sns.barplot(x,y,data=df,orient='h')
plt.title(f"Barplot for {x} column vs {y} column")
plt.show()
```



```
df.plot(kind="line", x="pdate", y=["last_rech_date_da", "last_rech_date_ma", "last_rech_amt_ma"], figsize=[15,10])
df.plot(kind="line", x="msisdn", y=["last_rech_date_da", "last_rech_date_ma", "last_rech_amt_ma"], figsize=[15,10])
```



```
plt.figure(figsize=(15,5))
sns.scatterplot(x='medianamnt_loans30', y='medianamnt_loans90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='maxamnt_loans30', y='maxamnt_loans90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='cnt_da_rech30', y='cnt_da_rech90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='cnt_loans30', y='cnt_loans90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='amnt_loans30', y='amnt_loans90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='cnt_ma_rech30', y='cnt_ma_rech90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='fr_da_rech30', y='fr_da_rech90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='fr_ma_rech30', y='fr_ma_rech90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='medianamnt_ma_rech30', y='medianamnt_ma_rech90', data=df, hue='label')


plt.figure(figsize=(15,5))
sns.scatterplot(x='daily_decr30', y='daily_decr90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='rental30', y='rental90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='payback30', y='payback90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='medianmarechprebal30', y='medianmarechprebal90', data=df, hue='label')

plt.figure(figsize=(15,5))
sns.scatterplot(x='sumamnt_ma_rech30', y='sumamnt_ma_rech90', data=df, hue='label')
```



● Interpretation of the Results

for feature aon:

Data ranges from -48 to 999860 with Mean value of 8112.34.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature daily_descr30:

Data ranges from -93 to 265926 with Mean value of 5381.4.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature daily_descr90:

Data ranges from -93 to 320630 with Mean value of 6082.52.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature rental30:

Data ranges from -23737.14 to 198926 with Mean value of 2692.58.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature rental90:

Data ranges from -24720 to 200148 with Mean value of 3483.41.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature last_rech_date_ma:

Data ranges from -29 to 998650 with Mean value of 3755.85.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature last_rech_date_da:

Data ranges from -29 to 999178 with Mean value of 3712.2.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature last_rech_amt_ma:

Data ranges from 0 to 55000 with Mean value of 2064.45.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature cnt_ma_rech30:

Data ranges from 0 to 203 with Mean value of 3.98.

Data is not distributed normally or in well curve.

Data is spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature fr_ma_rech30:

Data ranges from 0 to 999606 with Mean value of 3737.36.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature sumamnt_ma_rech30:

Data ranges from 0 to 810096 with Mean value of 7704.5.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature medianamnt_ma_rech30:

Data ranges from 0 to 55000 with Mean value of 1812.82.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature medianmarechprebal30:

Data ranges from -200 to 999479 with Mean value of 3851.93.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature cnt_ma_rech90:

Data ranges from 0 to 336 with Mean value of 6.32.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature fr_ma_rech90:

Data ranges from 0 to 88 with Mean value of 7.72.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature sumamnt_ma_rech90:

Data ranges from 0 to 953036 with Mean value of 12396.22.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature medianamnt_ma_rech90:

Data ranges from 0 to 55000 with Mean value of 1864.6.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature medianmarechprebal90:

Data ranges from -200 to 41456 with Mean value of 92.03.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature cnt_da_rech30:

Data ranges from 0 to 99914 with Mean value of 262.58.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature fr_da_rech30:

Data ranges from 0 to 999809 with Mean value of 3749.49.

Data is not distributed normally or in well curve.

Data is highly spreaded and needs to be treated accordingly.

Data is positively skewed and needs to be treated accordingly.

for feature cnt_da_rech90:

Data ranges from 0 to 38 with Mean value of 0.04.

Data is distributed normally but not in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature fr_da_rech90:

Data ranges from 0 to 64 with Mean value of 0.05.

Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature cnt_loans30:

Data ranges from 0 to 50 with Mean value of 2.76.

Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature amnt_loans30:

Data ranges from 0 to 306 with Mean value of 17.95.

Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature maxamnt_loans30:

Data ranges from 0 to 99864 with Mean value of 274.66.

Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature medianamnt_loans30:

Data ranges from 0 to 3 with Mean value of 0.05.

Data is not distributed normally or in well curve and it is understandable as feature has only limited set of values.

Data is positively skewed and needs to be treated accordingly.

for feature cnt_loans90:

Data ranges from 0 to 4997.52 with Mean value of 18.52.

Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature amnt_loans90:

Data ranges from 0 to 438 with Mean value of 23.65.

Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature maxamnt_loans90:

Data ranges from 0 to 12 with Mean value of 6.7.

Data is not distributed normally or in well curve and it understandable as user has two option for loans i.e., 5 and 10 for with 6 and 12 has to be paid.

Data is positively skewed and needs to be treated accordingly.

for feature medianamnt_loans90:

Data ranges from 0 to 3 with Mean value of 0.05.

Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature payback30:

Data ranges from 0 to 171.5 with Mean value of 3.4.

Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

for feature payback90:

Data ranges from 0 to 171.5 with Mean value of 4.32.


Data is not distributed normally or in well curve.

Data is positively skewed and needs to be treated accordingly.

```

1 #Updated Correlation Matrix
2 plt.figure(figsize=(30,30))
3 sns.heatmap(df_corr.T,annot=True,linewidth=3,linecolor='blue')

```




Correlation Bar Plot comparing Gender column with the remaining columns

```

df_corr = df.corr()
plt.figure(figsize=(15,5))
df_corr['label'].sort_values(ascending=False).drop('label').plot.bar()
plt.title("Correlation of Feature columns vs Label\n", fontsize=16)
plt.xlabel("\nFeatures List", fontsize=14)
plt.ylabel("Correlation Value", fontsize=12)
plt.show()

```



CONCLUSION

- **Key Findings and Conclusions of the Study**

From the final model MFI can find if a person will return money or not and should an MFI provide a loan to that person or not judging from the various features taken into consideration.

- **Learning Outcomes of the Study in respect of Data Science**

I built multiple classification models and did not rely on one single model for getting better accuracy and using cross validation comparison I ensured that the model does not fall into overfitting and underfitting issues. I picked the best one and performed hyper parameter tuning on it to enhance the scores.

- **Limitations of this work and Scope for Future Work**

Limitation is it will only work for this particular use case and will need to be modified if tried to be utilized on a different scenario but on a similar scale. Scope is that we can use it in companies to find whether we should provide loan to a person or not and we can also make prediction about a person buying an expensive service on the basis of their personal details that we have in this dataset like number of times data account got recharged in last 30 days and daily amount spent from main account, averaged over last 30 days (in Indonesian Rupiah) so even a marketing company can also use this.



FLIP RO