




Performance



Accessibility



Best Practices



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49

■ 50–89

● 90–100


METRICS

- First Contentful Paint

0.3 s

- Total Blocking Time

0 ms



Expand view

- Largest Contentful Paint


0.3 s

- Cumulative Layout Shift

0

● Speed Index

0.4 s



🔊 Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

[Go back to audits](#)

Show audits relevant to: **All** [FCP](#) [LCP](#) [TBT](#)

INSIGHTS

- ▲ Network dependency tree ▼
- Use efficient cache lifetimes — Est savings of 36 KiB ▼
- Render blocking requests ▼
- LCP breakdown ▼
- 3rd parties ▼

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

- Minify JavaScript — Est savings of 117 KiB ▼

- Avoid serving legacy JavaScript to modern browsers
- Reduce unused JavaScript — Est savings of 159 KiB
- Avoid long main-thread tasks — 1 long task found

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (24)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (24)

Show

NOT APPLICABLE (33)

Show



Best Practices

TRUST AND SAFETY


<input type="radio"/> Ensure CSP is effective against XSS attacks	▼
<input type="radio"/> Use a strong HSTS policy	▼
<input type="radio"/> Ensure proper origin isolation with COOP	▼
<input type="radio"/> Mitigate clickjacking with XFO or CSP	▼
<input type="radio"/> Mitigate DOM-based XSS with Trusted Types	▼


PASSED AUDITS (14)


Show


NOT APPLICABLE (3)


Show


 Captured at Nov 26, 2025, 6:47 AM GMT+8

 Emulated Desktop with Lighthouse 12.8.2

 Single page session

 Initial page load

 Custom throttling

 Using Chromium 142.0.0.0 with devtools