



**Member name:** Abdul Adil  
**Date of birth:** 5/17/1992  
**Gender:** M  
**Primary care physician:** DEVIN EDWIN SHAHVERDIAN MD, M.D.  
**Date printed:** 11/12/2020

For general information about a test procedure, click the "About this test" link above.

To see more information about a test result, select the "Details" tab. To compare test results over time, click "Past results" or "Graph of past results."

Minor abnormalities of test results are not unusual and may not be significant. They are subject to the interpretation of your health care practitioner.

## Study result

### Narrative

RMS ACCN: 687044931

## Component results

Component	Your value	Standard range
HGBA1C%	<b>Your value</b> 5.5 %	<i>Standard range</i> 4.6 - 5.6 %

A repeatable HbA1c  $\geq 6.5\%$  is diagnostic of diabetes. A single HbA1c  $\geq 6.5\%$  can also be confirmed by a fasting plasma glucose measurement  $\geq 125$  mg/dL, a random plasma glucose  $\geq 200$  mg/dL, or a 2 hour oral glucose tolerance test result  $\geq 200$  mg/dL. Patients with HbA1c of 5.7-6.4% are at increased risk for future diabetes.

## General information

Ordered by: DEVIN EDWIN SHAHVERDIAN MD, M.D.

Collected: 10/16/2020 8:06 AM from BLOOD

Resulted: 10/16/2020 5:40 PM

This test result has been released by an automatic process.

Certain content delivered by MyChart®, licensed from Epic Systems Corporation, © 1999 to February 2020, patents pending.