

№ 1

2026-02-20

-
- -01-24
-
- 1132246717@rudn.ru


№ 1

1. Rocky
- 2.
- 3.

Rocky

Общие Имя: akabroninarocky ОС: Red Hat (64-bit)	Пreview 
Система Оперативная память: 2048 МБ Порядок загрузки: Гибкий диск, Оптический диск, Жёсткий диск Ускорение: Nested Paging, PAE/NX, Паравиртуализация KVM	
Дисплей Видеопамять: 16 МБ Графический контроллер: VMSVGA Сервер удалённого дисплея: Выключен Запись: Выключена	
Носители Контроллер: IDE Вторичное устройство IDE 0: [Оптический привод] Пусто Контроллер: SATA SATA порт 0: 9.vdi (Обычный, 40,00 ГБ)	
Аудио Аудиодрайвер: По умолчанию Аудиоконтроллер: ICH AC97	
Сеть Адаптер 1: Intel PRO/1000 MT Desktop (NAT)	
USB USB-контроллер: OHCI, EHCI Фильтры устройств: 0 (0 активно)	
Общие папки Отсутствуют	
Описание Отсутствует	

1: rocky



2:

dmesg

```

akabronina@user ~]$ dmesg
0.000000 Linux version 5.14.0-611.5.1.el9_7.x86_64 (mockbuild@iad1-prod-build001.bld.equ.rockylinux.org) (gcc (GCC) 11.5
0 20240719 (Red Hat 11.5.0-11), GNU ld version 2.35.2-67.el9) #1 SMP PREEMPT_DYNAMIC Tue Nov 11 22:20:27 UTC 2025
0.000000 The list of certified hardware and cloud instances for Enterprise Linux 9 can be viewed at the Red Hat Ecosystem
Catalog, https://catalog.redhat.com.
0.000000 Command line: BOOT_IMAGE=(hd0,msdos1)/vmlinuz-5.14.0-611.5.1.el9_7.x86_64 root=/dev/mapper/rl_vbox-root ro resu
e=/dev/mapper/rl_vbox-swap rd.lvm.lv=rl_vbox/root rd.lvm.lv=rl_vbox/swap rhgb quiet
0.000000 [Firmware Bug]: TSC doesn't count with P0 frequency!
0.000000 BIOS-provided physical RAM map:
0.000000 BIOS-e820: [mem 0x0000000000000000-0x0000000000009fbff] usable
0.000000 BIOS-e820: [mem 0x0000000000009fc00-0x0000000000009ffff] reserved
0.000000 BIOS-e820: [mem 0x000000000000f0000-0x000000000000ffffff] reserved
0.000000 BIOS-e820: [mem 0x0000000000100000-0x00000000007ffefffff] usable
0.000000 BIOS-e820: [mem 0x0000000007fff0000-0x0000000007fffffff] ACPI data
0.000000 BIOS-e820: [mem 0x00000000fec00000-0x00000000fec00fff] reserved
0.000000 BIOS-e820: [mem 0x00000000fee00000-0x00000000fee00fff] reserved
0.000000 BIOS-e820: [mem 0x00000000ffff0000-0x00000000ffffffffff] reserved
0.000000 NX (Execute Disable) protection: active
0.000000 APIC: Static calls initialized
0.000000 SMBIOS 2.5 present.
0.000000 DMI: innotek GmbH VirtualBox/VirtualBox, BIOS VirtualBox 12/01/2006
0.000000 Hypervisor detected: KVM
0.000000 kvm-clock: Using msrs 4b564d01 and 4b564d00
0.000000 kvm-clock: using sched offset of 10998307929 cycles
0.000012 clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
0.000019 tsc: Detected 1899.955 MHz processor
0.002257 e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
0.002261 e820: remove [mem 0x000a0000-0x0000ffff] usable
0.002268 last_pfn = 0x80000 max_arch_pfn = 0x400000000
0.002306 MTRR map: 3 entries (3 fixed + 0 variable; max 19), built from 8 variable MTRRs
0.002309 x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
0.002351 CPU MTRRs all blank - virtualized system.
0.002378 found SMP MP-table at [mem 0x0009ffff-0x0009ffff]
0.002541 RAMDISK: [mem 0x308a3000-0x34440fff]

```

3: dmesg

dmesg : , , , ,
:

```
Обзор Терминал Пт, 20 февраля 16:01 en
akabronina@user:~$
[ 43.103394] rfkil: input handler disabled
[akabronina@user ~]$ dmesg | grep -i "Linux version"
[ 0.000000] Linux version 5.14.0-611.5.1.el9_7.x86_64 (mockbuild@iad1-prod-build001.bld.equ.rockylinux.org) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-11), GNU ld version 2.35.2-67.el9) #1 SMP PREEMPT_DYNAMIC Tue Nov 11 22:20:27 UTC 2025
[akabronina@user ~]$ dmesg | grep -i "Detected.*MHz"
[ 0.000019] tsc: Detected 1899.955 MHz processor
[akabronina@user ~]$ dmesg | grep -i "CPU0"
[ 0.210015] smpboot: CPU0: AMD Ryzen 7 5800U with Radeon Graphics (family: 0x19, model: 0x50, stepping: 0x0)
[akabronina@user ~]$ dmesg | grep -i "Memory"
[ 0.002606] ACPI: Reserving FACP table memory at [mem 0xffff00f0-0xffff01e3]
[ 0.002607] ACPI: Reserving DSDT table memory at [mem 0xffff0610-0xffff2962]
[ 0.002608] ACPI: Reserving FACS table memory at [mem 0xffff0200-0xffff023f]
[ 0.002609] ACPI: Reserving FACS table memory at [mem 0xffff0200-0xffff023f]
[ 0.002609] ACPI: Reserving APIC table memory at [mem 0xffff0240-0xffff0293]
[ 0.002610] ACPI: Reserving SSDT table memory at [mem 0xffff02a0-0xffff060b]
[ 0.003588] Early memory node ranges
[ 0.007719] PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
[ 0.007720] PM: hibernation: Registered nosave memory: [mem 0x0009f000-0x0009ffff]
[ 0.007721] PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x000effff]
[ 0.007721] PM: hibernation: Registered nosave memory: [mem 0x000f0000-0x000fffff]
[ 0.007722] PM: hibernation: Registered nosave memory: [mem 0x7fff0000-0x7fffffff]
[ 0.106612] Freeing SMP alternatives memory: 40K
[ 0.212612] Memory: 1939816K/2096696K available (16384K kernel code, 5783K rwdara, 13988K rodata, 4068K init, 7312K bss, 153668K reserved, 0K cma-reserved)
[ 0.212612] x86/mm: Memory block size: 128MB
[ 1.454724] Freeing initrd memory: 61084K
[ 1.486377] Non-volatile memory driver v1.3
[ 1.802732] Freeing unused decrypted memory: 2028K
[ 1.804701] Freeing unused kernel image (initmem) memory: 4068K
[ 1.805096] Freeing unused kernel image (rodata/data gap) memory: 348K
[ 4.055004] vmwgfx 0000:00:02.0: [drm] Legacy memory limits: VRAM = 16384 KiB, FIFO = 2048 KiB, surface = 507904 KiB
[ 4.055013] vmwgfx 0000:00:02.0: [drm] Maximum display memory size is 16384 KiB
[akabronina@user ~]$ dmesg | grep -i "hypervisor detected"
[ 0.000000] Hypervisor detected: KVM
```

4:

```
[ 0.007722] PM: hibernation: Registered nosave memory: [mem 0x7fff0000-0x7fffffff]
[ 0.106612] Freeing SMP alternatives memory: 40K
[ 0.212612] Memory: 1939816K/2096696K available (16384K kernel code, 5783K rwdara, 13988K rodata, 4068K init, 7312K bss, 153668K reserved, 0K cma-reserved)
[ 0.212612] x86/mm: Memory block size: 128MB
[ 1.454724] Freeing initrd memory: 61084K
[ 1.486377] Non-volatile memory driver v1.3
[ 1.802732] Freeing unused decrypted memory: 2028K
[ 1.804701] Freeing unused kernel image (initmem) memory: 4068K
[ 1.805096] Freeing unused kernel image (rodata/data gap) memory: 348K
[ 4.055004] vmwgfx 0000:00:02.0: [drm] Legacy memory limits: VRAM = 16384 KiB, FIFO = 2048 KiB, surface = 507904 KiB
[ 4.055013] vmwgfx 0000:00:02.0: [drm] Maximum display memory size is 16384 KiB
[akabronina@user ~]$ dmesg | grep -i "hypervisor detected"
[ 0.000000] Hypervisor detected: KVM
[akabronina@user ~]$ dmesg | grep -i "Mounting.*root"
[akabronina@user ~]$ dmesg | grep -i "mount"
[ 0.106612] Mount-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
[ 0.106612] Mountpoint-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
[ 6.008275] XFS (dm-0): Mounting V5 Filesystem c3a3f13e-5696-423e-a8e5-b5d9f9cfce97
[ 8.062098] systemd[1]: Set up automount Arbitrary Executable File Formats File System Automount Point.
[ 8.085191] systemd[1]: Mounting Huge Pages File System...
[ 8.100168] systemd[1]: Mounting POSIX Message Queue File System...
[ 8.115080] systemd[1]: Mounting Kernel Debug File System...
[ 8.120810] systemd[1]: Mounting Kernel Trace File System...
[ 8.318005] systemd[1]: Starting Remount Root and Kernel File Systems...
[ 8.458924] systemd[1]: Mounted Huge Pages File System.
[ 8.473439] systemd[1]: Mounted POSIX Message Queue File System.
[ 8.475883] systemd[1]: Mounted Kernel Debug File System.
[ 8.476191] systemd[1]: Mounted Kernel Trace File System.
[ 11.383227] XFS (sda1): Mounting V5 Filesystem 93626b40-7bf5-469c-869d-6cae979ac589
```

5:

