Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	0	2	0	0	2	0%
Scenarios	10	4	0	0	14	71%
Steps	69	4	0	1	74	93%

Overall Duration: 0h 01m 03s

Table of Contents

- 1. Check Login and logout
 - 1. I open homepage and check my certificate, if url redirect to login page then I login with my account
- 2. Check Login AT Portal
 - 1. Login success with correct account
 - 2. Login button is disabled when not validated
 - 3. Login button is disabled when not validated
 - 4. Login button is disabled when not validated
 - 5. Login button is disabled when not validated
 - 6. Login button is disabled when not validated
 - 7. Login button is disabled when not validated
 - 8. Show error message
 - 9. Show error message
 - 10. Show error message
 - 11. Show error message
 - 12. Show error message
 - 13. Show error message

Detailed Results Report

Fe	ature: Check Log	gin and logout			
Pas	ssed: 0	Failed: 1	Undefined: 0	Duration: 15.70	6s
	Scenario: I open my account	homepage and o	check my certificate, if	url redirect to login pa	nge then I login with
	Passed: 0	Failed: 1	Undefi	ned: 1	Duration: 15.76s
	Before				0.00s
	Given I am lo	gged in as a tean	n manager		15.76s
	base.BasePag milliseconds i Build info: ve System info: l OS X', os.arc	e\$\$Lambda\$129 interval) ersion: '3.141.5', i host: 'MBA0163. h: 'x86_64', os.ve	04/1371318593@7f11ad revision: 'd54ebd709a'	——————————————————————————————————————	l(s) with 500 :42:16'

Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 2.45.615279 (12b89733300bd2..., userDataDir: /tmp/.org.chromium. Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, goog:chromeOptions: {debuggerAddress: localhost:33693}, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), rotatable: false, setWindowRect: true, strictFileInteractability: false, takesHeapSnapshot: true, takesScreenshot: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unexpectedAlertBehaviour: ignore, unhandledPromptBehavior: ignore, version: 71.0.3578.98, webStorageEnabled: true, webdriver.remote.sessionid: fbdaf759f62630a32d69230a412...} Session ID: fbdaf759f62630a32d69230a4128f9cb at org.openga.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openga.selenium.support.ui.FluentWait.until(FluentWait.jaya:272) at vn.asiantech.base.BasePage.waitForElement(BasePage.java:30) at vn.asiantech.page.home.HomePage.waitForWelcomeMessage(HomePage.java:63) at stepdefs.login.AuthenticateDefinitions.lambda\$new\$0(AuthenticateDefinitions.java:25) at .Given I am logged in as a team manager(Authenticate.feature:5)

	Given I am an unauthenticated user	0.00s
Af	iter	0.00s
<u>Ba</u>	ck to Table of Contents	

Feature: Check Login AT Portal

As an employee of the company

I want to login my employee profile using my credentials

In order to check my profile

sed: 10	Failed: 3	Undefined: 0	D	uration: 47.83s		
Scenario: L	ogin success with cor	rect account				
Passed: 5	Failed: 1		Undefined: 0	Duration: 13.2s		
Before				0.00s		
Given I	open login page			1.63s		
Then Br	Then Browser should redirect to "/auth/login"					
When I	When I enter my username					
And I fil	And I fill in password					
And I cli	And I click on login button					
Then I s	hould see the welcome	e message		10.21s		

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for vn.asiantech. base.BasePage\$\$Lambda\$1294/1371318593@1e5c43be (tried for 10 second(s) with 500 milliseconds interval)

Build info: version: '3.141.5', revision: 'd54ebd709a', time: '2018-11-06T11:42:16'

System info: host: 'MBA0163.local', ip: 'fe80:0:0:0:a7:7328:3361:e312%en0', os.name: 'Mac

OS X', os.arch: 'x86_64', os.version: '10.13.2', java.version: '1.8.0_171'

Driver info: org.openga.selenium.remote.RemoteWebDriver

Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled:

false, browserConnectionEnabled: false, browserName: chrome, chrome:

{chromedriverVersion: 2.45.615279 (12b89733300bd2..., userDataDir: /tmp/.org.chromium.

Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, goog:chromeOptions: {debuggerAddress: localhost:34401}, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), rotatable: false, setWindowRect: true, strictFileInteractability: false, takesHeapSnapshot: true, takesScreenshot: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unexpectedAlertBehaviour: ignore, unhandledPromptBehavior: ignore, version: 71.0.3578.98, webStorageEnabled: true, webdriver.remote.sessionid: 0c3a31bad387862bbe7b9a88f44...}
Session ID: 0c3a31bad387862bbe7b9a88f44e75b7
at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at vn.asiantech.base.BasePage.waitForElement(BasePage.java:30) at vn.asiantech.page.home.HomePage.waitForWelcomeMessage(HomePage.java:63) at stepdefs.login.PortalLoginDefinitions.lambda\$new\$8(PortalLoginDefinitions.java:58) at .Then I should see the welcome message(PortalLogin.feature:15)

at .Then I should se	e the welcome m	nessage(PortalLogin.feature:15)	
After			0.00s
Back to Table of Contents			
Scenario Outline: Log	in button is disal	oled when not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 3.09s
Before			0.00s
Given I open login	page		0.88s
Then Browser shou		auth/login''	1.71s
When I enter my us	sername with "T	'est''	0.25s
And I fill in passwo	rd with ''!23''		0.18s
Then Login button	will be disabled		0.07s
After			0.00s
Back to Table of Contents			
Scenario Outline: Log	in button is disal	oled when not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 2.06s
Before			0.00s
Given I open login	page		1.16s
Then Browser shou		auth/login''	0.25s
When I enter my us	sername with "T	'set''	0.27s
And I fill in passwo	rd with "123"		0.22s
Then Login button	will be disabled		0.16s
After			0.00s
Back to Table of Contents			
Scenario Outline: Log	in button is disal	oled when not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 1.99s
Before			0.00s
Given I open login	page		0.94s
Then Browser shou		auth/login''	0.28s
		en,hoang@asiantech.vn''	0.48s
And I fill in passwo		. 5	0.17s

Then Login button wil	ll be disabled		0.11s
After			0.00s
Back to Table of Contents			
Scenario Outline: Login l	button is disabled when	not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 1.75s
Before			0.00s
Given I open login pag	ge		1.03s
	redirect to "/auth/login"	1	0.27s
When I enter my user			0.20s
And I fill in password	with ""		0.14s
Then Login button wil			0.10s
After			0.00s
Back to Table of Contents			
Scenario Outline: Login l	button is disabled when	not validated	
	Failed: 0	Undefined: 0	Duration: 1.61s
Before			0.00s
Given I open login pag	ge		0.88s
	redirect to ''/auth/login'	1	0.24s
When I enter my user			0.20s
And I fill in password			0.16s
Then Login button wil			0.14s
After			0.00s
Back to Table of Contents			<u> </u>
Scenario Outline: Login l	button is disabled when	not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 1.45s
Before			0.00s
Given I open login pag	je		0.85s
Then Browser should	redirect to ''/auth/login'	1	0.17s
When I enter my user			0.20s
And I fill in password			0.12s
Then Login button wil			0.11s
After			0.00s
Back to Table of Contents			
Scenario Outline: Show e	error message		
Passed: 6	Failed: 0	Undefined: 0	Duration: 2.45s
Before			0.00s
Given I open login pag	De .		0.92s
1 0 1	redirect to ''/auth/login'	1	0.72s 0.18s
	name with "tien.hoang@		0.31s
And I fill in password			0.21s
			0.30s
And I click on login bu	utton		0.505
And I click on login bu Then Error message s		"Email or password incorrect."	0.53s

ssed: 5	Show error message Failed: 1	Undefined: 0	Duration: 6
efore	z uncu. I	Chathieur v	0.00s
	ogin nego		0.87s
Given I open l		th/login!!	
	should redirect to "/aut		0.13s
	my username with "tien	i.noang@asiantech.vn''	0.39s
	assword with "12345"		0.19s
And I click on			0.18s
Then Error m	essage should display ar	nd show "Email or password inc	correct.'' 4.44s
{"method":"c (Session info: (Driver info: c	lass name","selector":" chrome=71.0.3578.98) hromedriver=2.45.6152 ux 4.9.125-linuxkit x86_0	Exception: no such element: Una 'text-danger''} 79 (12b89733300bd268cff3b78fc 64) (WARNING: The server did	e76cb8f3a7cc44e5),
Command du	ration or timeout: 0 mill ation on this error, plea	liseconds se visit: http://seleniumhq.org/e	xceptions
System info: h OS X', os.arch Driver info: or Capabilities {a	ost: 'MBA0163.local', ip : 'x86_64', os.version: '1 rg.openqa.selenium.rem acceptInsecureCerts: fal	lse, acceptSslCerts: false, applica	%en0', os.name: 'Ma ' ationCacheEnabled:
{chromedriver Chromium}, {debuggerAdd javascriptEna nativeEvents: LINUX, platfo	rVersion: 2.45.615279 (1 cssSelectorsEnabled: tr lress: localhost:34401}, l bled: true, locationCont true, networkConnection ormName: LINUX, prox	se, browserName: chrome, chro l2b89733300bd2, userDataDir; rue, databaseEnabled: false, goo handlesAlerts: true, hasTouchSo textEnabled: true, mobileEmula onEnabled: false, pageLoadStrat xy: Proxy(), rotatable: false, setV	: /tmp/.org.chromium g:chromeOptions: creen: false, tionEnabled: false, tegy: normal, platforn VindowRect: true,
{implicit: 0, pa unhandledPro webdriver.ren	ngeLoad: 300000, scripts mptBehavior: ignore, vo	eapSnapshot: true, takesScreens: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStoraged387862bbe7b9a88f44}	iour: ignore,
*** Element in at sun.reflect.(at sun.reflect.)	nfo: {Using=class name, GeneratedConstructorA DelegatingConstructorA	value=text-danger} accessor16.newInstance(UnknowaccessorImpl.newInstance	n Source)
at java.lang.re at org.openqa		nstance(Constructor.java:423)	·Handler java·214)
9 - P		Handler.createThrowable(Error Handler.throwIfResponseFailed	

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByClassName

(RemoteWebDriver.java:412)

at org.openqa.selenium.By\$ByClassName.findElement(By.java:389)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)

 $at\ org. open qa. selenium. support. page factory. Default Element Locator. find Element$

(DefaultElementLocator.java:69)

at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke

(LocatingElementHandler.java:38)

at com.sun.proxy.\$Proxy17.getText(Unknown Source)

at vn.asiantech.page.login.LoginPage.getErrorMessage(LoginPage.java:61)

at stepdefs.login.PortalLoginDefinitions.lambda\$new\$10(PortalLoginDefinitions.java:68)

at .Then Error message should display and show "Email or password incorrect." (PortalLogin. feature:34)

After			0.00s		
Back to Table of Contents					
Scenario Outline: Show e	error message				
Passed: 5	Failed: 1	Undefined: 0	Duration: 3.02s		
Before			0.00s		
Given I open login pag	Given I open login page				
Then Browser should	0.28s				
When I enter my user	name with "tien	.hoang@asiantech.vn''	0.79s		
And I fill in password	with "123abc!@	9#''	0.32s		
And I click on login bu	utton		0.20s		
Then Error message s	hould display an	nd show "Email or password incorrect."	0.18s		

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {''method'':''class name'',''selector'':''text-danger''}

(Session info: chrome=71.0.3578.98)

(Driver info: chromedriver=2.45.615279 (12b89733300bd268cff3b78fc76cb8f3a7cc44e5), platform=Linux 4.9.125-linuxkit x86_64) (WARNING: The server did not provide any stacktrace information)

Command duration or timeout: 0 milliseconds

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.141.5', revision: 'd54ebd709a', time: '2018-11-06T11:42:16'

System info: host: 'MBA0163.local', ip: 'fe80:0:0:0:a7:7328:3361:e312%en0', os.name: 'Mac

OS X', os.arch: 'x86 64', os.version: '10.13.2', java.version: '1.8.0 171'

Driver info: org.openga.selenium.remote.RemoteWebDriver

Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled:

false, browserConnectionEnabled: false, browserName: chrome, chrome:

{chromedriverVersion: 2.45.615279 (12b89733300bd2..., userDataDir: /tmp/.org.chromium.

Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, goog:chromeOptions:

{debuggerAddress: localhost:34401}, handlesAlerts: true, hasTouchScreen: false,

javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false,

nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:

	LINUX, platformName: LINUX, proxy: Proxy(), rotatable: false, setWindowRect: true, strictFileInteractability: false, takesHeapSnapshot: true, takesScreenshot: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unexpectedAlertBehaviour: ignore,
	unhandledPromptBehavior: ignore, version: 71.0.3578.98, webStorageEnabled: true, webdriver.remote.sessionid: 0c3a31bad387862bbe7b9a88f44}
	Session ID: 0c3a31bad387862bbe7b9a88f44e75b7 *** Element info: {Using=class name, value=text-danger}
	at sun.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source)
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance
	(DelegatingConstructorAccessorImpl.java:45)
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)
	at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)
	at org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue
	(JsonHttpResponseCodec.java:40)
	at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode (AbstractHttpResponseCodec.java:80)
	at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode
	(AbstractHttpResponseCodec.java:44)
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByClassName (RemoteWebDriver.java:412)
	at org.openqa.selenium.By\$ByClassName.findElement(By.java:389)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement
	(DefaultElementLocator.java:69)
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke (LocatingElementHandler.java:38)
	at com.sun.proxy.\$Proxy17.isDisplayed(Unknown Source)
	at vn.asiantech.page.login.LoginPage.errorMessageIsDisplayed(LoginPage.java:57)
	at stepdefs.login.PortalLoginDefinitions.lambda\$new\$10(PortalLoginDefinitions.java:67)
	at .Then Error message should display and show "Email or password incorrect." (Portal Login.
	feature:34)
Af	ter 0.00s

	reactar e.e.t)				
Af	îter 💮 💮			0.00s	
Ba	ck to Table of Contents				
Sc	enario Outline: Show e	error message			
Pas	ssed: 6	Failed: 0	Undefined: 0	Duration: 2.0s	
Be	efore			0.00s	
	Given I open login pag	0.64s			
	Then Browser should	0.39s			
	When I enter my username with "tien.hoang@asiantech.vn"				
	And I fill in password	0.15s			
	And I click on login by	utton		0.13s	
	Then Error message s	hould display and show	"Email or password incorrect."	0.38s	
Af	îter 💮			0.00s	
Ba	ck to Table of Contents				

Passed: 6	Failed: 0	Undefined: 0	Duration: 4.71s			
Before			0.00s			
Given I open log	in page		2.78s			
Then Browser sh	Then Browser should redirect to ''/auth/login''					
When I enter my	When I enter my username with "tien.hoang@asiantech.vn"					
And I fill in pass	sword with "12345678	88"	0.30s			
And I click on lo	And I click on login button					
Then Error mess	sage should display ar	nd show "Email or password incorrect."	0.37s			
After			0.00s			
Back to Table of Conter	nts					
Scenario Outline: S	how error message					
		TT 1 00 1 0				
Passed: 6	Failed: 0	Undefined: 0	Duration: 4.29s			
Passed: 6 Before	Failed: 0	Undefined: 0	Duration: 4.29s 0.00s			
_ *************************************		Undefined: 0				
Before Given I open log			0.00s			
Given I open log Then Browser sh	in page nould redirect to ''/au		0.00s 2.70s			
Given I open log Then Browser sh	in page nould redirect to ''/au y username with ''tien	th/login''	0.00s 2.70s 0.38s			
Given I open log Then Browser sh When I enter my	in page nould redirect to "/au y username with "tien sword with "3"	th/login''	0.00s 2.70s 0.38s 0.68s			
Given I open log Then Browser sh When I enter my And I fill in pass And I click on lo	in page nould redirect to "/au y username with "tien sword with "3" ogin button	th/login''	0.00s 2.70s 0.38s 0.68s 0.13s			