Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	1	1	0	0	2	50%
Scenarios	11	3	0	0	14	79%
Steps	71	3	0	0	74	96%

Overall Duration: 0h 01m 57s

Table of Contents

- 1. Check Login and logout
 - 1. I open homepage and check my certificate, if url redirect to login page then I login with my account
- 2. Check Login AT Portal
 - 1. Login success with correct account
 - 2. Login button is disabled when not validated
 - 3. Login button is disabled when not validated
 - 4. Login button is disabled when not validated
 - 5. Login button is disabled when not validated
 - 6. Login button is disabled when not validated
 - 7. Login button is disabled when not validated
 - 8. Show error message
 - 9. Show error message
 - 10. Show error message
 - 11. Show error message
 - 12. Show error message
 - 13. Show error message

Detailed Results Report

Passed: 1	Failed: 0	Undefined: 0	Duration: 11.21s		
Scenario: I ope my account	en homepage and	check my certificate, if	url redirect to login page then I login wit		
Passed: 2	Failed: (Undefir	ned: 0 Duration: 11.2		
Before			0.00s		
Given I am	logged in as a tear	n manager	10.24s		
Given I am	an unauthenticate	ed user	0.98s		
After			0.00s		
Back to Table of Contents					
Feature: Check Login AT Portal					
As an employee of the company					

ed: 10	Failed: 3	ndefined: 0 Duration	n: 46.31s
Scenario: Login s	success with correct acc	count	
Passed: 5	Failed: 1	Undefined: 0	Duration: 13.8
Before			0.00s
Given I open l	ogin page		1.99s
Then Browser	should redirect to "/au	uth/login''	0.25s
When I enter	my username		0.52s
And I fill in pa	assword		0.26s
And I click on	login button		0.33s
Then I should	see the welcome messa	ge	10.49s
OS X', os.arch Driver info: or Capabilities {a false, browser	e: 'x86_64', os.version: 'rg.openqa.selenium.ren ncceptInsecureCerts: fa ConnectionEnabled: fa	ip: 'fe80:0:0:0:0:a7:7328:3361:e31 '10.13.2', java.version: '1.8.0_17 note.RemoteWebDriver alse, acceptSslCerts: false, applicalse, browserName: chrome, chro	1' cationCacheEnabled:
Chromium), {debuggerAdd javascriptEna nativeEvents: LINUX, platfo strictFileInter {implicit: 0, pa unhandledPro webdriver.ren Session ID: 7a at org.openqa, at vn.asiantecl at vn.asiantecl at stepdefs.log	cssSelectorsEnabled: thess: localhost:34251}, bled: true, locationContrue, networkConnectionMame: LINUX, proactability: false, takesHageLoad: 300000, scriptomptBehavior: ignore, whote.sessionid: 7a82f1ae19f39ae2010bd0d.selenium.support.ui.Wh.selenium.support.ui.Flabase.BasePage.waitFoh.page.home.HomePagein.PortalLoginDefinition	(12b89733300bd2, userDataDintrue, databaseEnabled: false, god handlesAlerts: true, hasTouchSatextEnabled: true, mobileEmulationEnabled: false, pageLoadStratoxy: Proxy(), rotatable: false, settleapSnapshot: true, takesScreent: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStorage19f39ae2010bd0ff21f} off21f866e4 debDriverWait.timeoutExceptionuentWait.until(FluentWait.javaorElement(BasePage.java:30) e.waitForWelcomeMessage(Honons.lambda\$new\$8(PortalLoginlessage(PortalLogin.feature:15)	r: /tmp/.org.chromium. og:chromeOptions: Screen: false, ationEnabled: false, ategy: normal, platform: WindowRect: true, ashot: true, timeouts: viour: ignore, geEnabled: true, n(WebDriverWait.java:9 :272) nePage.java:63)
Chromium), {debuggerAdd javascriptEna nativeEvents: LINUX, platfo strictFileInter {implicit: 0, pa unhandledPro webdriver.ren Session ID: 7a at org.openqa. at vn.asiantecl at vn.asiantecl at stepdefs.log at .Then I show	cssSelectorsEnabled: thess: localhost:34251}, bled: true, locationContrue, networkConnectionMame: LINUX, proactability: false, takesHageLoad: 300000, scriptomptBehavior: ignore, vnote.sessionid: 7a82f1a682f1ae19f39ae2010bd0.selenium.support.ui.W.selenium.support.ui.Flabase.BasePage.waitFoh.page.home.HomePagein.PortalLoginDefinitionld see the welcome me	true, databaseEnabled: false, god, handlesAlerts: true, hasTouchSatextEnabled: true, mobileEmulationEnabled: false, pageLoadStratexy: Proxy(), rotatable: false, set HeapSnapshot: true, takesScreent: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStorage19f39ae2010bd0ff21f} ff21f866e4 /ebDriverWait.timeoutExceptionuentWait.until(FluentWait.javaorElement(BasePage.java:30) e.waitForWelcomeMessage(Homons.lambda\$new\$8(PortalLoginlogis)	r: /tmp/.org.chromium. og:chromeOptions: Screen: false, ationEnabled: false, ategy: normal, platform: WindowRect: true, ashot: true, timeouts: viour: ignore, geEnabled: true, (WebDriverWait.java:9 :272) mePage.java:63) Definitions.java:58)
Chromium), {debuggerAdd javascriptEna nativeEvents: LINUX, platfo strictFileInter {implicit: 0, pa unhandledPro webdriver.ren Session ID: 7a at org.openqa. at vn.asiantecl at vn.asiantecl at stepdefs.log at .Then I show	cssSelectorsEnabled: thess: localhost:34251}, bled: true, locationContrue, networkConnectionMame: LINUX, proactability: false, takesHageLoad: 300000, scriptomptBehavior: ignore, vnote.sessionid: 7a82f1a682f1ae19f39ae2010bd0.selenium.support.ui.W.selenium.support.ui.Flabase.BasePage.waitFoh.page.home.HomePagein.PortalLoginDefinitionld see the welcome me	true, databaseEnabled: false, god, handlesAlerts: true, hasTouchSatextEnabled: true, mobileEmulationEnabled: false, pageLoadStratexy: Proxy(), rotatable: false, set HeapSnapshot: true, takesScreent: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStorage19f39ae2010bd0ff21f} ff21f866e4 debDriverWait.timeoutExceptionuentWait.until(FluentWait.javatorElement(BasePage.java:30) e.waitForWelcomeMessage(Honons.lambda\$new\$8(PortalLoginlessage(P	r: /tmp/.org.chromium. og:chromeOptions: Screen: false, ationEnabled: false, ategy: normal, platform: WindowRect: true, ashot: true, timeouts: viour: ignore, geEnabled: true, (WebDriverWait.java:9 :272) mePage.java:63) Definitions.java:58)
Chromium), {debuggerAdd javascriptEna nativeEvents: LINUX, platfo strictFileInter {implicit: 0, pa unhandledPro webdriver.ren Session ID: 7a at org.openqa. at vn.asiantecl at vn.asiantecl at stepdefs.log at .Then I show	cssSelectorsEnabled: thess: localhost:34251}, bled: true, locationContrue, networkConnectionMame: LINUX, proactability: false, takesHageLoad: 300000, scriptomptBehavior: ignore, whote.sessionid: 7a82f1ae19f39ae2010bd0; selenium.support.ui.W. selenium.support.ui.Flabase.BasePage.waitFoh.page.home.HomePagein.PortalLoginDefinitionuld see the welcome meantents	true, databaseEnabled: false, god, handlesAlerts: true, hasTouchSatextEnabled: true, mobileEmulationEnabled: false, pageLoadStratexy: Proxy(), rotatable: false, set HeapSnapshot: true, takesScreent: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStorage19f39ae2010bd0ff21f} ff21f866e4 debDriverWait.timeoutExceptionuentWait.until(FluentWait.javatorElement(BasePage.java:30) e.waitForWelcomeMessage(Honons.lambda\$new\$8(PortalLoginlessage(P	r: /tmp/.org.chromium. og:chromeOptions: Screen: false, ationEnabled: false, ategy: normal, platform: WindowRect: true, ashot: true, timeouts: viour: ignore, geEnabled: true, n(WebDriverWait.java:9 :272) mePage.java:63) Definitions.java:58)
Chromium), {debuggerAdd javascriptEna nativeEvents: LINUX, platfo strictFileInter {implicit: 0, pa unhandledPro webdriver.ren Session ID: 7a at org.openqa. at org.openqa. at vn.asiantecl at vn.asiantecl at the I show After Sech to Table of Cor Scenario Outline	cssSelectorsEnabled: thess: localhost:34251}, bled: true, locationContrue, networkConnectionMame: LINUX, proactability: false, takesHageLoad: 300000, scriptomptBehavior: ignore, value.sessionid: 7a82f1ae82f1ae19f39ae2010bd0.selenium.support.ui.W.selenium.support.ui.Fla.base.BasePage.waitFoh.page.home.HomePagein.PortalLoginDefinitionald see the welcome mediatents Login button is disable	true, databaseEnabled: false, god handlesAlerts: true, hasTouchSatextEnabled: true, mobileEmulationEnabled: false, pageLoadStratoxy: Proxy(), rotatable: false, set HeapSnapshot: true, takesScreent: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStorage19f39ae2010bd0ff21f} ff21f866e4 /ebDriverWait.timeoutExceptionuentWait.until(FluentWait.javaorElement(BasePage.java:30) e.waitForWelcomeMessage(Honons.lambda\$new\$8(PortalLoginlessage(Port	r: /tmp/.org.chromium. og:chromeOptions: Screen: false, ationEnabled: false, ategy: normal, platform: WindowRect: true, ashot: true, timeouts: viour: ignore, geEnabled: true, n(WebDriverWait.java:9:272) mePage.java:63) Definitions.java:58)
Chromium), {debuggerAdd javascriptEna nativeEvents: LINUX, platfo strictFileInter {implicit: 0, pa unhandledPro webdriver.ren Session ID: 7a at org.openqa. at vn.asiantecl at vn.asiantecl at stepdefs.log at .Then I show After Back to Table of Cor Scenario Outlines Passed: 5 Before	cssSelectorsEnabled: the diress: localhost:34251}, bled: true, locationContrue, networkConnectionMame: LINUX, proactability: false, takesHageLoad: 300000, scriptomptBehavior: ignore, whote.sessionid: 7a82f1ae19f39ae2010bd00.selenium.support.ui.Wh.selenium.support.ui.Wh.selenium.support.ui.Flen.base.BasePage.waitFolen.page.home.HomePagein.PortalLoginDefinitionald see the welcome members: Login button is disable Failed: 0	true, databaseEnabled: false, god handlesAlerts: true, hasTouchSatextEnabled: true, mobileEmulationEnabled: false, pageLoadStratoxy: Proxy(), rotatable: false, set HeapSnapshot: true, takesScreent: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStorage19f39ae2010bd0ff21f} ff21f866e4 /ebDriverWait.timeoutExceptionuentWait.until(FluentWait.javaorElement(BasePage.java:30) e.waitForWelcomeMessage(Honons.lambda\$new\$8(PortalLoginlessage(Port	r: /tmp/.org.chromium. og:chromeOptions: Screen: false, ationEnabled: false, ategy: normal, platform: WindowRect: true, ashot: true, timeouts: viour: ignore, geEnabled: true, n(WebDriverWait.java:9 :272) nePage.java:63) Definitions.java:58) 0.00s
Chromium), {debuggerAdd javascriptEna nativeEvents: LINUX, platfo strictFileInter {implicit: 0, pa unhandledPro webdriver.ren Session ID: 7a at org.openqa. at org.openqa. at vn.asiantecl at vn.asiantecl at stepdefs.log at .Then I show After Back to Table of Cor Scenario Outline Passed: 5 Before Given I open I	cssSelectorsEnabled: the diress: localhost:34251}, bled: true, locationContrue, networkConnectionMame: LINUX, professed actability: false, takesHageLoad: 300000, scriptomptBehavior: ignore, value.sessionid: 7a82f1ae82f1ae19f39ae2010bd0.selenium.support.ui.Waselenium.support.ui.Flabase.BasePage.waitFoh.page.home.HomePagein.PortalLoginDefinitionald see the welcome mediatents Login button is disable failed: 0	true, databaseEnabled: false, god, handlesAlerts: true, hasTouchSatextEnabled: true, mobileEmulationEnabled: false, pageLoadStratoxy: Proxy(), rotatable: false, set HeapSnapshot: true, takesScreent: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStorage19f39ae2010bd0ff21f} ff21f866e4 /ebDriverWait.timeoutExceptionuentWait.until(FluentWait.javaorElement(BasePage.java:30) e.waitForWelcomeMessage(Honons.lambda\$new\$8(PortalLoginlessage(Port	r: /tmp/.org.chromium. og:chromeOptions: Screen: false, ationEnabled: fa
Chromium), {debuggerAdd javascriptEna nativeEvents: LINUX, platfo strictFileInter {implicit: 0, pa unhandledPro webdriver.ren Session ID: 7a at org.openqa. at org.openqa. at vn.asiantecl at vn.asiantecl at stepdefs.log at .Then I show After Back to Table of Cor Scenario Outlines Cassed: 5 Before Given I open I Then Browser	cssSelectorsEnabled: the diress: localhost:34251}, bled: true, locationContrue, networkConnectionMame: LINUX, proactability: false, takesHageLoad: 300000, scriptomptBehavior: ignore, whote.sessionid: 7a82f1ae19f39ae2010bd00.selenium.support.ui.Wh.selenium.support.ui.Wh.selenium.support.ui.Flen.base.BasePage.waitFolen.page.home.HomePagein.PortalLoginDefinitionald see the welcome members: Login button is disable Failed: 0	true, databaseEnabled: false, god, handlesAlerts: true, hasTouchSatextEnabled: true, mobileEmulationEnabled: false, pageLoadStratexy: Proxy(), rotatable: false, set HeapSnapshot: true, takesScreent: 30000}, unexpectedAlertBehaversion: 71.0.3578.98, webStorage19f39ae2010bd0ff21f} ff21f866e4 debDriverWait.timeoutExceptionuentWait.until(FluentWait.javatorElement(BasePage.java:30) e.waitForWelcomeMessage(Honons.lambda\$new\$8(PortalLoginlessage(PortalLogin.feature:15)	r: /tmp/.org.chromium. og:chromeOptions: Screen: false, ationEnabled: false, ategy: normal, platform: WindowRect: true, ashot: true, timeouts: viour: ignore, geEnabled: true, n(WebDriverWait.java:9 :272) nePage.java:63) Definitions.java:58) 0.00s

Then Login button	will be disabled		0.09s
After			0.00s
Back to Table of Contents			
Scenario Outline: Log	gin button is disab	led when not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 1.63s
Before			0.00s
Given I open login	page		0.81s
Then Browser show	uld redirect to ''/a	uth/login''	0.24s
When I enter my u	0.32s		
And I fill in passwo	0.17s		
Then Login button	0.10s		
After			0.00s
Back to Table of Contents			
Scenario Outline: Log	gin button is disab	led when not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 2.56s
Before			0.00s
Given I open login	page		1.34s
Then Browser show	uld redirect to ''/aı	uth/login''	0.19s
When I enter my u	sername with "tie	n,hoang@asiantech.vn''	0.58s
And I fill in passw			0.27s
Then Login button	will be disabled		0.18s
After			0.00s
Back to Table of Contents			
Scenario Outline: Log	gin button is disab	led when not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 1.7s
Before			0.00s
Given I open login	page		1.07s
Then Browser show		uth/login''	0.18s
When I enter my u	sername with "Te	est''	0.23s
And I fill in passw	ord with ''''		0.12s
Then Login button	will be disabled		0.11s
After			0.00s
Back to Table of Contents			
Scenario Outline: Log	gin button is disab	led when not validated	
Passed: 5	Failed: 0	Undefined: 0	Duration: 1.86s
Before			0.00s
Given I open login	page		1.11s
Then Browser show		uth/login''	0.32s
When I enter my u			0.17s
And I fill in passw			0.18s
Then Login button			0.09s
After			0.00s
Back to Table of Contents			

Passed: 5		
	button is disabled when not validated Failed: 0 Undefined: 0	Duration: 1.52s
Before		0.00s
Given I open login pag	Te	0.90s
	redirect to ''/auth/login''	0.22s
When I enter my user		0.18s
And I fill in password		0.16s
Then Login button wil		0.06s
After		0.00s
Back to Table of Contents		100000
Scenario Outline: Show e	error message	
Passed: 6	Failed: 0 Undefined: 0	Duration: 3.28s
Before		0.00s
Given I open login pag	Te .	2.12s
1 0 1	redirect to ''/auth/login''	0.35s
	name with "tien.hoang@asiantech.vn"	0.44s
And I fill in password		0.11s
And I click on login bu		0.13s
	hould display and show "Email or password incorrect."	0.14s
After	moura display and show 2 mail of pass word meetitees	0.00s
Back to Table of Contents		0.003
Scenario Outline: Show e	APPAR MASSAGA	
	Failed: 1 Undefined: 0	Duration: 3.15s
Before	Tancar i	
2 01010		IU.UUS
Civon Lonon login noc	70	0.00s
Given I open login pag		1.05s
Then Browser should	redirect to ''/auth/login''	1.05s 0.24s
Then Browser should When I enter my user	redirect to ''/auth/login'' name with ''tien.hoang@asiantech.vn''	1.05s 0.24s 0.35s
Then Browser should When I enter my users And I fill in password	redirect to ''/auth/login'' name with ''tien.hoang@asiantech.vn'' with ''12345''	1.05s 0.24s 0.35s 0.13s
Then Browser should When I enter my users And I fill in password And I click on login bu	redirect to ''/auth/login'' name with ''tien.hoang@asiantech.vn'' with ''12345''	1.05s 0.24s 0.35s

```
false, browserConnectionEnabled: false, browserName: chrome, chrome:
{chromedriverVersion: 2.45.615279 (12b89733300bd2..., userDataDir: /tmp/.org.chromium.
Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, goog:chromeOptions:
{debuggerAddress: localhost:34251}, handlesAlerts: true, hasTouchScreen: false,
javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false,
nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:
LINUX, platformName: LINUX, proxy: Proxy(), rotatable: false, setWindowRect: true,
strictFileInteractability: false, takesHeapSnapshot: true, takesScreenshot: true, timeouts:
{implicit: 0, pageLoad: 300000, script: 30000}, unexpectedAlertBehaviour: ignore,
unhandledPromptBehavior: ignore, version: 71.0.3578.98, webStorageEnabled: true,
webdriver.remote.sessionid: 7a82f1ae19f39ae2010bd0ff21f...}
Session ID: 7a82f1ae19f39ae2010bd0ff21f866e4
*** Element info: {Using=class name, value=text-danger}
at sun.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
at org.openga.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)
at org.openga.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)
at org.openga.selenium.remote.http.JsonHttpResponseCodec.reconstructValue
(JsonHttpResponseCodec.java:40)
at org.openga.selenium.remote.http.AbstractHttpResponseCodec.decode
(AbstractHttpResponseCodec.java:80)
at org.openga.selenium.remote.http.AbstractHttpResponseCodec.decode
(AbstractHttpResponseCodec.java:44)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByClassName
(RemoteWebDriver.java:412)
at org.openqa.selenium.By$ByClassName.findElement(By.java:389)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement
(DefaultElementLocator.java:69)
at org.openga.selenium.support.pagefactory.internal.LocatingElementHandler.invoke
(LocatingElementHandler.java:38)
at com.sun.proxy.$Proxy17.isDisplayed(Unknown Source)
at vn.asiantech.page.login.LoginPage.errorMessageIsDisplayed(LoginPage.java:57)
at stepdefs.login.PortalLoginDefinitions.lambda$new$10(PortalLoginDefinitions.java:67)
at .Then Error message should display and show "Email or password incorrect." (PortalLogin.
feature:34)
```

Af	ter			0.00s		
Bac	Back to Table of Contents					
Sco	Scenario Outline: Show error message					
Pas	Passed: 5 Failed: 1 Undefined: 0		Duration: 5.32s			
Before			0.00s			
	Given I open login page			0.98s		
	Then Browser should redirect to ''/auth/login''			0.20s		
	When I enter my username with "tien.hoang@asiantech.vn"			0.75s		

And I fill in password with "123abc!@#"	0.72s
And I click on login button	0.72s 0.14s
Then Error message should display and show "Email or password incorrect."	2.52s
Then Error message should display and show. Email or password incorrect.	2.525
org.openqa.selenium.StaleElementReferenceException: stale element reference attached to the page document (Session info: chrome=71.0.3578.98) (Driver info: chromedriver=2.45.615279 (12b89733300bd268cff3b78fc76cb8f3arplatform=Linux 4.9.125-linuxkit x86_64) (WARNING: The server did not prov stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/stale_element_reference.html Build info: version: '3.141.5', revision: 'd54ebd709a', time: '2018-11-06T11:42:15 System info: host: 'MBA0163.local', ip: 'fe80:0:0:0:a7:7328:3361:e312%en0', os OS X', os.arch: 'x86_64', os.version: '10.13.2', java.version: '1.8.0_171' Driver info: org.openqa.selenium.remote.RemoteWebDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCach	7cc44e5), ide any 16' s.name: 'Mac
false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 2.45.615279 (12b89733300bd2, userDataDir: /tmp/.orgChromium}, cssSelectorsEnabled: true, databaseEnabled: false, goog:chrome {debuggerAddress: localhost:34251}, handlesAlerts: true, hasTouchScreen: falsi javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnable nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normLINUX, platformName: LINUX, proxy: Proxy(), rotatable: false, setWindowRostrictFileInteractability: false, takesHeapSnapshot: true, takesScreenshot: true, {implicit: 0, pageLoad: 300000, script: 30000}, unexpectedAlertBehaviour: ignorunhandledPromptBehavior: ignore, version: 71.0.3578.98, webStorageEnabled: webdriver.remote.sessionid: 7a82f1ae19f39ae2010bd0ff21f} Session ID: 7a82f1ae19f39ae2010bd0ff21f866e4	g.chromium. Options: se, led: false, nal, platform: ect: true, , timeouts:
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorI	AccessorImpl.
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)	
at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue(JsonHttpResponseCodec.java:40)	ndler.java:166)
at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode (AbstractHttpResponseCodec.java:80) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode	
(AbstractHttpResponseCodec.java:44) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommand158)	dExecutor.java:
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.org.openqa.selenium.remote.RemoteWebElement.org.openqa.selenium.org.openqa.se	ent.java:285) lement.java:326)

at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke (LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy17.isDisplayed(Unknown Source) at vn.asiantech.page.login.LoginPage.errorMessageIsDisplayed(LoginPage.java:57) at stepdefs.login.PortalLoginDefinitions.lambda\$new\$10(PortalLoginDefinitions.java:67) at .Then Error message should display and show "Email or password incorrect."(PortalLogin.feature:34)					
After	0.00s				
Back to Table of Contents	Back to Table of Contents				
Scenario Outline: Show	error message				
Passed: 6	Failed: 0 Undefined: 0	Duration: 3.34s			
Before		0.00s			
Given I open login pa	ge	1.01s			
	redirect to ''/auth/login''	0.16s			
	rname with "tien.hoang@asiantech.vn"	0.53s			
And I fill in password	9	0.67s			
And I click on login b		0.13s			
	should display and show "Email or password incorrect."	0.84s			
After		0.00s			
Back to Table of Contents					
Scenario Outline: Show	error message				
Passed: 6	Failed: 0 Undefined: 0	Duration: 2.54s			
Before	and. v	0.00s			
Given I open login pa	go.	0.90s			
	redirect to ''/auth/login''	0.90s 0.21s			
	rname with "tien.hoang@asiantech.vn"	0.218 0.67s			
And I fill in password	9	0.078 0.20s			
		0.20s 0.21s			
	And I click on login button Then Error message should display and show "Email or password incorrect."				
	Blould display and show Email or password incorrect.	0.35s			
After		0.00s			
Back to Table of Contents					
Scenario Outline: Show error message					
Passed: 6	Failed: 0 Undefined: 0	Duration: 3.11s			
Before		0.00s			
Given I open login pa		1.10s 0.28s			
	Then Browser should redirect to "/auth/login"				
	When I enter my username with "tien.hoang@asiantech.vn" 0.55s And I fill in password with "3" 0.37s				
	And I fill in password with "3"				
	And I click on login button				
Then Error message s	should display and show "Email or password incorrect."	0.36s			
After		0.00s			
Back to Table of Contents					