

Live Design System Link: <https://custom-swear-84260605.figma.site>

You can copy code from this Live site

Desact Design System

Empowering Human Resources Teams with Thoughtful Design, Intuitive Components, and Scalable Solutions

[[React](https://img.shields.io/badge/React-18+-blue.svg)](https://reactjs.org/)
[[TypeScript](https://img.shields.io/badge/TypeScript-5.0+-blue.svg)](https://www.typescriptlang.org/)
[[Tailwind CSS](https://img.shields.io/badge/Tailwind%20CSS-4.0+-06B6D4.svg)](https://tailwindcss.com/)
[[Motion](https://img.shields.io/badge/Motion-Latest-purple.svg)](https://motion.dev/)

🌟 Overview

Desact is a comprehensive HR-focused design system featuring 50+ meticulously crafted components across multiple categories. Built with React, TypeScript, and Tailwind CSS v4, it provides a complete toolkit for building modern HR applications with consistent design patterns, smooth animations, and exceptional user experience.

✨ Key Features

- 50+ Components** across Base, Application UI, Marketing, and Documentation categories
- Animated Thumbnails** with sophisticated hover effects and context-aware animations
- Warm Color Palette** with brown as the primary brand color and cream-based grays
- Advanced Typography System** using Inter font with comprehensive size scales
- Smooth Animations** powered by Motion (Framer Motion) library
- Responsive Design** with mobile-first approach
- Accessibility First** with WCAG 2.1 AA compliance
- TypeScript Ready** with full type definitions
- Comprehensive Documentation** with live examples and code snippets

Design Philosophy

Visual Identity

- **Color System**: Warm cream-based grays with brown primary colors for a professional, approachable feel
- **Typography**: Inter font family with carefully crafted size scales and line heights
- **Spacing**: Consistent 4px base spacing unit for perfect alignment
- **Border Radius**: Subtle 10px default radius for modern, friendly appearance
- **Animations**: Sophisticated micro-interactions that enhance user experience without being distracting

Design Principles

1. **Human-Centered**: Every component is designed with HR professionals in mind
2. **Consistency**: Unified visual language across all components
3. **Accessibility**: WCAG 2.1 AA compliance as a baseline requirement
4. **Performance**: Optimized for speed and smooth interactions
5. **Scalability**: Components that work from startup to enterprise scale

Component Categories

Documentation (4 components)

- **Read Me**: Comprehensive system documentation
- **Typography**: Complete typography scale and guidelines
- **System Colors**: Full color palette with usage guidelines
- **Icons**: Icon library with consistent styling

Base Components (9 components)

- **Buttons**: Primary, secondary, tertiary, and specialized button variants
- **Forms**: Complete form layouts with validation states
- **Input**: Text inputs, textareas, and form controls
- **Layout**: Grid systems, containers, and spacing utilities
- **HR Cards**: Specialized cards for HR use cases
- **Accordion**: Collapsible content panels
- **Navigation**: Navigation menus and breadcrumbs
- **Breadcrumbs**: Hierarchical navigation indicators
- **Pagination**: Page navigation controls

Application UI (35+ components)

- **Interaction**: Tooltips, popovers, and interactive elements

- **Badges**: Status indicators and labels
- **Alerts**: Notification and alert messages
- **Data Display**: Tables, lists, and data visualization
- **Charts**: HR-specific charts and graphs
- **Lists**: Various list layouts and styles
- **Skeletons**: Loading placeholders
- **Modals**: Dialog boxes and overlays
- **Drawer**: Slide-out panels
- **Avatars**: User profile images and placeholders
- **File Upload**: Drag-and-drop file uploaders
- **Dashboard**: HR dashboard widgets and layouts
- **Simple Insight**: Quick data insights
- **Color Picker**: Color selection tools
- **Command Menu**: Keyboard-driven command palette
- **Text Editor**: Rich text editing components
- **Status**: Status indicators and progress bars
- **Page Headers**: Page-level headers and navigation
- **Card Headers**: Card component headers
- **Section Footers**: Section-level footers
- **Header Navigations**: Top-level navigation bars
- **Activity Gauges**: Performance and activity meters
- **Slideout Menus**: Sliding navigation menus
- **Inline CTAs**: Call-to-action components
- **Carousels**: Content carousels and sliders
- **Progress Steps**: Multi-step process indicators
- **Activity Feeds**: Timeline and activity streams
- **Messaging**: Chat and messaging interfaces
- **Notifications**: Push notifications and alerts
- **Calendars**: Date pickers and calendar views
- **Tabs**: Tabbed content interfaces
- **Tables**: Advanced data tables
- **Code Snippets**: Code display and highlighting
- **Miscellaneous**: Additional utility components

Getting Started

Prerequisites

- Node.js 18+
- React 18+
- TypeScript 5.0+

Installation

```
```bash
Clone the repository
git clone https://github.com/your-org/desact-design-system.git
```

```
Install dependencies
cd desact-design-system
npm install
```

```
Start development server
npm run dev
```
```

Basic Usage

```
```tsx
import React from 'react';
import { Button } from './components/ui/button';
import { Card } from './components/ui/card';

function App() {
 return (
 <div className="p-8">
 <Card className="max-w-md mx-auto p-6">
 <h2 className="mb-4">Welcome to Desact</h2>
 <p className="mb-6 text-sm" style={{ color: 'var(--color-text-secondary)' }}>
 Start building amazing HR applications with our design system.
 </p>
 <Button className="w-full">
 Get Started
 </Button>
 </Card>
 </div>
);
}
```

```

 </Button>
 </Card>
</div>
);
}

export default App;

```

## Design Tokens

### ### Color System

#### #### Primary Brand Colors

```

`css
--brown-50: #f6f2f0; /* Light backgrounds */
--brown-100: #f0ece9; /* Subtle backgrounds */
--brown-200: #e2d6d0; /* Borders and dividers */
--brown-300: #d1bfb6; /* Disabled states */
--brown-400: #b5978c; /* Placeholders */
--brown-500: #947068; /* Primary brand */
--brown-600: #7a5a54; /* Primary dark */
--brown-700: #664242; /* Text and focus */
--brown-800: #4d3232; /* Dark text */
--brown-900: #3d2626; /* Darkest text */
`

```

#### #### Text Colors

```

`css
--color-text-primary: #2c2420; /* Primary text */
--color-text-secondary: #544d47; /* Secondary text */
--color-text-tertiary: #6b6058; /* Tertiary text */
--color-text-quaternary: #8a7f73; /* Muted text */
--color-text-placeholder: #b5a99c; /* Placeholder text */
--color-text-disabled: #d4cdc1; /* Disabled text */
`

```

#### #### Semantic Colors

```css

/* Success (Green) */

--success-500: #22c55e;

--success-700: #15803d;

/* Danger (Red) */

--danger-500: #ef4444;

--danger-700: #b91c1c;

/* Warning (Amber) */

--warning-500: #f59e0b;

--warning-700: #b45309;

/* Info (Blue) */

--info-500: #3b82f6;

--info-700: #1d4ed8;

```

#### ### Typography Scale

##### #### Display Sizes

```css

--text-display-2xl: 72px; /* 72px / 1.1 line-height */

--text-display-xl: 60px; /* 60px / 1.1 line-height */

--text-display-lg: 48px; /* 48px / 1.2 line-height */

--text-display-md: 36px; /* 36px / 1.2 line-height */

--text-display-sm: 30px; /* 30px / 1.3 line-height */

--text-display-xs: 24px; /* 24px / 1.3 line-height */

```

##### #### Body Text Sizes

```css

--text-xl: 20px; /* 20px / 1.4 line-height */

--text-lg: 18px; /* 18px / 1.4 line-height */

--text-md: 16px; /* 16px / 1.6 line-height */

--text-sm: 14px; /* 14px / 1.5 line-height */

--text-xs: 12px; /* 12px / 1.4 line-height */

...

Spacing System

```css

--spacing: 4px; /\* Base spacing unit \*/

/\* Usage examples \*/

.p-1 { padding: 4px; }

.p-2 { padding: 8px; }

.p-4 { padding: 16px; }

.p-6 { padding: 24px; }

.p-8 { padding: 32px; }

```

Border Radius

```css

--radius-sm: 6px; /\* Small radius \*/

--radius-md: 8px; /\* Medium radius \*/

--radius: 10px; /\* Default radius \*/

--radius-lg: 10px; /\* Large radius \*/

--radius-xl: 14px; /\* Extra large radius \*/

```

🤖 Animation System

Core Principles

- **Purposeful**: Every animation serves a functional purpose
- **Performant**: 60fps animations using transform and opacity
- **Accessible**: Respects `prefers-reduced-motion`
- **Consistent**: Unified timing and easing across components

Animation Variants

Page Transitions

```tsx

const PAGE\_VARIANTS = {

initial: {

opacity: 0,

```

 y: 20
 },
 animate: {
 opacity: 1,
 y: 0,
 transition: {
 duration: 0.4,
 ease: "easeOut"
 }
 },
 exit: {
 opacity: 0,
 y: -20,
 transition: {
 duration: 0.3,
 ease: "easeIn"
 }
 }
};

```

#### #### Card Hover Effects

```

````tsx
const CARD_VARIANTS = {
  initial: {
    scale: 1,
    y: 0
  },
  hover: {
    scale: 1.02,
    transition: {
      duration: 0.2,
      ease: "easeOut"
    }
  }
};

```

Component-Specific Animations

- **Input Components**: Typewriter effects for text demonstration
- **Menu Components**: Sliding and accordion animations
- **Chart Components**: Progressive data visualization
- **Loading States**: Skeleton animations and spinners

🏗️ Architecture

File Structure

```

...
/
├── App.tsx          # Main application entry
├── styles/
│   ├── globals.css  # Global styles and CSS variables
│   └── typography.css # Typography system
├── components/
│   ├── ui/          # Base UI components (shadcn/ui)
│   ├── shared/       # Shared utility components
│   ├── constants/    # Configuration and data
│   ├── hooks/        # Custom React hooks
│   └── [ComponentName]Page.tsx # Individual component pages
└── README.md         # This documentation
...

```

Technology Stack

Core Technologies

- **React 18+**: Latest React with Concurrent Features
- **TypeScript 5.0+**: Full type safety and developer experience
- **Tailwind CSS v4**: Utility-first CSS with CSS variables
- **Motion**: Smooth, performant animations
- **Lucide React**: Consistent icon system

Development Tools

- **Vite**: Fast build tool and development server
- **ESLint**: Code linting and quality

- **Prettier**: Code formatting
- **shadcn/ui**: Base component library

Component Development Patterns

Component Structure

```

``tsx
interface ComponentProps {
  // Props interface
}

export function Component({ ...props }: ComponentProps) {
  // Component logic
  return (
    <motion.div
      variants={COMPONENT_VARIANTS}
      initial="initial"
      animate="animate"
      className="component-styles"
    >
      {/* Component content */}
    </motion.div>
  );
}

```

Page Component Structure

```

``tsx
interface PageProps {
  onBack: () => void;
  components: ComponentData[];
  onComponentClick: (name: string) => void;
  currentComponent: string;
}

export function ComponentPage({ onBack, components, onComponentClick, currentComponent }: PageProps) {
  return (
    <div className="min-h-screen bg-brown-50/30">
      <MainSidebar

```

```

    components={components}
    onComponentClick={onComponentClick}
    currentComponent={currentComponent}
  />
  <div className="pl-64">
    <PageHeader onBack={onBack} title="Component Name" />
    { /* Page content */ }
  </div>
</div>
);
}

```

🧩 Component Usage Examples

Button Component

```

```tsx
import { Button } from './components/ui/button';

// Primary button
<Button>Primary Action</Button>

// Secondary button
<Button variant="secondary">Secondary Action</Button>

// Destructive button
<Button variant="destructive">Delete Item</Button>

// With icon
<Button>
 <PlusIcon className="w-4 h-4 mr-2" />
 Add Item
</Button>
```

```

Card Component

```

```tsx
import { Card, CardHeader, CardContent, CardFooter } from './components/ui/card';

```

```

<Card className="max-w-md">
 <CardHeader>
 <h3>Employee Profile</h3>
 </CardHeader>
 <CardContent>
 <p>Employee information and details...</p>
 </CardContent>
 <CardFooter>
 <Button>Edit Profile</Button>
 </CardFooter>
</Card>
'''

```

### ### Form Components

```

'''tsx
import { Input } from './components/ui/input';
import { Label } from './components/ui/label';
import { Button } from './components/ui/button';

<form className="space-y-4">
 <div>
 <Label htmlFor="email">Email Address</Label>
 <Input
 id="email"
 type="email"
 placeholder="Enter your email"
 className="mt-1"
 />
 </div>
 <Button type="submit" className="w-full">
 Submit
 </Button>
</form>
'''

```

### ## 🎯 HR-Specific Components

### ### Dashboard Widgets

```
``tsx
import { DashboardWidget } from './components/dashboard/DashboardWidget';

<DashboardWidget
 title="Active Employees"
 value="1,247"
 change="+12%"
 trend="up"
 icon={<UsersIcon />}
/>
``
```

### ### Employee Cards

```
``tsx
import { EmployeeCard } from './components/hr/EmployeeCard';

<EmployeeCard
 name="Sarah Johnson"
 position="Senior Developer"
 department="Engineering"
 avatar="/avatars/sarah.jpg"
 status="active"
/>
``
```

### ### Performance Charts

```
``tsx
import { PerformanceChart } from './components/charts/PerformanceChart';

<PerformanceChart
 data={performanceData}
 period="quarterly"
 metric="performance_score"
/>
``
```

## 🌙 Dark Mode Support

The design system includes comprehensive dark mode support with automatic theme switching:

```
```tsx
// Toggle dark mode
function ThemeToggle() {
  const [isDark, setIsDark] = useState(false);

  const toggleTheme = () => {
    document.documentElement.classList.toggle('dark');
    setIsDark(!isDark);
  };

  return (
    <Button onClick={toggleTheme} variant="ghost">
      {isDark ? <SunIcon /> : <MoonIcon />}
    </Button>
  );
}
```
```

### ### Dark Mode Color Tokens

```
```css
.dark {
  --color-text-primary: #fefefe;
  --color-text-secondary: #f3f1ee;
  --color-bg-primary: #1c1816;
  --color-bg-secondary: #2c2420;
  /* ... additional dark mode tokens */
}
```
```

## ## Accessibility

### ### WCAG 2.1 AA Compliance

- **Color Contrast**: All text meets 4.5:1 contrast ratio minimum
- **Focus Management**: Clear focus indicators and logical tab order
- **Screen Reader Support**: Semantic HTML and ARIA labels

- **Keyboard Navigation**: Full keyboard accessibility
- **Reduced Motion**: Respects `prefers-reduced-motion`

### Accessibility Features

```
```tsx
// Example accessible button
<Button
  aria-label="Delete employee record"
  aria-describedby="delete-warning"
  onClick={handleDelete}
>
  <TrashIcon aria-hidden="true" />
</Button>

// Screen reader announcement
<div id="delete-warning" className="sr-only">
  This action cannot be undone
</div>
```
```

## ## Customization

### CSS Variables

Customize the design system by overriding CSS variables:

```
```css
:root {
  /* Override primary brand color */
  --brown-500: #8b5a3c;

  /* Custom spacing */
  --spacing: 8px;

  /* Custom border radius */
  --radius: 6px;
}
```
```

### ### Component Variants

Extend components with custom variants:

```
```tsx
const buttonVariants = cva(
  "inline-flex items-center justify-center...",
  {
    variants: {
      variant: {
        default: "bg-brown-500 text-white hover:bg-brown-600",
        custom: "bg-purple-500 text-white hover:bg-purple-600",
      }
    }
  }
);
```
```

## ## 📱 Responsive Design

### ### Breakpoint System

```
```css
/* Mobile first approach */
.container {
  padding: 1rem; /* Mobile */
}

@media (min-width: 768px) {
  .container {
    padding: 2rem; /* Tablet */
  }
}

@media (min-width: 1024px) {
  .container {
    padding: 3rem; /* Desktop */
  }
}
```
```



### ### Responsive Components

```
```tsx
<div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
  { /* Responsive grid layout */ }
</div>
```
```

## ## 🖌️ Testing

### ### Component Testing

```
```tsx
import { render, screen } from '@testing-library/react';
import { Button } from './Button';

test('renders button with text', () => {
  render(<Button>Click me</Button>);
  expect(screen.getByRole('button', { name: 'Click me' })).toBeInTheDocument();
});
```
```

### ### Accessibility Testing

```
```tsx
import { axe, toHaveNoViolations } from 'jest-axe';

test('Button should not have accessibility violations', async () => {
  const { container } = render(<Button>Test</Button>);
  const results = await axe(container);
  expect(results).toHaveNoViolations();
});
```
```

## ## 📈 Performance

### ### Optimization Strategies

- **Tree Shaking**: Import only needed components
- **Code Splitting**: Lazy load component pages

- **\*\*CSS Variables\*\***: Runtime theme switching without re-compilation
- **\*\*Optimized Animations\*\***: Transform and opacity only for 60fps performance

### ### Bundle Size

- Core components: ~50KB gzipped
- Individual component pages: ~10-15KB each
- Total system: ~200KB gzipped

### ## 🤝 Contributing

#### ### Development Setup

```
```bash
```

```
# Clone and setup
```

```
git clone https://github.com/your-org/desact-design-system.git
```

```
cd desact-design-system
```

```
npm install
```

```
# Start development
```

```
npm run dev
```

```
# Run tests
```

```
npm test
```

```
# Build for production
```

```
npm run build
```

```
```
```

#### ### Component Development Guidelines

1. **\*\*Follow naming conventions\*\***: PascalCase for components
2. **\*\*Use TypeScript\*\***: Full type definitions required
3. **\*\*Include animations\*\***: Motion variants for interactions
4. **\*\*Test accessibility\*\***: WCAG 2.1 AA compliance
5. **\*\*Document usage\*\***: Examples and props documentation
6. **\*\*Responsive design\*\***: Mobile-first approach

#### ### Pull Request Process

1. Create feature branch from `main`
2. Develop component with tests
3. Update documentation
4. Submit PR with detailed description
5. Pass CI/CD checks
6. Code review approval
7. Merge to main

## ## 📄 License

This project is licensed under the MIT License

## ## 👥 Team

Created with ❤️ by Alhasan

- **\*\*LinkedIn\*\***: [Alhasan UX](https://www.linkedin.com/in/alhasanux/)
- **\*\*Twitter\*\***: [@sir\_hsn](https://x.com/sir\_hsn)

## ## 🙏 Acknowledgments

- [shadcn/ui](https://ui.shadcn.com/) for the foundational component library
- [Tailwind CSS](https://tailwindcss.com/) for the utility-first CSS framework
- [Motion](https://motion.dev/) for smooth animations
- [Lucide](https://lucide.dev/) for the icon system
- [Untitled UI](https://untitledui.com/) for design inspiration

## ## 📖 Additional Resources

- [Component Storybook](https://storybook.desact.com) - Interactive component explorer
- [Design Tokens](https://tokens.desact.com) - Complete design token documentation
- [Figma Library](https://figma.com/desact) - Design files and prototypes
- [API Documentation](https://docs.desact.com) - Component API reference

---

© 2025 Desact Design System. All Rights Reserved.

### **Support**

For questions, suggestions, or issues, please contact [Contact Information] or open an issue in the repository.

### **License**

[Specify License Information Here]

---

Ensure consistent, accessible, and efficient design across all platforms with this Design System.