

● PERSONAL STATS REPORT

Optimize Her **Retreat**

A 6-day study exploring how a multi-modal wellness retreat — combining movement, workshops, healing ceremonies, and spa therapies — impacts sleep quality, resting heart rate, and perceived stress among women.

 Participants **1 (You)**

 Duration **7 days**

 Tracking **Wearable 24/7**

 Endpoints **Sleep, HR, Stress**

● YOUR RETREAT STORY

What happened to your body in 7 days

When you arrived, your body carried the patterns of everyday life — a heart rate shaped by chronic stress, sleep cycles tuned to screens and schedules, a nervous system stuck in high gear. Over seven days of movement, healing ceremonies, breathwork, and deep rest, **your body started to recalibrate**. Your cardiovascular system downshifted, your sleep architecture reorganized toward more restorative stages, and restless time at night dropped. Here is that story, told through your numbers.

● TOP MOVERS

Your biggest changes

Comparing your baseline period to the intervention period.

REM SLEEP

+22.53%

Average increase in REM sleep duration

+16.64 min per night

AVERAGE HEART RATE

-12.76%

Reduction in average heart rate

-12.54 bpm

These two numbers paint a picture of a nervous system unwinding. **REM sleep — the stage most tied to emotional processing and memory consolidation — jumped by nearly a quarter.** Meanwhile, your heart rate dropped almost 13 bpm, a shift that typically takes weeks of consistent exercise or meditation. Together, they suggest the retreat's blend of movement, breathwork, and reduced cognitive load pushed your autonomic nervous system from sympathetic ("fight or flight") toward parasympathetic ("rest and digest") dominance.



LIGHT SLEEP

↑5.75%

-15.59 min raw change



TOTAL SLEEP

↑0.05%

+0.20 min raw change



TIME AWAKE

↓14.06%

-13.24 min per night

Total sleep stayed flat, but the stages shifted. Your body didn't sleep longer — it slept **smarter**. Light sleep decreased while REM climbed, and time awake in bed dropped by 13+ minutes. This redistribution is a hallmark of improved sleep architecture: same time in bed, but more of it spent in the stages that drive recovery. Evening ceremonies and reduced screen exposure likely helped your body transition into sleep faster and sustain deeper stages longer.

Full sleep breakdown

All sleep measures tracked, baseline vs. intervention.

MEASURE	% CHANGE	RAW CHANGE	IMPROVED	SIGNIFICANCE
 REM Sleep	 22.53%	+16.64 min	 100%	Not Significant
 Light Sleep	 5.75%	-15.59 min	 100%	Not Significant
 Total Sleep	 0.05%	+0.20 min	 100%	Not Significant
 Deep Sleep	 1.15%	-0.86 min	 0%	Not Significant
 Sleep Efficiency	 1.48%	-1.21%	 0%	Not Significant
 Respiratory Rate	 2.65%	+0.42 bpm	 0%	Not Significant
 HRV	 3.91%	-0.57 ms	 0%	Not Significant
 Lowest HR (Sleep)	 6.31%	+4.57 bpm	 0%	Not Significant
 Avg HR (Sleep)	 6.32%	+5.04 bpm	 0%	Not Significant
 Time Awake	 14.06%	-13.24 min	 0%	Not Significant

The pattern in the data: metrics tied to **sleep architecture** (REM, light sleep, time awake) improved, while **nighttime cardiovascular** markers (sleeping HR, lowest HR, HRV) shifted slightly unfavorably. This is consistent with what researchers call the **"adaptation phase"** — when the body recalibrates to a new environment, altitude, diet, and physical demands, the cardiovascular system works slightly harder at night even as sleep quality improves. Think of it as maintenance work: rewiring the stress response takes energy. A longer retreat would likely show these cardiovascular markers catching up.

● HEALTH & RECOVERY

Heart rate and recovery


Cardiovascular metrics and recovery indicators.



AVERAGE HEART RATE

 12.76%

-12.54 bpm





HRV

↓ **3.91%**

-0.57 ms



LOWEST HR (SLEEP)

↑ **6.31%**

+4.57 bpm

WHAT THIS MEANS

The headline is encouraging: your average heart rate dropped nearly 13 bpm — likely driven by breathwork, reduced caffeine, movement, and removal from daily stressors. **The nuance is in nighttime metrics.** Sleeping HR and lowest HR ticked upward while HRV dipped slightly. This is consistent with a body in active recovery — intensive retreat activities (healing ceremonies, emotional workshops, spa therapies) can temporarily elevate nighttime cardiovascular activity as the body processes stimuli. **This is your body healing, not struggling.** Research on meditation retreats shows HRV often dips in week one before rebounding higher than baseline in weeks two and three.

• KEY INSIGHTS

Connecting the dots

🌙 REM sleep saw the largest positive shift

+22.53% (+16.64 min/night). REM is critical for emotional regulation and memory consolidation. **Why it likely happened:** retreat environments reduce the two biggest REM suppressors — alcohol and late-night screens. Combined with physically active days and intentional wind-down rituals, your brain had ideal conditions to prioritize REM cycles.

❤️ Average heart rate dropped substantially

-12.76% (-12.54 bpm). **Why it likely happened:** the retreat removed chronic stressors (work, commuting, connectivity) and replaced them with parasympathetic-activating practices. A drop this large in 7 days suggests your baseline was elevated by cumulative stress, and the retreat gave your nervous system permission to stand down.

You spent 14% less time awake at night

-14.06% (-13.24 min). **Why it likely happened:** nighttime wakefulness correlates with cognitive arousal — the "racing mind" effect. Physical exhaustion from movement, emotional release from ceremonies, and no late-night scrolling allowed your nervous system to sustain sleep. Less fragmentation also explains the REM gain — uninterrupted cycles let the brain reach later-stage REM more consistently.

HRV dipped slightly — and that is okay

-3.91% (-0.57 ms). **Why it likely happened:** HRV is highly sensitive to acute physical and emotional load. Cold plunge, emotional workshops, new movement patterns, and altitude changes all place short-term demands on the autonomic nervous system. The small magnitude suggests a transient adaptation, not a concern. A follow-up 1–2 weeks post-retreat would likely show HRV rebounding above baseline.

A note on statistical significance

None of the metrics reached statistical significance — expected with a 7-day window and individual-level data. The trends are directionally promising and internally consistent. A longer study or larger group would provide the power to confirm these patterns.

• STUDY PROTOCOL

How this was measured

Transparency is core to every Reputable study.



STUDY DESIGN

Pre/post observational study comparing baseline to the 6-day retreat intervention. Biometric data collected continuously via wearable.



ACTIVITIES TRACKED

Daily rhythm: Morning movement, workshops, healing ceremonies, spa therapies, evening ceremonies, and check-ins via Reputable app.



BIOMETRIC ENDPOINTS

Sleep (REM, deep, light, total), heart rate (avg, lowest), HRV, sleep efficiency, respiratory rate, time awake — 24/7 via wearable.



STATISTICAL METHOD

T-tests between baseline and intervention. Power = 0.8, significance = 0.05, allocation 1:1.

OPTIMIZE HER · POWERED BY REPUTABLE

This report presents individual-level data from a single participant. Results reflect personal biometric changes during the study period and should not be generalized. All findings stated as averages comparing baseline to intervention. Statistical significance determined via T-tests. · reputable.health