



Akana API Platform: Upgrade Guide Version 8.0 to 8.2

Akana API Platform

Upgrade Guide

Version 8.0 to 8.2

August, 2016 (update v1)

Copyright

Copyright © 2016 Akana, Inc. All rights reserved.

Trademarks

All product and company names herein may be trademarks of their registered owners.

Akana, Akana API Platform, Akana Platform, SOA Software, Community Manager, API Gateway, Lifecycle Manager, OAuth Server, Policy Manager, and Cloud Integration Gateway are trademarks of Akana, Inc.

Akana, Inc.

Akana, Inc.

12100 Wilshire Blvd, Suite 1800

Los Angeles, CA 90025

(866) 762-9876

www.akana.com

info@akana.com

Disclaimer

The information provided in this document is provided “AS IS” WITHOUT ANY WARRANTIES OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. Akana may make changes to this document at any time without notice. All comparisons, functionalities and measures as related to similar products and services offered by other vendors are based on Akana’s internal assessment and/or publicly available information of Akana and other vendor product features, unless otherwise specifically stated. Reliance by you on these assessments / comparative assessments is to be made solely on your own discretion and at your own risk. The content of this document may be out of date, and Akana makes no commitment to update this content. This document may refer to products, programs or services that are not available in your country. Consult your local Akana business contact for information regarding the products, programs and services that may be available to you. Applicable law may not allow the exclusion of implied warranties, so the above exclusion may not apply to you.

Contents

Overview	4
Changes Log	4
Upgrading Policy Manager for DataPower	4
Planning the Upgrade	5
Reviewing release notes	5
Planning the upgrade for additional features.....	5
Gathering ZIP files from the Akana Support site.....	5
Performing the Upgrade	8
Step 0-0: Conditional, Pre-Upgrade Task for upgrades from 8.0.5 or earlier	8
Step 1-0: Conditional, if Akana Integration Services feature is installed: uninstall the feature	9
Step 1-1: Turn off scheduled jobs	9
Step 1-2: Back up Policy Manager 8.0 and stop containers.....	10
Step 1-3: Extract new ZIP files in sequence	10
Step 1-4: Copy PM80 container instances to AP82.....	11
Step 1-5: Clear Configurator cache (if needed).....	11
Step 1-6: Upgrade container	12
Upgrade container to Akana API Platform 8.2 (GUI).....	12
Upgrade container to Akana API Platform 8.2 (silent upgrade)	14
Upgrade container to Akana API Platform 8.2 (command line).....	15
Step 1-7: Upgrade additional containers	15
Step 1-8: (Conditional): Unregister and re-register the Windows service.....	16
Step 1-9: Start the containers	16
Step 1-10: Clear browser cache	17
Step 1-11: Launch the Akana Administration Console.....	17
Step 1-12: Refresh repository	18
Step 1-13: Verify that features were updated correctly	18
Step 1-14: Run pending installation tasks and restart container.....	18
Step 1-14: Upgrade all containers before installing the upgrade tool.....	19
Step 1-15: Install Akana PM 8.2 upgrade tool to upgrade database	20
Step 1-16: After installing upgrade tool, complete configuration	20
Step 1-17: Turn scheduled jobs back on	21
Step 1-18: Update container metadata and authentication options	22
Completing the API Platform Post-Upgrade Tasks	23
Step 2-1: Upgrade CM Models	23
Step 2-2: Update CM API.....	23
Step 2-3: (Conditional): Update OAuth API.....	23
Step 2-4: (Conditional): Rebuild CM Styles	24

Overview

This technical note provides instructions for upgrading from Policy Manager 8.0 (PM80), or Policy Manager 8.0 with Community Manager, to Akana API Platform 8.2, which includes Policy Manager 8.2 and Community Manager 8.2.

In performing the upgrade, make sure you follow the steps in sequence.

Upgrade steps are broken into the sections below:

Planning the upgrade

Includes information you should consider and actions you should complete before starting the upgrade process, including:

- Conditional pre-install steps
- Gathering ZIP files

Performing the upgrade

A step-by-step guide through the entire upgrade process.

Completing the API Platform post-upgrade tasks

Tasks to complete after the upgrade, to:

- Update your database schemas and data to the new version
- Make sure all new features are fully set up

Note: Some of the steps are optional, depending on variations in your installation, such as operating system, database, and optional components. Read through all the steps to make sure you don't miss anything that applies to your installation. For a high-level summary, refer to the table of contents.

Changes Log

The table below shows changes made to this document since the initial release in July, 2016.

Date/release version	Changes
Aug 2016, update version 1	Add pre-upgrade step to remove com.soa.oauth.interfaces bundle. See Step 0-0: Conditional, Pre-Upgrade Task for upgrades from 8.0.5 or earlier on page 8.

Upgrading Policy Manager for DataPower

If you're upgrading Policy Manager for DataPower, follow the same steps in this document that you would use for upgrading Network Director.

Planning the Upgrade

There are some steps you might need to take before starting the upgrade process, and some information you'll need to consider to determine how to proceed, including:

- Reviewing the Akana API Platform release notes (available from the Support site).
- Planning the upgrade for additional features.
- Gathering ZIP files from the Akana Support site.

Reviewing release notes

Review the release notes so that you are aware of changes to the platform. Check for upgrade notes.

Planning the upgrade for additional features

If you have a specific add-on feature installed, such as the Integration Services option pack, SiteMinder Security Provider, or SAML Web SSO Security Provider feature, it's important that you download the new release version package for the same feature.

Note: In version 8.2, some of the additional packages have been incorporated into the Akana API Platform along with Community Manager and Policy Manager. Depending on the additional features you're using, you might not have to install updates.

If one of the features is installed in a container that you copy over from the earlier version during the upgrade process, and you don't upgrade the add-on, container startup might fail after you complete the upgrade process. When you upgrade, make sure you have the latest version for any features you're using. See [Step 1-13: Verify that features were updated correctly](#) on page 18.

Note: The SAML Web SSO feature remains at version 8.0. There is no upgrade to version 8.2.

Note: If you're upgrading from an earlier version up to and including 8.0.5, you'll need to uninstall a specific bundle, **com.soa.oauth.interfaces**, as the first step before starting the upgrade procedure. For instructions, see [Step 0-0: Conditional, Pre-Upgrade Task for upgrades from 8.0.5 or earlier](#) on page 8.

Gathering ZIP files from the Akana Support site

Before starting the upgrade, gather all the ZIP files and any other information you'll need for the entire process.

You'll need all the ZIP files listed below. They are listed in the order in which they should be installed.

All files listed below are available from the Akana Support site, Downloads page:
<https://library.akana.com/display/MAIN/Downloads>.

You'll need to install files for:

- 1 **The Akana Platform:** an OSGI environment. Akana features run within this environment, obey its constraints, and make use of its facilities. The platform supports Windows and Unix (Linux, Solaris, AIX) environments.
- 2 **The Akana API Platform** (previously known as Policy Manager and Community Manager).
- 3 **Add-Ons:** Any platform add-ons you are using that are not included in the Akana API Platform.

Note: If your installation uses the Akana Integration Services add-on, you'll have to complete an extra step before beginning the upgrade process. Integration Services are now part of the main Akana API Platform installation ZIP file; there is no longer a separate bundle to install. However, you must uninstall the Akana Integration Services feature as the first step of the installation procedure. See [Step 1-0: Conditional, if Akana Integration Services feature is installed: uninstall the feature](#) on page 9.

Gather ZIP files and create folder

- 1 On your installation machine, create a folder for the new version: for example, **plat82** for API platform 8.2.
- 2 In this folder, copy all the ZIP files listed below. You should have at minimum two files, with additional files if there are updates and/or add-ons.

ZIP files for update to version 8.2

- 1 To upgrade the Akana platform, first locate the appropriate file for the operating system you're using (see http://docs.akana.com/sp/platform_install/installing_akana_platform.htm#download_platform_zip_82, section **For Version 8.2**). You'll see the below or a later version (online doc not yet updated):
 - a) **Windows (includes JRE):** **akana-platform-win-jre-8.2.xxx.zip**
 - b) **Linux only (includes JRE):** **akana-platform-linux-jre-8.2.xxx.zip**
 - c) **Windows, Linux, or Solaris (does not include JRE; provide your own JRE, version 1.8):** **akana-platform-8.2.xxx.zip**

Note: When using this JRE you must modify the **bin/setDEMS.sh** script and comment out lines that relate to your JRE and then ensure you have JAVA set correctly.

- 2 Check if there are any Akana platform updates, and if so download the latest ZIP file.

Note: Akana API Platform 8.2 requires Akana Platform 8.2.

- 3 To upgrade the Akana API platform to version 8.2, locate the file below:
 - a) **akana-api-platform-8.2.xxx.zip** (contains all necessary files for Akana API Platform installation, including Policy Manager and Community Manager installation)
- 4 Check if there are any Akana API platform updates, and if so download the latest ZIP file.

ZIP files for add-ons

Check the Akana Support site, Downloads page: <https://library.akana.com/display/MAIN/Downloads> for the latest ZIP file for any additional add-ons you are using in your installation. Get all applicable update files for your installation. You'll extract these after the other files.

For product compatibility information, refer to the applicable matrix on the Akana support site:
<https://library.akana.com/display/MAIN/Product+Compatibility+Matrices>.

Performing the Upgrade

Note: The instructions in this chapter are for upgrade from Policy Manager 8.0 to Akana API Platform 8.2. If you're upgrading from a version earlier than 8.0, you'll need to perform additional steps first, to upgrade to Policy Manager 8.0. For instructions, see http://docs.akana.com/ag/assets/AAP_08_00_Upgrade_Guide.pdf.

There is a conditional first step, see [Step 0-0: Conditional, Pre-Upgrade Task for upgrades from 8.0.5 or earlier](#) below.

Then, at a high level, to perform the upgrade, you'll complete the following actions:

- 1 Install the Akana API Platform 8.2 in a new location.
- 2 Copy the PM80 container instances to the instances folder for the AP82 installation.
- 3 Perform the upgrade steps from the AP82 installation, following the exact sequence given below.

Step 0-0: Conditional, Pre-Upgrade Task for upgrades from 8.0.5 or earlier


If you're upgrading from an earlier version up to and including 8.0.5, and using Community Manager, and didn't perform this step during a 7.2 to 8.0 upgrade, you'll need to uninstall a specific bundle, **com.soa.oauth.interfaces**, as the first step before starting the upgrade procedure.

Complete this step before any other tasks.

Follow this procedure on all Policy Manager containers with Community Manager, or any Community Manager add-on features, installed.

To uninstall the com.soa.oauth.interfaces bundle

- 1 Identify the ID of the **com.soa.oauth.interfaces** bundle:
 - a) Log in to the Akana Administration Console for the container.
 - b) Click the **Installed Features** tab.
 - c) From the drop-down menu at the top left, choose **Bundle**, as shown below.



- d) Look for the **com.soa.oauth.interfaces** bundle.
 - e) Note the ID of the bundle (in the Bundle ID column).
- 2 Open up the shell or command prompt that you use to start the container.

- 3 Run the following command to uninstall the bundle:

```
uninstall {bundleID}
```

- 4 Repeat Steps 1–3 for any additional containers that have Policy Manager plus any Community Manager features installed.

Once these steps are complete, proceed with the standard upgrade process.

Step 1-0: Conditional, if Akana Integration Services feature is installed: uninstall the feature

If your previous installation included the Akana Integration Services feature, for integration with the Lifecycle Manager product, you won't need to install that feature separately in 8.2. However, you'll need to uninstall the existing version of the feature before continuing with the installation process.

To uninstall the Akana Integration Services feature

- 1 Log in to the version 8.0 Akana Administration Console using Administrator credentials.
- 2 Click the **Installed Features** tab.
- 3 Click the **Akana Integration Services** feature.
- 4 In the right column, click the Uninstall icon.
- 5 Follow the prompts to uninstall the feature.

The next step is to start the upgrade.

Step 1-1: Turn off scheduled jobs

Before upgrading, you must turn off scheduled jobs in the configuration settings, including:

- com.soa.scheduler.quartz
- simple.scheduler.enabled


When upgrade is complete, you'll turn these properties back on again (see [Step 1-17: Turn scheduled jobs back on](#) on page 21).

Note: Perform this step for all PM80 containers with Policy Manager features installed.

To turn off scheduled jobs

- 1 Log in to the Akana Administration Console using Administrator credentials.
- 2 Click the **Configuration** tab.
- 3 Turn off **com.soa.scheduler.quartz**:
 - a) In the **Configuration Categories** section, find **com.soa.scheduler.quartz**.
 - b) Locate the **org.quartz.scheduler.enabled** property and change it to **false**.
 - c) Click **Apply Changes**.
- 4 Turn off **com.soa.scheduler**:
 - a) In the **Configuration Categories** section, find **com.soa.scheduler**.

- b) Locate the **simple.scheduler.enabled** property and change it to **false**, as shown below.



- c) Click **Apply Changes**.

Step 1-2: Back up Policy Manager 8.0 and stop containers

The next step is to back up your PM80 and stop containers, before you upgrade. Follow the steps below.

To back up Policy Manager 8.0 and stop containers

- 1 Back up your PM80 database.
- 2 Stop any containers that are currently running.

This is required to update the database schema to AP82. Stopping the containers ensures that the database is not locked while the update is in progress. For more information, refer to **Starting and Stopping a Container Instance** on the Akana docs site:

http://docs.akana.com/sp/container_management/start_stop_container_instance.htm.

- 3 Back up your PM80 release directory, using your database management tool, and save the backup file to a safe location. For example, if you're using MySQL, the backup command might look something like the below:

```
C:\Program Files\MySQL\MySQL Server 5.1\bin>mysqldump.exe -e -u root -p -h localhost pm71 >
C:\backups\pm80-20160101
```

Step 1-3: Extract new ZIP files in sequence

Now you're ready to install the new version. Make sure you install from the various ZIP files in the correct sequence.

Note: the filenames used below are examples. When you download files from the Support site, you might have an updated variation.

To extract the new ZIP files

Note: When unzipping files, if you are prompted to replace a file, choose **All** to accept all the new files.

- 1 Go to the folder with the downloaded ZIP files, which you created earlier. See [Gather ZIP files and create folder](#) on page 6.

Make sure the folder includes all the ZIP files you'll need for upgrade. You should have at least two files, and possibly more, as detailed in [ZIP files for update to version 8.2](#) on page 6.

- 2 Extract the Akana platform file:
 - a) **akana-platform-win-jre-8.2.xxx.zip** or comparable file for Linux or other operating system.
 - b) If there are any updates for the Akana Platform, extract the update file next.

- 3 Extract the Akana API Platform file (contains all necessary files for Policy Manager and API Platform/Community Manager installation):
 - a) **akana-api-platform-8.2.xxx.zip**
 - b) If there are any updates for the Akana API Platform, extract the update file next.
- 4 Extract the ZIP files for any add-ons you're using.

Note: After the installation is complete, **do not** launch the Configure Container Instance Wizard/configure the API Platform container until you've completed the next step, below.


Step 1-4: Copy PM80 container instances to AP82

The next step is to copy container instances to your new installation.

To copy PM80 Container Instances to AP82

- 1 Go to the PM80 backup directory, and locate the PM80 container instances. For example:
 - pm80/instances/<pm_instance>
- 2 Copy the PM80 container instances. Note:
 - **Include** PM80, Network Director, and Agent container instances.
 - **Do not include** the PM80 configurator or the PM80 default container folder.

An example is shown below.



- 3 In the PM82 container instances folder (PM82/instances/<pm_instance>), paste the container instances that you copied.
- 4 Delete the log folder so that the logs will only include information for the new version, not for the old version.

Step 1-5: Clear Configurator cache (if needed)

Before performing the upgrade, make sure the configurator cache is clear. At this point, there won't be any cache unless you launched the Configurator at the end of Step 1-3. To be sure, follow the steps below.

To clear configurator cache

- 1 Locate the configurator cache folder: \instances\configurator\cache, as shown below.



- 2 Delete the folder if it exists (if there is no cache, the folder will not be there).

Step 1-6: Upgrade container

You'll need to perform the upgrade procedure on each container you're upgrading to AP82, using the **Configure Container Instance** wizard.

First upgrade the Policy Manager container, then Network Director, and then any other containers.

Note: Before you upgrade, make sure you've completed all previous steps, including copying the container instances (see [Step 1-4: Copy PM80 container instances to](#) on page 11).

There are three ways you can upgrade the container:

- **Via the user interface:** see [Upgrade container to Akana API Platform 8.2 \(GUI\)](#) on page 12.
- **Silent install:** see [Upgrade container to Akana API Platform 8.2 \(silent upgrade\)](#) on page 14
- **Command line install:** [Upgrade container to Akana API Platform 8.2 \(command line\)](#) on page 15

Upgrade container to Akana API Platform 8.2 (GUI)

Upgrade via the GUI launches the Configurator wizard, which walks you through the upgrade process.

To upgrade the container to Akana API Platform 8.2 (via the GUI)

- 1 Open up a command prompt.
- 2 Go to the new folder where you unzipped the version 8.2 files, then navigate to the \bin subfolder and run the following command:


startup configurator
- 3 The Configurator starts, and the **Welcome to Configure Container Instance Wizard** page displays. Click **Next**.

- 4 At the **Instance Name** screen, specify the name of the Akana container instance the upgrade will be applied to, as shown in the example below (same name as previous installation). Leave the **Container Key** field blank; the upgrade process will use the container key for the container being upgraded. Click **Next**.

- 5 At the **Instance Already Exists** page, to apply the PM80 to AP82 upgrade, click **Update**, as shown below, and then click **Next**.

Note: This updates the instance you copied over in [Step 1-4: Copy PM80 container instances to](#) on page 11.

- 6 At the **Instance Configuration Summary** page, shown below, verify that the instance has been stopped, and then click **Finish**.



- 7 When the container update process is complete, the **Update Complete** page displays with a summary of the number of bundles that were updated.
- 8 Click **OK** to close the wizard.

Upgrade container to Akana API Platform 8.2 (silent upgrade)

You can set up the **Configure Container Instance Wizard** update process to run in an automated mode (silent mode).

To do this you essentially need to set up a properties file that contains a set of property values that the wizard uses to automatically configure a container instance.

To upgrade to Akana API Platform 8.2 using silent mode

- 1 Define a properties file for upgrade in silent mode:
 - a) Choose a file name; for example, **upgrade.properties**.
 - b) In the file, add the following default content:

```
container.instance.name=[container_instance_name]
wizard.mode=update
```

For example:

```
container.instance.name=policymanager
wizard.mode=update
```

- 2 Determine system properties you want to use when running the upgrade in silent mode. There are two possible properties, which together are used to perform the silent upgrade:
 - a) **silent** (If **true**, silent configuration will be performed)
 - b) **properties** (path/filename for properties file to be used for configuration)

- 3 Run the upgrade in silent mode, using either of the following commands, depending on the operating system:

- Windows:

```
\bin>startup.bat configurator "-Dsilent=true" "-Dproperties=<property file directory location>\upgrade.properties"
```

- Unix:

```
/bin>startup.sh configurator -Dsilent=true -Dproperties=opt/<property file directory location>/upgrade.properties
```

- 4 Repeat for Network Director or Agent containers:
 - a) Before upgrading each instance, repeat [Step 1-5: Clear Configurator cache](#) on page 11.
 - b) Then, for each container, repeat the steps above.
- 5 Optional post-upgrade step for silent mode users not using the Admin Console:
 - If you will not be using the Akana Administration Console, you can install the Policy Manager 8.2.0 schema manually using a third-party database schema management tool.
 - For assistance in installing the schema, contact Akana Customer Support.

Note: If you are not using the Akana Administration Console, you are done with the upgrade; skip the rest of the upgrade steps.

Upgrade container to Akana API Platform 8.2 (command line)

You can also perform the upgrade process from the command line. Follow the steps below.

To upgrade to Akana API Platform 8.2 from the command line

- 1 Execute the following in the \bin folder depending on your operating system:

- Windows:

```
startup.bat configurator "-Dsilent=true" "-Dcontainer.instance.name=<Instance name>" "-Dwizard.mode=update"
```

- Unix:

```
startup.sh configurator -Dsilent=true -Dcontainer.instance.name=<Instance name> -Dwizard.mode=update
```

Step 1-7: Upgrade additional containers

Repeat the upgrade process for all additional containers:

- First, any additional containers running Policy Manager and/or the API Platform.
- Then, any Network Director or Agent containers.

To upgrade additional containers

- 1 Before upgrading each instance, repeat [Step 1-5: Clear Configurator cache](#) on page 11.
- 2 Then, for each container, repeat [Step 1-6: Upgrade container](#) on page 12.

Step 1-8: (Conditional): Unregister and re-register the Windows service

If your containers are registered as a Windows service, so that the container will start automatically when Windows starts, you must unregister the old version and register the new version, for each container.

If you're not sure which containers are registered as a Windows service, you can check in the Windows Control Panel (Administrative Tools > Services). To change the services, you must run as Administrator.

To unregister and re-register the Windows service

- 1 Open a command prompt in Administrator mode (If you don't use Administrator mode, Windows prompts for Admin permission before unregistering/registering the service, but doesn't actually start the service).
- 2 Unregister the existing Windows Service from the previous installation:

```
.\.sm70\bin\unregisterContainerService.bat <instance_name>
```

- 3 Register the new version as a Windows service:

```
.\.<plat_82_foldername>\bin\registerContainerService.bat <instance_name>
```

If you're running in Administrator mode, Windows registers the service and also starts it.

- 4 Repeat steps 2 and 3 for each additional container that's registered as a Windows service.

Step 1-9: Start the containers

Note: If you registered your containers as Windows services, in the previous step, the containers should already be running.

There are several ways you can start a container: Windows, as Windows service, or Unix. Follow the applicable procedure below.

To start the container (Windows)

- 1 Navigate to the \bin folder.
- 2 Type the following:

```
startup <instance name>
```

To start the container (as Windows service)

- 1 Launch the Program Group (Settings > Control Panel > Administrative Tools > Services).
- 2 Select the Akana Container Instance (the instance name is displayed as the Container Key).
- 3 From the **Actions** menu, select **Start**.

To start the container (Unix)

- 1 Navigate to the /bin folder.
- 2 Type the following:

```
startup.sh <instance name>
```

To start the container (Unix, Background)

- 1 Navigate to the /bin folder.
- 2 Type the following:

```
startup.sh <instance name> -bg
```

Step 1-10: Clear browser cache

Before launching the Akana Administration Console, clear the browser cache and then refresh the page, or start a new session in a browser private window. This ensures that you see the user interface changes included in the Policy Manager updates.

This completes the product installation. The next steps walk you through additional updates you'll need to make to complete the process, including updating database schemas and data.

Step 1-11: Launch the Akana Administration Console

Now it's time to launch the Administration Console and complete the installation tasks.


Note: The rest of the installation tasks are completed on containers running PM/CM only. There is no need to run them on Network Director containers.

To launch the Akana Administration Console

- 1 Launch the Akana Administration Console for the updated container instance:

```
http://<hostname>:<port>/admin
```

- 2 Log in to the Akana Administration Console as an Administrator. The Akana Administration Console launches and displays the **Available Features** tab, as shown below.




Step 1-12: Refresh repository

Verify that the repository is there. Refresh if needed.

To verify/refresh the repository

- 1 Click the **Repository** tab and verify that the **Akana API Platform Repository 8.2.0** and **Akana Platform Repository 8.2.0** are both present. An example is shown below.



- 2 Conditional: if you don't see both these repositories, click **Refresh** to update.

Further installation steps are conditional:

- If your container doesn't have Policy Manager features installed (Akana Policy Manager Console and Akana Policy Manager Services), the upgrade is complete.
- If your container **does** have Policy Manager features installed (Akana Policy Manager Console and Akana Policy Manager Services), continue.

Step 1-13: Verify that features were updated correctly

At this point, check that all the features installed in your implementation have been correctly upgraded to the new version you're installing.

If there are any issues, check that you followed all steps correctly.

If needed, contact Technical Support.

Step 1-14: Run pending installation tasks and restart container

Once you've installed and configured the Policy Manager features (Akana Policy Manager Console and Akana Policy Manager Services) on your container, the next step is to run any pending installation tasks.

Pending Installation tasks should include at least the below:

- **Manage Schemas:** Updates the database schemas for the new version. This task needs to be done only once.
- **Provisioning:** Initializes resources associated with the feature set you're installing. This task needs to be done on each container.

To run pending installation tasks

Note: Pending installation tasks might vary according to your upgrade process. When you click **Complete Configuration**, the upgrade process leads you through any tasks that are needed.

- 1 In the Akana Administration Console, go to **Installed Features > Pending Installation Tasks**. At the bottom left, click **Complete Configuration**, as shown below.

The screenshot shows the Akana Administration Console interface. The top navigation bar includes 'AVAILABLE FEATURES', 'INSTALLED FEATURES', 'CONFIGURATION', 'REPOSITORY', and 'DEVELOP'. The 'INSTALLED FEATURES' tab is active, displaying a table of installed features. Below the table, under 'Pending Installation Tasks', there are three buttons: 'Manage Schemas', 'Provisioning', and 'Complete Configuration'. The 'Complete Configuration' button is circled in red, and a red arrow points to it from the right.

- 2 The **Manage Schemas Wizard** starts. In the **Available Schemas** section, add the schemas listed. It should look something like the below. There might be variations depending on the features you're using. Click **Finish**.

The screenshot shows the 'Install Schemas' screen. On the left, there is a description of the 'Install Schemas' screen. On the right, under 'Available Schemas', there is a table with three schemas: 'Community Manager', 'Policy Manager', and 'OAuth'. Each schema has a checkbox in the 'Name' column, which is checked for all three. The 'Version' and 'Description' columns are also visible.

- 3 The schemas are installed. At the summary page, click **Next Task**.
- 4 Conditional: Depending on the container scenario, the **Provisioning** wizard might start, as shown below. Make sure **Perform Provisioning** is checked, and then click **Finish**. The provisioning task runs, and the Provisioning Summary displays.

The screenshot shows the 'Provisioning' screen. On the left, there is a description of the 'Provisioning' screen. On the right, under 'Provisioning', there is a checkbox labeled 'Perform Provisioning' which is checked.

- 5 Restart the container.

Note: If the container doesn't restart automatically, restart it manually.

Step 1-14: Upgrade all containers before installing the upgrade tool

Before you install the Akana Upgrade Tool 8.2 (next step), make sure:

- All containers are upgraded.
- Pending installation tasks are complete for all containers.

Essentially, make sure all steps, from [Step 1-5: Clear Configurator cache \(if needed\)](#) on page 11 through to [Step 1-14: Run pending installation tasks and restart container](#) on page 18, are complete for every container.


Step 1-15: Install Akana PM 8.2 upgrade tool to upgrade database

Note: Perform this step only once, on one container that has database connectivity and has Policy Manager Service installed.


After the container has successfully restarted, the next step is to install the 8.2 upgrade tool. This upgrades the database to the new version. Follow the steps below.

To install the upgrade tool

- 1 Launch the Akana Administration Console for AP82 using Administrator credentials.
- 2 Click the **Available Features** tab.
- 3 From the **Filter** drop-down, select **Tool**.
- 4 Select **Akana PM 8.2 Upgrade** and click **Install Feature**, as shown below. The upgrade tool is installed.



- 5 Click **Configure**. The 8.0 to 8.2 upgrade wizard appears, as shown below.



- 6 To complete the configuration, click **Finish**.
- 7 At the prompt, restart the container.

Step 1-16: After installing upgrade tool, complete configuration

Once you've installed and run the upgrade tool, there are three more tasks to run to complete the configuration:

- 1 An additional pending configuration task: Upgrade Database Objects to the 8.2 Model. See [To upgrade database objects to 8.2](#) below.
- 2 Run the provisioning task again, once for each Policy Manager container. See [To run provisioning on all containers](#) below.

- 3 Restart all containers. See [To restart all containers](#) below.

To upgrade database objects to 8.2

- 1 Run the pending configuration task (once per installation):
- 2 In the Akana Administration Console, go to the **Configuration** tab.
- 3 At the bottom left, click **Upgrade Database Objects to 8.2 model**.
- 4 Follow the steps of the wizard.
- 5 Then, run the provisioning task again, once for each Policy Manager container.
- 6 Restart all containers.

To run provisioning on all containers

- 1 In the Akana Administration Console for the first Policy Manager container, click the **Configuration** tab.
- 2 At the bottom left, under **Configuration Actions**, click **Provisioning**.
- 3 Make sure the checkbox is checked, and then click **Finish**.
- 4 Repeat steps 1–3 for each Policy Manager container.

To restart all containers

Shut down all the containers.

Restart the containers. The recommended sequence is to start PM first, then CM, then ND.

Step 1-17: Turn scheduled jobs back on

Now it's time to turn back on the properties that you turned off in Step 1-1.

Note: Perform this step for all the PM80 containers with Policy Manager features installed, which have now been upgraded to AP82. Before performing this step, make sure the container was restarted.

To turn scheduled jobs back on


- 1 Log in to the Akana Administration Console using Administrator credentials.
- 2 Click the **Configuration** tab.
- 3 Turn on **com.soa.scheduler.quartz**:
 - a) In the **Configuration Categories** section, find **com.soa.scheduler.quartz**.
 - b) Locate the **org.quartz.scheduler.enabled** property and change it to **true**.
 - c) Click **Apply Changes**.
- 4 Turn on **com.soa.scheduler**:
 - a) In the **Configuration Categories** section, find **com.soa.scheduler**.
 - b) Locate the **simple.scheduler.enabled** property and change it to **true**.
 - c) Click **Apply Changes**.

Step 1-18: Update container metadata and authentication options

The final step in the upgrade process is to update the Metadata URL and Authentication Options of each container you upgraded, in Policy Manager. This updates the container capabilities to support the latest features.

To update container metadata and authentication options

- 1 Log in to the Policy Manager Management Console as the Administrator.
- 2 In the left pane, from the **Containers** folder, select the AP82 container.
- 3 In the right pane, from the Actions Portlet, select **Update Container Metadata**, as shown below.



- 4 Enter the metadata URL for the container being updated (`http://<pm_host>:<pm_port>/metadata` or `http://<nd_host>:<nd_port>/metadata`), or the metadata path for the Network Director. An example is shown below.

Metadata Import Options

Select the mechanism for obtaining the container's metadata document.

☒ Metadata URL:

- 5 Conditional: If Authentication options are being used or updated, select the authentication options.
- 6 If the metadata URL is not accessible from Policy Manager, you can update the metadata from a file:
 - a) First, access the metadata URL from a machine that has access to the container and save the metadata document to a file.
 - b) Then, upload the file to Policy Manager.

That completes the upgrade.

After upgrading, run the post-install tasks on one of the containers with the Akana API Platform feature installed, as covered in the next chapter.

Completing the API Platform Post-Upgrade Tasks

Once you've completed the product version update, there are additional post-upgrade tasks you'll need to complete if you're running the Akana API Platform developer portal. Run these tasks on one of the containers with the Akana API Platform feature installed. Some of these steps are conditional depending on platform features you're using. They include:

- [Step 2-1: Upgrade CM Models](#) on page 23
- [Step 2-2: Update CM API](#) on page 23
- [Step 2-3: \(Conditional\): Update OAuth API](#) on page 23
- [Step 2-4: \(Conditional\): Rebuild CM Styles](#) on page 24

Step 2-1: Upgrade CM Models

After upgrading, run the **Upgrade CM Models** post-upgrade task on one of the containers with the Akana API Platform feature installed:

- 7 In the Akana Administration Console, on the **Configuration** tab, under **Configuration Actions**, choose **Upgrade CM Models**.
- 8 When done, click **Close**.

Step 2-2: Update CM API

Run the Update CM API task on one of the containers with the Akana API Platform feature installed. This task updates APIs that were already provisioned.

- 1 In the Akana Administration Console, on the **Configuration** tab, under **Configuration Actions**, choose **Update CM API**.
- 2 When done, click **Close**.

Step 2-3: (Conditional): Update OAuth API

Conditional, if the OAuth Provider feature is installed: run the **Update OAuth API** upgrade task. This task updates any changes to two key API services needed for OAuth:

- **AuthorizationServerAgentAPI**: Used when the OAuth Provider Agent feature is deployed in a container without database access.
- **ResourceServerAPI**: Used by the API Gateway to validate OAuth access tokens when processing API requests.

To update OAuth API

- 1 In the Akana Administration Console, on the **Configuration** tab, under **Configuration Actions**, choose **Update OAuth API**.
- 2 When done, click **Close**.

Step 2-4: (Conditional): Rebuild CM Styles

As part of every upgrade, if you are using the developer portal, you'll need to run the **Rebuild CM Styles** post-install task. This makes sure that you have the latest style updates, for all themes and tenants.

To rebuild CM styles

- 1 In the Akana Administration Console, on the **Configuration** tab, under **Configuration Actions**, choose **Rebuild CM Styles**.
- 2 When done, click **Close**.

