```
drop table user;
create table user(
        userID int not null auto increment primary key,
        name varchar(255),
        tell varchar(255),
        age int,
        birthday date,
        departmentID int,
        stationID int,
        foreign key(departmentID)
        references department(departmentID),
        foreign key(stationID)
        references station(stationID));
create table department(
        departmentID int not null auto_increment primary key,
        departmentName varchar(255)
);
create table station(
        stationID int not null auto increment primary key,
        stationName varchar(255)
):
insert into user(name, tell, age, birthday, departmentID,
stationID) values
('田中 実','012-345-6789',30,'1994-02-01',3,1),
('鈴木 茂','090-1122-3344',37,'1987-08-12',3,4),
('鈴木 実','080-5566-7788',24,'2000-12-24',2,5),
('佐藤 清','012-0987-6543',19,'2005-08-01',1,5),
('高橋 清','090-9900-1234',24,'2000-12-24',3,5);
insert into department(departmentName)value('開発部');
insert into department(departmentName)value('営業部');
insert into department(departmentName)value('総務部');
insert into station(stationName)value('九段下');
insert into station(stationName)value('永田町');
insert into station(stationName)value('渋谷');
insert into station(stationName)value('神保町');
insert into station(stationName)value('上井草');
select *from user;
select *from department;
select *from station;
```