

```
In [10]: import random #libraries for random number
import numpy as np #for numpy array
import pandas as pd
import matplotlib.pyplot as plt
import statistics as st
import numpy as np
from collections import Counter
import random
import operator
import math
import networkx as nx
import statistics as st
```

```
In [11]: n_init=5
def init_graph():
    matrix=[]
    n=5
    e=10
    for i in range(20):
        temp=[]
        for j in range(20):
            temp.append(0)
        matrix.append(temp)
    # print(matrix)
    while e>=0:
        print(e)
        for i in range(n):
            r=random.randint(0,n-1)
            # print(r,"and",i)
            if r != i and matrix[i][r]!=1:
                matrix[r][i]=1
                matrix[i][r]=1
                e=e-1
    return matrix
```

```

In [ ]: iter=100
n=5
avg_cluster=[]
avg_path=[]
for itr in range(iter):
    matrix=init_graph() #create initial graph randomly
    degree={}#degree of each node take out
    sum_of_all_degree=0
    for i in range(n):#Loop for degree of each node
        degree[i]=sum(matrix[i])
        sum_of_all_degree+=degree[i]
    prob=[]#create a probailty list ki/sum degree
    for i in degree.keys():
        prob.append(degree[i]/sum_of_all_degree) #ki/sum of all degree for prob
#que3: degree[i]2/sum_all_degree2
    cumulative=[]#cumulative list
    cumsum=0.0
    for i in range(len(prob)):
        cumsum+=prob[i]
        cumulative.append(cumsum)#cumulative list
    for j in range(n,20):
        row_col=[0]*len(matrix[0])
        column_to_be_added =row_col
        matrix = np.column_stack((matrix, column_to_be_added))
        row_to_be_added =row_col
        matrix = np.vstack((matrix,row_to_be_added))
        e1=3
        while e1>0:
            rnd=random.uniform(0.0,1.0)
            index=0
            if rnd<=cumulative[0]:
                index=0
            for c in range(0,len(cumulative)-1):
                if cumulative[c]<rnd and cumulative[c+1]>rnd:
                    index=c+1
            if index!=j:
                matrix[index][j]=1
                matrix[j][index]=1
            e1-=1
    overall_100_graphs_degree_distribution={} #it is grphwise degree for all 100
graphs and vales are the unique degree counts of each node of the random 100 g
raphs
    for i in range(1,101):
        overall_100_graphs_degree_distribution[i]={}
    unique_degrees={} #here it is dictionary for the unquie degree
##intitilise:graph
# adjancency_matrix= [[0 for i in range(len(n))] for j in range(len(n))]
# edge list intialise
edge_list={} #edge list for each new individual random graph generate
for i in range(len(n)): #initialization of edge list
    edge_list[i]=[]
for c in range(len(n)): #here we make 2 loops for creating edges if possibl
e between 2 node
    for r in range(c+1,len(n)):
        x=random.uniform(0,1) #random unform probailty is generated and chec
k with p if p>x then edge is possbile else not

```

```

    if p>x:
        # adjacency_matrix[r][c]=1
        # adjacency_matrix[c][r]=1
        edge_list[r].append(c)    #make undirected graph
        edge_list[c].append(r)

    degree_of_nodes={}    #now here we find out all possible degree of nodes [pr
    esent in generated graph]
    for i in edge_list.keys():
        degree_of_nodes[i]=0
    for i in edge_list.keys():    #degeree is total adjacent nodes present arou
    nd partricular nodes
        degree_of_nodes[i]=len(edge_list[i])

    degree_frequency={}    #frequency count of the occurence of the degree of the n
    odes
    for key,value in degree_of_nodes.items():
        if value not in degree_frequency.keys():
            degree_frequency[value]=0
            degree_frequency[value]+=1
        else:
            degree_frequency[value]+=1
    for i in degree_frequency.keys():
        if i not in unique_degrees.keys():
            unique_degrees[i]=0

    overall_100_graphs_degree_distribution[count]=degree_frequency    #store frqun
    cecy

```

```
In [15]: print("Avg cluster coeff:" )  
         for i in avg_cluster:  
             print(i)  
         print("Avg path length")  
         for j in avg_path:  
             print(i)
```

Avg cluster coeff:
0.16069242358948238
0.18299637838717128
0.12332577301775713
0.28446891474165
0.09635443483469458
0.15841074924144688
0.20393934475584088
0.1929874818431875
0.16007925227507264
0.15198235172195326
0.17059746240059873
0.15332772936246475
0.18222618926294382
0.18668861878861878
0.10381845825511675
0.10787345932062578
0.17909650846127612
0.18585731856498441
0.12716727994514374
0.21341820333612632
0.17806316490527013
0.14945865052273713
0.18131005955302626
0.13872522648536326
0.1959113239431695
0.1504900378364101
0.18130933107962313
0.2044238785857652
0.13736575475720036
0.2152245420296639
0.15220870326260683
0.1534216758996675
0.057045263430725794
0.12258264521393313
0.17323488314139765
0.1770792209079664
0.13612112883295946
0.18593516868109677
0.17264041060030766
0.23918768981949082
0.19998333051836215
0.18833703739047725
0.19212738716068234
0.14577422442575885
0.165183238134564
0.13864251744501435
0.16654616321669077
0.13696301074450892
0.15582469744476066
0.15825516010813487
0.16526547606763425
0.2438376526449049
0.17579769006580034
0.1502792660568269
0.21337318945792497
0.12481039101712815

0.1814014120554369
0.17178440982149407
0.15223162863519565
0.12078163075464193
0.11585120237146077
0.14699013819147752
0.17344815392709545
0.20849948535262922
0.19202534574128996
0.11283505998346487
0.1347124976846339
0.13408703575256942
0.22181270390152114
0.18895785069987514
0.16703176191432118
0.15208000574304914
0.18332733838115842
0.12165316209144446
0.14606750630385398
0.15919107220136422
0.21041714728489525
0.115886696528371
0.15473787779128334
0.1380416596037824
0.19476212421460762
0.14422994111152
0.08982132229870983
0.17307405492534705
0.20467449638449775
0.1427120065533445
0.172094371718379
0.1571422538091173
0.21221201374417145
0.17247296864828837
0.19403426389571896
0.14465907543347303
0.18093179487323013
0.14578791798680074
0.2059397563221092
0.20230105244368413
0.2036244691345029
0.1638225432118621
0.15846550149256453
0.17251145164343434
Avg path length
2.6183838383838385
2.5183838383838384
2.5202020202020203
2.5319191919191912
2.4901010101010101
2.424040404040404
2.5515151515151517
2.4876767676767675
2.535959595959596
2.5301010101010101
2.573131313131313
2.5454545454545454

2.5468686868686867
2.5224242424242425
2.5163636363636366
2.5036363636363634
2.5597979797979797
2.5143434343434343
2.542626262626263
2.5064646464646465
2.5242424242424244
2.5076767676767675
2.542626262626263
2.5054545454545454
2.4806060606060605
2.4915151515151517
2.4927272727272727
2.46
2.498181818181818
2.587878787878788
2.542626262626263
2.5824242424242425
2.4903030303030302
2.4909090909090907
2.5333333333333333
2.4983838383838384
2.4896969696969697
2.6054545454545455
2.5139393939393934
2.547070707070707
2.5086868686868686
2.488080808080808
2.490707070707071
2.5006060606060605
2.5076767676767675
2.5234343434343436
2.4901010101010101
2.532929292929293
2.520808080808081
2.528888888888889
2.5228282828282826
2.4802020202020203
2.5547474747474745
2.540808080808081
2.4864646464646465
2.5511111111111111
2.569292929292929
2.541212121212121
2.5167676767676768
2.4927272727272727
2.5036363636363634
2.514141414141414
2.518181818181818
2.491919191919192
2.529898989898989
2.5028282828282826
2.5327272727272727
2.5383838383838384
2.560808080808081

```

2.5331313131313133
2.505252525252525
2.536969696969697
2.5450505050505052
2.4884848484848483
2.527070707070707
2.518181818181818
2.569292929292929
2.5268686868686867
2.543030303030303
2.467070707070707
2.532929292929293
2.5402020202020203
2.445858585858586
2.533737373737374
2.5072727272727273
2.471111111111111
2.5105050505050506
2.5
2.5216161616161616
2.523030303030303
2.5547474747474745
2.511111111111111
2.4717171717171715
2.495151515151515
2.5555555555555554
2.4872727272727273
2.5028282828282826
2.615959595959596
2.4868686868686867
2.4957575757575756

```

```
In [1]: print("above avg cluster coefficent and degree are with respect to each loop o
f nodes")
```

above avg cluster coefficent and degree are with respect to each loop of node
s

```
In [ ]: for graph,deg in overall_100_graphs_degree_distribution.items(): #here count
ing frqncy of all the unique degrees in overall random gernerated graph
        # graph 1
        for key,value in deg.items():
            unique_degrees[key]+=value
```

```
In [ ]: kmax=0
        cmax=0
        for key,value in unique_degrees.items(): #for finding maximum degree kmax in t
he graph
            if cmax< value:
                kmax=key
                cmax=value
```

```
In [ ]: for i in unique_degrees.keys(): #take out mean of the degrees
        unique_degrees[i]/=100
```



```
In [ ]: import matplotlib.pyplot as plt
import numpy as np
fg, ax = plt.subplots(figsize=(12, 6))
x_axis=[]
y_axis=[]
for key,value in unique_degrees.items():
    x_axis.append(key)
    y_axis.append(value/kmax)
    ax.scatter(x_axis,y_axis,s=np.pi*3.2,c="red", alpha=0.5)

# plt.xlabel("DEGREE OF NODES", fontsize=12)
# plt.ylabel(" PROBABILITY OF DEGREE (MEAN) ", fontsize=12)
# plt.title("Scaled Degree Distribution(Mean)",fontsize=18)
# plt.show()
```

```
In [ ]: import numpy as np
standard_deviation_overall={} #here we are finding out standard deviation for
all the degree of the graph using
standard_deviation_N={} #using formula sqrt((x-mean(x))/N(total number))
for i in unique_degrees.keys():
    standard_deviation_overall[i]=0
    standard_deviation_N[i]=0
for graph,deg in overall_100_graphs_degree_distribution.items(): #lloop for ov
erall degrees of 100 graphs
    for key,value in deg.items():
        standard_deviation_overall[key]+=np.square(value - unique_degrees[key]) #
square(x-mean of x) calculation here
        standard_deviation_N[key]+=1
```

```
In [ ]: for i in unique_degrees.keys():
    standard_deviation_overall[i]=np.sqrt(standard_deviation_overall[i]/standard
_deviation_N[i]) # sqrt(sqare(x-mean of x)/N) calculation
```


```
In [ ]: kmax=0
cmax=0
for key,value in standard_deviation_overall.items(): #for finding maximum degr
ee kmax in the graph
    if cmax< value:
        kmax=key
        cmax=value
kmax=max(list(standard_deviation_overall.values()))
```

```

In [9]: x=[]
mean_list=[]
for key,value in standard_deviation_overall.items():
    x.append(key)
    mean_list.append(value/kmax)
plt.errorbar(x,mean_list, yerr = variance_list, label = ' Mean with Std. Devia
tion ')
plt.title("Comparison of degree distribution")
plt.xlabel('Degree')
plt.ylabel("No of Nodes with Degree ")
plt.legend()

```

Out[9]: <matplotlib.legend.Legend at 0x7f8acd32e610>



In []: