



Acunetix Threat Level 2

One or more medium-severity type vulnerabilities have been discovered by the scanner. You should investigate each of these vulnerabilities to ensure they will not escalate to more severe problems.

Scan Detail

Target	http://192.168.0.105
Scan Type	Full Scan
Start Time	May 14, 2026, 11:28:47 AM GMT
Scan Duration	37 seconds
Requests	4193
Average Response Time	137ms
Maximum Response Time	3288ms
Application Build	v24.6.240626115
Authentication Profile	-

0

Critical

0

High

2

Medium

0


Low

4


Informational

Severity	Vulnerabilities	Instances
 Critical	0	0
 High	0	0
 Medium	2	2
 Low	0	0
 Informational	4	4
Total	6	6

Medium Severity



Informational



Impacts

SEVERITY		IMPACT	
	Medium	1	Insecure HTTP Usage
	Medium	1	SSL/TLS Not Implemented
	Informational	1	[Possible] Internal Path Disclosure (*nix)
	Informational	1	Content Security Policy (CSP) Not Implemented
	Informational	1	Error page web server version disclosure
	Informational	1	Permissions-Policy header not implemented

Insecure HTTP Usage

It was detected that your web application uses HTTP protocol, but doesn't automatically redirect users to HTTPS.

Impact

In some circumstances, it could be used for a man-in-the-middle (MitM) attack

<http://192.168.0.105/>

Request

```
GET / HTTP/1.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/125.0.0.0 Safari/537.36
Host: 192.168.0.105
Connection: Keep-alive
```

Recommendation

It's recommended to implement best practices of HTTP Redirection into your web application. Consult web references for more information

References

[HTTP Redirections](https://infosec.mozilla.org/guidelines/web_security#http-redirections)

https://infosec.mozilla.org/guidelines/web_security#http-redirections

SSL/TLS Not Implemented

This scan target was connected to over an unencrypted connection. A potential attacker can intercept and modify data sent and received from this site.

Impact

Possible information disclosure.

<http://192.168.0.105/>

Verified

Request

GET / HTTP/1.1
Referer: http://192.168.0.105/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.0.0 Safari/537.36
Host: 192.168.0.105
Connection: Keep-alive

Recommendation

The site should send and receive data over a secure (HTTPS) connection.

[Possible] Internal Path Disclosure (*nix)

One or more fully qualified path names were found. From this information the attacker may learn the file system structure from the web server. This information can be used to conduct further attacks.

This alert may be a false positive, manual confirmation is required.

Impact

Possible sensitive information disclosure.

<http://192.168.0.105/>

Pages with paths being disclosed:

- [>/var/www/html/index.html](http://192.168.0.105/)

Request

GET / HTTP/1.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.0.0 Safari/537.36

Recommendation

Prevent this information from being displayed to the user.

References

[Full Path Disclosure](https://www.owasp.org/index.php/Full_Path_Disclosure)

https://www.owasp.org/index.php/Full_Path_Disclosure

Content Security Policy (CSP) Not Implemented

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for the all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:  
default-src 'self';  
script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

Impact

CSP can be used to prevent and/or mitigate attacks that involve content/code injection, such as cross-site scripting/XSS attacks, attacks that require embedding a malicious resource, attacks that involve malicious use of iframes, such as clickjacking attacks, and others.

<http://192.168.0.105/>

Paths without CSP header:

- <http://192.168.0.105/>
- <http://192.168.0.105/manual>
- <http://192.168.0.105/index.html>

Request

```
GET / HTTP/1.1
Referer: http://192.168.0.105/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/125.0.0.0 Safari/537.36
Host: 192.168.0.105
Connection: Keep-alive
```

Recommendation

It's recommended to implement Content Security Policy (CSP) into your web application. Configuring Content Security Policy involves adding the **Content-Security-Policy** HTTP header to a web page and giving it values to control resources the user agent is allowed to load for that page.

References

[Content Security Policy \(CSP\)](https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP)

<https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP>

[Implementing Content Security Policy](https://hacks.mozilla.org/2016/02/implementing-content-security-policy/)

<https://hacks.mozilla.org/2016/02/implementing-content-security-policy/>

Error page web server version disclosure

Application errors or warning messages may disclose sensitive information about an application's internal workings to an attacker.

Acunetix found the web server version number and a list of modules enabled on the target server. Consult the 'Attack details' section for more information about the affected page.

Impact

Error messages information about an application's internal workings may be used to escalate attacks.

http://192.168.0.105/

Request

```
GET /aYZUFC66DR HTTP/1.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/125.0.0.0 Safari/537.36
Host: 192.168.0.105
Connection: Keep-alive
```

Recommendation

Properly configure the web server not to disclose information about an application's internal workings to the user. Consult the 'Web references' section for more information.

References

[Custom Error Responses \(Apache HTTP Server\)](https://httpd.apache.org/docs/current/custom-error.html)

<https://httpd.apache.org/docs/current/custom-error.html>

[server_tokens \(Nginx\)](http://nginx.org/en/docs/http/nginx_core_module.html#server_tokens)

http://nginx.org/en/docs/http/nginx_core_module.html#server_tokens

[Remove Unwanted HTTP Response Headers \(Microsoft IIS\)](https://blogs.msdn.microsoft.com/varunm/2013/04/23/remove-unwanted-http-response-headers/)

<https://blogs.msdn.microsoft.com/varunm/2013/04/23/remove-unwanted-http-response-headers/>

Permissions-Policy header not implemented

The Permissions-Policy header allows developers to selectively enable and disable use of various browser features and APIs.

Impact

http://192.168.0.105/

Locations without Permissions-Policy header:

- <http://192.168.0.105/>
- <http://192.168.0.105/icons/>

- <http://192.168.0.105/manual>
- <http://192.168.0.105/index.html>

Request

GET / HTTP/1.1
Referer: <http://192.168.0.105/>
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/125.0.0.0 Safari/537.36
Host: 192.168.0.105
Connection: Keep-alive

References

[Permissions-Policy / Feature-Policy \(MDN\)](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Feature-Policy)

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Feature-Policy>

[Permissions Policy \(W3C\)](https://www.w3.org/TR/permissions-policy-1/)

<https://www.w3.org/TR/permissions-policy-1/>

Coverage

 http://192.168.0.105

 icons

 index.html

 manual

 robots.txt