

Code:

```
student class
public class Student {
private int id;
private String name;
private String course;
public Student() {
}
public Student(int id, String name, String course) {
this.id = id;
this.name = name;
this.course = course;
}
public int getId() {
return id;}
public void setId(int id) {
this.id = id;}
public String getName() {
return name;}
public void setName(String name) {
this.name = name;
}
public String getCourse() {
return course;}
public void setCourse(String course) {
this.course = course;}}

studentcontroller
package com. example.student;
import org.springframework.http.HttpStatus;
import org.springframework.http.ResponseEntity;
import org.springframework.web.bind.annotation.*;
@RestController
@RequestMapping("/")
public class StudentController {
private Student student;
@GetMapping
public String welcomeMessage() {
return "Welcome to Student Management REST API";
}
@GetMapping("/student") public ResponseEntity<Student> getStudent() {
if (student == null) {
return new ResponseEntity(HttpStatus.NOT FOUND);
}
return new ResponseEntity(student, HttpStatus.OK);
}
```

```
@PostMapping("/student") public ResponseEntity<Student> createStudent(@RequestBody
Student student) {
```

```
    this.student = student;
    return new ResponseEntity(student, HttpStatus.CREATED);
}
```

create Main Application

Create class StudentRestApiApplication

```
package com.example.student;
```

```
import org.springframework.boot.SpringApplication;
```

```
import org.springframework.boot.autoconfigure.SpringBootApplication;
```

```
@SpringBootApplication
```

```
public class StudentRestApiApplication{
```

```
    public static void main(String[] args) {
```

```
        SpringApplication.run(StudentRestApiApplication.class, args);
```

```
    }
```

Output:

Steps to Create Project using Spring Initializr

Step 1 Open Spring Initializr

Go to:

<https://start.spring.io>



Spring Initializr webpage

Step 2 Configure Project

Project Settings:

Field	Value
Project	Maven

Language Java

Spring Boot Latest stable

Group com.example

Artifact Student-rest-api

Packaging Jar

Java 17

The screenshot shows the Spring Initializr web application at start.spring.io. The interface is divided into several sections:

- Project:** Radio buttons for ☐ Gradle - Groovy, ☐ Gradle - Kotlin, and ☒ Maven.
- Language:** Radio buttons for ☒ Java, ☐ Kotlin, and ☐ Groovy.
- Spring Boot:** Radio buttons for ☐ 4.1.0 (SNAPSHOT), ☐ 4.1.0 (M2), ☒ 4.0.4 (SNAPSHOT), ☐ 3.5.12 (SNAPSHOT), and ☐ 3.5.11.
- Project Metadata:** Text input fields for Group (com.example), Artifact (demo), and Name (demo).
- Dependencies:** A section with the text "No dependency selected" and a button "ADD DEPENDENCIES... CTRL + B".


At the bottom, there are three buttons: "GENERATE CTRL + G", "EXPLORE CTRL + SPACE", and an ellipsis button "...".

The screenshot shows the Spring Initializr web application with more configuration details filled in:


- Spring Boot:** Radio buttons for ☐ 4.1.0 (SNAPSHOT), ☐ 4.1.0 (M2), ☒ 4.0.4 (SNAPSHOT), ☐ 3.5.12 (SNAPSHOT), and ☐ 3.5.11.
- Project Metadata:** Text input fields for Group (com.example), Artifact (student-rest-api), Name (student-rest-api), Description (Project for Spring Boot), and Package name (com.example.student).
- Packaging:** Radio buttons for ☒ Jar and ☐ War.
- Configuration:** Radio buttons for ☒ Properties and ☐ YAML.

At the bottom, there are three buttons: "GENERATE CTRL + G", "EXPLORE CTRL + SPACE", and an ellipsis button "...".

Add Dependency:
Spring Web



Click Generate to download project.



Project configuration page

Step 3 Import Project in Eclipse IDE


1. Open Eclipse

2. Click


File → Import

Program Code :

Create Student class



Write code inside it:



Running the Application in Eclipse IDE

1. Right click the project
2. Click
Run As → Spring Boot App or Java Application