

Sample Units & Utilization Review Policy

Policy ID	DEMO-AUD-002	Version	1.0
Effective Date	Demo Only	Owner	Audit Operations - Sample
Classification	Synthetic Training Content	Review Cycle	Not Applicable

Important: This document is intentionally fictional and is provided only to test retrieval-augmented generation (RAG), document chunking, search, citations, and audit-assistant workflows. Thresholds and procedures are illustrative and are not payer, coding, regulatory, or clinical guidance.

1. Purpose

This synthetic policy provides an illustrative process for reviewing claims with unusual units or utilization patterns. It is intended for RAG testing and for demonstrating how a claim audit assistant can retrieve review guidance without making a clinical or payment determination.

2. Scope

- Applies to synthetic claim records that contain a units field and procedure identifier.
- Supports review of unusually high units, repeated utilization patterns, and unit-related statistical outliers.
- Does not define medically appropriate utilization, coding rules, or procedure-specific unit limits.

3. Key Terms

Term	Demo Definition
Units	The number of units recorded for a claim in the synthetic dataset.
Utilization Signal	A pattern that indicates a claim may deserve additional human review.
IQR Outlier	A value falling outside the demo interquartile-range limits calculated from the current dataset.
Supporting Evidence	Documentation or source data a reviewer uses to understand the reported units.

4. Illustrative Review Triggers

These triggers are demo rules only and are intentionally simple so that the audit workflow is easy to explain and test.

Demo Trigger	Indicator	Expected Review	Disposition
Units > 3	High unit count under the demo rule	Verify the reported units against available supporting documentation.	Human review required
Units identified as an IQR outlier	Unit count differs materially from the current dataset pattern	Compare the claim with peer records and review contextual documentation.	Human review required
Repeated unusual unit pattern	Similar elevated-unit pattern appears across multiple records	Review provider/procedure patterns before deciding whether escalation is warranted.	Pattern review

5. Reviewer Procedure

1. Confirm the units value and procedure code from the source claim record.
2. Review any documentation that supports the quantity, frequency, duration, or service context represented by the units field.
3. Compare the claim with similar records only as a contextual aid; differences alone do not establish an error.
4. If the claim also has a large billing variance or another independent signal, consider it a higher review priority.
5. Record the human reviewer conclusion independently of any AI-generated explanation.

6. Combined-Signal Prioritization

- A high-units rule signal plus one or more statistical anomalies may be prioritized ahead of a claim with only one signal.
- A high-units signal plus a material financial variance may justify faster manual review.
- Priority is a workflow concept. It does not mean the claim is invalid or improper.

7. Example RAG Questions

- What should an auditor do when units are greater than 3 in the demo?
- How should a unit-count IQR outlier be interpreted?
- When should a units-related claim be prioritized for review?
- Does a high unit count automatically mean the claim is incorrect?

RAG Retrieval Tags

Suggested search terms: units, utilization, units greater than 3, high units, IQR outlier, unit count, provider pattern, procedure pattern, supporting evidence