



DIABETIC DISEASE ANALYSIS

PIMA Indians Diabetes Dataset | 768 Patients

Filter by Age Group

20-30

30-40

40-50

50-60

60+

Total Patients

768

Diabetic Count

268

Diabetic %

34.9%

Avg Glucose

121.7

Avg BMI

32.5


Filter by Outcome

0

1

Diabetic vs Non-Diabetic Split

Diabetic Split



Outcome 0 1

Patient Count by Age Group



Outcome 0 1

Clinical Averages — Diabetic vs Non-Diabetic

Clinical Averages: - Average of Age Average of BMI Average of Glucose





Risk Factor Analysis

Risk Factor Deep Dive | PIMA Indians Diabetes Dataset

Filter by Age Group

All



Filter by BMI Category

All



High Risk Patients

148

High Risk Diabetic Rate %

75.7

Avg Insulin


141

⚠️ Key Insight


Patients with Glucose > 140 AND BMI > 30 have a ~75% Diabetic Rate — 3x higher than the overall average!

Glucose vs BMI — by Diabetic Outcome


Outcome ● 0 ● 1




Diabetic Rate % by BMI_Category



Diabetic Rate % by Glucose Category



Diabetic Rate % by Pregnancy Group





Global Diabetes Landscape

WHO & IDF Global Diabetes Prevalence Dataset | 198 Countries | 1980 - 2014

Filter by Year

1980

2014

Filter by Country

All

Global Avg Prevalence %

7.26


Highest Prevalence %

29.80


Countries Tracked

198

Top 10 Countries By Diabetes Prevalence %



Avg Diabetes Prevalence by Region



Global Diabetes Prevalence Trend (1980 — 2014)

