Assignment 1

Akash Duttachowdhury

21052386

1. Write a python program to input two numbers and do all basic arithmetic operations on them.

In [ ]:
```
# Akash Duttachowdhury | 21052386
a = int(input("Enter first no.: "))
b = int(input("Enter second no.: "))
print(f"a = {a} & b = {b}")
print(f"a + b = {a+b}")
print(f"a - b = {a-b}")
print(f"a * b = {a*b}")
print(f"a / b = {a/b}")
```

```
Enter first no.:  12
Enter second no.:  10
a = 12 & b = 10
a + b = 22
a - b = 2
a * b = 120
a / b = 1.2
```

2. Write a python program to input two number and swap their values without using any third variable.

In [ ]:
```
# Akash Duttachowdhury | 21052386
a = int(input("Enter a: "))
b = int(input("Enter b: "))
```

```
a = a + b
b = a - b
a = a - b
print(f"a = {a}, b = {b}")
```

```
Enter a:  2
Enter b:  3
a = 3, b = 2
```

3. Write a python program to input the temperature in Fahrenheit and change it to Celsius.

In [ ]:
```
# Akash Duttachowdhury | 21052386
f = float(input("Enter temperature in Fahreinheit: "))
c = (f-32)*5/9
print(f"Temperature = {c} C")
```

```
Enter temperature in Fahreinheit:  100
Temperature = 37.77777777777778 C
```

4. Write a python program to input the basic salary of a person and compute its TA (20% of basic), DA (120% of basic), HRA (30% of basic), Gross (basic + ta + da + hra).

In [ ]:
```
# Akash Duttachowdhury | 21052386
basic = int(input("Enter the basic salary: "))
print(f"TA: Rs. {0.2*basic}")
print(f"DA: Rs. {1.2*basic}")
print(f"HRA: Rs. {0.3*basic}")
print(f"Gross: Rs. {2.7*basic}")
```

```
Enter the basic salary:  10000
TA: Rs. 2000.0
DA: Rs. 12000.0
HRA: Rs. 3000.0
Gross: Rs. 27000.0
```

5. Write a python program to swap three variables.

In [ ]:
```python
# Akash Duttachowdhury | 21052386
print("Enter three no.s")
a = int(input())
b = int(input())
c = int(input())
temp = a
a = b
b = c
c = temp
print(f"After swapping\na = {a}, b = {b}, c = {c}")
```

```
Enter three no.s
 3
 4
 5
After swapping
a = 4, b = 5, c = 3
```

6. Write a python program to evaluate the expression 4x^4 + 3y^3 -9z + 6

In [ ]:
```python
# Akash Duttachowdhury | 21052386
x = int(input("Enter x: "))
y = int(input("Enter y: "))
z = int(input("Enter z: "))
print(f"Evaluated expression = {4*x**4 + 3*y**3 - 9*z + 6}")
```

```
Enter x:  8
Enter y:  4
Enter z:  2
Evaluated expression = 16564
```

7. Write a python program to take a input in uppercase and change it to lower case

In [ ]:
```python
# Akash Duttachowdhury | 21052386
```

```
l = str(input("Enter a string: "))
print(l.lower())
```

```
Enter a string:  UPPER CASE STRING
upper case string
```

8. Write a python program to input the radius of a circle and print its area and perimeter.

In [ ]:
```
# Akash Duttachowdhury | 21052386
from math import pi
r = float(input("Enter radius of circle: "))
print(f"Area of circle is {pi*r**2}")
```

```
Enter radius of circle:  18
Area of circle is 1017.8760197630929
```

9. Write a python program to input marks in 5 subjects of a student and print its average mark.

In [ ]:
```
# Akash Duttachowdhury | 21052386
print("Enter the marks for 5 students")
m1 = int(input())
m2 = int(input())
m3 = int(input())
m4 = int(input())
m5 = int(input())
print(f"Avg marks = {(m1+m2+m3+m4+m5)/5}")
```

```
Enter the marks for 5 students
 88
 99
 78
 89
 97
Avg marks = 90.2
```

10. Write a python program to input a number and print its square, cube and fourth power.

In [ ]:
```
# Akash Duttachowdhury | 21052386
num = int(input("Enter a number: "))
print(f"Square = {num**2}\nCube = {num**3}\nFourth = {num**4}")
```

```
Enter a number:  3
Square = 9
Cube = 27
Fourth = 81
```

11. Write a python program to input a the sides of a triangle and print its area.

In [ ]:
```
# Akash Duttachowdhury | 21052386
import math as m
print("Enter the sides of a triangle")
a = int(input("a = "))
b = int(input("b = "))
c = int(input("c = "))
s = (a+b+c)/2
print(f"Area of triangle = {m.sqrt(s*(s-a)*(s-b)*(s-c))}")
```

```
Enter the sides of a triangle
a =  3
b =  4
c =  5
Area of triangle = 6.0
```

12. Write a python program to compute SI and CI.

In [ ]:
```
# Akash Duttachowdhury | 21052386
p = float(input("Enter principal: "))
r = float(input("Enter rate(%): "))
t = float(input("Enter time(in years): "))
n = int(input("Enter no. of times interest is compounded per year: "))
print(f"Simple Interest = Rs. {p*r*t}")
print(f"Compound Interest = Rs. {p*((1+r/n)**(n*t))}")
```

```
Enter principal:  1000
Enter rate(%):  3
Enter time(in years):  12
Enter no. of times interest is compounded per year:  1
Simple Interest = Rs. 36000.0
Compound Interest = Rs. 16777216000.0
```

13. Ask the user to enter a number x. Use the sep optional argument to print out x, 2x, 3x, 4x, and 5x, each separated by three dashes, like below. Enter a number: 7 7---14---21---28---35

In [ ]:
```
# Akash Duttachowdhury | 21052386
n = int(input("Enter number: "))
print(f"{n}", f"{2*n}", f"{3*n}", f"{4*n}", f"{5*n}", sep='---')
```

```
Enter number:  7
7---14---21---28---35
```