UCS1412 Database Lab Assignment 9

Akash Kishore 18 5001 014

A Database Design Using Normal Forms




Figure 1: Company Relation

A.1 Identifying Primary Key

Proof. Let K be set of attributes which form the primary key and R be the set of attributes in the **COMPANY** relation.

```
K := R
A := \{Name, Address, BDate, Sex, Salary, DName, MgrID, PName, PDNo, Hrs\}
(K - A)^+ := R \quad \text{(Directly inferred from FDs)}
\therefore K := K - A
Now, K = \{EmpID, DNo, PNo\}
Dno can be removed from K as <math>EmpID \rightarrow DNo \quad \text{(From FD1)}
\therefore K = \{EmpID, PNo\}
(EmpID, PNo)^+ = \{Name, Address, BDate, Sex, Salary, DNo, DName, MgrID, PName, PDNo, Hrs\}
i.e K^+ = R
(EmpID)^+ = \{Name, Address, BDate, Sex, Salary, DNo, DName, MgrID\}
(PNo)^+ = \{PName, PDNo\}
Since neither attribute's closure with respect to the given set of FDs can fully determine all attributes, neither of them can be removed.
```

- $\therefore K$ represents the primary key of COMPANY
- \therefore Primary Key = {EmpID,PNo}

A.2 1st Normal Form

The relation does not contain any multivalued attributes or nested relations and hence is in 1NF.

A.3 2nd Normal Form

Functional Dependencies 1 and 3 are only partial dependencies. Hence the relation is not in 2NF. Therefore the relation is decomposed into 3 sub-relations.




Figure 2: Decomposition after 2NF

A.4 3rd Normal Form

Functional Dependencies 1 and 2 are transitive and hence the table <u>is not in 3NF</u>. Therefore the **EMPLOYEE** relation is further decomposed into 2 sub-relations.




Figure 3: Decomposition after 3NF

A.5 Boyce Codd Normal Form

Since all functional dependencies are dependent on Superkeys, the relation is in BCNF.

A.6 Verifying Normalization

A.6.1 Preservation of Functional Dependencies

- FD1 has been preserved in the EMPLOYEE relation
- FD2 has been preserved in the DEPARTMENT relation
- ullet FD3 has been preserved in the PROJECT relation
- FD4 has been preserved in the WORKS_ON relation
- : All 4 functional dependencies have been preserved after normalization.

A.6.2 Lossless Join

1. Joining the **EMPLOYEE** and **DEPARTMENT** relations.

Name	EmpID	Bdate	Address		Salary	DNo	DName	MgrID
John B Smith	123456789	1965-01-09	731 Fondren, Houston, TX	М	30000	5	Research	333445555
Franklin T Wong	333445555	1955-12-08	638 Voss, Houston, TX	М	40000	5	Research	888665555
Alicia J Zelaya	999887777	1969-01-19	3321 Castle, Spring, TX	F	25000	4	Administration	987654321
Jennifer S Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000	4	Administration	888665555
Ramesh K Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	М	38000	5	Research	333445555
Joyce A English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	5	Research	333445555
Ahmad V Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	М	25000	4	Administration	987654321
James E Borg	888665555	1937-11-10	450 Stone, Houston, TX	М	55000	1	Headquarters	NULL

Table 1: EMPLOYEE and DEPARTMENT Joined

2. Joining the **PROJECT** and **WORKS_ON** relations.

EmpID	PNo	Hrs	Pname	PDNo
123456789	1	32.5	ProductX	5
123456789	2	7.5	ProductY	5
666884444	3	40.0	ProductZ	5
453453453	1	20.0	ProductX	5
453453453	2	20.0	ProductY	5
333445555	2	10.0	ProductY	5
333445555	3	10.0	ProductZ	5
333445555	10	10.0	Computerization	4
333445555	20	10.0	Reorganization	1
999887777	30	30.0	Newbenefits	4
999887777	10	10.0	Computerization	4
987987987	10	35.0	Computerization	4
987987987	30	5.0	Newbenefits	4
987654321	30	20.0	Newbenefits	4
987654321	20	15.0	Reorganization	1
888665555	20	NULL	Reorganization	1

Table 2: PROJECT and WORKS_ON Joined

3. Joining the 2 relations in Table 1 and Table 2 $\,$

EmpID	PNo	Hrs	Pname	PDNo	Name	Bdate	Address	Sex	Salary	DNo	DName	MgrID
123456789	1	32.5	ProductX	5	John B Smith	1965-01-09	731 Fondren, Houston, TX	М	30000	5	Research	333445555
123456789	2	7.5	ProductY	5	John B Smith	1965-01-09	731 Fondren, Houston, TX	М	30000	5	Research	333445555
666884444	3	40.0	ProductZ	5	Ramesh K Narayan	1962-09-15	975 Fire Oak, Humble, TX	М	38000	5	Research	333445555
453453453	1	20.0	ProductX	5	Joyce A English	1972-07-31	5631 Rice, Houston, TX	F	25000	5	Research	333445555
453453453	2	20.0	ProductY	5	Joyce A English	1972-07-31	5631 Rice, Houston, TX	F	25000	5	Research	333445555
333445555	2	10.0	ProductY	5	Franklin T Wong	1955-12-08	638 Voss, Houston, TX	М	40000	5	Research	888665555
333445555	3	10.0	ProductZ	5	Franklin T Wong	1955-12-08	638 Voss, Houston, TX	М	40000	5	Research	888665555
333445555	10	10.0	Computerization	4	Franklin T Wong	1955-12-08	638 Voss, Houston, TX	М	40000	5	Research	888665555
333445555	20	10.0	Reorganization	1	Franklin T Wong	1955-12-08	638 Voss, Houston, TX	М	40000	5	Research	888665555
999887777	30	30.0	Newbenefits	4	Alicia J Zelaya	1969-01-19	3321 Castle, Spring, TX	F	25000	4	Administration	987654321
999887777	10	10.0	Computerization	4	Alicia J Zelaya	1969-01-19	3321 Castle, Spring, TX	F	25000	4	Administration	987654321
987987987	10	35.0	Computerization	4	Ahmad V Jabbar	1969-03-29	980 Dallas, Houston, TX	М	25000	4	Administration	987654321
987987987	30	5.0	Newbenefits	4	Ahmad V Jabbar	1969-03-29	980 Dallas, Houston, TX	М	25000	4	Administration	987654321
987654321	30	20.0	Newbenefits	4	Jennifer S Wallace	1941-06-20	291 Berry, Bellaire, TX	F	43000	4	Administration	888665555
987654321	20	15.0	Reorganization	1	Jennifer S Wallace	1941-06-20	291 Berry, Bellaire, TX	F	43000	4	Administration	888665555
888665555	20	NULL	Reorganization	1	James E Borg	1937-11-10	450 Stone, Houston, TX	М	55000	1	Headquarters	NULL

Table 3: COMPANY Relation with 16 tuples

 \therefore The lossless join property has been verified since there are 16 tuples after re-joining the relations.

B Database Design Using ER Diagram

B.1 ER Diagram From Requirements




Figure 4: ER Diagram

B.2 ER Relational Mapping

The following was done to convert the ER Diagram (Figure 4) to the Relational Model.

- 1. Each entity was made into a relation with all of its given attributes.
- 2. To represent the **Offered As** (1:N) relationship, an **attribute is added** to the Section relation which references CCode, the primary key of the Course relation.
- 3. To represent the **Offers** (1:N) relationship, an **attribute is added** to the Course relation which references DCode, the primary key of the Department relation.
- 4. To represent the **Belongs To** (1:N) relationship, an **attribute is added** to the Student relation which references DCode, the primary key of the Department relation.
- 5. To represent the **Takes** (M:N) relationship, a **new relation Takes** which contains the grade attribute of the relationship as well as the primary keys of the participating realtions (SecID,SID) is created.




Figure 5: Schema Diagram