

Bike_Share_Analysis

December 29, 2017

1 2016 US Bike Share Activity Snapshot

1.1 Table of Contents

- Section ??
- Section ??
- Section ??
 - Section ??
- Section ??
 - Section ??
 - Section ??
- Section ??
- Section ??

Introduction

Tip: Quoted sections like this will provide helpful instructions on how to navigate and use a Jupyter notebook.

Over the past decade, bicycle-sharing systems have been growing in number and popularity in cities across the world. Bicycle-sharing systems allow users to rent bicycles for short trips, typically 30 minutes or less. Thanks to the rise in information technologies, it is easy for a user of the system to access a dock within the system to unlock or return bicycles. These technologies also provide a wealth of data that can be used to explore how these bike-sharing systems are used.

In this project, you will perform an exploratory analysis on data provided by [Motivate](#), a bike-share system provider for many major cities in the United States. You will compare the system usage between three large cities: New York City, Chicago, and Washington, DC. You will also see if there are any differences within each system for those users that are registered, regular users and those users that are short-term, casual users.

Posing Questions

Before looking at the bike sharing data, you should start by asking questions you might want to understand about the bike share data. Consider, for example, if you were working for Motivate. What kinds of information would you want to know about in order to make smarter business decisions? If you were a user of the bike-share service, what factors might influence how you would want to use the service?

Question 1: Write at least two questions related to bike sharing that you think could be answered by data.

Answer: 1.) Demand For bicycles in Particular area at Peak Time.

2.) Does any Particular Bike is more preferred.?

Tip: If you double click on this cell, you will see the text change so that all of the formatting is removed. This allows you to edit this block of text. This block of text is written using [Markdown](#), which is a way to format text using headers, links, italics, and many other options using a plain-text syntax. You will also use Markdown later in the Nanodegree program. Use **Shift + Enter** or **Shift + Return** to run the cell and show its rendered form.

Data Collection and Wrangling

Now it's time to collect and explore our data. In this project, we will focus on the record of individual trips taken in 2016 from our selected cities: New York City, Chicago, and Washington, DC. Each of these cities has a page where we can freely download the trip data.:

- New York City (Citi Bike): [Link](#)
- Chicago (Divvy): [Link](#)
- Washington, DC (Capital Bikeshare): [Link](#)

If you visit these pages, you will notice that each city has a different way of delivering its data. Chicago updates with new data twice a year, Washington DC is quarterly, and New York City is monthly. **However, you do not need to download the data yourself.** The data has already been collected for you in the `/data/` folder of the project files. While the original data for 2016 is spread among multiple files for each city, the files in the `/data/` folder collect all of the trip data for the year into one file per city. Some data wrangling of inconsistencies in timestamp format within each city has already been performed for you. In addition, a random 2% sample of the original data is taken to make the exploration more manageable.

Question 2: However, there is still a lot of data for us to investigate, so it's a good idea to start off by looking at one entry from each of the cities we're going to analyze. Run the first code cell below to load some packages and functions that you'll be using in your analysis. Then, complete the second code cell to print out the first trip recorded from each of the cities (the second line of each data file).

Tip: You can run a code cell like you formatted Markdown cells above by clicking on the cell and using the keyboard shortcut **Shift + Enter** or **Shift + Return**. Alternatively, a code cell can be executed using the **Play** button in the toolbar after selecting it. While the cell is running, you will see an asterisk in the message to the left of the cell, i.e. `In [*]:`. The asterisk will change into a number to show that execution has completed, e.g. `In [1]:`. If there is output, it will show up as `Out [1]:`, with an appropriate number to match the "In" number.

```
In [33]: ## import all necessary packages and functions.
import csv # read and write csv files
from datetime import datetime # operations to parse dates
from pprint import pprint # use to print data structures like dictionaries in
                           # a nicer way than the base print function.
```

```

In [34]: def print_first_point(filename):
        """
        This function prints and returns the first data point (second row) from
        a csv file that includes a header row.
        """
        # print city name for reference
        city = filename.split('-')[0].split('/')[-1]
        print('\nCity: {}'.format(city))

        with open(filename, 'r') as f_in:
            ## TODO: Use the csv library to set up a DictReader object. ##
            ## see https://docs.python.org/3/library/csv.html ##
            trip_reader = csv.DictReader(f_in)

            ## TODO: Use a function on the DictReader object to read the ##
            ## first trip from the data file and store it in a variable. ##
            ## see https://docs.python.org/3/library/csv.html#reader-objects ##
            first_trip = next(trip_reader)

            ## TODO: Use the pprint library to print the first trip. ##
            ## see https://docs.python.org/3/library/pprint.html ##

            pprint(first_trip)

        # output city name and first trip for later testing
        return (city, first_trip)

# list of files for each city
data_files = ['./data/NYC-CitiBike-2016.csv',
               './data/Chicago-Divvy-2016.csv',
               './data/Washington-CapitalBikeshare-2016.csv']

# print the first trip from each file, store in dictionary
example_trips = {}
for data_file in data_files:
    city, first_trip = print_first_point(data_file)
    example_trips[city] = first_trip

```

City: NYC

```

OrderedDict([('tripduration', '839'),
             ('starttime', '1/1/2016 00:09:55'),
             ('stoptime', '1/1/2016 00:23:54'),
             ('start station id', '532'),
             ('start station name', 'S 5 Pl & S 4 St'),
             ('start station latitude', '40.710451'),
             ('start station longitude', '-73.960876'),

```

```
(
    'end_station_id', '401'),
    ('end_station_name', 'Allen St & Rivington St'),
    ('end_station_latitude', '40.72019576'),
    ('end_station_longitude', '-73.98997825'),
    ('bikeid', '17109'),
    ('usertype', 'Customer'),
    ('birth_year', ''),
    ('gender', '0'))]
```

City: Chicago

```
OrderedDict([
    ('trip_id', '9080545'),
    ('starttime', '3/31/2016 23:30'),
    ('stoptime', '3/31/2016 23:46'),
    ('bikeid', '2295'),
    ('tripduration', '926'),
    ('from_station_id', '156'),
    ('from_station_name', 'Clark St & Wellington Ave'),
    ('to_station_id', '166'),
    ('to_station_name', 'Ashland Ave & Wrightwood Ave'),
    ('usertype', 'Subscriber'),
    ('gender', 'Male'),
    ('birthyear', '1990')])
```

City: Washington

```
OrderedDict([
    ('Duration (ms)', '427387'),
    ('Start date', '3/31/2016 22:57'),
    ('End date', '3/31/2016 23:04'),
    ('Start station number', '31602'),
    ('Start station', 'Park Rd & Holmead Pl NW'),
    ('End station number', '31207'),
    ('End station', 'Georgia Ave and Fairmont St NW'),
    ('Bike number', 'W20842'),
    ('Member Type', 'Registered')])
```

If everything has been filled out correctly, you should see below the printout of each city name (which has been parsed from the data file name) that the first trip has been parsed in the form of a dictionary. When you set up a DictReader object, the first row of the data file is normally interpreted as column names. Every other row in the data file will use those column names as keys, as a dictionary is generated for each row.

This will be useful since we can refer to quantities by an easily-understandable label instead of just a numeric index. For example, if we have a trip stored in the variable `row`, then we would rather get the trip duration from `row['duration']` instead of `row[0]`.

Condensing the Trip Data

It should also be observable from the above printout that each city provides different information. Even where the information is the same, the column names and formats are sometimes different. To make things as simple as possible when we get to the actual exploration, we should trim and clean the data. Cleaning the data makes sure that the data formats across the cities are

consistent, while trimming focuses only on the parts of the data we are most interested in to make the exploration easier to work with.

You will generate new data files with five values of interest for each trip: trip duration, starting month, starting hour, day of the week, and user type. Each of these may require additional wrangling depending on the city:

- **Duration:** This has been given to us in seconds (New York, Chicago) or milliseconds (Washington). A more natural unit of analysis will be if all the trip durations are given in terms of minutes.
- **Month, Hour, Day of Week:** Ridership volume is likely to change based on the season, time of day, and whether it is a weekday or weekend. Use the start time of the trip to obtain these values. The New York City data includes the seconds in their timestamps, while Washington and Chicago do not. The `datetime` package will be very useful here to make the needed conversions.
- **User Type:** It is possible that users who are subscribed to a bike-share system will have different patterns of use compared to users who only have temporary passes. Washington divides its users into two types: 'Registered' for users with annual, monthly, and other longer-term subscriptions, and 'Casual', for users with 24-hour, 3-day, and other short-term passes. The New York and Chicago data uses 'Subscriber' and 'Customer' for these groups, respectively. For consistency, you will convert the Washington labels to match the other two.

Question 3a: Complete the helper functions in the code cells below to address each of the cleaning tasks described above.

```
In [35]: def duration_in_mins(datum, city):
        """
        Takes as input a dictionary containing info about a single trip (datum) and
        its origin city (city) and returns the trip duration in units of minutes.

        Remember that Washington is in terms of milliseconds while Chicago and NYC
        are in terms of seconds.

        HINT: The csv module reads in all of the data as strings, including numeric
        values. You will need a function to convert the strings into an appropriate
        numeric type when making your transformations.
        see https://docs.python.org/3/library/functions.html
        """

        # YOUR CODE HERE

        if city == "Washington":
            time = int(datum['Duration (ms)'])
            #print ('Time in milliseconds:',time)
            duration = time / (60 * 1000)
            #print ('Duration in mins:', duration, '\n')
        else:
            time = int(datum['tripduration'])
            #print ('Time in seconds:',time)
```

```

        duration = time / 60
        #print ('Duration in mins:', duration, '\n')
    return duration

# Some tests to check that your code works. There should be no output if all of
# the assertions pass. The `example_trips` dictionary was obtained from when
# you printed the first trip from each of the original data files.
tests = {'NYC': 13.9833,
        'Chicago': 15.4333,
        'Washington': 7.1231}

for city in tests:
    assert abs(duration_in_mins(example_trips[city], city) - tests[city]) < .001

In [36]: def time_of_trip(datum, city):
        """
        Takes as input a dictionary containing info about a single trip (datum) and
        its origin city (city) and returns the month, hour, and day of the week in
        which the trip was made.

        Remember that NYC includes seconds, while Washington and Chicago do not.

        HINT: You should use the datetime module to parse the original date
        strings into a format that is useful for extracting the desired information.
        see https://docs.python.org/3/library/datetime.html#strftime-and-strptime-behavior
        """

        # YOUR CODE HERE
        if city == 'NYC':
            #print(str_nyc, '\n', month, hour, day_of_week, '\n')
            str_nyc = datetime.strptime(datum['starttime'], "%m/%d/%Y %H:%M:%S")
            hour = int(str_nyc.strftime('%H'))
            day_of_week = str_nyc.strftime('%A')
            month = int(str_nyc.strftime('%m'))

        elif city == 'Chicago' :
            #print(str_chic, '\n', month, hour, day_of_week, '\n')
            str_chic = datetime.strptime(datum['starttime'], '%m/%d/%Y %H:%M')
            hour = int(str_chic.strftime('%H'))
            day_of_week = str_chic.strftime('%A')
            month = int(str_chic.strftime('%m'))

        elif city == 'Washington' :
            #print(str_wsh, '\n', month, hour, day_of_week, '\n')
            str_wsh = datetime.strptime(datum['Start date'], '%m/%d/%Y %H:%M')
            hour = int(str_wsh.strftime('%H'))

```

```

        day_of_week = str_wsh.strftime('%A')
        month = int(str_wsh.strftime('%m'))

    return (month, hour, day_of_week)

# Some tests to check that your code works. There should be no output if all of
# the assertions pass. The `example_trips` dictionary was obtained from when
# you printed the first trip from each of the original data files.
tests = {'NYC': (1, 0, 'Friday'),
        'Chicago': (3, 23, 'Thursday'),
        'Washington': (3, 22, 'Thursday')}

for city in tests:
    assert time_of_trip(example_trips[city], city) == tests[city]

In [37]: def type_of_user(datum, city):
        """
        Takes as input a dictionary containing info about a single trip (datum) and
        its origin city (city) and returns the type of system user that made the trip.

        Remember that Washington has different category names compared to Chicago and NYC.
        User Type: It is possible that users who are subscribed to a bike-share system will
        to users who only have temporary passes. Washington divides its users into two type
        monthly, and other longer-term subscriptions, and 'Casual', for users with 24-hour,
        The New York and Chicago data uses 'Subscriber' and 'Customer' for these groups, re
        For consistency, you will convert the Washington labels to match the other two
        """

        # YOUR CODE HERE
        if city == 'NYC' or city == 'Chicago':
            #print(datum['usertype'])
            user_type = datum['usertype']
        elif city == 'Washington' and (datum['Member Type'] == "Registered") :
            #print(datum['Member Type'])
            user_type = 'Subscriber'
        elif city == 'Washington' and (datum['Member Type'] == "Casual") :
            #print(datum['Member Type'])
            user_type = 'Customer'
        #print(user_type)
        return user_type

```

```

# Some tests to check that your code works. There should be no output if all of
# the assertions pass. The `example_trips` dictionary was obtained from when
# you printed the first trip from each of the original data files.
tests = {'NYC': 'Customer',
        'Chicago': 'Subscriber',
        'Washington': 'Subscriber'}

# Some tests to check that your code works. There should be no output if all of
# the assertions pass. The `example_trips` dictionary was obtained from when
# you printed the first trip from each of the original data files.
tests = {'NYC': 'Customer',
        'Chicago': 'Subscriber',
        'Washington': 'Subscriber'}

# Some tests to check that your code works. There should be no output if all of
# the assertions pass. The `example_trips` dictionary was obtained from when
# you printed the first trip from each of the original data files.
tests = {'NYC': 'Customer',
        'Chicago': 'Subscriber',
        'Washington': 'Subscriber'}

for city in tests:
    assert type_of_user(example_trips[city], city) == tests[city]

```

Question 3b: Now, use the helper functions you wrote above to create a condensed data file for each city consisting only of the data fields indicated above. In the /examples/ folder, you will see an example datafile from the [Bay Area Bike Share](#) before and after conversion. Make sure that your output is formatted to be consistent with the example file.

```

In [38]: def condense_data(in_file, out_file, city):
        """
        This function takes full data from the specified input file
        and writes the condensed data to a specified output file. The city
        argument determines how the input file will be parsed.

        HINT: See the cell below to see how the arguments are structured!
        """

        with open(out_file, 'w') as f_out, open(in_file, 'r') as f_in:

            # set up csv DictWriter object - writer requires column names for the
            # first row as the "fieldnames" argument

```



```

out_colnames = ['duration', 'month', 'hour', 'day_of_week', 'user_type']
trip_writer = csv.DictWriter(f_out, fieldnames = out_colnames)
trip_writer.writeheader()

## TODO: set up csv DictReader object ##
trip_reader = csv.DictReader (f_in)
# collect data from and process each row
for row in trip_reader:
    # set up a dictionary to hold the values for the cleaned and trimmed
    # data point
    new_point = {}
    new_point['duration'] = duration_in_mins(row, city)
    new_point['month'] = time_of_trip (row, city)[0]
    new_point['hour'] = time_of_trip (row,city)[1]
    new_point['day_of_week']= time_of_trip (row,city)[2]
    new_point['user_type'] = type_of_user(row, city)
    #print(row)

    trip_writer.writerow (new_point)

```

```

## TODO: write the processed information to the output file.      ##

## see https://docs.python.org/3/library/csv.html#writer-objects ##

```

```

In [39]: # Run this cell to check your work
city_info = {'Washington': {'in_file': './data/Washington-CapitalBikeshare-2016.csv',
                             'out_file': './data/Washington-2016-Summary.csv'},
             'Chicago': {'in_file': './data/Chicago-Divvy-2016.csv',
                          'out_file': './data/Chicago-2016-Summary.csv'},
             'NYC': {'in_file': './data/NYC-CitiBike-2016.csv',
                     'out_file': './data/NYC-2016-Summary.csv'}}

for city, filenames in city_info.items():

```

```
condense_data(filenamees['in_file'], filenamees['out_file'], city)
print_first_point(filenamees['out_file'])
```

City: Washington

```
OrderedDict([('duration', '7.1231166666666666'),
             ('month', '3'),
             ('hour', '22'),
             ('day_of_week', 'Thursday'),
             ('user_type', 'Subscriber')])
```

City: Chicago

```
OrderedDict([('duration', '15.433333333333334'),
             ('month', '3'),
             ('hour', '23'),
             ('day_of_week', 'Thursday'),
             ('user_type', 'Subscriber')])
```

City: NYC

```
OrderedDict([('duration', '13.983333333333333'),
             ('month', '1'),
             ('hour', '0'),
             ('day_of_week', 'Friday'),
             ('user_type', 'Customer')])
```

Tip: If you save a jupyter Notebook, the output from running code blocks will also be saved. However, the state of your workspace will be reset once a new session is started. Make sure that you run all of the necessary code blocks from your previous session to reestablish variables and functions before picking up where you last left off.

Exploratory Data Analysis

Now that you have the data collected and wrangled, you're ready to start exploring the data. In this section you will write some code to compute descriptive statistics from the data. You will also be introduced to the `matplotlib` library to create some basic histograms of the data.

Statistics

First, let's compute some basic counts. The first cell below contains a function that uses the `csv` module to iterate through a provided data file, returning the number of trips made by subscribers and customers. The second cell runs this function on the example Bay Area data in the `/examples/` folder. Modify the cells to answer the question below.

Question 4a:

- Which city has the highest number of trips?
- Which city has the highest proportion of trips made by subscribers?
- Which city has the highest proportion of trips made by short-term customers?

Answers:

- New York City has the highest number of trips
- New York City has the highest proportion of trips made by subscribers
- Chicago has the highest proportion of trips made by short-term customers, i.e approximately 23.77% of the total rides.

```
In [40]: def number_of_trips(filename):
        """
        This function reads in a file with trip data and reports the number of
        trips made by subscribers, customers, and total overall.
        """
        with open(filename, 'r') as f_in:
            # set up csv reader object
            reader = csv.DictReader(f_in)

            # initialize count variables
            n_subscribers = 0
            n_customers = 0

            # tally up ride types
            for row in reader:
                if row['user_type'] == 'Subscriber':
                    n_subscribers += 1
                elif row['user_type'] == 'Customer':
                    n_customers += 1

            # compute total number of rides

            n_total = n_subscribers + n_customers

            # return tallies as a tuple
            return('No. of Subscribers:', n_subscribers, 'No. of Customers:', n_customers, 'Total no. of all Users:', n_total)

In [41]: ## Modify this and the previous cell to answer Question 4a. Remember to run ##
        ## the function on the cleaned data files you created from Question 3.      ##

        data_file = './examples/BayArea-Y3-Summary.csv'
        print(number_of_trips(data_file))

('No. of Subscribers:', 5666, 'No. of Customers:', 633, 'Total no. of all Users:', 6299)

In [42]: for city, filenames in city_info.items():
        print('Trip Data for:', city, '\n', number_of_trips(filenames['out_file']), '\n')
```

Trip Data for: Washington

```
('No. of Subscribers:', 51753, 'No. of Customers:', 14573, 'Total no. of all Users:', 66326)
```

Trip Data for: Chicago

```
('No. of Subscribers:', 54982, 'No. of Customers:', 17149, 'Total no. of all Users:', 72131)
```

Trip Data for: NYC

```
('No. of Subscribers:', 245896, 'No. of Customers:', 30185, 'Total no. of all Users:', 276081)
```

Tip: In order to add additional cells to a notebook, you can use the “Insert Cell Above” and “Insert Cell Below” options from the menu bar above. There is also an icon in the toolbar for adding new cells, with additional icons for moving the cells up and down the document. By default, new cells are of the code type; you can also specify the cell type (e.g. Code or Markdown) of selected cells from the Cell menu or the dropdown in the toolbar.

Now, you will write your own code to continue investigating properties of the data.

Question 4b: Bike-share systems are designed for riders to take short trips. Most of the time, users are allowed to take trips of 30 minutes or less with no additional charges, with overage charges made for trips of longer than that duration. What is the average trip length for each city? What proportion of rides made in each city are longer than 30 minutes?

Answer:

The **Average Trip Duration** for each city is:

- NYC: 14 mins
- Washington: 19 mins
- Chicago: 16.5 mins

Proportion of rides > 30 mins made in each city:

- NYC: 7.31 %
- Washington: 10.83%
- Chicago: 8.34%

```
In [43]: ## Use this and additional cells to answer Question 4b. ##
        ##
        ## HINT: The csv module reads in all of the data as strings, including ##
        ## numeric values. You will need a function to convert the strings ##
        ## into an appropriate numeric type before you aggregate data. ##
        ## TIP: For the Bay Area example, the average trip length is 14 minutes ##
        ## and 3.5% of trips are longer than 30 minutes.

def tripdetails(filename):
    """
    This function reads in a file with trip data and reports the number of
    trips made by subscribers, customers, and total overall.
```

```

"""
with open(filename, 'r') as f_in:
    # set up csv reader object
    reader = csv.DictReader(f_in)
    # initialize count variables
    total_duration = 0
    n_trips_over_30 = 0
    n_trips_under_30 = 0
    cus_total_duration = 0
    sub_total_duration = 0

    # tally up duration
    for row in reader:
        duration = float(row['duration'])
        user = row['user_type']
        total_duration += duration
        if (duration > 30):
            n_trips_over_30 += 1
        elif (duration <= 30):
            n_trips_under_30 += 1
        if (user == 'Customer'):
            cus_total_duration += duration
        elif (user == 'Subscriber'):
            sub_total_duration += duration

## RECALL
## data_file = './examples/BayArea-Y3-Summary.csv'
## print(number_of_trips(data_file))
## Gave out put of (5666, 633, 6299)
## So the code below is selecting the corresponding value from the tuple like

# divide total duration by number of trips
# return('No. of Subscribers:', n_subscribers, 'No. of Customers:', n_customers,
n_total = n_trips_over_30 + n_trips_under_30
sub_avg_duration = sub_total_duration / number_of_trips(filename)[1]
cus_avg_duration = cus_total_duration / number_of_trips(filename)[3]
avg_duration = total_duration / number_of_trips(filename)[5]
pct_trips_over_30 = (n_trips_over_30 / number_of_trips(filename)[5])*100
print('DATA FROM:"{}"', '\n No. of Trips over 30 mins: {},\n No. of Trips under 30 mins: {}'.format(
    n_total, n_trips_over_30, n_trips_under_30))
#return(avg_duration, sub_total_duration, pct_trips_over_30, sub_avg_duration, cus_avg_duration)
#return('Average Duration:', avg_duration, 'Subscriber Total Duration(mins):', sub_total_duration)

filename = './examples/BayArea-Y3-Summary.csv'
tripdetails(filename)
#print('Data from BayArea:', '\n', tripdetails(filename), '\n')

```

DATA FROM:"./examples/BayArea-Y3-Summary.csv",

No. of Trips over 30 mins: 222,
No. of Trips under 30 mins: 6077,
Total No. of Trips: 6299,
Total Duration (mins): 88429.50000000029,
Average Duration (mins): 14.038656929671422,
% over 30 min: 3.5243689474519764 %,
Average Trip Duration(mins)for Subscribers: 9.512633839275217,
Average Trip Duration(mins)for Customers: 54.55121116377032

```
In [44]: for city,filenames in city_info.items():  
         tripdetails(filenames['out_file'])
```

DATA FROM:"./data/Washington-2016-Summary.csv",
No. of Trips over 30 mins: 7189,
No. of Trips under 30 mins: 59137,
Total No. of Trips: 66326,
Total Duration (mins): 1255741.7716833346,
Average Duration (mins): 18.93287355913721,
% over 30 min: 10.83888671109369 %,
Average Trip Duration(mins)for Subscribers: 12.528120499294745,
Average Trip Duration(mins)for Customers: 41.67803139252976

DATA FROM:"./data/Chicago-2016-Summary.csv",
No. of Trips over 30 mins: 6010,
No. of Trips under 30 mins: 66121,
Total No. of Trips: 72131,
Total Duration (mins): 1194751.14999999992,
Average Duration (mins): 16.563629368787335,
% over 30 min: 8.332062497400562 %,
Average Trip Duration(mins)for Subscribers: 12.067201690250076,
Average Trip Duration(mins)for Customers: 30.979781133982506

DATA FROM:"./data/NYC-2016-Summary.csv",
No. of Trips over 30 mins: 20213,
No. of Trips under 30 mins: 256585,
Total No. of Trips: 276798,
Total Duration (mins): 4376894.116666754,
Average Duration (mins): 15.853659312545064,
% over 30 min: 7.321402052296247 %,
Average Trip Duration(mins)for Subscribers: 13.680790523907177,
Average Trip Duration(mins)for Customers: 32.982004306775025

Question 4c: Dig deeper into the question of trip duration based on ridership. Choose one city. Within that city, which type of user takes longer rides on average: Subscribers or Customers?

Answer:

The Average Trip Duration (according to user_type) for each city:

- For NYC: Average Trip Duration for Subscribers(mins): 13.75 mins Average Trip Duration for Customers(mins): 32.21 mins
- For Washington: Average Trip Duration for Subscribers(mins): 12.52 mins Average Trip Duration for Customers(mins): 41.67 mins
- For Chicago: Average Trip Duration for Subscribers(mins): 12.06 mins Average Trip Duration for Customers(mins): 30.97 mins

In all the above cities, Customers seem to take longer rides than Subscribers**### Visualizations**


The last set of values that you computed should have pulled up an interesting result. While the mean trip time for Subscribers is well under 30 minutes, the mean trip time for Customers is actually *above* 30 minutes! It will be interesting for us to look at how the trip times are distributed. In order to do this, a new library will be introduced here, `matplotlib`. Run the cell below to load the library and to generate an example plot.

```
In [45]: # load library
import matplotlib.pyplot as plt

# this is a 'magic word' that allows for plots to be displayed
# inline with the notebook. If you want to know more, see:
# http://ipython.readthedocs.io/en/stable/interactive/magics.html
%matplotlib inline

# example histogram, data taken from bay area sample
data = [ 7.65,  8.92,  7.42,  5.50, 16.17,  4.20,  8.98,  9.62, 11.48, 14.33,
        19.02, 21.53,  3.90,  7.97,  2.62,  2.67,  3.08, 14.40, 12.90,  7.83,
        25.12,  8.30,  4.93, 12.43, 10.60,  6.17, 10.88,  4.78, 15.15,  3.53,
         9.43, 13.32, 11.72,  9.85,  5.22, 15.10,  3.95,  3.17,  8.78,  1.88,
         4.55, 12.68, 12.38,  9.78,  7.63,  6.45, 17.38, 11.90, 11.52,  8.63,]

plt.hist(data)
plt.title('Distribution of Trip Durations')
plt.xlabel('Duration (m)')
plt.show()
```



In the above cell, we collected fifty trip times in a list, and passed this list as the first argument to the `.hist()` function. This function performs the computations and creates plotting objects for generating a histogram, but the plot is actually not rendered until the `.show()` function is executed. The `.title()` and `.xlabel()` functions provide some labeling for plot context.

You will now use these functions to create a histogram of the trip times for the city you selected in question 4c. Don't separate the Subscribers and Customers for now: just collect all of the trip times and plot them.

```
In [46]: ## Use this and additional cells to collect all of the trip times as a list ##
        ## and then use pyplot functions to generate a histogram of trip times.      ##
import matplotlib.pyplot as plt
%matplotlib inline

def trip_durations(filename,city):
    with open(filename, 'r') as f_in:
        reader = csv.DictReader(f_in)
        duration_list_subscriber = []
        duration_list_customer = []

    for row in reader:
        duration = float(row['duration'])
        user = row['user_type']
        if duration < 75:
            if user == "Subscriber":
                duration_list_subscriber.append(duration)
```



```

        if user == "Customer":
            duration_list_customer.append(duration)
        else:
            continue


    bins=[i for i in range(0,80,5)]
    plt.hist(duration_list_subscriber, bins=bins, label='Subscribers')
    plt.hist(duration_list_customer, bins=bins, label='Customers')
    plt.title('Distribution of Trip Durations for {}'.format(city))
    plt.xlabel('Duration in mins')
    plt.legend()
    plt.show()



```

```

In [47]: for city, filenames in city_info.items():
        trip_durations(filenames['out_file'], city)

```





If you followed the use of the `.hist()` and `.show()` functions exactly like in the example, you're probably looking at a plot that's completely unexpected. The plot consists of one extremely tall bar on the left, maybe a very short second bar, and a whole lot of empty space in the center and right. Take a look at the duration values on the x-axis. This suggests that there are some highly infrequent outliers in the data. Instead of reprocessing the data, you will use additional parameters with the `.hist()` function to limit the range of data that is plotted. Documentation for the function can be found [\[here\]](#).

Question 5: Use the parameters of the `.hist()` function to plot the distribution of trip times for the Subscribers in your selected city. Do the same thing for only the Customers. Add limits to the plots so that only trips of duration less than 75 minutes are plotted. As a bonus, set the plots up so that bars are in five-minute wide intervals. For each group, where is the peak of each distribution? How would you describe the shape of each distribution?

Answer:

The peaks of the distribution for NYC is:

- No. of Trips for Subscribers: ~ 80,000 trips around 9 mins duration
- No. of Trips for Customers: ~ 5,000 trips around 20 mins duration
- The graphs for NYC typically looks like a positively skewed bell curve.

```
In [48]: ## Use this and additional cells to answer Question 5. ##
```

```
def trip_durations_user(filename,city,usertype):  
    with open(filename, 'r') as f_in:
```


```
        reader = csv.DictReader(f_in)  
        duration_list = []  
        #duration_dict = defaultdict(list)
```

```
        for row in reader:  
            duration = (float(row['duration']))  
            user = row['user_type']  
            if duration < 75:  
                if user == usertype:  
                    duration_list.append(duration)  
                    #duration_dict[user].append(duration)  
            else:  
                continue
```


```
        bins=[i for i in range(0,80,5)]  
        plt.hist(duration_list,bins=bins,label=user)  
        plt.title('Distribution of Trip Durations for {}s in {}'.format(usertype,city))  
        plt.xlabel('Duration in mins')  
        plt.ylabel('Number of Trips')  
        plt.show()
```

```
In [49]: for city, filenames in city_info.items():  
        trip_durations_user(filenames['out_file'], city, 'Subscriber')  
        trip_durations_user(filenames['out_file'], city, 'Customer')
```


Distribution of Trip Durations for Subscribers in Washington




Distribution of Trip Durations for Customers in Washington





Distribution of Trip Durations for Subscribers in Chicago



Distribution of Trip Durations for Customers in Chicago





Performing Your Own Analysis

So far, you've performed an initial exploration into the data available. You have compared the relative volume of trips made between three U.S. cities and the ratio of trips made by Subscribers and Customers. For one of these cities, you have investigated differences between Subscribers and Customers in terms of how long a typical trip lasts. Now it is your turn to continue the exploration in a direction that you choose. Here are a few suggestions for questions to explore:

- How does ridership differ by month or season? Which month / season has the highest ridership? Does the ratio of Subscriber trips to Customer trips change depending on the month or season?
- Is the pattern of ridership different on the weekends versus weekdays? On what days are Subscribers most likely to use the system? What about Customers? Does the average duration of rides change depending on the day of the week?
- During what time of day is the system used the most? Is there a difference in usage patterns for Subscribers and Customers?

If any of the questions you posed in your answer to question 1 align with the bullet points above, this is a good opportunity to investigate one of them. As part of your investigation, you will need to create a visualization. If you want to create something other than a histogram, then you might want to consult the [Pyplot documentation](#). In particular, if you are plotting values across a categorical variable (e.g. city, user type), a bar chart will be useful. The [documentation page for .bar\(\)](#) includes links at the bottom of the page with examples for you to build off of for your own use.

Question 6: Continue the investigation by exploring another question that could be answered by the data available. Document the question you want to explore below. Your investigation should involve at least two variables and should compare at least two groups. You should also use at least one visualization as part of your explorations.

Answer: Considering BikeShare data for NYC:

- **Subscribers** rode the most on Wednesday (41403) and Thursday (41197).
- The Average trip Duration for Subscribers was the maximum on Saturdays and Sundays, around **15 mins**
- **Customers** rode the most during weekends. On Saturday about 7069 customers and Sundays about 6776 customers.
- The Average trip Duration for Customers was the maximum on Wednesday, around **34 mins**

```
In [50]: ## Use this and additional cells to continue to explore the dataset. ##
         ## Once you have performed your exploration, document your findings ##
         ## in the Markdown cell above. ##
         ## Use this and additional cells to continue to explore the dataset. ##
         ## Once you have performed your exploration, document your findings in the Markdown cell ##
         ## Subscriber Ridership pattern by day_of_week for NYC
         import matplotlib.pyplot as plt; plt.rcParamsdefaults()
         import numpy as np
         import matplotlib.pyplot as plt

         def num_of_subtrips_byday(filename,city):
```

```

"""
This function reads in a file with trip data and reports the number of
trips made by subscribers, customers according to day of week
"""
with open(filename, 'r') as f_in:
    # set up csv reader object
    reader = csv.DictReader(f_in)

    # initialize count variables For Subscribers
    n_subscribers_Monday = 0
    sub_total_duration_Monday = 0

    n_subscribers_Tuesday = 0
    sub_total_duration_Tuesday = 0

    n_subscribers_Wednesday = 0
    sub_total_duration_Wednesday = 0

    n_subscribers_Thursday = 0
    sub_total_duration_Thursday = 0

    n_subscribers_Friday = 0
    sub_total_duration_Friday = 0

    n_subscribers_Saturday = 0
    sub_total_duration_Saturday = 0

    n_subscribers_Sunday = 0
    sub_total_duration_Sunday = 0

    n_subscribers_weekday = 0
    n_subscribers_weekend = 0

    day_of_week = None
    weekday_list = {'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday'}
    weekend_list = {'Saturday', 'Sunday'}

    # Counting Subscriber Ridership by day of week
    for row in reader:
        duration = float(row['duration'])
        day_of_week = row['day_of_week']
        user = row['user_type']
        # if statements for Subscribers by day of week
        if user == 'Subscriber' and (day_of_week == 'Monday'):
            n_subscribers_Monday += 1
            sub_total_duration_Monday += duration
        if user == 'Subscriber' and (day_of_week == 'Tuesday'):
            n_subscribers_Tuesday += 1

```



```

        sub_total_duration_Tuesday += duration
    if user == 'Subscriber' and (day_of_week == 'Wednesday'):
        n_subscribers_Wednesday += 1
        sub_total_duration_Wednesday += duration
    if user == 'Subscriber' and (day_of_week == 'Thursday'):
        n_subscribers_Thursday += 1
        sub_total_duration_Thursday += duration
    if user == 'Subscriber' and (day_of_week == 'Friday'):
        n_subscribers_Friday += 1
        sub_total_duration_Friday += duration
    if user == 'Subscriber' and (day_of_week == 'Saturday'):
        n_subscribers_Saturday += 1
        sub_total_duration_Saturday += duration
    if user == 'Subscriber' and (day_of_week == 'Sunday'):
        n_subscribers_Sunday += 1
        sub_total_duration_Sunday += duration
    if user == 'Subscriber' and (day_of_week in weekend_list):
        n_subscribers_weekend += 1
    elif user == 'Subscriber' and (day_of_week in weekday_list):
        n_subscribers_weekday += 1

sub_avg_duration_Monday = sub_total_duration_Monday / n_subscribers_Monday
sub_avg_duration_Tuesday = sub_total_duration_Tuesday / n_subscribers_Tuesday
sub_avg_duration_Wednesday = sub_total_duration_Wednesday / n_subscribers_Wednesday
sub_avg_duration_Thursday = sub_total_duration_Thursday / n_subscribers_Thursday
sub_avg_duration_Friday = sub_total_duration_Friday / n_subscribers_Friday
sub_avg_duration_Saturday = sub_total_duration_Saturday / n_subscribers_Saturday
sub_avg_duration_Sunday = sub_total_duration_Sunday / n_subscribers_Sunday
n_sub_weekday = n_subscribers_Monday + n_subscribers_Tuesday + n_subscribers_Wednesday + n_subscribers_Thursday + n_subscribers_Friday
n_sub_weekend = n_subscribers_Saturday + n_subscribers_Sunday
# Print Subscriber Ridership Data
print('DATA FROM:"{}", \n Subscriber Count on Monday:{}, \n Average Subscriber Trip Duration (in mi) on Monday:{}, \n Subscriber Count on Tuesday:{}, \n Average Subscriber Trip Duration (in mi) on Tuesday:{}, \n Subscriber Count on Wednesday:{}, \n Average Subscriber Trip Duration (in mi) on Wednesday:{}, \n Subscriber Count on Thursday:{}, \n Average Subscriber Trip Duration (in mi) on Thursday:{}, \n Subscriber Count on Friday:{}, \n Average Subscriber Trip Duration (in mi) on Friday:{}, \n Subscriber Count on Saturday:{}, \n Average Subscriber Trip Duration (in mi) on Saturday:{}, \n Subscriber Count on Sunday:{}, \n Average Subscriber Trip Duration (in mi) on Sunday:{}, \n Subscriber Count in {} on Weekdays: {}, Subscribers Count in NYC on Weekdays: {}'.format(city, n_subscribers_Monday, sub_avg_duration_Monday, n_subscribers_Tuesday, sub_avg_duration_Tuesday, n_subscribers_Wednesday, sub_avg_duration_Wednesday, n_subscribers_Thursday, sub_avg_duration_Thursday, n_subscribers_Friday, sub_avg_duration_Friday, n_subscribers_Saturday, sub_avg_duration_Saturday, n_subscribers_Sunday, sub_avg_duration_Sunday, n_sub_weekday, n_sub_weekend))
# Printing Bar Plots
objects = ('Mon', 'Tue', 'Wed', 'Thurs', 'Fri', 'Sat', 'Sun')
y_pos = np.arange(len(objects))
n_users = [n_subscribers_Monday, n_subscribers_Tuesday, n_subscribers_Wednesday, n_subscribers_Thursday, n_subscribers_Friday, n_subscribers_Saturday, n_subscribers_Sunday]
plt.bar(y_pos, n_users, align='center', alpha=0.5)
plt.xticks(y_pos, objects)
plt.ylabel('No. of Subscribers')
plt.title('Subscriber Ridership in {} by Day of Week'.format(city))

```

```

plt.show()

objects = ('Mon', 'Tue', 'Wed', 'Thurs', 'Fri', 'Sat', 'Sun')
y_pos = np.arange(len(objects))
tot_avg_dur = [sub_avg_duration_Monday, sub_avg_duration_Tuesday, sub_avg_duration_Wednesday, sub_avg_duration_Thursday, sub_avg_duration_Friday, sub_avg_duration_Saturday, sub_avg_duration_Sunday]
plt.bar(y_pos, tot_avg_dur, align='center', alpha=0.5, color = 'Crimson')
plt.xticks(y_pos, objects)
plt.ylabel('Time in Mins')
plt.title('Average Duration of Subscriber Ridership in {} by Day'.format(city))
plt.show()

for city, filenames in city_info.items():
    num_of_subtrips_byday(filenames['out_file'], city)

DATA FROM: "./data/Washington-2016-Summary.csv",
Subscriber Count on Monday:7658,
Average Subscriber Trip Duration (in mins) on Monday:12.30699903804299

Subscriber Count on Tuesday:8322,
Average Subscriber Trip Duration (in mins) on Tuesday:12.392428110229885

Subscriber Count on Wednesday:8520,
Average Subscriber Trip Duration (in mins) on Wednesday:12.564928616979662

Subscriber Count on Thursday:8454,
Average Subscriber Trip Duration (in mins) on Thursday:12.523436452172533


Subscriber Count on Friday:7958,
Average Subscriber Trip Duration (in mins) on Friday:12.171476185389961


Subscriber Count on Saturday:5589,
Average Subscriber Trip Duration (in mins) on Saturday:13.09449415816784

Subscriber Count on Sunday:5252,
Average Subscriber Trip Duration (in mins) on Sunday:12.95106167491746

Subscriber Count in Washington on Weekdays: 40912, Subscribers Count in NYC on Weekends: 10841

```





DATA FROM:"./data/Chicago-2016-Summary.csv",

Subscriber Count on Monday:8840,

Average Subscriber Trip Duration (in mins) on Monday:12.13225301659125

Subscriber Count on Tuesday:9356,

Average Subscriber Trip Duration (in mins) on Tuesday:11.51612868747333

Subscriber Count on Wednesday:8447,

Average Subscriber Trip Duration (in mins) on Wednesday:12.072781263564963

Subscriber Count on Thursday:8643,

Average Subscriber Trip Duration (in mins) on Thursday:11.479283813490698

Subscriber Count on Friday:8648,

Average Subscriber Trip Duration (in mins) on Friday:11.722610237434449


Subscriber Count on Saturday:5676,


Average Subscriber Trip Duration (in mins) on Saturday:13.184543105473352

Subscriber Count on Sunday:5372,

Average Subscriber Trip Duration (in mins) on Sunday:13.23120501365102

Subscriber Count in Chicago on Weekdays: 43934, Subscribers Count in NYC on Weekends: 11048





DATA FROM:"./data/NYC-2016-Summary.csv",

Subscriber Count on Monday:35623,

Average Subscriber Trip Duration (in mins) on Monday:13.203219829885048

Subscriber Count on Tuesday:39487,

Average Subscriber Trip Duration (in mins) on Tuesday:12.90406884966369

Subscriber Count on Wednesday:41403,

Average Subscriber Trip Duration (in mins) on Wednesday:13.170957015997157

Subscriber Count on Thursday:41197,

Average Subscriber Trip Duration (in mins) on Thursday:13.287923068831743

Subscriber Count on Friday:37606,

Average Subscriber Trip Duration (in mins) on Friday:14.361409083656945


Subscriber Count on Saturday:26126,


Average Subscriber Trip Duration (in mins) on Saturday:14.828011049018901

Subscriber Count on Sunday:24454,

Average Subscriber Trip Duration (in mins) on Sunday:14.883411030233706

Subscriber Count in NYC on Weekdays: 195316, Subscribers Count in NYC on Weekends: 50580





```
In [51]: ## Customer Ridership pattern by day_of_week for NYC
def num_of_custrips_byday(filename,city):
    """
    This function reads in a file with trip data and reports the number of
    trips made by customers, customers according to day of week
    """
    with open(filename, 'r') as f_in:
        # set up csv reader object
        reader = csv.DictReader(f_in)

        # initialize count variables For Customers
        n_customers_Monday = 0
        cus_total_duration_Monday = 0

        n_customers_Tuesday = 0
        cus_total_duration_Tuesday = 0

        n_customers_Wednesday = 0
        cus_total_duration_Wednesday = 0

        n_customers_Thursday = 0
```



```

cus_total_duration_Thursday = 0

n_customers_Friday = 0
cus_total_duration_Friday = 0

n_customers_Saturday = 0
cus_total_duration_Saturday = 0

n_customers_Sunday = 0
cus_total_duration_Sunday = 0

n_customers_weekday = 0
n_customers_weekend = 0

day_of_week = None
weekday_list = {'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday'}
weekend_list = {'Saturday', 'Sunday'}

# Counting Customer Ridership by day of week
for row in reader:
    duration = float(row['duration'])
    day_of_week = row['day_of_week']
    user = row['user_type']
    # if statements for Customers by day of week
    if user == 'Customer' and (day_of_week == 'Monday'):
        n_customers_Monday += 1
        cus_total_duration_Monday += duration
    if user == 'Customer' and (day_of_week == 'Tuesday'):
        n_customers_Tuesday += 1
        cus_total_duration_Tuesday += duration
    if user == 'Customer' and (day_of_week == 'Wednesday'):
        n_customers_Wednesday += 1
        cus_total_duration_Wednesday += duration
    if user == 'Customer' and (day_of_week == 'Thursday'):
        n_customers_Thursday += 1
        cus_total_duration_Thursday += duration
    if user == 'Customer' and (day_of_week == 'Friday'):
        n_customers_Friday += 1
        cus_total_duration_Friday += duration
    if user == 'Customer' and (day_of_week == 'Saturday'):
        n_customers_Saturday += 1
        cus_total_duration_Saturday += duration
    if user == 'Customer' and (day_of_week == 'Sunday'):
        n_customers_Sunday += 1
        cus_total_duration_Sunday += duration
    if user == 'Customer' and (day_of_week in weekend_list):
        n_customers_weekend += 1
    elif user == 'Customer' and (day_of_week in weekday_list):

```

```

        n_customers_weekday += 1

cus_avg_duration_Monday = cus_total_duration_Monday / n_customers_Monday
cus_avg_duration_Tuesday = cus_total_duration_Tuesday / n_customers_Tuesday
cus_avg_duration_Wednesday = cus_total_duration_Wednesday / n_customers_Wednesday
cus_avg_duration_Thursday = cus_total_duration_Thursday / n_customers_Thursday
cus_avg_duration_Friday = cus_total_duration_Friday / n_customers_Friday
cus_avg_duration_Saturday = cus_total_duration_Saturday / n_customers_Saturday
cus_avg_duration_Sunday = cus_total_duration_Sunday / n_customers_Sunday
n_cus_weekday = n_customers_Monday + n_customers_Tuesday + n_customers_Wednesday
n_cus_weekend = n_customers_Saturday + n_customers_Sunday
# Print Customer Ridership Data
print('DATA FROM:"{}", \n Customer Count on Monday:{},\n Average Customer Trip
print('Customer Count on Tuesday:{},\n Average Customer Trip Duration (in mins)
print('Customer Count on Wednesday:{},\n Average Customer Trip Duration (in mins)
print('Customer Count on Thursday:{},\n Average Customer Trip Duration (in mins)
print('Customer Count on Friday:{},\n Average Customer Trip Duration (in mins)
print('Customer Count on Saturday:{},\n Average Customer Trip Duration (in mins)
print('Customer Count on Sunday:{},\n Average Customer Trip Duration (in mins)
#print('Customer Count in {} on Weekdays: {}, Customers Count in NYC on Weekends
print('Customer Count in {} on Weekdays: {}, Customers Count in NYC on Weekends

## Printing Bar Plots
objects = ('Mon', 'Tue', 'Wed', 'Thurs', 'Fri', 'Sat', 'Sun')
y_pos = np.arange(len(objects))
n_users = [n_customers_Monday,n_customers_Tuesday,n_customers_Wednesday,n_customers_Thursday,n_customers_Friday,n_customers_Saturday,n_customers_Sunday]
plt.bar(y_pos, n_users, align='center', alpha=0.5)
plt.xticks(y_pos, objects)
plt.ylabel('No. of Customers')
plt.title('Customer Ridership in {} by Day of Week'.format(city))
plt.show()

objects = ('Mon', 'Tue', 'Wed', 'Thurs', 'Fri', 'Sat', 'Sun')
y_pos = np.arange(len(objects))
tot_avg_dur = [cus_avg_duration_Monday,cus_avg_duration_Tuesday,cus_avg_duration_Wednesday,cus_avg_duration_Thursday,cus_avg_duration_Friday,cus_avg_duration_Saturday,cus_avg_duration_Sunday]
plt.bar(y_pos, tot_avg_dur, align='center', alpha=0.5, color = 'Crimson')
plt.xticks(y_pos, objects)
plt.ylabel('Time in Mins')
plt.title('Average Duration of Customer Ridership in {} by Day'.format(city))
plt.show()

for city,filenames in city_info.items():
    num_of_custrips_byday(filenames['out_file'],city)

DATA FROM:"./data/Washington-2016-Summary.csv",
Customer Count on Monday:1736,
Average Customer Trip Duration (in mins) on Monday:40.75283204685103

```

Customer Count on Tuesday:1426,
Average Customer Trip Duration (in mins) on Tuesday:41.77762893875646

Customer Count on Wednesday:1583,
Average Customer Trip Duration (in mins) on Wednesday:36.37025243209096


Customer Count on Thursday:1530,
Average Customer Trip Duration (in mins) on Thursday:39.68505344226579


Customer Count on Friday:2012,
Average Customer Trip Duration (in mins) on Friday:40.715874577534855

Customer Count on Saturday:3311,
Average Customer Trip Duration (in mins) on Saturday:44.58992639182527

Customer Count on Sunday:2975,
Average Customer Trip Duration (in mins) on Sunday:43.42934752380961

Customer Count in Washington on Weekdays: 8287, Customers Count in NYC on Weekends: 6286





DATA FROM:"./data/Chicago-2016-Summary.csv",

Customer Count on Monday:2446,

Average Customer Trip Duration (in mins) on Monday:30.510663668574566

Customer Count on Tuesday:1555,

Average Customer Trip Duration (in mins) on Tuesday:31.029496248660223

Customer Count on Wednesday:1157,

Average Customer Trip Duration (in mins) on Wednesday:31.906179775280847

Customer Count on Thursday:1365,

Average Customer Trip Duration (in mins) on Thursday:29.475213675213613

Customer Count on Friday:2093,

Average Customer Trip Duration (in mins) on Friday:31.502309284917985


Customer Count on Saturday:4251,


Average Customer Trip Duration (in mins) on Saturday:30.573563083196113

Customer Count on Sunday:4282,

Average Customer Trip Duration (in mins) on Sunday:31.606877627277

Customer Count in Chicago on Weekdays: 8616, Customers Count in NYC on Weekends: 8533





DATA FROM:"./data/NYC-2016-Summary.csv",

Customer Count on Monday:3620,

Average Customer Trip Duration (in mins) on Monday:33.25725138121553

Customer Count on Tuesday:2833,

Average Customer Trip Duration (in mins) on Tuesday:33.443487469114025

Customer Count on Wednesday:3152,

Average Customer Trip Duration (in mins) on Wednesday:33.79806472081213

Customer Count on Thursday:3065,

Average Customer Trip Duration (in mins) on Thursday:31.388123980424094

Customer Count on Friday:3670,

Average Customer Trip Duration (in mins) on Friday:32.78138510445044


Customer Count on Saturday:7069,


Average Customer Trip Duration (in mins) on Saturday:33.21572829726041

Customer Count on Sunday:6776,

Average Customer Trip Duration (in mins) on Sunday:32.84819706808345

Customer Count in NYC on Weekdays: 16340, Customers Count in NYC on Weekends: 13845





Conclusions

Congratulations on completing the project! This is only a sampling of the data analysis process: from generating questions, wrangling the data, and to exploring the data. Normally, at this point in the data analysis process, you might want to draw conclusions about the data by performing a statistical test or fitting the data to a model for making predictions. There are also a lot of potential analyses that could be performed on the data which are not possible with only the data provided. For example, detailed location data has not been investigated. Where are the most commonly used docks? What are the most common routes? As another example, weather has potential to have a large impact on daily ridership. How much is ridership impacted when there is rain or snow? Are subscribers or customers affected more by changes in weather?

Question 7: Putting the bike share data aside, think of a topic or field of interest where you would like to be able to apply the techniques of data science. What would you like to be able to learn from your chosen subject?

Answer:

As World is moving constantly and lots of changes are happening every minute. Data Science is the future, we as a part of this community have to take a step for helping those people who are not getting food and dying from hunger in **asian countreis** and also in every corner of **world**. A research paper published by Stanford are covering all the aspects <https://woods.stanford.edu/sites/default/files/files/Data4DevelopmentFactsheet-FIN.pdf>. This is my area of interest.

Tip: If we want to share the results of our analysis with others, we aren't limited to

giving them a copy of the jupyter Notebook (.ipynb) file. We can also export the Notebook output in a form that can be opened even for those without Python installed. From the **File** menu in the upper left, go to the **Download as** submenu. You can then choose a different format that can be viewed more generally, such as HTML (.html) or PDF (.pdf). You may need additional packages or software to perform these exports.

Resources

- matplotlib.pyplot documentation - https://matplotlib.org/api/_as_gen/matplotlib.pyplot.html
- matplotlib.pyplot.bar documentation - https://matplotlib.org/api/_as_gen/matplotlib.pyplot.bar.html
- Pyplot tutorial - https://matplotlib.org/users/pytest_tutorial.html
- pandas.DataFrame documentation - <https://pandas.pydata.org/pandas-docs/stable/generated/pandas.DataFrame.html>
- Printing lists as tabular data - <https://stackoverflow.com/questions/9535954/printing-lists-as-tabular-data>
- Python concatenate text files - <https://stackoverflow.com/questions/13613336/python-concatenate-text-files>
- Appending column totals to a pandas DataFrame - <https://stackoverflow.com/questions/20804673/appending-column-totals-to-a-pandas-dataframe>
- Common Excel Tasks Demonstrated in Pandas - <http://pbpython.com/excel-pandas-comp.html>
- Pandas DataFrame by Example - <http://queirozf.com/entries/pandas-dataframe-by-example>
- Summarising, Aggregating, and Grouping data in Python Pandas - <https://www.shanelynn.ie/summarising-aggregation-and-grouping-data-in-python-pandas/>
- Python Course - List Comprehension - https://www.python-course.eu/python3_list_comprehension.php
- Stop Pandas From Converting int to float - <https://stackoverflow.com/questions/40251948/stop-pandas-from-converting-int-to-float>
- How to make a Custom Legend in matplotlib - <https://stackoverflow.com/questions/13303928/how-to-make-custom-legend-in-matplotlib>
- matplotlib Usage Guide - <https://matplotlib.org/tutorials/introductory/usage.html>
- <https://woods.stanford.edu/sites/default/files/files/Data4DevelopmentFactsheet-FIN.pdf>