

Services

**Due Date: Sunday December 5th 2021, by 11:59pm**

**Project Details:**

You are to code two Android apps. The first app, named MusicCentral, stores information about songs. This information includes for each song (1) the title of the song, (2) the name of artist or band who plays the song, (3) a picture (bitmap) associated with the song, and (4) a string denoting the URL of a web site containing an audio file for the song. MusicCentral stores information about  $n$  songs numbered 1 through  $n$ , with  $n \geq 5$ . The app exposes a service that supports functionality for downloading information about each song. Because the MusicCentral service has an effect on the user experience of the device, this service should run in the foreground.

The API of MusicCentral's service should expose the following 3 pieces of functionality in an appropriate AIDL file:

1. Retrieve all information for all songs stored in the service.
2. Retrieve all information for one specific song by the song's number.
3. Retrieve the URL string of the site with the song's audio file.

The second app, MusicClient, contains a main activity that supports functionality for using the MusicCentral app by starting and binding to its service. Once bound to the service, MusicClient can use the service's API to retrieve information about songs.

Once the service is bound, MusicClient allows an interactive user to download information about each song, display that information, download the song from the URL provided by the service and play the song.

In particular, the interactive user of MusicClient's main activity uses key presses on appropriate buttons to bind and unbind from the service. The status of the service should be clearly displayed in the main activity as well. An additional UI element in the

main activity allows the user to select a song from the service if the service is bound. The song will be played by MusicClient. In addition, when bound to the service, the client can request a list of the songs stored in the service or information about a specific song. The list of songs is displayed in a RecyclerView of a second activity of MusicClient. For each song (i.e., list item) the following information is displayed: (1) title of song, (2) name of the artist or band who plays the song, and (3) a picture relating to the song. A click on a list item starts the playback using the predefined MediaPlayerService to manage the playback.

You should enable and disable appropriately commands in the main activity of the MusicClient app depending on whether the activity is bound to the service or not. For instance, commands requiring binding should be disabled when the activity is not bound. You may “gray-out” disabled views to help users select the appropriate actions depending on the service state.

Hints. You are at liberty to choose the audio clips from segments pictures publicly-available (and not copyrighted or otherwise protected) on the Internet. When testing your application, make sure to upload MusicCentral app first, or else the client app may fail to initialize properly. Use methods startForegroundService() and bindService() to start the service and to bind to the service. Finally, in MusicClient use Android’s built-in MediaPlayerService to play the music.

### **Implementation Details:**

For this project use the usual Pixel 3 XL device running the usual Android platform (API 30, Android 11). You are not required to provide backward compatibility with previous Android versions. Define the layout of your client app in such a way that it will display best in portrait mode. You are not required to provide backward compatibility with previous Android versions or to support phone reconfigurations. Use the AIDL to expose the service’s functionality. Make sure that the implementation of the service is thread-safe. This means that access to data structures shared by multiple clients should be protected by suitable mutual exclusion locks.

**Submission Details:**

You must work alone on this project. Submit the two Studio projects as a zip archive using the submission link in the assignment's page on Blackboard. No late submissions will be accepted.

**Academic Integrity:**

Unless stated otherwise, all work submitted for grading *\*must\** be done individually. While we encourage you to talk to your peers and learn from them, this interaction must be superficial with regards to all work submitted for grading. This means you *\*cannot\** work in teams, you cannot work side-by-side, you cannot submit someone else's work (partial or complete) as your own. The University's policy is available here:

<https://dos.uic.edu/conductforstudents.shtml>.

In particular, note that you are guilty of academic dishonesty if you extend or receive any kind of unauthorized assistance. Absolutely no transfer of program code between students is permitted (paper or electronic), and you may not solicit code from family, friends, or online forums. Other examples of academic dishonesty include emailing

your program to another student, copying-pasting code from the internet, working in a group on a homework assignment, and allowing a tutor, TA, or another individual to write an answer for you. It is also considered academic dishonesty if you click someone else's iClicker with the intent of answering for that student, whether for a quiz, exam, or class participation. Academic dishonesty is unacceptable, and penalties range from a letter grade drop to expulsion from the university; cases are handled via the official student conduct process described at <https://dos.uic.edu/conductforstudents.shtml>.