

STANDARD PARTS BOOK

SECTION INDEX:


- 1) STAIR, GUARDRAIL, & HANDRAIL PARTS/ACCESSORIES
- 2) BALCONY RAIL PARTS/ACCESSORIES
- 3) MISCELLANEOUS



SECTION 1 STAIRS & RAIL PARTS

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA6) - TOTAL WEIGHT = 1 lb. - FINISH - PRIMER					
1	QCA6	L1x1x1/8	A36	0'-8"	---

M/B (SAGE) #5058




1
QCA6

(1) REQ'D - TREAD SUPPORT ANGLE MK: QCA6

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA7) - TOTAL WEIGHT = 2 lbs. - FINISH - PRIMER					
1	QCA7	L3x2x3/16	A36	0'-4 1/2"	---

M/B (SAGE) #5059




1
QCA7

(1) REQ'D - STRINGER CLIP ANGLE MK: QCA7

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA8) - TOTAL WEIGHT = 4 lbs. - FINISH - PRIMER					
1	QCA8	L3x3x1/4	A36	0'-7 1/2"	---

M/B (SAGE) #5060




1
QCA8

(1) REQ'D - STRINGER CLIP ANGLE MK: QCA8

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA9) - TOTAL WEIGHT = 4 lbs. - FINISH - PRIMER					
1	QCA9	L3x3x1/4	A36	0'-9"	---

M/B (SAGE) #5061




1
QCA9

(1) REQ'D - STRINGER CLIP ANGLE MK: QCA9

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA10) - TOTAL WEIGHT = 2 lbs. - FINISH - PRIMER					
1	QCA10	L6x4x5/16	A36	0'-2"	---


M/B (SAGE) #5064



1
QCA10

(1) REQ'D - STRINGER CLIP ANGLE MK: QCA10

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA13) - TOTAL WEIGHT = 15 lbs. - FINISH - PRIMER					
1	QCA13	L4x4x3/8	A36	1'-2"	---
3	aQCA13	PL3/8x3 3/8	A36	0'-3 3/8"	---



1
QCA13

LANDING SUPPORT BRACKET MK: QCA13


Quality Ironworks, Inc.
est. 1994
"QUALITY PEOPLE MAKING A
DIFFERENCE WITH QUALITY PRODUCTS"

NOTICE: THIS DOCUMENT IS THE
PROPERTY OF QUALITY
IRONWORKS. NEITHER THIS
DOCUMENT NOR ANY DATA OR
INFORMATION HEREIN SHALL BE
COPIED OR REPRODUCED IN ANY
MANNER, LOANED, DISPOSED OF,
OR USED FOR ANY PURPOSE
WITHOUT THE WRITTEN
CONSENT OF QUALITY
IRONWORKS. IN CONSIDERATION OF SUCH LOAN,
AGREES TO THE FOREGOING
CONDITIONS AND TO RETURN THIS
DOCUMENT ON REQUEST OR UPON
COMPLETION OF THE SPECIFICALLY
AUTHORIZED WORK FOR WHICH IT
WAS USED.

STANDARD PART
QCA13
LANDING SUPPORT BRACKET

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
08/15/24


QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA14) - TOTAL WEIGHT = 12 lbs. - FINISH - PRIMER					
1	QCA14	L6x4x3/8	A36	0'-9"	---
2	aQCA14	PL3/8x5 3/8	A36	0'-3 3/8"	---



1
QCA14

LANDING SUPPORT BRACKET


QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA15) - TOTAL WEIGHT = 15 lbs. - FINISH - PRIMER					
1	QCA15	L4x4x3/8	A36	1'-2"	---
3	aQCA15	PL3/8x3 3/8	A36	0'-3 3/8"	---



1
QCA15

LANDING SUPPORT BRACKET MK: QCA15


QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCA16) - TOTAL WEIGHT = 5 lbs. - FINISH - PRIMER					
1	QCA16	L3x3x3/8	A36	0'-7 1/2"	---



1
QCA16

(1) REQ'D - STRINGER CLIP ANGLE MK: QCA16

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCR1) - TOTAL WEIGHT = 33 lbs. - FINISH - PRIMER					
1	QCR1	HSS1 1/2x1 1/2x16GA	A500-B	8'-1 1/2"	---
2	aQCR1	HSS1 1/2x1 1/2x16GA	A500-B	2'-2 13/16"	---
1	bQCR1	HSS1 1/2x1 1/2x16GA	A500-B	2'-1 5/16"	---
2	cQCR1	HSS1 1/2x1 1/2x16GA	A500-B	3'-10 1/2"	---
3	dQCR1	QBP43	A36	SEE PART DRAWING	---



1 (1) REQ'D - STANDARD CANE RAIL MK: QCR1

QCR1




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED OR REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH LOAN, AGREE TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS ISSUED.

STANDARD PART
QCR1
CAN RAIL

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
08/15/24

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCR2) - TOTAL WEIGHT = 16 lbs. - FINISH - PRIMER					
1	QCR2	HSS1 1/2x1 1/2x16GA	A500-B	4'-6"	---
1	aQCR2	HSS1 1/2x1 1/2x16GA	A500-B	2'-2 13/16"	---
1	bQCR2	HSS1 1/2x1 1/2x16GA	A500-B	4'-4 1/2"	---
1	cQCR2	QBP43	A36	SEE PART DRAWING	---



1
QCR2 (1) REQ'D - STANDARD CANE RAIL MK: QCR2




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED, REPRODUCED, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH PERMISSION, THE USER AGREES TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS USED.

STANDARD PART
QCR2
CAN E RAIL

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
08/15/24

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCR3) - TOTAL WEIGHT = 12 lbs. - FINISH - PRIMER					
1	QCR3	HSS1 1/2x1 1/2x16GA	A500-B	2'-6"	---
1	aQCR3	HSS1 1/2x1 1/2x16GA	A500-B	2'-2 13/16"	---
1	bQCR3	HSS1 1/2x1 1/2x16GA	A500-B	2'-4 1/2"	---
1	cQCR3	QBP43	A36	SEE PART DRAWING	---



1
QCR3

(1) REQ'D - STANDARD CANE RAIL MK: QCR3




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED, REPRODUCED, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH PERMISSION, THE USER AGREES TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS ISSUED.

STANDARD PART
QCR3
CANE RAIL

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
08/15/24

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QCR4) - TOTAL WEIGHT = 4 lbs. - FINISH - PRIMER					
1	QCR4	HSS1 1/2x1 1/2x16GA	A500-B	2'-2 13/16"	---
1	aQCR4	QBP43	A36	SEE PART DRAWING	---



1
QCR4

(1) REQ'D - STANDARD CANE RAIL POST MK: QCR4




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED OR REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH LOAN, AGREE TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS USED.

STANDARD PART
QCR4
CANE RAIL POST

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
08/15/24

QTY.	MARK	DESCRIPTION	LENGTH	GRADE	FINISH	REMARKS	WEIGHT
QTY. - (1) - MARK:(QCR5) - TOTAL WEIGHT = 17 lbs. - FINISH - PRIMER							
1	QCR5	HSS1 1/2x1 1/2x16GA	2'-6"	A500-B	PRIMER	-	4
1	aQCR5	HSS1 1/2x1 1/2x16GA	2'-2 13/16"	A500-B	PRIMER		3
3	bQCR5	HSS1 1/2x1 1/2x16GA	2'-4 1/2"	A500-B	PRIMER		9
1	cQCR5			A36	PRIMER	SEE PART DRAWING	1



1
QCR5

(1) REQ'D - STANDARD CANE RAIL MK: QCR5



NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED, REPRODUCED, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH PERMISSION, THE USER AGREES TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS ISSUED.


STANDARD PART

QCR5

CANE RAIL @ STAND PIPES

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
10/31/24


QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QGP1) - TOTAL WEIGHT = 10 lbs. - FINISH - PRIMER					
1	QGP1	HSS1 1/2x1 1/2x11GA	A500-B	3'-9"	---
1	aQGP1	HSS1 1/2x1 1/2x16GA	A500-B	0'-6"	---



1
QGP1

 (1) REQ'D - TOP POST MK: QGP1


QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QHB1) - TOTAL WEIGHT = 1 lbs. - FINISH - PRIMER					
1	QHB1	ROD1/2	A36	0'-5"	VERIFY BEND ALLOWANCE



1
QHB1

(1) REQ'D - BRACKET MK: QHB1


QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QHR1) - TOTAL WEIGHT = 3 lbs. - FINISH - PRIMER					
1	QHR1	HSSR1.5x11GA	A513	1'-6 1/2"	VERIFY REQUIRED MATERIAL LENGTH



1
QHR1

(1) REQ'D - HANDRAIL WALL RETURN MK: QHR1

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QHR2) - TOTAL WEIGHT = 6 lbs. - FINISH - PRIMER					
1	QHR2	HSSR1.5x11GA	A513	3'-5 5/16"	VERIFY REQUIRED MATERIAL LENGTH



1
QHR2

(1) REQ'D - HANDRAIL RETURN MK: QHR2




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED, REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH LOAN, AGREE TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST, OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS USED.

STANDARD PART
QHR2
HANDRAIL RETURN

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
09/24/24

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QHR3) - TOTAL WEIGHT = 6 lbs. - FINISH - PRIMER					
1	QHR3	HSSR1.5x11GA	A513	3'-3 1/16"	VERIFY REQUIRED MATERIAL LENGTH



1
QHR3

(1) REQ'D - HANDRAIL RETURN MK: QHR3




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED OR REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH LOAN, AGREE TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS ISSUED.

STANDARD PART
QHR3
HANDRAIL RETURN

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
01/18/21

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QKP1) - TOTAL WEIGHT = X lbs. - FINISH - PRIMER					
1	QKP1	PL14GA x 0'-6 7/16"	A36	AS REQUIRED	VERIFY ESTIMATED BEND ALLOWANCE

M/B (SAGE) #5062




1
QKP1

(1) REQ'D - STANDARD KICK PLATE MK: QKP1

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QKP2) - TOTAL WEIGHT = X lbs. - FINISH - PRIMER					
1	QKP2	PL14GA x 0'-9 7/8"	A36	AS REQUIRED	VERIFY ESTIMATED BEND ALLOWANCE

M/B (SAGE) #5063



1
QKP2

(1) REQ'D - TOP RISER KICK PLATE MK: QKP2




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED OR REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH LOAN, AGREE TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS USED.

STANDARD PART
QKP2
STANDARD TOP RISER KICK PLATE

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
09/24/24

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QKP3) - TOTAL WEIGHT = X lbs. - FINISH - PRIMER					
1	QKP3	PL14GA x 1'-6 1/4"	A36	AS REQUIRED	VERIFY ESTIMATED BEND ALLOWANCE



QKP3 PAN
PL14GA

1
QKP3

(1) REQ'D - TREAD PAN MK: QKP3




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED OR REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH LOAN, AGREE TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS USED.

STANDARD PART
QKP3
TREAD PAN

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
09/24/24

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QMP1) - TOTAL WEIGHT = 2 lbs. - FINISH - PRIMER					
1	QMP1	PL1/8x4	A36	0'-2"	




QMP1
PL $\frac{1}{8}$ x4x 0'-2"



(1) REQ'D - PLATE MK: QMP1

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QBP43) - TOTAL WEIGHT = 1 lb. - FINISH - PRIMER					
1	QBP43	PL3/16x4	A36	0'-4"	




1
QBP43

(1) REQ'D - BASEPLATE MK: QBP43

SECTION 2 BALCONY

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QBP54) - TOTAL WEIGHT = 2 lbs. - FINISH - PRIMER					
1	QBP54	PL1/4GAx5	A572 GR50	0'-5"	




1

QBP54

(1) REQ'D - EMBED MK: QBP54


QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QHAT) - TOTAL WEIGHT = 4 lbs. - FINISH - PRIMER					
1	QHAT	PL11GAx5	A36	0'-8 1/2"	VERIFY ESTIMATED BEND ALLOWANCE
1	aQHAT	QBP54	A36	SEE PART DRAWING	



1
QHAT

(1) REQ'D - EMBED MK: QHAT

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QBC1) - TOTAL WEIGHT = 1 lb. - FINISH - PRIMER					
1	QBC1	PL3/16x3	A36	0'-2"	



1
QBC1

(1) REQ'D - BALCONY RAIL CLIP MK: QBC1



Quality Ironworks, Inc.

est. 1994

"QUALITY PEOPLE MAKING A
DIFFERENCE WITH QUALITY PRODUCTS"

NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED, REPRODUCED, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN PERMISSION OF QUALITY IRONWORKS. THE BORROWER, IN CONSIDERATION OF SUCH LOAN, AGREES TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS USED.

STANDARD PART

QBC1

LADDER CLIP ANGLE


DRAWN BY: CDF

CHECKED BY: QIW

DATE: 01/29/25

SECTION 3 MISCELLANEOUS



QTY.	MARK	DESCRIPTION	GRADE	LENGTH	FINISH	WEIGHT (LBS)
QTY. (1) - PIPE BOLLARD - MK: QBD1 - TOTAL WEIGHT = 72 lbs.						
1	QBD1	6" STD. PIPE	A53-B	3'-0"	PRIMER	57
1	aQBD1	FB1/2x10	A36	0'-10"	PRIMER	15



1
QBD1

 (1) REQ'D - PIPE BOLLARD - MK: QBD1



QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QGS1) - TOTAL WEIGHT = 1 lbs. - FINISH - PRIMER					
1	QGS1	L4x4x1/4	A36	0'-1 1/2"	---
1	aQGS1	ROD1/2	A36	0'-3 3/8"	---



1
QGS1

(1) REQ'D - GATE STOP MK: QGS1

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QLC1) - TOTAL WEIGHT = 5 lbs. - FINISH - PRIMER					
1	QLC1	FB3/8x3	A36	1'-4"	BENT



1
QLC1

(1) REQ'D - LADDER CLIP (BENT) MK: QLC1




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED, REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN PERMISSION OF QUALITY IRONWORKS. IN CONSIDERATION OF SUCH LOAN, AGREE TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS USED.

STANDARD PART
QLC1
LADDER CLIP

DRAWN BY:
CDF
CHECKED BY:
QIW
DATE:
09/24/24

QTY.	MARK	DESCRIPTION	Grade	Length	REMARKS
QTY. - (1) - MARK:(QLC2) - TOTAL WEIGHT = 1 lbs. - FINISH - PRIMER					
1	QLC2	L3x3x1/4	A36	0'-2"	



1 (1) REQ'D - LADDER CLIP ANGLE - MK: QLC2

QLC2




NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED OR REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF, OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN THE BORROWER. IN CONSIDERATION OF SUCH LOAN, AGRES TO THE FOREGOING CONDITIONS AND TO RETURN THIS TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT WAS USED.

STANDARD PART
QLC2
LADDER CLIP ANGLE

DRAWN BY: HL
CHECKED BY: QIW
DATE: 01/29/25


QTY.	MARK	DESCRIPTION	LENGTH	GRADE	FINISH	REMARKS	WEIGHT
(1) REQ'D - SUMP PIT GRATE ANGLE - QSA1 - TOTAL WEIGHT = 5							
1	QSA1	L2x2x3/16	1'-11"	A36	GALVANIZED	-	5
TOTAL WEIGHT FOR ALL ASSEMBLIES							5



1
QSA1

(1) REQ'D - SUMP PIT GRATE ANGLE MK: QSA1

QTY.	MARK	DESCRIPTION	LENGTH	GRADE	FINISH	REMARKS	WEIGHT
(1) REQ'D - SLIDE GATE TRACK - QSGT1 - TOTAL WEIGHT = 54							
1	QSGT1	FB1/4x4	10'-0"	A36	GALVANIZED	-	34
(1) REQ'D - SLIDE GATE TRACK - QSGT1 - TOTAL WEIGHT = 5							
1	aQSGT1	L1 1/4x1 1/4x1/4	10'-0"	A36	GALVANIZED	-	20
TOTAL WEIGHT FOR ALL ASSEMBLIES							54



NOTICE: THIS DOCUMENT IS THE PROPERTY OF QUALITY IRONWORKS. NEITHER THIS DOCUMENT NOR ANY DATA OR INFORMATION HEREIN SHALL BE COPIED OR REPRODUCED IN ANY MANNER, LOANED, DISPOSED OF OR USED FOR ANY PURPOSE WHATSOEVER, WITHOUT THE PRIOR WRITTEN BORROWER. IN CONSIDERATION OF SUCH LOAN, AGREES TO THE FOREGOING CONDITIONS AND TO RETURN THIS TO THE FOREGOING CONDITIONS AND TO RETURN THIS DOCUMENT ON REQUEST OR UPON COMPLETION OF THE SPECIFICALLY AUTHORIZED WORK FOR WHICH IT

STANDARD PART
QSGT1
SLIDE GATE TRACK

DRAWN BY: CDF
CHECKED BY: QIW
DATE: 05/23/25