

```
CREATE TABLE Employees2 (  
    emp_id INT PRIMARY KEY,  
    emp_name VARCHAR(100) NOT NULL,  
    salary int(10)  
);
```

```
INSERT INTO Employees2 VALUES  
(1,'Akash', 25000),  
(2,'Rahul', 60000),  
(3,'Priya', 120000),  
(4,'Pranjal', 10000),  
(5,'Bhakti', 32000);
```

```
DELIMITER $$
```

```
CREATE TRIGGER before_employee_insert  
BEFORE INSERT ON Employees2  
FOR EACH ROW  
BEGIN  
    IF NEW.salary <= 0 THEN  
        SIGNAL SQLSTATE '45000'  
        SET MESSAGE_TEXT = 'Salary must be greater than 0';  
    END IF;  
END $$
```

```
DELIMITER ;
```

```
-- TRIGGER 2:
```

DELIMITER \$\$

CREATE TRIGGER before_employee_update

BEFORE UPDATE ON Employees2

FOR EACH ROW

BEGIN

IF NEW.salary <= 0 THEN

SIGNAL SQLSTATE '45000'

SET MESSAGE_TEXT = 'Invalid Salary';

END IF;

END \$\$

DELIMITER ;

-- TRIGGER 3:

DELIMITER \$\$

CREATE TRIGGER prevent_high_salary_delete

BEFORE DELETE ON Employees2

FOR EACH ROW

BEGIN

IF OLD.salary > 50000 THEN

SIGNAL SQLSTATE '45000'

SET MESSAGE_TEXT = 'Cannot delete employee with high salary';

END IF;

END \$\$

DELIMITER ;

-- Valid Insert

```
INSERT INTO Employees2 VALUES (6,'Ramesh', 35000);
```

```
INSERT INTO Employees2 VALUES (7,'Suresh', -5000);
```

```
UPDATE Employees2
```

```
SET salary = 45000
```

```
WHERE emp_id = 1;
```

```
UPDATE Employees2
```

```
SET salary = -1000
```

```
WHERE emp_id = 1;
```

```
DELETE FROM Employees2
```

```
WHERE emp_id = 1;
```

```
DELETE FROM Employees2
```

```
WHERE emp_id = 3;
```

```
SELECT * FROM Employees2;
```