

Name : AKASH SAMPATH

Module : Week 0

1. Step and Rules :

Tools	Concept	Command
Git	Saves and tracks changes in your code and also used to upload and download projects from GitHub	git –version
Visual Studio Code	Main code editor where you write and manage your project files	code –version
Python	Main programming language	python –version
Pip	Installs python packages and libraries	pip –version
Node.js	Runs java script outside the browser and need for frontend later	node -v
Docker Desktop	Packages your application into containers so can run consistency on your	docker –version

	computer or server	
Docker compose	Runs multiple containers together for backend and frontend and MYSQL	docker compose version
Postman	Lets you test API easily without building a frontend	Open postman
JDK 21	Allows you to develop and run java spring boot application	java --version

2. The command line :

Model :

pwd	pwd	Where am I
ls	ls	What is here
mkdir	mkdir akash	Create folder
touch	touch akash.md	Create file
cat	cat akash	Read file
mv	mv akash.txt new akash.txt	Move or Rename
cp	cp akash.txt backup .txt	Copy
rm	rm akash.txt	Delete
grep	grep "error" akash.txt	Find
curl	curl https://example.com	Talk to a server
cd	cd akash	Move between folders
cd ..	cd ..	Go back one level of folder

3. Git and GitHub : [Concepts] :

Git	Tool that tracks changes in your project
GitHub	Website that stores your git projects online
Repository (Repo)	Your project managed by Git
Commit	A saved version of your project
Branch	Separate workspace for making changes
Push	Computer to GitHub
Pull	GitHub to Computer
Clone	Download a GitHub project to your computer
Merge	Combine your branch into another branch usually main

Full Commands : In Order :

```
git --version

ls

git init

git config --global user.name akashhub123

git config --global user.email akashsampath2@gmail.com

git config -l

git remote add origin https://github.com/akashhub123/AWS-DevOps-AKASH-SAMPATH.git

git remote -v

git remote remove origin

git remote -v

//Create folder and type in main.tf
```

```
// Type a text and save
```

```
git add .
```

```
git status
```

```
git commit -m "this is my first module"
```

```
git branch akash
```

```
git checkout akash
```

```
git branch
```

```
git add .
```

```
git commit -m "m"
```

```
// Type another text and save // in main.tf
```

```
git add .
```

```
git status
```

```
git commit -m "m"
```

```
git branch
```

```
git checkout master
```

```
// Previous text will appear
```

```
git branch
```

```
git merge akash
```

```
// After previous text will appear
```

```
// In main.tf // Give full new text and save
```

```
git init
```

```
git add .
```

```
git status
```

```
git stash
```

```
// In main.tf : Old text will appear
```

```
git stash pop
```

```
// New text will appear
```

```
// Give new text and save // in main.tf
```

```
git init
```

```
git add .
```

```
// In main .tf // Give another text and save
```

```
git add .
```

```
git status
```

```
git stash
```

```
// In main.tf // very old text appears
```

```
git stash pop
```

```
// New text appears
```

```
git stash
```

```
// in main.tf // old text appears
```

```
// Add some text and save
```

```
git add .
```

```
git commit -m "stash commit"
```

```
// In main.tf // Give some text and save
```

```
git add .
```

```
git stash
```

```
// Recent Text will disappear
```

```
git stash pop
```

```
// Recent text will appear
```

```
git commit -m "stash pop commit"
```

```
git log
```

```
git show commit id
```