# SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# AQUAPY ROVARIRTÓ KONCENTRÁTUM

| Version | Revision Date: | SDS Number: | Date of last issue: 05.05.2026 |
|---|---|---|---|
| 12.0 | 09.06.2026 | 11188473-00020 | Date of first issue: 01.04.2023 |

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : AQUAPY ROVARIRTÓ KONCENTRÁTUM

Product code : UVP: 06477402 Specification: 102000011789

Unique Formula Identifier (UFI) : V151-W0DT-J00K-Y72A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide

Recommended restrictions on use : For professional users only.

### 1.3 Details of the supplier of the safety data sheet

Company : 2022 Environmental Science FR S.A.S.
1 Place Giovanni Da Verrazzano
69009 Lyon, France

Telephone : +33 451 081 508

E-mail address of person responsible for the SDS : service.clients.es.france@envu.com

### 1.4 Emergency telephone number

National Public Health Center:
+36 1 476 6464 (24/7 also from abroad)
+36 80 201 199 (24/7 toll free from Hungary)

112

For Emergency or Spill call:
+36 1 808 8425 (24/7 multilingual support)
Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ): +36-80-201-199 (0-24h, díjmentesen hívható)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

| | |
|---|---|
| Short-term (acute) aquatic hazard, Category 1 | H400: Very toxic to aquatic life. |

| | |
|---|---|
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P273 Avoid release to the environment.

**Response:**

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Additional Labelling**

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

EUH208 Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Emulsion, oil in water (EW)

**Components**

| Chemical name | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification | Concentration (% w/w) |
|---|---|---|---|
| 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO) | 51-03-6<br>200-076-7<br>604-096-00-0<br>01-2119537431-46 | Eye Irrit. 2; H319<br>STOT SE 3; H335<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br>EUH066<br><br>M-Factor (Acute aquatic toxicity): 1<br>M-Factor (Chronic aquatic toxicity): 1 | >= 10 - < 20 |
| Chrysanthemum cinerariaefolium, ext. | 89997-63-7<br>289-699-3 | Acute Tox. 4; H302<br>Acute Tox. 4; H332<br>Acute Tox. 4; H312<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br><br>M-Factor (Acute aquatic toxicity): 100<br>M-Factor (Chronic aquatic toxicity): 100<br><br>Acute toxicity esti-mate<br><br>Acute oral toxicity: 500 mg/kg<br>Acute inhalation tox-icity (dust/mist): 3,4 mg/l<br>Acute dermal toxicity: 1.100 mg/kg | >= 2,5 - < 10 |
| Poly(oxy-1,2-ethanediyl), α-methyl-ω-[3-[1,3,3,3-tetramethyl-1-[(trimethylsi-lyl)oxy]disiloxanyl]propyl]- | 27306-78-1 | Acute Tox. 4; H332<br>Eye Irrit. 2; H319<br>Aquatic Chronic 2; H411<br><br>Acute toxicity esti-mate | >= 2,5 - < 10 |

| | | | |
|---|---|---|---|
| | | Acute inhalation toxicity (dust/mist): 1,5 mg/l | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Not Assigned<br><br>01-2119456620-43 | Asp. Tox. 1; H304<br>EUH066 | >= 1 - < 10 |
| (Z)-9-Octadecen-1-ol ethoxylated | 9004-98-2 | Eye Dam. 1; H318 | >= 1 - < 3 |
| Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9<br><br>613-167-00-5 | Acute Tox. 3; H301<br>Acute Tox. 2; H330<br>Acute Tox. 2; H310<br>Skin Corr. 1C; H314<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br>EUH071<br><br>M-Factor (Acute aquatic toxicity): 100<br>M-Factor (Chronic aquatic toxicity): 100<br><br>specific concentration limit<br>Skin Corr. 1C; H314<br>>= 0,6 %<br>Skin Irrit. 2; H315<br>0,06 - < 0,6 %<br>Eye Irrit. 2; H319<br>0,06 - < 0,6 %<br>Skin Sens. 1A; H317<br>>= 0,0015 %<br>Eye Dam. 1; H318<br>>= 0,6 %<br>EUH071<br>>= 0,6 %<br><br>Acute toxicity estimate<br><br>Acute oral toxicity: 64 mg/kg<br>Acute inhalation toxicity (dust/mist): 0,171 mg/l<br>Acute dermal toxicity: | >= 0,0002 - < 0,0015 |

| | | | |
|---|---|---|---|
| | | 87,12 mg/kg | |

For explanation of abbreviations see section 16.

**Alternative CAS Numbers for some regions**

| Chemical name | Alternative CAS Number(s) |
|---|---|
| Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 2682-20-4, 26172-55-4 |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : The product causes irritation of eyes, skin and mucous membranes.
Skin and eye paraesthesia which may be severe
Usually transient with resolution within 24 hours
Cough
sneezing
discomfort in the chest
tachycardia
hypotension
Nausea
Abdominal pain
Diarrhoea
Vomiting
Blurred vision
Headache
anorexia
Somnolence
Coma
Convulsions
Tremors
Prostration
Airway hyperreaction

Pulmonary oedema
Palpitation
muscle twitching
Dizziness

Risks : May produce an allergic reaction.

This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Initial treatment: symptomatic.
Monitor: respiratory and cardiac functions.
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.
However, the application of activated charcoal and sodium sulphate is always advisable.
Keep respiratory tract clear.
Oxygen or artificial respiration if needed.
In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens.
If not effective, phenobarbital may be used.
Contraindication: atropine.
Contraindication: derivatives of adrenaline.
There is no specific antidote available.
Recovery is spontaneous and without sequelae.
In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO2)
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Silicon oxides

### 5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

| | | |
|---|---|---|
| for firefighters | | essary. Use personal protective equipment. |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

| | | |
|---|---|---|
| Personal precautions | : | Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |

### 6.2 Environmental precautions

| | | |
|---|---|---|
| Environmental precautions | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g. by containment or oil barriers).<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained. |

### 6.3 Methods and material for containment and cleaning up

| | | |
|---|---|---|
| Methods for cleaning up | : | Soak up with inert absorbent material.<br>For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.<br>Clean up remaining materials from spill with suitable absorbent.<br>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.<br>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

| | | |
|---|---|---|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Avoid prolonged or repeated contact with skin.<br>Handle in accordance with good industrial hygiene and safety |

practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006**

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|---|---|---|---|---|
| 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO) | Workers | Inhalation | Long-term systemic effects | 3,875 mg/m3 |
| | Workers | Inhalation | Acute systemic effects | 7,75 mg/m3 |
| | Workers | Inhalation | Long-term systemic effects | 3,875 mg/m3 |
| | Workers | Inhalation | Acute local effects | 3,875 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 27,7 mg/kg bw/day |
| | Workers | Skin contact | Acute systemic effects | 55,5 mg/kg bw/day |
| | Workers | Skin contact | Long-term local effects | 0,44 mg/cm2 |
| | Workers | Skin contact | Acute local effects | 0,888 mg/cm2 |
| | Consumers | Inhalation | Long-term systemic effects | 1,94 mg/m3 |
| | Consumers | Inhalation | Acute systemic ef- | 3,875 mg/m3 |

| | | | | |
|---|---|---|---|---|
| | | | fects | |
| | Consumers | Inhalation | Long-term local effects | 1,94 mg/m3 |
| | Consumers | Inhalation | Acute local effects | 1,94 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 13,9 mg/kg bw/day |
| | Consumers | Skin contact | Acute systemic effects | 27,8 mg/kg bw/day |
| | Consumers | Skin contact | Long-term local effects | 0,22 mg/cm2 |
| | Consumers | Skin contact | Acute local effects | 0,22 mg/cm2 |
| | Consumers | Ingestion | Long-term systemic effects | 1,14 mg/kg bw/day |
| | Consumers | Ingestion | Acute systemic effects | 2,3 mg/kg bw/day |
| Glycerides, mixed decanoyl and octanoyl | Workers | Inhalation | Long-term systemic effects | 177,79 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 25,21 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 43,84 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 12,61 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 12,61 mg/kg bw/day |
| Hexadecan-1-ol | Workers | Inhalation | Long-term systemic effects | 220 mg/m3 |
| | Workers | Inhalation | Acute systemic effects | 220 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 125 mg/kg bw/day |
| | Workers | Skin contact | Acute systemic effects | 125 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 65 mg/m3 |
| | Consumers | Inhalation | Acute systemic effects | 65 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 75 mg/kg bw/day |
| | Consumers | Ingestion | | 75 mg/kg bw/day |

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006**

| Substance name | Environmental Compartment | Value |
|---|---|---|
| 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO) | Fresh water | 0,001 mg/l |
| | Marine water | 0,0001 - 0,000148 mg/l |
| | Sewage treatment plant | 10 mg/l |
| | Fresh water sediment | 0,019 mg/kg |

| | | |
|---|---|---|
| | Marine sediment | 0,0002 mg/kg |
| | Soil | 0,016 mg/kg |
| | Oral (Secondary Poisoning) | 12,53 mg/kg food |
| Glycerides, mixed decanoyl and octanoyl | Oral (Secondary Poisoning) | 0,03 mg/kg food |
| Hexadecan-1-ol | Fresh water sediment | 30 mg/kg dry weight (d.w.) |
| | Marine sediment | 3 mg/kg dry weight (d.w.) |
| | Soil | 5,8 mg/kg dry weight (d.w.) |

### 8.2 Exposure controls

**Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

**Individual protection measures, such as personal protective equipment (PPE)**

Eye/face protection : Wear the following personal protective equipment:
Safety glasses
Equipment should conform to MSZ EN 166

Hand protection

| | | |
|---|---|---|
| Material | : | Nitrile rubber |
| Break through time | : | > 480 min |
| Glove thickness | : | > 0,4 mm |
| Guideline | : | Equipment should conform to MSZ EN 374 |
| Remarks | : | Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. |

Skin and body protection : Skin should be washed after contact.
Filter type : Organic vapour type (A)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | liquid (20 °C) |
| Form | : | Emulsion |
| Colour | : | White to light yellow |
| Odour | : | characteristic, very faint |

| | | |
|---|---|---|
| Odour Threshold | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | > 103 °C |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| pH | : | 3,1 - 5,0 (23 °C)<br>Concentration: 100 % |
| Viscosity | | |
| Viscosity, dynamic | : | <= 100 mPa.s (20 °C) |
| Viscosity, kinematic | : | No data available |
| Solubility(ies) | | |
| Water solubility | : | completely miscible |
| Solubility in other solvents | : | soluble |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Vapour pressure | : | No data available |
| Density | : | 1,00 g/cm³ (20,00 °C) |
| Relative vapour density | : | No data available |
| Particle characteristics | | |
| Particle size | : | <= 5,00 µm |

**9.2 Other information**

| | | |
|---|---|---|
| Explosives | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Evaporation rate | : | No data available |
| Surface tension | : | 25,80 mN/m, 25 °C |
| Minimum ignition energy | : | No data available |
| Molecular weight | : | No data available |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity
Not classified as a reactivity hazard.

### 10.2 Chemical stability
Stable under normal conditions.

### 10.3 Possibility of hazardous reactions
Hazardous reactions : Can react with strong oxidizing agents.

### 10.4 Conditions to avoid
Conditions to avoid : None known.

### 10.5 Incompatible materials
Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products
No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 401 |
| Acute inhalation toxicity | : | Acute toxicity estimate: > 5 mg/l |

Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

**Chrysanthemum cinerariaefolium, ext.:**

Acute oral toxicity : LD50 (Rat): 700 - 2.140 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1.100 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

**Poly(oxy-1,2-ethanediyl), α-methyl-ω-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Remarks: Based on data from similar materials

**(Z)-9-Octadecen-1-ol ethoxylated:**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 (Rat): 2.760 mg/kg |

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**:**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 (Rat): 64 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): 0,171 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Assessment: Corrosive to the respiratory tract. |
| Acute dermal toxicity | : | LD50 (Rabbit): 87,12 mg/kg |

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | No skin irritation |
| Assessment | : | Repeated exposure may cause skin dryness or cracking. |

**Chrysanthemum cinerariaefolium, ext.:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No skin irritation |

**Poly(oxy-1,2-ethanediyl), α-methyl-ω-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No skin irritation |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No skin irritation |
| Remarks | : | Based on data from similar materials |
| Assessment | : | Repeated exposure may cause skin dryness or cracking. |

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 404 |
| Result | : | Corrosive after 1 to 4 hours of exposure |

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 405 |
| Result | : | No eye irritation |

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 405 |
| Result | : | Irritation to eyes, reversing within 21 days |

**Chrysanthemum cinerariaefolium, ext.:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No eye irritation |

**Poly(oxy-1,2-ethanediyl), α-methyl-ω-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | Irritation to eyes, reversing within 21 days |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Remarks | : | Based on data from similar materials |

**(Z)-9-Octadecen-1-ol ethoxylated:**

| | | |
|---|---|---|
| Result | : | Irreversible effects on the eye |

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**:**

| | | |
|---|---|---|
| Result | : | Irreversible effects on the eye |
| Remarks | : | Based on skin corrosivity. |

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Test Type | : | Local lymph node assay (LLNA) |
| Exposure routes | : | Skin contact |
| Species | : | Mouse |
| Assessment | : | Does not cause skin sensitisation. |
| Method | : | OECD Test Guideline 429 |
| Result | : | negative |

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Test Type | : | Maximisation Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Method | : | OECD Test Guideline 406 |
| Result | : | negative |

**Poly(oxy-1,2-ethanediyl), α-methyl-ω-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

| | | |
|---|---|---|
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Test Type | : | Maximisation Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**:**

| | | |
|---|---|---|
| Test Type | : | Buehler Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | positive |
| Assessment | : | Probability or evidence of high skin sensitisation rate in humans |

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative |

**Chrysanthemum cinerariaefolium, ext.:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Result: negative |

**Poly(oxy-1,2-ethanediyl), α-methyl-ω-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Result: negative<br><br>Test Type: Chromosome aberration test in vitro<br>Result: negative |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Method: OECD Test Guideline 471<br>Result: negative<br>Remarks: Based on data from similar materials |

**Carcinogenicity**

Not classified based on available information.

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Species | : | Rat |
| Application Route | : | Ingestion |
| Exposure time | : | 107 weeks |
| Method | : | OECD Test Guideline 451 |
| Result | : | negative |

**Reproductive toxicity**

Not classified based on available information.

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Effects on fertility | : | Test Type: Two-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |
| Effects on foetal development | : | Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Effects on foetal develop- | : | Test Type: Embryo-foetal development |

| | |
|---|---|
| ment | Species: Rat<br>Application Route: inhalation (vapour)<br>Result: negative |

**STOT - single exposure**

Not classified based on available information.

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Assessment | : | May cause respiratory irritation. |

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity**

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | 1.323 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 7 Weeks |

**Aspiration hazard**

Not classified based on available information.

**Components:**

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### 11.2 Information on other hazards

**Endocrine disrupting properties**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0,24 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,216 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Raphidocelis subcapitata (freshwater green alga)): 4,9 mg/l<br>Exposure time: 72 h |

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Cyprinodon variegatus (sheepshead minnow)): 3,94 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,51 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 3,89 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 0,824 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity) | : | 1 |
| Toxicity to microorganisms | : | EC50 : > 1.000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209 |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 0,18 mg/l<br>Exposure time: 35 d<br>Species: Pimephales promelas (fathead minnow) |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,03 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea) |

| | | |
|---|---|---|
| M-Factor (Chronic aquatic toxicity) | : | 1 |

**Chrysanthemum cinerariaefolium, ext.:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0,0052 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,012 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Desmodesmus subspicatus (green algae)): 32,66 mg/l<br>Exposure time: 72 h<br><br>NOEC (Desmodesmus subspicatus (green algae)): 15,15 mg/l<br>Exposure time: 72 h |
| M-Factor (Acute aquatic toxicity) | : | 100 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,00086 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea) |
| M-Factor (Chronic aquatic toxicity) | : | 100 |

**Poly(oxy-1,2-ethanediyl), α-methyl-ω-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): 6,8 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 25 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 32 mg/l<br>Exposure time: 96 h |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Toxicity to fish | : | LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Daphnia magna (Water flea)): > 1.000 mg/l<br>Exposure time: 48 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EL50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction |

| | | |
|---|---|---|
| | | Method: OECD Test Guideline 201<br><br>NOELR (Pseudokirchneriella subcapitata (green algae)): 1.000 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201 |

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,16 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Skeletonema costatum (marine diatom)): 0,0052 mg/l<br>Exposure time: 48 h<br><br>NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l<br>Exposure time: 48 h |
| M-Factor (Acute aquatic toxicity) | : | 100 |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 0,02 mg/l<br>Exposure time: 36 d<br>Species: Pimephales promelas (fathead minnow) |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,10 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea) |
| M-Factor (Chronic aquatic toxicity) | : | 100 |

**12.2 Persistence and degradability**

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Biodegradability | : | Result: Not readily biodegradable.<br>Biodegradation: 0 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301D |

**Chrysanthemum cinerariaefolium, ext.:**

| | | |
|---|---|---|
| Biodegradability | : | Result: Not readily biodegradable.<br>Method: OECD Test Guideline 301B |

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Biodegradability | : | Result: Readily biodegradable.<br>Biodegradation: 69 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301F |

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**:**

| | | |
|---|---|---|
| Biodegradability | : | Result: Not readily biodegradable.<br>Biodegradation: 62 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301B |

### 12.3 Bioaccumulative potential

**Components:**

**2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

| | | |
|---|---|---|
| Partition coefficient: n-octanol/water | : | log Pow: 5 |

**Chrysanthemum cinerariaefolium, ext.:**

| | | |
|---|---|---|
| Bioaccumulation | : | Bioconcentration factor (BCF): 471 |

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**:**

| | | |
|---|---|---|
| Partition coefficient: n-octanol/water | : | log Pow: < 1 |

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

| | | |
|---|---|---|
| Assessment | : | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. |

### 12.6 Endocrine disrupting properties

**Product:**

| | | |
|---|---|---|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

| | | |
|---|---|---|
| Product | : | Dispose of in accordance with local regulations.<br>According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.<br>Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.<br>Do not dispose of waste into sewer. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |
| Waste Code | : | The following Waste Codes are only suggestions:<br><br>used product<br>02 01 08*, agrochemical waste containing hazardous substances<br><br>unused product<br>02 01 08*, agrochemical waste containing hazardous substances<br><br>uncleaned packagings<br>15 01 10*, packaging containing residues of or contaminated by hazardous substances |

## SECTION 14: Transport information

### 14.1 UN number or ID number

| | | |
|---|---|---|
| **ADN** | : | UN 3082 |
| **ADR** | : | UN 3082 |
| **RID** | : | UN 3082 |
| **IMDG** | : | UN 3082 |
| **IATA** | : | UN 3082 |

### 14.2 UN proper shipping name

| | | |
|---|---|---|
| **ADN** | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pyrethrins solution) |
| **ADR** | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pyrethrins solution) |
| **RID** | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pyrethrins solution) |
| **IMDG** | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, |

| | | |
|---|---|---|
| | | N.O.S.<br>(Pyrethrins solution) |
| **IATA** | : | Environmentally hazardous substance, liquid, n.o.s.<br>(Pyrethrins solution) |

### 14.3 Transport hazard class(es)

| | | Class | Subsidiary risks |
|---|---|---|---|
| **ADN** | : | 9 | |
| **ADR** | : | 9 | |
| **RID** | : | 9 | |
| **IMDG** | : | 9 | |
| **IATA** | : | 9 | |

### 14.4 Packing group

**ADN**

| | | |
|---|---|---|
| Packing group | : | III |
| Classification Code | : | M6 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |

**ADR**

| | | |
|---|---|---|
| Packing group | : | III |
| Classification Code | : | M6 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |
| Tunnel restriction code | : | (-) |

**RID**

| | | |
|---|---|---|
| Packing group | : | III |
| Classification Code | : | M6 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |

**IMDG**

| | | |
|---|---|---|
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |

**IATA (Cargo)**

| | | |
|---|---|---|
| Packing instruction (cargo aircraft) | : | 964 |
| Packing instruction (LQ) | : | Y964 |
| Packing group | : | III |
| Labels | : | Miscellaneous |

**IATA (Passenger)**

| | | |
|---|---|---|
| Packing instruction (passenger aircraft) | : | 964 |
| Packing instruction (LQ) | : | Y964 |
| Packing group | : | III |

Labels : Miscellaneous

### 14.5 Environmental hazards

**ADN**
Environmentally hazardous : yes

**ADR**
Environmentally hazardous : yes

**RID**
Environmentally hazardous : yes

**IMDG**
Marine pollutant : yes

**IATA (Passenger)**
Environmentally hazardous : yes

**IATA (Cargo)**
Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Number on list 40
This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Number on list 75
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Substance(s) or mixture(s) are listed

here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

Product Type : Insecticides, acaricides and products to control other arthropods

Active substance : 30 g/l
Chrysanthemum cinerariaefolium, ext. (Pyrethrins)

135 g/l
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

| | | Quantity 1 | Quantity 2 |
|---|---|---|---|
| E1 | ENVIRONMENTAL HAZARDS | 100 t | 200 t |

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Remarks: Not applicable

**Other regulations:**

2000 XXV. Law on chemical safety
44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical lines.

**Full text of H-Statements**

| | | |
|---|---|---|
| EUH066 | : | Repeated exposure may cause skin dryness or cracking. |
| EUH071 | : | Corrosive to the respiratory tract. |
| H301 | : | Toxic if swallowed. |
| H302 | : | Harmful if swallowed. |
| H304 | : | May be fatal if swallowed and enters airways. |
| H310 | : | Fatal in contact with skin. |
| H312 | : | Harmful in contact with skin. |
| H314 | : | Causes severe skin burns and eye damage. |
| H315 | : | Causes skin irritation. |
| H317 | : | May cause an allergic skin reaction. |
| H318 | : | Causes serious eye damage. |
| H319 | : | Causes serious eye irritation. |
| H330 | : | Fatal if inhaled. |
| H332 | : | Harmful if inhaled. |
| H335 | : | May cause respiratory irritation. |
| H400 | : | Very toxic to aquatic life. |
| H410 | : | Very toxic to aquatic life with long lasting effects. |
| H411 | : | Toxic to aquatic life with long lasting effects. |

**Full text of other abbreviations**

| | | |
|---|---|---|
| Acute Tox. | : | Acute toxicity |
| Aquatic Acute | : | Short-term (acute) aquatic hazard |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Asp. Tox. | : | Aspiration hazard |
| Eye Dam. | : | Serious eye damage |
| Eye Irrit. | : | Eye irritation |
| Skin Corr. | : | Skin corrosion |
| Skin Sens. | : | Skin sensitisation |
| STOT SE | : | Specific target organ toxicity - single exposure |
| Skin Corr. | : | Skin corrosion |
| Skin Irrit. | : | Skin irritation |
| Eye Irrit. | : | Eye irritation |
| Skin Sens. | : | Skin sensitisation |
| Eye Dam. | : | Serious eye damage |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

| | | |
|---|---|---|
| Sources of key data used to compile the Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/ |

| **Classification of the mixture:** | | **Classification procedure:** |
|---|---|---|
| Aquatic Acute 1 | H400 | Based on product data or assessment |
| Aquatic Chronic 1 | H410 | Calculation method |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

HU / EN