


# SYNTHETIC rank presentation fixture


## Normalized quadratic $h_2$ teacher · Full observed trajectories

Ranks 2, 4, 8, 16 · two reused development seeds per cell ·  $E[Y^2] = 1$ ;  $\text{Var}(Y)$  shown per rank

### ReLU student · bounded refit · accepted force clock



### SwiGLU student · unrestricted cutoff refit · adaptive flow clock



— Raw MSE     - - - AGOP mean      Shared initial 5% prefix     | Unresolved  
— AGOP minimum     — Refit raw MSE      Shared initial 1% prefix     × Missing diagnostic

**Bold:** two-seed medians on shared support. Bands: seed ranges, not confidence intervals. Faint curves retain individual tails; red markers retain warnings.

Missing arms/diagnostics remain unavailable; no one-seed median or interpolation across missing points. Raw unresolved scores are retained, not certified.

Windows use every recorded loss update; no alignment/refit-based zoom selection. ReLU and SwiGLU clocks, numerical precision and refit classes differ.


**SYNTHETIC FIXTURE ONLY — layout and schema checks; no measured rank-sweep outcomes.**

# SYNTHETIC rank presentation fixture


Normalized quadratic  $h_2$  teacher · Initial 1% loss-prefix zoom

Ranks 2, 4, 8, 16 · two reused development seeds per cell ·  $E[Y^2] = 1$ ;  $\text{Var}(Y)$  shown per rank

ReLU student · bounded refit · accepted force clock



SwiGLU student · unrestricted cutoff refit · adaptive flow clock



Raw MSE    AGOP mean    Shared initial 5% prefix    Unresolved  
AGOP minimum    Refit raw MSE    Shared initial 1% prefix    Missing diagnostic

Bold: two-seed medians on shared support. Bands: seed ranges, not confidence intervals. Faint curves retain individual tails; red markers retain warnings.

Missing arms/diagnostics remain unavailable; no one-seed median or interpolation across missing points. Raw unresolved scores are retained, not certified.

Windows use every recorded loss update; no alignment/refit-based zoom selection. ReLU and SwiGLU clocks, numerical precision and refit classes differ.


**SYNTHETIC FIXTURE ONLY — layout and schema checks; no measured rank-sweep outcomes.**

# SYNTHETIC rank presentation fixture


Normalized quadratic  $h_2$  teacher · Initial 5% loss-prefix zoom

Ranks 2, 4, 8, 16 · two reused development seeds per cell ·  $E[Y^2] = 1$ ;  $\text{Var}(Y)$  shown per rank

ReLU student · bounded refit · accepted force clock



SwiGLU student · unrestricted cutoff refit · adaptive flow clock



Raw MSE      AGOP mean      Shared initial 5% prefix      Unresolved  
AGOP minimum      Refit raw MSE      Shared initial 1% prefix      Missing diagnostic

Bold: two-seed medians on shared support. Bands: seed ranges, not confidence intervals. Faint curves retain individual tails; red markers retain warnings.

Missing arms/diagnostics remain unavailable; no one-seed median or interpolation across missing points. Raw unresolved scores are retained, not certified.

Windows use every recorded loss update; no alignment/refit-based zoom selection. ReLU and SwiGLU clocks, numerical precision and refit classes differ.

**SYNTHETIC FIXTURE ONLY — layout and schema checks; no measured rank-sweep outcomes.**