


SYNTHETIC rank presentation fixture


Normalized raw ReLU teacher · Full observed trajectories

Ranks 2, 4, 8, 16 · two reused development seeds per cell · $E[Y^2] = 1$; $\text{Var}(Y)$ shown per rank

ReLU student · bounded refit · accepted force clock



SwiGLU student · unrestricted cutoff refit · adaptive flow clock



Raw MSE AGOP mean Shared initial 5% prefix Unresolved
AGOP minimum Refit raw MSE Shared initial 1% prefix Missing diagnostic

Bold: two-seed medians on shared support. Bands: seed ranges, not confidence intervals. Faint curves retain individual tails; red markers retain warnings.

Missing arms/diagnostics remain unavailable; no one-seed median or interpolation across missing points. Raw unresolved scores are retained, not certified.

Windows use every recorded loss update; no alignment/refit-based zoom selection. ReLU and SwiGLU clocks, numerical precision and refit classes differ.


SYNTHETIC FIXTURE ONLY — layout and schema checks; no measured rank-sweep outcomes.

SYNTHETIC rank presentation fixture


Normalized raw ReLU teacher · Initial 1% loss-prefix zoom

Ranks 2, 4, 8, 16 · two reused development seeds per cell · $E[Y^2] = 1$; $\text{Var}(Y)$ shown per rank

ReLU student · bounded refit · accepted force clock



SwiGLU student · unrestricted cutoff refit · adaptive flow clock



Raw MSE AGOP mean Shared initial 5% prefix Unresolved
AGOP minimum Refit raw MSE Shared initial 1% prefix Missing diagnostic

Bold: two-seed medians on shared support. Bands: seed ranges, not confidence intervals. Faint curves retain individual tails; red markers retain warnings.

Missing arms/diagnostics remain unavailable; no one-seed median or interpolation across missing points. Raw unresolved scores are retained, not certified.

Windows use every recorded loss update; no alignment/refit-based zoom selection. ReLU and SwiGLU clocks, numerical precision and refit classes differ.


SYNTHETIC FIXTURE ONLY — layout and schema checks; no measured rank-sweep outcomes.

SYNTHETIC rank presentation fixture


Normalized raw ReLU teacher · Initial 5% loss-prefix zoom

Ranks 2, 4, 8, 16 · two reused development seeds per cell · $E[Y^2] = 1$; $\text{Var}(Y)$ shown per rank

ReLU student · bounded refit · accepted force clock



SwiGLU student · unrestricted cutoff refit · adaptive flow clock



Raw MSE AGOP mean Shared initial 5% prefix Unresolved
AGOP minimum Refit raw MSE Shared initial 1% prefix Missing diagnostic

Bold: two-seed medians on shared support. Bands: seed ranges, not confidence intervals. Faint curves retain individual tails; red markers retain warnings.

Missing arms/diagnostics remain unavailable; no one-seed median or interpolation across missing points. Raw unresolved scores are retained, not certified.

Windows use every recorded loss update; no alignment/refit-based zoom selection. ReLU and SwiGLU clocks, numerical precision and refit classes differ.

SYNTHETIC FIXTURE ONLY — layout and schema checks; no measured rank-sweep outcomes.