

Upload & Update API Documentation

Request and Response Reference — Individual Records

Overview

This document describes the request and response contract for the Upload and Update APIs, for Individual KYC records.

Cardinality legend: **M** = Mandatory, **O** = Optional, **C** = Conditional (condition given in Description), **CM** = Conditional-Mandatory.

1. Upload API

1.1 Request Headers

Header	Description	Mandatory
transactionId	Client-generated identifier for this request, echoed back in the response	O

1.2 Request Parameters

Root Request Envelope

Parameter	Data Type	Description	Mandatory	Length
searchKey	String	Unique identifier for this request, used for idempotency and reconciliation. Should be unique per submission	O	20
accountType	String (Enum)	Type of KYC account: NORMAL MINOR SMALLAADHAR_EKYC	M	-

personalDetails — Demographic Attributes

Parameter	Data Type	Description	Mandatory	Length
personalDetails	Object	Container for the subject's personal, family, and identity attributes	M	-

personalDetails.name

Parameter	Data Type	Description	Mandatory	Length
name	Object	Name as recorded in the OVD	M	-
name.title	String	Salutation prefix. Common values: Mr, Mrs, Ms, Mx	M	3
name.firstName	String	First (given) name. Must match OVD exactly when ovdMatchingDetails.name = true . Space not allowed. A to Z and a to z allowed. Single apostrophe allowed. Dot(.) allowed	M	33
name.middleName	String	Middle name. Empty string if not on OVD. Same character rules as firstName	O	33
name.lastName	String	Last name/surname. Same character rules as firstName	O	33

personalDetails.familyDetails

Parameter	Data Type	Description	Mandatory	Length
familyDetails	Object	Container for father, mother, maiden, or spouse name structures. At least one of mother, father, or spouse name required	M	-
familyDetails.father	Object	Father's name (mandatory unless explicitly waived for non-Indian subjects)	C	-
familyDetails.father.title	String	Common values: Mr, Mrs, Ms., Mx	C	3
familyDetails.father.firstName	String	Same character rules as name.firstName	C	33
familyDetails.father.middleName	String	Same character rules	O	33
familyDetails.father.lastName	String	Same character rules	O	33
familyDetails.mother	Object	Mother's name	C	-
familyDetails.mother.title	String	Common values: Mrs., Ms., Mx.	C	3
familyDetails.mother.firstName	String	Same character rules	C	33
familyDetails.mother.middleName	String	Same character rules	O	33
familyDetails.mother.lastName	String	Same character rules	O	33
familyDetails.maidenName	Object	Maiden name structure. Required if subject is married and changed legal name post-marriage	O	-
familyDetails.maidenName.title	String	Common values: Mr, Mrs, Ms., Mx	O	3
familyDetails.maidenName.firstName	String	Same character rules	O	33
familyDetails.maidenName.middleName	String	Same character rules	O	33
familyDetails.maidenName.lastName	String	Same character rules	O	33
familyDetails.spouse	Object	Spouse name structure. Required if applicable per RE policy and marital declaration	C	-
familyDetails.spouse.title	String	Common values: Mr, Mrs, Ms., Mx	C	3
familyDetails.spouse.firstName	String	Same character rules	C	33
familyDetails.spouse.middleName	String	Same character rules	O	33

familyDetails.spouse.lastName	String	Same character rules	O	33
-------------------------------	--------	----------------------	---	----

personalDetails — Identity Core Attributes

Parameter	Data Type	Description	Mandatory	Length
dob	String (DD-MM-YYYY)	Date of birth. Must match OVD when <code>ovdMatchingDetails.dob = true</code>	M	10
isMinor	Boolean	True if subject is a minor. If true, <code>accountType</code> must be <code>MINOR</code> and a Guardian related party is required	M	-
gender	String (1) Enum	<code>M</code> (Male), <code>F</code> (Female), <code>T</code> (Transgender). Must match OVD when <code>ovdMatchingDetails.gender = true</code>	M	1

personalDetails.panDetails

Parameter	Data Type	Description	Mandatory	Length
panDetails	Object	Either pan.number OR Form 97 declaration is mandatory	M	-
panDetails.number	String (10)	Format <code>AAAAA9999A</code> . 4th character must be "P". Mandatory if <code>form97Submitted</code> not selected	C	10
panDetails.verified	Boolean	Mandatory where PAN number is passed	C	-
panDetails.document	Object	Container for PAN document attachment	C	-
panDetails.document.b64Content	String (Base64)	PAN card image/scan. Required if document is being submitted	C	-
panDetails.document.contentType	String (Enum)	<code>jpeg</code> , <code>jpg</code> , <code>pdf</code> . File size < 500KB	C	-
panDetails.form97Submitted	Boolean	True if Form 97 (declaration where PAN not held) submitted	C	-
panDetails.form61Submitted	Boolean	True if Form 61 submitted	C	-

ovdMatchingDetails — Demographic Match Flags

Parameter	Data Type	Description	Mandatory	Length
ovdMatchingDetails	Object	Whether each demographic attribute matches the submitted OVD	M	-
ovdMatchingDetails.dob	Boolean	True if dob matches OVD	M	-
ovdMatchingDetails.name	Boolean	True if legal name matches OVD	M	-
ovdMatchingDetails.photo	Boolean	True if attached photo matches OVD photograph	M	-
ovdMatchingDetails.genderProvidedInOvd	Boolean	True if gender is present in OVD	M	-
ovdMatchingDetails.genderMatchingWithOvd	Boolean	True if gender matches OVD	M	-

residencyDetails — Residency & Nationality

Parameter	Data Type	Description	Mandatory	Length
residencyDetails	Object	Container for residency status and nationality	M	-
residencyDetails.residentialStatus	String (Enum)	<code>RESIDENT</code> <code>NRI</code> <code>PIO</code> <code>FOREIGN NATIONAL</code>	M	-
residencyDetails.residentialStatusSupportedByDoc	Boolean	True if backed by a supporting document	M	-
residencyDetails.nationality	String	e.g. INDIAN, AMERICAN	O	33
residencyDetails.nationalitySupportedByDoc	Boolean	True if backed by a supporting document	O	-

disabilityDetails — Differently-Abled Status

Parameter	Data Type	Description	Mandatory	Length
disabilityDetails	Object	Container for differently-abled status	M	-
disabilityDetails.hasDisability	Boolean	True if subject is differently-abled	M	-
disabilityDetails.supportedByDoc	Boolean	True if backed by document. Applicable when hasDisability = true	C	-
disabilityDetails.type	String	Type of disability (Blindness, Low Vision, Hearing Impairment, Locomotor Disability, Leprosy Cured, Cerebral Palsy, Intellectual Disability, Mental Illness, Muscular Dystrophy, Parkinson's Disease, Acid Attack Victim, Sickle Cell Disease, Haemophilia, Thalassemia, Speech and Language Disability, Multiple Sclerosis, Specific Learning Disabilities, Chronic Neurological Conditions, Autism Spectrum Disorder, Dwarfism, Other). Required when hasDisability = true	C	33
disabilityDetails.otherType	String	Mandatory if type is "Other"	CM	150
disabilityDetails.percentage	String (Decimal)	e.g. "40.00". Min 0.00, Max 100.00. Required when hasDisability = true	C	3,2
disabilityDetails.udidNumber	String	First 2 alphabets, remaining 16 numeric	C	18
disabilityDetails.validity	Boolean	Whether disability certificate is valid	C	-

disabilityDetails.validityDate	Date (DD-MM-YYYY)	Certificate validity date	CM	-
--------------------------------	-------------------	---------------------------	----	---

photo — Subject Photograph

Parameter	Data Type	Description	Mandatory	Length
photo	Object	Photo of the subject. If omitted and Face Extraction (Pro) is enabled, a photo is extracted from a submitted OVD instead	M	-
photo.b64Content	String (Base64)	Base64-encoded photograph content	M	-
photo.contentType	String (Enum)	jpeg , jpg , pdf . JPEG preferred. File size < 500KB	M	-

identityProofs[] — Officially Valid Documents (OVDs)

Parameter	Data Type	Description	Mandatory	Length
identityProofs	Array<Object>	At least one OVD mandatory. Shape varies by docIdentityCode	M	-

identityProofs[] — Common Fields (all OVDs)

Parameter	Data Type	Description	Mandatory	Length
identityProofs[].docIdentityCode	String (1) Enum	E =Aadhaar, D =Driving License, A =Passport, B =Voter ID, F =NREGA Job Card, G =NPR Letter, Z =ID not available	M	-
identityProofs[].ovdNo	String	OVD number. Aadhaar (last 4 digits), DL (full), Voter ID (full), NREGA (full)	C	20
identityProofs[].verification	Object	Verification flags. Present for all OVDs except Aadhaar EKYC_AUTH mode	C	-
identityProofs[].verification.certifiedCopyVerifiedWithOriginalOVD	Boolean	At least one mandatory among the three verification flags	CM	-
identityProofs[].verification.equivalentEDoc	Boolean	True if submitted as digitally-signed equivalent e-document	CM	-
identityProofs[].verification.verifiedFromDigiLocker	Boolean	True if OVD fetched/verified via DigiLocker	CM	-
identityProofs[].repositoryPresence	Object	OVD-type-specific presence flags. Present for non-Aadhaar OVDs	C	-
identityProofs[].documents	Array<Object>	Supporting document attachments for this OVD	C	-
identityProofs[].documents[].documentName	String	Original file name. Extension must match contentType	CM	50
identityProofs[].documents[].b64Content	String (Base64)	Base64-encoded document content	C	-
identityProofs[].documents[].contentType	String (Enum)	jpeg , jpg , pdf . File size < 500KB	M	-

Aadhaar (docIdentityCode = E), Mode 1: PROOF_OF_POSSESSION

Parameter	Data Type	Description	Mandatory	Length
ekycDetails	Object	Aadhaar-specific eKYC details. Mandatory for all Aadhaar entries	C	-
ekycDetails.modeOfAadhaarVerification	String (Enum)	PROOF_OF_POSSESSION . Physical or scanned Aadhaar copy submitted, no UIDAI authentication performed	C	-
verification (full block)	Object	Full verification block required in this mode	C	-

Aadhaar (docIdentityCode = E), Mode 2: EKYC_AUTH

Parameter	Data Type	Description	Mandatory	Length
ekycDetails.modeOfAadhaarVerification	String (Enum)	EKYC_AUTH . UIDAI eKYC authentication performed, data received in real time	C	-
ekycDetails.dataReceivedFromUidai	Boolean	Should always be true when mode = EKYC_AUTH	C	-
ekycDetails.modeOfAuthentication	String (Enum)	EKYC_OTP EKYC_BIOMETRIC EKYC_FACEAUTH	C	-
verification (block)	Object	Typically NOT required in this mode	C	-

Aadhaar (docIdentityCode = E), Mode 3: OFFLINE_VERIFICATION

Parameter	Data Type	Description	Mandatory	Length
-----------	-----------	-------------	-----------	--------

ekycDetails.modeOfAadhaarVerification	String (Enum)	OFFLINE_VERIFICATION . Offline XML or QR-code method, no online UIDAI authentication	C	-
ekycDetails.dataReceivedFromOfflineVerification	Boolean	True if data successfully extracted from offline XML/QR and signature verified	C	-
verification (full block)	Object	Full verification block required	C	-

Driving License (docIdentityCode = D)

Parameter	Data Type	Description	Mandatory	Length
drivingLicenseExpiryDate	String (DD-MM-YYYY)	Must be a future date	C	10
repositoryPresence.drivingLicenseInRto	Boolean	True if verified against issuing RTO's database	C	-
verification (full block)	Object	Standard verification flags apply	C	-

Passport (docIdentityCode = A)

Parameter	Data Type	Description	Mandatory	Length
passportExpiryDate	String (DD-MM-YYYY)	Must be a future date	C	10
repositoryPresence.passportInMea	Boolean	True if verified against MEA/Passport Seva database	C	-
verification (full block)	Object	Standard verification flags apply	C	-

Voter ID (docIdentityCode = B)

Parameter	Data Type	Description	Mandatory	Length
repositoryPresence.voterIdInEci	Boolean	True if verified against ECI/NVSP database	C	-
verification (full block)	Object	Standard verification flags apply	C	-

NREGA Job Card (docIdentityCode = F)

Parameter	Data Type	Description	Mandatory	Length
repositoryPresence.nregalnRepository	Boolean	True if verified against MGNREGA repository	C	-
verification (full block)	Object	Standard verification flags apply	C	-

NPR Letter (docIdentityCode = G)

Parameter	Data Type	Description	Mandatory	Length
repositoryPresence.nprInCensusRecords	Boolean	True if verified against NPR/Census records	C	-
verification (full block)	Object	Standard verification flags apply	CM	-

addressDetails — Permanent & Current Address

Parameter	Data Type	Description	Mandatory	Length
addressDetails	Object	Container for permanent and current addresses	M	-

addressDetails.permanentAddress (**addressAsPerOvd**)

Parameter	Data Type	Description	Mandatory	Length
addressAsPerOvd	Object	Permanent address object	M	-
addressAsPerOvd.line1	String	House/flat/building number, premises name	M	60
addressAsPerOvd.line2	String	Street/road/locality	O	60
addressAsPerOvd.line3	String	Additional locality/landmark	O	60
addressAsPerOvd.countryCode	String	ISO 3166-1 alpha-2 (e.g. IN)	M	4
addressAsPerOvd.state	String	State code. If omitted, derived from pinCode	O	2
addressAsPerOvd.stateOthers	String	Free-text state name. Required when state = "OT" or for foreign addresses	C	-
addressAsPerOvd.district	String	District code. If omitted, derived from pinCode	O	2
addressAsPerOvd.city	String	City/town/village	M	60
addressAsPerOvd.pinCode	String (6)	6-digit Indian PIN, or "OTHERS" if not found in master	M	6
addressAsPerOvd.pinCodeOther	String	Only numeric, must be 6-digit	CM	6
addressAsPerOvd.addressType	String (Enum)	Value: PERMANENT	M	-
addressAsPerOvd.digipin	String	10-character alphanumeric DIGIPIN grid code	O	10
addressAsPerOvd.matchWithOvd	Boolean	True if permanent address exactly matches OVD address	M	-
addressAsPerOvd.supportedByDoc	Boolean	True if backed by a supporting document	M	-

addressDetails.currentAddress — Core Fields

Parameter	Data Type	Description	Mandatory	Length
currentAddress	Object	Current/correspondence address	M	-
currentAddress.line1	String	Same character rules as permanent line1	M	60
currentAddress.line2	String	Same character rules	O	60
currentAddress.line3	String	Same character rules	O	60
currentAddress.countryCode	String (2)	ISO 3166-1 alpha-2	M	4
currentAddress.state	String (2)	State code. If omitted, derived from pinCode	O	2
currentAddress.stateOthers	String	Free-text when state = OT or foreign	C	-
currentAddress.district	String	District code. If omitted, derived from pinCode	O	2
currentAddress.city	String	Same character rules	M	60
currentAddress.pinCode	String (6)	6-digit Indian PIN, or "OTHERS"	M	6
currentAddress.pinCodeOther	String	6-digit numeric if OTHERS	C	6
currentAddress.addressType	String (Enum)	Value: CURRENT	M	-
currentAddress.digipin	String	10-character DIGIPIN	O	10
currentAddress.sameAsPermanent	Boolean	If true, independent verification of currentAddress may be skipped	M	-
currentAddress.proofOfAddress	Object	Shape varies by proofOfAddress.type: OVD / Deemed Proof / Declared Address	CM	-
currentAddress.repositoryPresence	Object	Present only when proofOfAddress.type = OVD	C	-
currentAddress.verification	Object	Shape varies by proofOfAddress.type	M	-
currentAddress.documents	Array\<Object>	Supporting document attachments for current address	M	-

currentAddress.proofOfAddress — when type = OVD

Parameter	Data Type	Description	Mandatory	Length
proofOfAddress.type	String (Enum)	Value: OVD	M	-
proofOfAddress.docIdentityCode	String (1) Enum	E , D , A , B , F , G	M	-
proofOfAddress.ovdNo	String	Full, last-4, or 16-digit depending on doc type	M	-
proofOfAddress.aadhaarType	String (Enum)	Required when docIdentityCode = E. STANDARD MASKED	C	-
proofOfAddress.passportExpiryDate	String (DD-MM-YYYY)	Required when docIdentityCode = A	C	10
proofOfAddress.drivingLicenseExpiryDate	String (DD-MM-YYYY)	Required when docIdentityCode = D	C	10

currentAddress.proofOfAddress — when type = DEEMED_PROOF

Parameter	Data Type	Description	Mandatory	Length
proofOfAddress.type	String (Enum)	Value: DEEMED_PROOF	M	-
proofOfAddress.deemedProofType	String (Enum)	UTILITY_BILL (not older than 2 months) PROPERTY_OR_MUNICIPAL_TAX_RECEIPT PENSION_PAYMENT_ORDER ALLOTMENT_OR_RENT_AGREEMENT	M	-

currentAddress.proofOfAddress — when type = DECLARED_ADDRESS

Parameter	Data Type	Description	Mandatory	Length
proofOfAddress.type	String (Enum)	Value: DECLARED_ADDRESS . Permitted only under specific simplified KYC norms	M	-
proofOfAddress.declaredAddress	Boolean	True to confirm the address is self-declared	M	-

currentAddress.repositoryPresence (only when proofOfAddress.type = OVD)

Parameter	Data Type	Description	Mandatory	Length
repositoryPresence.passportInMea	Boolean	Set when docIdentityCode = A	C	-
repositoryPresence.voterIdInEci	Boolean	Set when docIdentityCode = B	C	-
repositoryPresence.drivingLicenseInRto	Boolean	Set when docIdentityCode = D	C	-
repositoryPresence.nregainRepository	Boolean	Set when docIdentityCode = F	C	-
repositoryPresence.nprInCensusRecords	Boolean	Set when docIdentityCode = G	C	-

currentAddress.verification — when proofOfAddress.type = OVD

Parameter	Data Type	Description	Mandatory	Length
verification.certifiedCopyVerifiedWithOriginalOVD	Boolean	True if certified copy verified against original OVD	C	-
verification.verifiedFromDigiLocker	Boolean	True if OVD fetched from DigiLocker	C	-

verification.equivalentEDoc	Boolean	True if equivalent e-document used	C	-
verification.currAddressExactlyMatchWithOvd	Boolean	True if current address exactly matches OVD address	C	-
verification.currAddressExactlyMatchWithOvdType	String (Enum)	EXACT_MATCH NO_MATCH PARTIAL_MATCH	M	-
verification.remoteGeoTagging	Boolean	True if remote geo-tagging performed	C	-
verification.positiveVerification	Boolean	True if positive verification achieved	C	-
verification.physicalByReOfficial	Boolean	True if physical verification by RE official	C	-
verification.physicalByThirdParty	Boolean	True if physical verification by empanelled third-party agency	C	-

currentAddress.verification — when proofOfAddress.type = DEEMED_PROOF

Parameter	Data Type	Description	Mandatory	Length
verification.deemedPoAVerified	Boolean	True if deemed proof verified for authenticity	M	-
verification.currAddressExactlyMatchWithOvd	Boolean	True if current address matches the deemed proof	M	-
verification.remoteGeoTagging	Boolean	True if remote geo-tagging performed	M	-
verification.positiveVerification	Boolean	True if positive verification achieved	M	-
verification.physicalByReOfficial	Boolean	True if physical verification by RE official	M	-
verification.physicalByThirdParty	Boolean	True if physical verification by third-party agency	CM	-

currentAddress.verification — when proofOfAddress.type = DECLARED_ADDRESS

Parameter	Data Type	Description	Mandatory	Length
verification.remoteGeoTagging	Boolean	True if remote geo-tagging performed during declaration	M	-
verification.positiveVerification	Boolean	True if positive verification achieved	M	-
verification.physicalByReOfficial	Boolean	True if physical verification by RE official at declared address	M	-
verification.physicalByThirdParty	Boolean	True if physical verification by third-party agency	M	-

currentAddress.documents[]

Parameter	Data Type	Description	Mandatory	Length
documents[].documentType	String (Enum)	SUPPORTING_DOCUMENT FOREIGN_ADDRESS_PROOF OVD	M	-
documents[].documentName	String	Original file name. Extension must match contentType	M	50
documents[].b64Content	String (Base64)	Base64-encoded document content	M	-
documents[].contentType	String (Enum)	jpeg , jpg , pdf . File size < 500KB	M	-

contactDetails — Email & Mobile

Parameter	Data Type	Description	Mandatory	Length
contactDetails	Object	Container for primary email and mobile contact details	M	-
email	Object	Email contact block	O	-
email.address	String	Should be a syntactically valid RFC 5322 email	O	254
email.verifiedThroughOTP	Boolean	True if verified via OTP/verification link	C	-
mobile	Object	Mobile contact block	M	-
mobile.countryCode	String	Dial code with leading + (e.g. +91)	O	4
mobile.number	String	10 digits for India	O	15
mobile.verifiedThroughOTP	Boolean	True if verified via OTP	C	-
mobile.verifiedThroughThirdParty	Boolean	True if verified via third-party verification	C	-

relatedParties[] — Linked CKYC IDs

Parameter	Data Type	Description	Mandatory	Length
relatedParties	Array<Object>	At least one Guardian mandatory when accountType = MINOR	C	-
relatedParties[].relationType	String (Enum)	GUARDIAN AUTHORIZED_REPRESENTATIVE ASSIGNEE	C	-
relatedParties[].ckycId	String	14-digit CKYC ID of the related party	C	14

attestationDetails — Officer, Verification & Declaration

Parameter	Data Type	Description	Mandatory	Length
attestationDetails	Object	Container for attestation metadata	M	-

attestationDetails.employee

Parameter	Data Type	Description	Mandatory	Length
employee	Object	Details of the RE employee who performed/certified the KYC	M	-
employee.name	String	Full name. Mandatory only for face-to-face KYC mode	C	99
employee.code	String	Employee code/ID assigned by the RE	C	50
employee.designation	String	Mandatory only for face-to-face KYC mode	C	50
employee.branch	String	Branch/office identifier. Mandatory only for face-to-face KYC mode	C	50
employee.ckycId	String	14-digit CKYC ID of the employee. Mandatory only for face-to-face KYC mode	O	14

attestationDetails.kycVerification

Parameter	Data Type	Description	Mandatory	Length
kycVerification	Object	Details of how KYC verification was carried out	M	-
kycVerification.mode	String (Enum)	FACE_TO_FACE_WITH_OFFICIAL FACE_TO_FACE_BY_BUSINESS_CORRESPONDENT VIDEO_BASED_WITHOUT_OFFICIAL NON_FACE_TO_FACE_BY_RE_OFFICIAL DIGITAL_KYC	M	-
kycVerification.carriedOutDate	String (DD-MM-YYYY)	Date verification was performed	M	10
kycVerification.remarks	String	Free-text remarks by verifying official	O	200

attestationDetails.declaration

Parameter	Data Type	Description	Mandatory	Length
declaration	Object	Subject's declaration block	M	-
declaration.date	String (DD-MM-YYYY)	Date the subject signed the declaration	M	10
declaration.place	String	Place (city) where declaration was signed	M	33

otherDetails

Parameter	Data Type	Description	Mandatory	Length
remarks	String	Remarks for the CKYC record	O	200

1.3 Response

Envelope

```
{
  "status": "success" | "failure",
  "statusCode": "<string>",
  "metaData": {
    "requestId": "<generated>",
    "transactionId": "<echoed from request header, if supplied>"
  },
  "result": {
    "...status-code-specific fields..."
  }
}
```

Response Scenarios

Status Code	Category	Description
202	Submitted	Request accepted for processing. Final outcome (Approved / Rejected / Probable Match) is delivered via webhook.
200	Existing Record Found	A matching CKYC record already exists for this PAN and OVD combination. No new record is created.
400	Validation Failed	A required field is missing, or a submitted field fails its format check.
422	Face Extraction Failed	Photo extraction from the submitted OVD was attempted and did not return a result.
500	Internal Server Error	An unexpected error occurred while processing the request.
502	CERSAI Unavailable	The upstream CERSAI service is unreachable.
502	HV Cloud Unavailable	Photo extraction or Aadhaar masking is enabled and the supporting service is unreachable.
503	Service Unavailable	The Upload API is temporarily unavailable.

A request with no photo and Photo Extraction not enabled returns `400` , with `photo` reported as a missing mandatory field.

200 / 202 Success

`statusCode: "202"` pairs with `uploadStatus: "SUBMITTED"` . `statusCode: "200"` pairs with `uploadStatus: "EXISTING_RECORD_FOUND"` .

```
{
  "status": "success",
  "statusCode": "200" | "202",
  "metaData": {
    "requestId": "<generated>",
    "transactionId": "<if supplied, else null>"
  },
  "result": {
    "uploadStatus": "SUBMITTED" | "EXISTING_RECORD_FOUND",
    "ackNo": "<string, null when uploadStatus = EXISTING_RECORD_FOUND>",
    "existingRecord": "<object, null when uploadStatus = SUBMITTED>"
  }
}
```

Sample — Submitted

```
{
  "status": "success",
  "statusCode": "202",
  "metaData": {
    "requestId": "1735047112-2a9c4e1b-8d3f-4a6c-9e1b-5c8d3a2f9e4b",
    "transactionId": "client-txn-98210"
  },
  "result": {
    "uploadStatus": "SUBMITTED",
    "ackNo": "CKYC24081200187213",
    "existingRecord": null
  }
}
```

Sample — Existing Record Found

```
{
  "status": "success",
  "statusCode": "200",
  "metaData": {
    "requestId": "1735047205-6c1e9a3d-4b7f-4d2a-8e5c-9a1b3c7d2e6f",
    "transactionId": "client-txn-98211"
  }
}
```

```

    },
    "result": {
      "uploadStatus": "EXISTING_RECORD_FOUND",
      "ackNo": null,
      "existingRecord": {
        "ckycNo": "CKYC24071500129887",
        "personalDetails": "..."
      }
    }
  }
}

```

400 Validation Failed

```

{
  "status": "failure",
  "statusCode": "400",
  "metaData": {
    "requestId": "<generated>",
    "transactionId": "<if supplied, else null>"
  },
  "result": {
    "errorCategory": "VALIDATION_FAILED",
    "error": "<top-line message>",
    "fieldErrors": [
      { "field": "<field path>", "errorType": "MISSING_MANDATORY_FIELD" | "INVALID_FIELD_FORMAT", "message": "<reason>" }
    ]
  }
}

```

Sample

```

{
  "status": "failure",
  "statusCode": "400",
  "metaData": {
    "requestId": "1735048221-8f3a2b1c-9d4e-4f6a-b21e-7c9a5e2d1f3b",
    "transactionId": "client-txn-98213"
  },
  "result": {
    "errorCategory": "VALIDATION_FAILED",
    "error": "Request failed validation on 2 field(s)",
    "fieldErrors": [
      { "field": "personalDetails.dob", "errorType": "MISSING_MANDATORY_FIELD", "message": "personalDetails.dob is mandatory and was not provided" },
      { "field": "personalDetails.panDetails.number", "errorType": "INVALID_FIELD_FORMAT", "message": "personalDetails.panDetails.number does not match the required format AAAAA9999A" }
    ]
  }
}

```

422 Face Extraction Failed

```

{
  "status": "failure",
  "statusCode": "422",
  "metaData": {
    "requestId": "1735048512-5ald3e8c-4f9b-4a2e-8c6d-1f7b3e9a2c4d",
    "transactionId": "client-txn-98215"
  },
  "result": {
    "errorCategory": "FACE_EXTRACTION_FAILED",
    "error": "Unable to extract a face from the submitted OVD",
    "fieldErrors": []
  }
}

```

500 / 502 / 503

```

{
  "status": "failure",
  "statusCode": "500" | "502" | "503",
  "metaData": {
    "requestId": "<generated>",
    "transactionId": "<if supplied, else null>"
  },
  "result": {
    "errorCategory": "CERSAI_UNAVAILABLE" | "SERVICE_UNAVAILABLE" | "HV_CLOUD_UNAVAILABLE" | "INTERNAL_SERVER_ERROR",
    "error": "<top-line message>"
  }
}

```

Samples

```
{
  "status": "failure",
  "statusCode": "502",
  "metaData": {
    "requestId": "1735049112-3d8e2a1f-6c9b-4e7a-8f3d-2b1c9e4a7f5d",
    "transactionId": "client-txn-98216"
  },
  "result": {
    "errorCategory": "CERSAI_UNAVAILABLE",
    "error": "Unable to reach CERSAI at this time"
  }
}
```

```
{
  "status": "failure",
  "statusCode": "503",
  "metaData": {
    "requestId": "1735049310-9c4e1a7f-3d8b-4c2e-8a5f-1d9c7b3e4a2f",
    "transactionId": "client-txn-98218"
  },
  "result": {
    "errorCategory": "SERVICE_UNAVAILABLE",
    "error": "The Upload service is temporarily unavailable"
  }
}
```

```
{
  "status": "failure",
  "statusCode": "500",
  "metaData": {
    "requestId": "1735049418-2b7d9f1a-4e6c-4b8a-9f3e-7c1d2a8b5e4f",
    "transactionId": "client-txn-98219"
  },
  "result": {
    "errorCategory": "INTERNAL_SERVER_ERROR",
    "error": "An unexpected error occurred while processing this request"
  }
}
```

2. Update API

2.1 Request Headers

Header	Description	Mandatory
transactionId	Client-generated identifier for this request, echoed back in the response	O

2.2 Request Parameters

Parameter	Data Type	Description	Mandatory	Length
ckycNo	String	CKYC No. of the holder whose record is being updated	M	14

Only the fields being changed need to be included beyond `ckycNo`. When a field is included, it follows the same data type, format, and character rules as the Upload API.

Parameter	Data Type	Description	Mandatory	Length
declaration.date	String (DD-MM-YYYY)	Required whenever a Declaration is needed for this update	C	10
declaration.place	String	Required whenever a Declaration is needed for this update	C	33

All other fields (`personalDetails`, `ovdMatchingDetails`, `residencyDetails`, `disabilityDetails`, `photo`, `identityProofs[]`, `addressDetails`, `contactDetails`, `relatedParties`, `attestationDetails.employee`, `attestationDetails.kycVerification`, `otherDetails`) follow the same structure as the Upload API and are sent only for fields actually being changed.

2.3 Response

Response Scenarios

Status Code	Category	Description
202	Submitted	Request accepted for processing. Final outcome (Approved / Rejected) is delivered via webhook.
400	Validation Failed	<code>ckycNo</code> missing, a Declaration-linked field missing when a Declaration is needed, or a submitted field fails its format check.
404	Record Not Found	<code>ckycNo</code> is well-formed but doesn't match any existing CKYC record.
500	Internal Server Error	An unexpected error occurred while processing the request.
502	CERSAI Unavailable	The upstream CERSAI service is unreachable.
502	HV Cloud Unavailable	Aadhaar masking is enabled and the supporting service is unreachable.
503	Service Unavailable	The Update API is temporarily unavailable.

202 Success

```
{
  "status": "success",
  "statusCode": "202",
  "metaData": {
    "requestId": "<generated>",
    "transactionId": "<if supplied, else null>"
  },
  "result": {
    "updateStatus": "SUBMITTED",
    "ackNo": "<string>"
  }
}
```

Sample

```
{
  "status": "success",
  "statusCode": "202",
  "metaData": {
    "requestId": "1735050112-4e8a2c7f-9d1b-4a6e-8c3f-7b9e2d1a4c8f",
    "transactionId": "client-txn-98220"
  },
  "result": {
    "updateStatus": "SUBMITTED",
    "ackNo": "CKYC24081200193456"
  }
}
```

```
}
```

400 Validation Failed

```
{
  "status": "failure",
  "statusCode": "400",
  "metaData": {
    "requestId": "<generated>",
    "transactionId": "<if supplied, else null>"
  },
  "result": {
    "errorCategory": "VALIDATION_FAILED",
    "error": "<top-line message>",
    "fieldErrors": [
      { "field": "<field path>", "errorType": "MISSING_MANDATORY_FIELD" | "INVALID_FIELD_FORMAT", "message": "<reason>" }
    ]
  }
}
```

Sample

```
{
  "status": "failure",
  "statusCode": "400",
  "metaData": {
    "requestId": "1735050214-1c9e4a7b-3d6f-4c8a-9e2f-5b7d1a3c9e6f",
    "transactionId": "client-txn-98221"
  },
  "result": {
    "errorCategory": "VALIDATION_FAILED",
    "error": "Request failed validation on 1 field(s)",
    "fieldErrors": [
      { "field": "ckycNo", "errorType": "MISSING_MANDATORY_FIELD", "message": "ckycNo is mandatory and was not provided" }
    ]
  }
}
```

404 Record Not Found

```
{
  "status": "failure",
  "statusCode": "404",
  "metaData": {
    "requestId": "1735050318-6b3d9f2a-4e7c-4a1b-8f5e-2c9d7a4b1e6f",
    "transactionId": "client-txn-98222"
  },
  "result": {
    "errorCategory": "RECORD_NOT_FOUND",
    "error": "No CKYC record found for the provided ckycNo"
  }
}
```

500 / 502 / 503

Same shape and status code mapping as the Upload API.

```
{
  "status": "failure",
  "statusCode": "500" | "502" | "503",
  "metaData": {
    "requestId": "<generated>",
    "transactionId": "<if supplied, else null>"
  },
  "result": {
    "errorCategory": "CERSAI_UNAVAILABLE" | "SERVICE_UNAVAILABLE" | "HV_CLOUD_UNAVAILABLE" | "INTERNAL_SERVER_ERROR",
    "error": "<top-line message>"
  }
}
```