



KYC API Integration & Client Onboarding Guide

Version 1.7

CENTRAL KYC RECORD REGISTRY (CKYCRR 2.0)

Version History

Version	Date	Details
V1.0	24/08/2025	API Integration Document
V1.1	06/03/2026	Added Length Column in the request and added few sample flows in search and download
V1.2	04/05/2026	Fields Updated- for Create and Update APIs
V1.3	10/05/2026	Update in Create & Update API
V1.4	18/05/2026	Validation added
V1.5	24/05/2026	Update API in Download and Search
V1.6	20/07/2026	Download flow and APIs Request Response parameter
V1.7	03/08/2026	Incorporated changes as suggested by REs

Table of Contents

Version History	2
1. Introduction.....	4
1.1. Purpose	4
1.2. Audience.....	4
1.3. Scope	4
1.4. Prerequisites.....	4
2. API Security (Security Configuration).....	5
2.1. mTLS Connectivity	5
2.2. IP Whitelisting	5
2.3. OAuth 2.0.....	5
2.4. Encryption Mechanism	5
2.5. Security Compliance / CERT-In Certification	5
3. API Specifications.....	6
3.1. Common	6
3.2. OAuth API	6
3.3. Search API.....	7
3.4. Download API.....	16
3.5. Create API	48
3.6. Update API.....	94
3.7. Update Notification - Unsolicited API.....	101
4. Image Quality Metrics & Input Guidelines.....	102
5. Annexure.....	103
6. Error Code	104

1. Introduction

1.1. Purpose

This document provides comprehensive technical and operational guidance for Reporting Entities (REs) to integrate with the CKYCRR 2.0 platform. It covers:

- Complete onboarding procedures
- API security implementation
- Technical specifications for all available APIs
- Testing and certification requirements
- Production deployment guidelines.

1.2. Audience

This document is intended for REs:

- Technical architects and developers
- Security officers
- Project managers
- Compliance officers
- Business stakeholders

1.3. Scope

The CKYCRR platform provides the following capabilities:

- **Search API:** Locate existing KYC records using various search criteria
- **Download API:** Retrieve complete KYC information with consent
- **Create API:** Submit new KYC records for registration
- **Update API:** Modify existing KYC records
- **Update Notification API:** Retrieve the list of linked CKYC Numbers that have been updated.

1.4. Prerequisites

Before beginning integration, ensure:

- Dedicated technical team with API integration experience
- Infrastructure meeting security requirements

2. API Security (Security Configuration)

2.1. mTLS Connectivity

- Mutual TLS (mTLS) is a security protocol that requires both client and server to authenticate each other using X.509 certificates, ensuring that both parties are trusted before any data is exchanged.
- This method is widely used for securing APIs, microservices, and communications where zero-trust connectivity is a priority.

2.2. IP Whitelisting

- Both the reporting entity and CKYCRR must maintain and update a list of trusted outgoing IPs. Requests from non-whitelisted IPs are blocked to prevent unauthorized access.

2.3. OAuth 2.0

- Access to the APIs is governed by OAuth—a widely used industry standard for token-based authentication and authorization.
- cURL Request

```
curl --location 'https://sandbox.ckycindia.dev/api/ckyc/v1/generate-token' \
--header 'Content-Type: application/x-www-form-urlencoded' \
--data-urlencode 'grant_type=client_credentials' \
--data-urlencode 'client_id=<your_client_id>' \
--data-urlencode 'client_secret=<your_client_secret>'
```

- Sample Response

```
{
  "issuedAt": "1767007566529",
  "accessToken": "<token>",
  "expiresIn": "3599"
}
```

2.4. Encryption Mechanism

- A. JWE – Json Web Encryption: The JWE specification standardizes the way to represent encrypted content in a JSON-based data structure.
- B. JWS – Json Web Signature: Ensures and proves integrity.

2.5. Security Compliance / CERT-In Certification

The Hosted API endpoints have undergone a thorough Vulnerability Assessment and Penetration Testing (VAPT) and received a "Safe to Host" certificate from a CERT-In empaneled auditor.

3. API Specifications

3.1. Common

This section covers base URL for the REs while making API calls.

Base URL for sandbox: <https://sandbox.ckycindia.dev>

Base URL for UAT: <https://uat.ckycindia.dev>

Base URL for Production : <https://CKYCRetry.Co.In>

Common request Headers:

x-idempotency-key (mutations): Ensures that repeated requests (due to retries or network issues) do not result in duplicate resource creation.

x-correlation-id: Will be used for tracking and correlating requests and responses log and error tracing.

Note: client_id and client_secret will be shared separately during the actual integration.

3.2. OAuth API

Brief: - This allows RE to exchange the pre-shared client ID and secret for a Bearer token, which is then used to authenticate subsequent API calls.

API URL	https://{{URL}}/api/ckyc/v1/generate-token
---------	---

cURL Request

```
curl --location 'https://{URL}/api/ckyc/v1/generate-token' \
--header 'Content-Type: application/x-www-form-urlencoded' \
--data-urlencode 'grant_type=client_credentials' \
--data-urlencode 'client_id=<your_client_id>' \
--data-urlencode 'client_secret=<your_client_secret>'
```

Response

```
{
  "issuedAt": "1767007566529",
  "accessToken": "<token>",
  "expiresIn": "3599"
}
```

3.3. Search API

Brief: - The search functionality allows Reporting Entity (RE) users to efficiently locate existing KYC records stored within the CKYCRR system. REs can perform searches for individual/ legal entities KYC records by specifying unique identifiers or personal details, enabling quick retrieval of a single record when needed. This search capability is particularly useful for organizations that need to verify or update the KYC status of large groups of individuals or entities in a single operation, thereby saving time and improving operational efficiency.

API URL	https://{{URL}}/api/ckyc/v1/search
---------	---

API	Header's
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

❖ Request Packet for **Individual** for All the 5 Cases

- OVD Number (Option to provide multiple OVDs at a time)/ PAN/ CKYCRR Number
- Name + Gender+ Date of Birth + Relation + Relation Name
- Name + Photo
- Mobile Number
- Verifiable Credentials

Regardless of the use case, the request packet structure stays the same—only the encrypted data changes.

Request Parameters

Parameter	Data Type	Description	Mandatory	Length
reld	String	FI code of Reporting Entity		10
requestId	String	Request ID - Unique identifier for each API request for tracking and audit purposes	Mandatory	50
timestamp	YYYY-MM-DDTHH:mm:ssZ	Request timestamp - Date and time when the request is generated ISO 8601 format	Mandatory	-
ckyclnq	Object	CKYC Inquiry object - Container for CKYC-related inquiry parameters	Mandatory	-
ckycType	String (Enum)	Type of CKYC inquiry - Specifies the entity type for which CKYC is being done Possible Values : [INDIVIDUAL LEGAL]	Mandatory	ENUM
searchOption	String (Enum)	Search method - Specifies the search criteria to be used for CKYC lookup Possible Values : Individual : [OVD CKYC DEMOGRAPHIC PHOTO MOBILE VC] Legal : [OVD MOBILE DOI CKYC]	Mandatory	ENUM
encryptedData	String (Base64)	Encrypted payload - Request data encrypted using RSA-256 algorithm with public key	Mandatory	-

Sample Request

```
{ OVD
  "reId": "IN0106",
  "requestId": "REQ12345",
  "timestamp": "2025-09-03T07:33:12.984Z",
  "ckycInq": {
    "ckycType": "INDIVIDUAL",
    "searchOption": "OVD",
    "encryptedData": "eyJhbGciOiJSUzI1NiJ9.hEYkhmUWlyemhB.p9NuALxkQ..."
  }
}
```

- PI Data within the "encryptedData"

Parameter	Data Type	Description	Mandatory	Length
ovdType	String (Enum)	Type of Official Valid Document (OVD) - Identifies the document category for identification C = PAN E = Aadhaar, D = Driving License, A = Passport, B = Voter ID (Election Commission), F = NREGA Job Card, G = Letter Issued by NPR (National Population Register).	Mandatory in case if Search Option is OVD	2
ovdNo	String (Alphanumeric)	OVD Number - Unique identifier number associated with the OVD document Aadhaar (last 4 digits) Driving License (e.g.MH1420110062821) Voter ID (3 letters + 7 digits) Passport (1 letter + 7 digits) NREGA (e.g. MH-12-045-000789) NPR (12 digits) PAN (e.g. AAAAAA9999A)	Mandatory in case if Search Option is OVD	55
fullName	String	Full Name of Individual - Complete name as per the OVD document 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	Mandatory in case of Following Search Option is OVD and OVD Type is "E"	99

dob	String (DD-MM-YYYY)	Date of Birth - Birth date of the individual in DD-MM-YYYY format	Mandatory in case of Following Search Option is OVD and OVD Type is "E" Search Option is "DEMOGRAPHIC"	10
gender	String (Single Character)	Gender - Gender of the individual as per OVD record ENUM- M-Male, F- Female, T- Transgender	Mandatory in case of Following Search Option is OVD and OVD Type is "E" Search Option is "DEMOGRAPHIC"	1
ckycNo	String (Numeric)	ckyc number (14 digitnumber)	Mandatory if Search Option is "CKYC"	14
firstName	String (Alphanumeric)	First Name 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	Mandatory in case if Search Option is "DEMOGRAPHIC" or "PHOTO"	33
middleName	String (Alphanumeric)	Middle Name 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	May be provided in case if Search Option is "DEMOGRAPHIC" or "PHOTO"	33
lastName	String (Alphanumeric)	Last Name 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	Optional: May be provided in case if Search Option is "DEMOGRAPHIC" or "PHOTO"	33
relation	String (Alphanumeric)	Relation Name ENUM: Father, Mother, Spouse	Mandatory in case if Search Option is "DEMOGRAPHIC"	10
relativeFirstName	String (Alphanumeric)	Relative First Name 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	Mandatory in case if Search Option is "DEMOGRAPHIC"	33
relativeMiddleName	String (Alphanumeric)	Relative Middle Name 1. Space not allowed 2. A to Z and a to z will be allowed	Optional : May be provided in case if Search Option is "DEMOGRAPHIC"	33

		3. Single apostrophe will be allowed 4. Dot(.) will be allowed		
relativeLastName	String (Alphanumeric)	Relative Last Name 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	Optional : May be provided in case if Search Option is "DEMOGRAPHIC"	33
b64Photo	String (Alphanumeric)	Base 64 of photo	Mandatory in case if Search Option is "PHOTO". This option will be aonly applicable for Individual records.	
mobile	String (Alphanumeric)	Mobile Number Must be exactly 10 digits and should not start with 0	Mandatory in case if Search Option is "MOBILE"	10
ckycAlias	String (Alphanumeric)	Verifiable Credentials [FirstName].[LastName] [Last3 digit of Pincode] [2-Character StateCode] [4-digit+1 char] UniqueCode][@ckyc]	Mandatory in case if Search option is "VC"	80

Case 1: Identity Document Search (OVD/CKYC)

- Supported document types: OVD Number, PAN, or CKYC RR Number

- Search option parameter accepts dynamic values: [OVD, CKYC]

→ When Search Option = "OVD", the PI Data is contained within the "encryptedData" tag value (Need to Pass Array of object which will support multiple OVD based search).

```
{ "ovdDetails": [ { "ovdNo": "8111", "ovdType": "E", "fullName": "Rajesh sharma", "dob": "10-05-1995", "gender": "M" }, { "ovdType": "C", "ovdNo": "AQAPD6079Q" } ] }
```

→ When Search Option = "CKYC", the PI Data is contained within the "encryptedData" tag value.

```
{ "ckycNo": "11223344556677" }
```

Case 2: Demographic Search – Inputs [First | Middle | Last], Date of Birth, Gender, Relation Ship, Relative Name [First | Middle | Last] will be required for Search option parameter value: [DEMOGRAPHIC]

```
{ "firstName": "Ramesh", "middleName": "Kumar", "lastName": "Sharma", "gender": "M", "dob": "15-01-1990", "relation": "Father", "relativeFirstName": "Rajesh", "relativeMiddleName": "Kumar", "relativeLastName": "Sharma" }
```

Case 3: Photo-based Search- the Search option parameter value: [PHOTO]

```
{ "firstName": "Ramesh", "middleName": "Kumar", "lastName": "Sharma", "b64Photo": "<base64 encoded Photo>" }
```

Case 4: Mobile Number based Search- the Search option parameter value: [MOBILE]

```
{ "mobile": "9999888877" }
```

Case 5: Verifiable credential- Search option parameter value: [VC]

```
{ "ckycAlias": "Sandeep.sharma2727943242@ckyc" }
```

Response fields for Individual for All the 5 Cases

Parameter	Data Type	Description
reId	String	FI code of Reporting Entity
requestId	String	Request ID - Unique identifier for each API request for tracking, audit and correlation purposes
timestamp	YYYY-MM-DDTHH:mm:ssZ	Request Timestamp - Date and time when the request is generated in UTC timezone
ckycType	String (Enum)	Type of CKYC inquiry Possible Values : [INDIVIDUAL LEGAL]
encryptedData	String (Base64)	Encrypted Payload - Request data encrypted using RSA-256 algorithm with public key for security

Sample Response

```
{
  "reId": "IN0106",
  "requestId": "REQ12345",
  "timestamp": "2025-09-03T07:33:12.984Z",
  "ckycType": "INDIVIDUAL",
  "encryptedData": "eyJhbGciOiJIUzI1NiJ9.hEYkhmUWlyemhB.p9NuALxkQ..."
}
```

Response fields for Plain Json

Parameter	Data Type	Description
success	String	Status of Response true/flase
message	String	Message for response
searchKey	String	Search Key - The search criteria used to fetch CKYC results
results	Array of Objects	Results - Array containing CKYC record(s) matching the search criteria
ckycRefNo	String (Numeric)	CKYC Reference Number - Reference number assigned during CKYC registration Following prefix to be added to 14 digit ckyc Reference number in Search Results Prefix Account type (No prefix for Normal Account) S: Small Account L: Simplified Measures Account O: Aadhaar OTP based E-KYC (in non-face to face mode) M: Minor Accounts
name	String	Full Name - Name of the individual/entity as per CKYC records

mobile	String (Numeric)	Mobile Number - Contact mobile number of the individual. Note: This field will be partially masked for privacy
email	String (Email)	Email Address - Contact email of the individual/entity as per CKYC records. Note: This field will be partially masked for privacy
gender	String (Single Character)	Gender - Gender of the individual as per CKYC record
photo	String (Base64)	Base64 Encoded Photo - KYC photograph encoded in Base64 format for transmission
photoExt	String	Photo extension of photo
lastUpdateDate	String (DD-MM-YYYY)	KYC Date - Date when KYC was last updated on
submittedDocx	Array of Objects	Submitted Documents - Array containing documents submitted as part of CKYC verification
remarks	String	Remarks - Additional remarks or notes about the CKYC record or verification status
photold	Numeric	Photo ID of CKYC no
status	String	Document Status - Status code indicating approval/verification status of the document
matchedOvdType	String	CKYC No Matched with which OVD Type
matchedOvdNumber	String	OVD Number from request
fullName	String	Full name of CKYC Holder
firstName	String	First Name of CKYC Holder
middleName	String	Middle Name of CKYC Holder
lastName	String	Last Name of CKYC Holder

Validation Rule:

- Search Key Validity: searchKey returned in the response remains valid for a period of 15 days
- Usage: This key must be used for Create API calls to link the search requests to the data creation request.

Sample Response Individual:

```
{ "success": true, "message": "Individual entity records found", "data": {
  "searchKey": "IOV26050421169667117", "results": [ { "fullName": "Manoranjan Kumar
Dubey", "firstName": "Manoranjan", "middleName": "Kumar", "lastName": "Dubey",
```

```
"gender": "M", "photo": "/9j/4/Z", "photoExt": "jpg", "docSubmitted": [ {
"docName": "PAN", "docType": "C" }, { "docName": "Driving Licence", "docType": "D"
} ], "lastUpdateDate": "2026-04-22T06:47:16.361035510Z", "mobile": "", "email": "",
"ckycRefNo": "INRGPK99016315", "photoId": "34136", "status": "ACTIVE", "remark":
"", "matchedOvdType": "C", "matchedOvdNumber": "AQAPD6079Q" } ], "page": 0,
"pageSize": 0, "total": 1, "totalPages": 1 } }
```

Parameter	Data Type	Description	Mandatory	Length
Legal				
documentIds	Array	Array contains multiple ID type	Mandatory	1
id_type	String (Alphanumeric)	ID Type to Search • C PAN • 01 Registration Certificate (GSTIN) • 02 Certificate of Incorporation/Formation (CIN) • 04 Limited Liability Partnership Identification Number (LLPIN)	Mandatory	2
id_number	String (Alphanumeric)	ID Number to search GSTIN (15 characters (State code + PAN + entity code + checksum)) LLPIN (7 characters (LLP + digits)) PAN (e.g. AAAAAA9999A) CIN 21 characters (U/S + industry code + state code + year + ownership + registration number)	Mandatory	55
entityName	String (Alphanumeric)	Entity Name of CKYC Holder 1. A to Z and a to z will be allowed b. Single apostrophe will be allowed c. Alphanumeric value allowed d. Special characters allowed e. Dot (.) will be allowed	Mandatory	99
doi	String (Alphanumeric)	Date of incorporation of Entity DD-MM-YYYY	Mandatory	10
constitution	String (Alphanumeric)	Constitution Type of Entity Refer Annexure below	Mandatory	1

❖ Request Packet for **Legal** for All the 3 Cases

Case 1: Document ID – Inputs PAN, GSTIN, CKYC RR Number, CIN, LLPIN will required for OVD Search option.

```
{"reId":"IN0106","requestId":"REQ12345","timestamp":"2026-03-06T06:13:26.377Z","ckycInq":{"ckycType":"LEGAL","searchOption":"OVD","encryptedData":"eyJhbGciOiJSUzI1NiJ9.hEYkhmUWlyemhB.p9NuALxkQ..."}}
```

→ PI Data is contained within the "encryptedData" tag value

- Search options [OVD] - OVD based search accept multiple values. Sample given below.

```
{"documentIds":[{"id_type":"O1","id_number":"75EEOKH5828J1ZH"}, {"id_type":"C","id_number":"EEOKH5828J"}]}
```

Case 2: Entity Formation Date Verification – inputs constitution, entityName and doi will be required for Search options [DOI]

```
{"constitution":"Public Sector Bank","entityName":"ABC Pvt Ltd","doi":"15-08-2010"}
```

Case 3: Entity Formation Date Verification – input mobile will be required for Search options [MOBILE]

```
{"mobile":"8888888888"}
```

Sample Plain Response Legal :

```
{ "success": true, "message": "Legal entity records found", "data": { "searchKey": "LDE26072052212492262", "results": [ { "name": "National Finance Associates", "docSubmitted": [ { "ckycNo": "98700000000439", "docCategory": "POI", "docId": "SEANIZALON3287522017", "docName": "Registration Certificate", "docType": "03" } ], "lastUpdateDate": "2026-02-18T11:33:38.516584Z", "ckycRefNo": "LEPPQX46577348", "mobile": "97*****99", "email": "ad****08@yopmail.com", "cin": "", "dateOfRegistration": "2017-02-13", "status": "ACTIVE", "remark": "" } ], "page": 0, "pageSize": 0, "total": 1, "totalPages": 1 }}
```

OVD Type Masters

OVD Type	Category	Chars	Validation
A	Passport Number	20	First digit alphabet then seven-digit number.
B	Voter ID	20	String
C	PAN	10	First three digits any alphabets, 4th digit in ABCFGHJLPT, 5th digit any alphabet, 6th to 9th digit any numbers and last digit any alphabet
D	Driving License	20	String
E	Proof Of Possession of Aadhaar	165	Maximum 165 characters - Aadhaar – Last 4 digits of Aadhaar number - Applicant Name – (Maximum 150 characters including FirstName, MiddleName and LastName) - DOB Format should be DD-MM-YYYY (10 characters) - Gender – M/F/T (1 Character)
F	NREGA Job Card	40	NERGA Job
G	National Population Register Letter	20	NPRS Letter

01	GSTIN	15	GSTIN Number
02	Certificate of Incorporation/Formation (CIN)	21	Maximum 60 characters.
04	LLPIN	7	LLPIN Number

3.4. Download API

Brief: - RE users can utilize the Download feature to locate and retrieve full KYC record information from any existing entry in the CKYCRR system.

API URL	https://{URL}/api/ckyc/v1/download/initiate
---------	---

API	Header's
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

Request Payload for Individual & Legal

Parameter	Data Type	Description	Mandatory	Length
reld	String	FI Code of Reporting Entity	Mandatory	10
requestId	String	Request ID - Unique identifier for each API request for tracking, audit and correlation	Mandatory	36
timestamp	YYYY-MM-DDTHH:mm:ssZ	Request Timestamp - Date and time when the request is generated in UTC timezone	Mandatory	-
ckycInq	Object	CKYC Inquiry Object - Container object for CKYC inquiry-related parameters and encrypted data	Mandatory	-
encryptedData	String (Base64)	Encrypted Data - Request data encrypted using RSA-256 algorithm with public key for security	Mandatory	-
ckycType	String	CKYC Type - Type or category code of the CKYC entity being searched or identified Possible Values : [INDIVIDUAL LEGAL]	Mandatory	ENUM

Request Payload for encrypted Data in Plain Json

Parameter	Data Type	Description	Mandatory	Length
ckycNo	String (Numeric)	CKYC Number - Unique CKYC number for lookup or record matching 14 digit number	Conditional	14
ckycRefNo	String (Alphanumeric)	CKYC Reference Number - Reference number associated with the CKYC record for verification or tracing	Conditional	20
ckycAlias	String (Email/ Identifier format)	CKYC Alias - Unique alias or identifier in email-like format for the CKYC record or entity [FirstName].[LastName] [Last3 digit of Pin code] [2-Character StateCode] [4-digit+1 char] Unique Code][@ckyc]	Conditional	80

Note: "Conditional" means from above list only one parameter among [ckycRefNo | ckycNo | ckycAlias AKA verifiable credential] is required is request packet.

```
{  
  "ckycRefNo": "4131414141414134"  
}
```

Response fields for Individual & Legal

Parameter	Data Type	Description
reld	String	FI Code of Reporting Entity
requestId	String	Request ID - Unique identifier for the original API request being tracked
timestamp	String (ISO 8601)	Response Timestamp - Date and time when the response was generated in UTC timezone
status	Boolean	Status Flag - Indicates whether the download/operation was successful or failed
data	Object	Object of CKYC Information as below mentioned
ckycNo	String	CKYC No
hasMobileNumber	Boolean	hasMobileNumber is true, It means Mobile present within the associated ckyc record.
hasEmailAddress	Boolean	hasEmailAddress is true, It means Email present within the associated ckyc record.

consentCheck	Boolean	Check if valid consent already exists for the specific Reporting Entity (RE). If TRUE (Consent Exists): Skip the consent step. Initiate a subsequent download by calling the GET API using the downloadRefId to fetch the records. If FALSE (Consent Missing): Route the user to the standard consent journey to authorize the download.
status	Boolean	Status Flag - Indicates whether the download/operation was successful or failed
downloadRefId	String (Alphanumeric)	Download Reference ID – It will be used for all further apis – unique for every journey in download ckyc record
timeStamp	String (ISO 8601)	Response Timestamp - Date and time when the response was generated in UTC timezone
otpIdentifiers	Object	Object that contains OTP Identifiers of MOBILE and EMAIL
mobile	String	Masked Mobile Number on which OTP is triggered
email	String	Masked Email ID on which OTP is triggered

Sample Response:

```
{ "reId": "IN0106", "requestId": "ae291a4f-d4d3-413c-a154-0368c0cd1485",
"timestamp": "2026-07-20T04:57:48.990Z", "message": "Individual Entity record found
for download", "data": { "ckycNo": "987000000000245", "hasMobileNumber": true,
"hasEmailAddress": true, "consentCheck": false, "status": true, "downloadRefId":
"a52bc817-1699-4f78-975d-8b2aa51cddf6", "timeStamp": "2026-07-20T04:57:49Z",
"mobile": "93*****31", "email": "Ad****07@yopmail.com" } }
```

API URL	https://{{URL}}/api/ckyc/v1/download/validate
---------	---

API Header's	
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

- I. Request Packet for Individual Cases: Download Option CKYCREFNO (CKYC Ref Number | CKYC | VC ID) For which consent type are below :
- OTP Flow
 - Physical Consent (Auth factors are below)
 - Date of birth
 - Year of Birth and Pin code
 - Father/Mother/Spouse Name
 - Face Authentication based consent
 - Date of birth
 - Year of Birth and Pin code
 - Father/Mother/Spouse Name

Note:

- API supports multiple auth factors in the request payload in the form of Array of Auth factor object.
- For Legal Entity- Consent type is not applicable. As Legal record will always have Mobile and email, so for legal this step is not required.
- Records linked to a mobile number or email can use the OTP or FaceAuth flow. Records with no mobile or email can only use Physical verification.

The previously mentioned use cases, request packet format will maintain the same structure, with only the encrypted data value being modified.

Parameter	Data Type	Description	Mandatory	Length
reld	String	FI Code for Reporting Entity	Mandatory	10
requestId	String	Request ID - Unique identifier for the API request for tracking and correlation	Mandatory	36
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/query transaction	Mandatory	36
timestamp	YYYY-MM-DDTHH:mm:ssZ	Request Timestamp - Date and time when the request is generated in UTC timezone	Mandatory	-
ckycInq	Object	CKYC Inquiry Object - Container object for CKYC inquiry parameters including consent and encrypted data	Mandatory	-
ckycType	String (Enum)	CKYC Type - Type/category of entity for which CKYC information is being requested [INDIVIDUAL LEGAL]	Mandatory	ENUM

consentType	String (Enum)	Consent Type - Method of consent/verification used for authentication and validation Individual : [OTP PHYSICAL FACEAUTH] Legal : [OTP]	Mandatory	ENUM
encryptedData	String (Base64)	Encrypted Payload - Request data encrypted using RSA-256 algorithm with public key for security	Conditional OTP Flow = NA	-

1. Flow OTP

Sample Request for OTP Flow :

```
{ "reId": "IN0106", "requestId": "40d7ace2-0b14-42b8-83a5-dfe27185a431",
"downloadRefId": "a52bc817-1699-4f78-975d-8b2aa51cddf6", "timestamp":
"{{current_utc_time}}", "ckycInq": { "ckycType": "INDIVIDUAL", "consentType": "OTP"
} }
```

Sample Response for OTP Flow

```
{ "reId": "IN0106", "requestId": "40d7ace2-0b14-42b8-83a5-dfe27185a431",
"timestamp": "2026-07-20T04:58:11.823Z", "message": "Authentication Successful",
"data": { "downloadRefId": "a52bc817-1699-4f78-975d-8b2aa51cddf6", "consentType":
"OTP", "timeStamp": "2026-07-20T04:58:14Z", "otpIdentifierMap": { "EMAIL": "EQIEQ9-
OTP-20260720T045813", "MOBILE": "QOIS32-OTP-20260720T045812" }, "status": true,
"message": "OTP sent to: MOBILE and EMAIL" } }
```

2. Flow Physical

Sample Request for Physical Flow :

```
{ "reId": "IN0106", "requestId": "40d7ace2-0b14-42b8-83a5-dfe27185a431",
"downloadRefId": "8d99a754-acef-48b9-b59b-8815d3a36454", "timestamp": "2026-07-
20T04:57:49Z ", "ckycInq": { "ckycType": "INDIVIDUAL", "consentType": "PHYSICAL",
"encryptedData": "eyJhbGciOiJS" } }
```

→ Download- Individual Option CKYCREFNU (CKYC Ref Number) with Physical Consent

- When Auth Factor = "DOB", the auth factor value will be DD-MM-YYYY
- When Auth Factor = "RELATION", the auth factor value will be {Relation Name (Father, Mother, Spouse), First Name, Middle Name and Last Name}
- When Auth Factor = "BIRTHYEARPCODE", the auth factor value will be an object with key "authFactorValueObj" containing "year" and "pin code".

```
{ "authFactors": [ { "authFactor": "DOB", "authValue": "15-01-1973" }, { "authFactor": "RELATION", "authFactorValueObj": {
"firstName": "THANG", "middleName": "", "lastName": "THANGHNUNA", "relationName": "Father" } }, { "authFactor":
"BIRTHYEARPCODE", "authFactorValueObj": { "year": "1960", "pincode": "411045" } } ] }
```

Sample Response for Physical Flow :

```
{ "reId": "IN0106", "requestId": "40d7ace2-0b14-42b8-83a5-dfe27185a431",
"downloadRefId": "8d99a754-acef-48b9-b59b-8815d3a36454", "timestamp": "2026-07-
20T04:59:48.945Z", "status": "true", "message": "Authentication Successful" }
```

Note: For Any Reporting, Consent is required for the first time download of any CKYC Record. For Subsequent downloads of the same CKYC Record, Consent is not required.

3. Flow Face-Auth

Sample Request for FaceAuth Flow :

```
{ "reId": "IN0106", "requestId": "40d7ace2-0b14-42b8-83a5-dfe27185a431",  
"downloadRefId": "8d99a754-acef-48b9-b59b-8815d3a36454", "timestamp": "2026-07-  
20T04:57:49Z ", "ckycInq": { "ckycType": "INDIVIDUAL", "consentType": "FACEAUTH",  
"encryptedData": "eyJhbGciOiJS" } }
```

→ Download- Individual Option CKYCREFNO (CKYC Ref Number) with FaceAuth

- When Auth Factor = "DOB", the auth factor value will be DD-MM-YYYY
- When Auth Factor = "RELATION", the auth factor value will be {Relation Name (Father, Mother, Spouse), First Name, Middle Name and Last Name}
- When Auth Factor = "BIRTHYEARPINCODE", the auth factor value will be an object with key "authFactorValueObj" containing "year" and "pincode".

```
{ "authFactors": [ { "authFactor": "DOB", "authValue": "15-01-1973" }, { "authFactor": "RELATION", "authFactorValueObj": {  
"firstName": "THANG", "middleName": "", "lastName": "THANGHNUNA", "relationName": "Father" } }, { "authFactor":  
"BIRTHYEARPINCODE", "authFactorValueObj": { "year": "1960", "pincode": "411045" } } ] }
```

Response Payload in case of Individual for both Cases FaceAuth and Physical Consent Types

Parameter	Data Type	Description
reId	String	FI Code of Reporting Entity
requestId	String	Request ID - Unique identifier for the original API request being tracked
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the transaction
timestamp	String (ISO 8601)	Response Timestamp - Date and time when the OTP response was generated in UTC
message	String	Status Message - Human-readable message describing the OTP delivery status
status	Boolean	Status Flag - Indicates whether OTP was successfully sent or delivery failed

Sample Response for FaceAuth Flow :

```
{ "reId": "IN0106", "requestId": "40d7ace2-0b14-42b8-83a5-dfe27185a431",  
"downloadRefId": "8d99a754-acef-48b9-b59b-8815d3a36454", "timestamp": "2026-07-  
20T04:59:48.945Z", "status": "true", "message": "Authentication Successful" }
```

API URL	https://{{URL}}/api/ckyc/v1/download/validate-otp
---------	---

API Header's
Method
Post

Authorization	Bearer {{Token}}
Content Type	application/json

Request Payload for Individual & Legal

Parameter	Data Type	Description	Mandatory	Length
reld	String	FI code of Reporting Entity	Mandatory	10
requestId	String	Request ID - Unique identifier for the original API request being tracked	Mandatory	36
timestamp	String (ISO 8601) YYYY-MM-DDTHH:mm:ssZ	Request Timestamp - Date and time when the verification request is generated in UTC timezone	Mandatory	-
ckycInq	Object	CKYC Inquiry Object - Container object for OTP verification data and encrypted payload	Mandatory	-
encryptedData	String (Base64)	Encrypted Payload - OTP verification data encrypted using RSA-256 algorithm with public key for security	Mandatory	-
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier linking to the OTP send transaction	Mandatory	36

Request Payload for encryptedData in Plain Json

Parameter	Data Type	Description	Mandatory	Length
otp	String (Numeric)	One-Time Password - 6-digit OTP code entered by user for verification	Mandatory	6
otpIdentifier	String (Alphanumeric)	OTP Session Identifier - Unique identifier linking this verification to the OTP send session	Mandatory	50

```
{
  "otp": "213456",
  "otpIdentifier": "2asdaad4s56"
}
```

Response Payload for Individual & Legal

Parameter	Data Type	Description
reld	String	FI Code of Reporting Entity
requestId	String	Request ID - Unique identifier for the original API request being tracked
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/OTP transaction
timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC
message	String	Status Message - Human-readable message describing OTP verification result
status	Boolean	Status Flag - Indicates whether OTP verification was successful or failed

Sample Response

```
{
  "reld": "IN0106",
  "requestId": "REQ12345",
  "downloadRefId": "RfESfPDSF12345",
  "timestamp": "2025-09-04T13:14:34.092Z",
  "message": "OTP verify",
  "status": true
}
```

API URL	https://{{URL}}/api/ckyc/v1/download/resend-otp
---------	---

API	Header's
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

Request Payload for Individual & Legal

Parameter	Data Type	Description	Mandatory	Length
reId	String	FI Code of Reporting Entity	Mandatory	10
requestId	String	Request ID - Unique identifier for the original API request being tracked	Mandatory	36
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/OTP transaction	Mandatory	36
timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC	Mandatory	-
ckycInq	Object	CKYC Inquiry Object - Container object for OTP verification data and encrypted payload	Mandatory	-

Request JSON

```
{
  "reId": "IN0106",
  "requestId": "REQ12345",
  "downloadRefId": "RfESfPDSF12345",
  "timestamp": "2025-09-05T10:06:28.274Z",
  "ckycInq": {
    "ckycType": "INDIVIDUAL"
  }
}
```

Response fields for Individual & Legal

Parameter	Data Type	Description
reId	String	FI Code of Reporting Entity
requestId	String	Request ID - Unique identifier for the original API request being tracked
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/OTP transaction
timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC

message	String	Status Message - Human-readable message describing OTP verification result
status	Boolean	Status Flag - Indicates whether OTP verification was successful or failed

Response JSON

```
{
  "reId": "IN0106",
  "requestId": "REQ12345",
  "downloadRefId": "RfESfPDSF12345",
  "timestamp": "2025-09-04T14:23:16.999Z",
  "message": "OTP has been sent to the registered mobile number XXXXXX6045",
  "status": true
}
```

API URL	https://{{URL}}/api/ckyc/v1/download/upload-consent
---------	---

API Header's	
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

Request Parameters

Parameter	Data Type	Description	Mandatory	Length
reId	String	FI Code of Reporting Entity	Mandatory	10
requestId	String	Request ID - Unique identifier for the original API request being tracked	Mandatory	36
timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC	Mandatory	-
ckycInq	Object	CKYC Inquiry Object encrypted payload	Mandatory	-
encryptedData	String	Encrypted String	Mandatory	-
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download upload consent	Mandatory	-

Request Payload for encryptedData in Plain Json

Parameter	Data Type	Description	Mandatory
fileBase64	String	Base 64 string of consent document	Mandatory

Sample Plain JSON

```
{"fileBase64":"bnkjvbjwv3213456"}
```

Response fields for Individual & Legal

Parameter	Data Type	Description
reId	String	FI Code of Reporting Entity
requestId	String	Request ID - Unique identifier for the original API request being tracked
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/OTP transaction
timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC
message	String	Status Message
status	Boolean	Status Flag - Indicates whether OTP verification was successful or failed

Response JSON

```
{
  "reId": "IN0106",
  "requestId": "REQ12345",
  "downloadRefId": "RfESfPDSF12345",
  "timestamp": "2025-09-04T14:28:20.767Z",
  "message": "Consent uploaded successfully",
  "status": true
}
```

API URL	https://{URL}/api/ckyc/v1/download/face-auth
---------	--

API	Header's
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

Request Payload for Individual records. Face Auth is applicable for individual records.

Parameter	Data Type	Description	Mandatory	Length
reld	String	FI Code of Reporting Entity	Mandatory	10
requestId	String	Request ID - Unique identifier for the original API request being tracked	Mandatory	36
timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC	Mandatory	-
ckycInq	Object	CKYC Inquiry Object encrypted payload	Mandatory	-
encryptedData	String (Alphanumeric)	Encrypted Data which consists of base 64 photo	Mandatory	-
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/OTP transaction	Mandatory	

Request Payload for encryptedData in Plain Json

Parameter	Data Type	Description	Mandate Status
b64Photo	String	Base 64 string of Photo	Mandatory

Sample Plain JSON

```
{ "b64Photo": "bnkjvbjwv3213456" }
```

Response Fields for Individual

Parameter	Data Type	Description
reld	String	FI Code of Reporting Entity

requestId	String	Request ID - Unique identifier for the original API request being tracked
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/OTP transaction
timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC
message	String	Status Message
status	Boolean	Status Flag — Denotes the outcome of the OTP verification (success or failure).

Sample Response

```
{
  "reId": "IN0106",
  "requestId": "REQ12345",
  "downloadRefId": "RfESfPDSF12345",
  "timestamp": "2025-09-04T14:28:20.767Z",
  "message": "Face auth verified successfully",
  "status": true
}
```

API URL	https://{{URL}}/api/ckyc/v1/download/get
---------	---

API Header's	
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

Request Payload for Individual & Legal

Parameter	Data Type	Description	Mandatory	Length
reId	String	FI Code of Reporting Entity	Mandatory	10
requestId	String	Request ID - Unique identifier for the original API request being tracked	Mandatory	36
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/OTP transaction	Mandatory	36

timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC	Mandatory	-
ckycInq	Object	CKYC Inquiry Object encrypted payload	Mandatory	-
ckycType	String	Identifier either INDIVIDUL or LEGAL	Mandatory	-

```
{ "reId": "IN0106", "requestId": "40d7ace2-0b14-42b8-83a5-dfe27185a431",
"downloadRefId": "a52bc817-1699-4f78-975d-8b2aa51cddf6", "timestamp": "2025-09-04T14:28:20.767Z ", "ckycInq": { "ckycType": "INDIVIDUAL" } }
```

Response Fields for Individual & Legal

Parameter	Data Type	Description
reId	String	FI Code of Reporting Entity
requestId	String	Request ID - Unique identifier for the original API request being tracked
downloadRefId	String (Alphanumeric)	Download Reference ID - Unique reference identifier for the download/OTP transaction
timestamp	String (ISO 8601)	Response Timestamp - Date and time when OTP verification response was generated in UTC
encryptedData	String	Encrypted String which consists of data
ckycType	String	Identifier either INDIVIDUL or LEGAL

Response fields for Plain Json for Individual

Parameter	Data Type	Description
success	Boolean	Indicates whether the API call was successful (true/false).

message	String	Human-readable status message returned by the service.
downloadRefId	String (UUID)	Unique reference ID for this download transaction; used for audit and traceability.
ckycNo	String (14)	14-digit CKYC number of the individual whose record was downloaded.
status	String	Outcome of the download request (e.g., "KYC Record Found").
timestamp	String (ISO 8601)	Server timestamp when the response was generated (UTC).
data	Object	Container holding the full KYC payload returned by CKYCRR.
data.searchResult	Object	Top-level summary of the matched CKYC record.
searchResult.status	String	Current status of the CKYC record (ACTIVE / INACTIVE / DEACTIVATED).
searchResult.name	String	Full name of the customer as registered in CKYCRR.
searchResult.ckycNo	String (14)	14-digit CKYC Number.
searchResult.lastUpdatedOn	String (DD-MM-YYYY)	Date when the KYC record was last modified at CKYCRR.
searchResult.confidenceLevel	String	Match confidence band returned by CERSAI (e.g., Assured, Probable).
searchResult.confidenceScore	Number (Float)	Numeric match confidence score (0–100).
searchResult.kycAccountType	String	Type of KYC account: NORMAL, SMALL, MINOR, AADHAR_EKYC (Aadhar OTP Based E-KYC).
searchResult.ckycAlias	String	CKYC alias identifier of the record (alias@ckyc format).
searchResult.prohibitedLists	Object	Container for prohibited / sanctioned list match details.
prohibitedLists.nameReflectedIn	Array<String>	List of prohibited / sanction lists in which the customer name is reflected. Empty if none.
data.kycDetails	Object	Container with full demographic, identity, address, contact, and relationship details.
demographicDetails	Object	Holds demographic and identity attributes of the customer.

demographicDetails .photo	String (Base64)	Base64-encoded photograph of the customer (JPEG).
demographicDetails .dob	String (DD-MM-YYYY)	Date of birth of the customer.
demographicDetails .isMinor	Boolean	True if the customer is a minor as per DOB.
demographicDetails .dobMatchingWithOVD	Boolean	True if DOB matches the OVD submitted as proof.
demographicDetails .nameMatchingWithOVD	Boolean	True if name matches the OVD submitted as proof.
demographicDetails .photoMatchingWithOVD	Boolean	True if photograph matches the OVD.
demographicDetails .gender	String (1)	Gender code: M (Male), F (Female), T (Transgender).
demographicDetails .genderMatchingWithOVD	Boolean	True if gender matches the OVD submitted.
genderProvidedInOvd	Boolean	True if Gender is provided in OVD else False
nameDetails	Object	Structured name of the customer.
nameDetails.title	String	Title prefix (e.g., MR, MRS, MS, DR).
nameDetails.firstName	String	First name of the customer.
nameDetails.middleName	String	Middle name of the customer.
nameDetails.lastName	String	Last name / surname of the customer.
nameDetails.photoAvailable	Boolean	True if a photograph is attached with the record.
maidenName	Object	Maiden name details of the customer (if applicable).
maidenName.title	String	Title prefix associated with maiden name.
maidenName.firstName	String	First name of maiden identity.
maidenName.lastName	String	Last name of maiden identity.
motherName	Object	Mother's name details.

motherName.title	String	Title prefix for mother (MRS, MS, etc.).
motherName.firstName	String	Mother's first name.
motherName.lastName	String	Mother's last name / surname.
fatherName	Object	father's name details.
fatherName.title	String	Title prefix for mother (Mr).
fatherName.firstName	String	Father's first name.
fatherName.lastName	String	Father's last name / surname.
panCard	Object	Permanent Account Number (PAN) details.
panCard.pan	String (10)	PAN of the customer (e.g., AQAPD6079Q).
panCard.panVerified	Boolean	True if PAN was verified with NSDL/Income Tax records.
panCard.panImage	Boolean	True if PAN card image is attached in the record.
panCard.image	String (Base64)	Base64-encoded PAN card image (JPEG).
panCard.description	String	Description label for the document (e.g., "PAN").
residentialStatus	Object	Residential status of the customer.
residentialStatus.status	String	Residential status: RESIDENT, NRI, FOREIGN_NATIONAL, etc.
residentialStatus.supportedByDocument	Boolean	True if status is backed by a supporting document.
nationality	Object	Nationality details of the customer.
nationality.country	String	Country of nationality (e.g., Indian).
nationality.supportedByDocument	Boolean	True if nationality is supported by a document.
differentlyAble	Object	Differently-abled status of the customer.
differentlyAble.status	Boolean	True if the customer is differently-abled.

differentlyAble.percentage	String (Decimal)	Percentage of disability (e.g., "40.00").
differentlyAble.differentlyAbleSupportedByDocument	Boolean	True if the disability is supported by a document.
type	String	Type of Disability 1) Blindness. 2) Low Vision. 3) Hearing Impairment. 4) Locomotor Disability. 5) Leprosy Cured. 6) Cerebral Palsy. 7) Intellectual Disability. 8) Mental Illness. 9) Muscular Dystrophy. 10) Parkinson's Disease. 11) Acid Attack Victim. 12) Sickle Cell Disease. 13) Haemophilia. 14) Thalassemia. 15) Speech and Language Disability. 16) Multiple Sclerosis. 17) Specific Learning Disabilities. 18) Chronic Neurological Conditions. 19) Autism Spectrum Disorder. 20) Dwarfism. 21) Other
others	String	In case if value provided for type is "Other"
disabilityValidity	String	Permanent / No
disabilityDate	String	Format DD-MM-YYYY
udidNo	String	Disability Certificate Number
proofOfIdentityAndAddress	Object	Container for OVD details and supporting POI/POA documents.
proofOfIdentityAndAddress.ovdDetails	Array<Object>	Array of Officially Valid Documents (OVDs) submitted.
proofOfIdentityAndAddress.documents	Array<Object>	Array of supporting documents details.
ovdDetails[].ovdType	String (1)	Refer Master for Code
ovdDetails[].idNoLast4Digits	String	Last 4 digits of the OVD ID number (full ID for non-Aadhaar).
ovdDetails[].ovdCertifiedWithOriginal	Boolean	True if OVD was certified by RE with original.

ovdDetails[].equivalentEDoc	Boolean	True if equivalent e-document was used.
ovdDetails[].documentVerifiedFromDigilocker	Boolean	True if OVD was fetched from Digilocker.
ovdDetails[].presenceOfOVDINRepository	Boolean	True if the OVD is present in the corresponding OVD repository (green tick shown on screen).
ovdDetails[].presenceOfOVDINRepositoryByRE	Boolean	True if the OVD is verified by an RE (blue tick shown on screen).
ovdDetails[].drivingLicenseExpiryDate	String (DD-MM-YYYY)	Expiry date of Driving License (when ovdType=D).
ovdDetails[].passportExpiryDate	String (DD-MM-YYYY)	Expiry date of Passport (when ovdType=A).
ovdDetails[].modeOfAadhaarVerification	String	Mode of Aadhaar verification
ovdDetails[].modeOfAuthentication	String	Mode of Authentication select at the time of creation of CKYC Records
ovdDetails[].ekycDataReceivedFromUidai	Boolean	Flag to indicate for EKYC Data Received from UIDAI
ovdDetails[].offlineVerificationOfAadhaar	Boolean	Flag to indicate that offline verification carried of Aadhaar
documents[].b64Doc	String (Base64)	Base64-encoded document file content (PDF/JPEG).
documents[].docId	String	Unique document ID / reference number. OVD/ Document Number
documents[].docType	String (2)	Document type code: 01=Passport, 02=Voter ID, 03=PAN, 05=Aadhaar, 06=Driving License, 07=NREGA, 08=Letter Issued by NPR, 98=Other, etc.
documents[].docName	String	Original file name of the uploaded document.
documents[].docCategory	String	Category of document: POI (Proof of Identity) or POA (Proof of Address).
documents[].docDescription	String	Free-text description of the document.
addressDetails	Object	Container for Address as per OVD and current address.

addressDetails.sameAsPermanent	Boolean	True if current address is the same as Address as per OVD.
addressDetails.permanentAddress	Object	Details of Address as per OVD.
addressDetails.currentAddress	Object	Current / correspondence address details.
permanentAddress.addressLine1	String	First line of Address as per OVD (house/building number).
permanentAddress.addressLine2	String	Second line of Address as per OVD (street/locality).
permanentAddress.addressLine3	String	Third line of Address as per OVD (additional locality information).
permanentAddress.country	String (2)	ISO country code (e.g., IN for India) for Address as per OVD.
permanentAddress.state	String (2)	State code as per CKYCRR master (e.g., BA = Bihar) in case of Address as per OVD.
permanentAddress.district	String	District code as per CKYCRR master for Address as per OVD.
permanentAddress.cityTownVillage	String	City / town / village name in case of Address as per OVD.
permanentAddress.pinCode	String (6)	6-digit Postal Index Number in case of Address as per OVD.
permanentAddress.digipin	String	Permanent Address Digipin
permanentAddress.addressSupportedWithDoc	Boolean	True if Address as per OVD permanent address is supported by a document.
permanentAddress.addressMatchWithDoc	String (1)	Y/N flag indicating if Address as per OVD address matches the proof document.
permanentAddress.proofOfAddress	String	Type of proof submitted for permanent address.
currentAddress.addressLine1	String	Current Address Line 1
currentAddress.addressLine2	String	Current Address Line 2
currentAddress.addressLine3	String	Current Address Line 3
currentAddress.country	String	Current Address country

currentAddress.state	String	Current Address State
currentAddress.district	String	Current Address district
currentAddress.cityTownVillage	String	Current Address City town or village
currentAddress.pinCode	String String	Current Address Pin code
CurrentAddress.digipin	String	Current Address Digipin
currentAddress.proofOfAddress	String	Current Address Proof of address code in it. Refer document master for Mapping
currentAddress.addressMatchWithOvd	String	Current Address Matches with OVD / Deemed POA
currentAddress.physicalVerificationOfCurrAdd	Boolean	True if the current address has been physically verified.
currentAddress.geoTagged	Boolean	Flag state that geo tagg was carried or not
currentAddress.physicalVerificationOfCurrAdd	Boolean	Positive verification of current address
currentAddress.physicalVerificationByThirdParty	Boolean	Physical verification of address is carried out or not By third party
CurrentAddress.physicalVerificationByReOfficial	Boolean	Physical verification of address is carried out or not By RE
CurrentAddress.addressMatchWithOvd	String	Current Address matching with OVD
currentAddress.supportingDoc	Array<Object>	Array of additional supporting documents for current address.
[].b64Doc	String (Base64)	Base64-encoded supporting document content.
[].docId	String	Document identifier (e.g., DL number, supporting doc reference).
[].docType	String	Document type code as per CKYCRR master.
[].docName	String	Original file name of the uploaded supporting document.
[].docCategory	String	Always POA for address proof documents.
[].docDescription	String	Free-text description of the document.
currentAddress.addressProofDoc	Array<Object>	Array of address proof documents (OVD-based).
[].b64Doc	String (Base64)	Base64-encoded supporting document content.

[].docId	String	Document identifier (e.g., DL number, supporting doc reference).
[].docType	String (2)	Document type code as per CKYCRR master.
[].docName	String	Original file name of the uploaded supporting document.
[].docCategory	String	Always POA for address proof documents.
[].docDescription	String	Free-text description of the document.
currentAddress.ovdDetails	Array<Object>	OVD details specific to current address.
ovdDetails.ovdType	String	Current Address submitted OVD Type
ovdDetails.idNoLast4Digits	String	Current Address ID's Last 4 digit in case of aadhaar
ovdDetails.ovdCertifiedWithOriginal	Boolean	Current Address OVD certified with Original flag
ovdDetails.equivalentEDoc	Boolean	OVD is equivalent to e-doc
ovdDetails.documentVerifiedFromDigilocker	Boolean	Document verified from digi locker
ovdDetails.presenceOfOVDINRepository	Boolean	Presence of OVD in Respective Repository flag
ovdDetails.presenceOfOVDINRepositoryByRE	Boolean	OVD is check and confirm for presence in repository by RE
cvdDetails.modeOfAadhaarVerification	String	Mode of Aadhaar verification
cvdDetails.offlineVerificationOfAadhaar	Boolean	Offline verification of aadhaar flag
currentAddress.nationalPoaDoc	Array<Object>	Array of Current Address details for POA documents
[].b64Doc	String (Base64)	Base64-encoded supporting document content.
[].docId	String	Document identifier (e.g., DL number, supporting doc reference).
[].docType	String (2)	Document type code as per CKYCRR master.
[].docName	String	Original file name of the uploaded supporting document.

[].docCategory	String	Always POA for address proof documents.
[].docDescription	String	Free-text description of the document.
contactDetails	Object	Container for primary and secondary contact information.
contactDetails.email Address	String	Primary email address (masked / blank in some flows).
contactDetails.countryCode	String	Primary mobile country code (e.g., +91).
contactDetails.mobileNumber	String	Primary mobile number (masked / blank in some flows).
contactDetails.mobileVerified	Boolean	True if primary mobile number was verified.
contactDetails.email Verified	Boolean	True if primary email was verified.
contactDetails.mobileVerifiedThrough3 Party	String	Y/N flag indicating mobile verification via third party.
relatedPartyDetails	Array<Object>	Related Party Details
relatedPartyDetails.relation	String	Related party relationship with applicant
relatedPartyDetails.ckycNumber	String	CKYC Number of related person
relatedPartyDetails.fullName	String	Full name of related person.
clientRERelationship	Object	Summary of CKYC record's relationship with Reporting Entities.
clientRERelationship.noOfTimesDownloaded	Integer	Total number of times this record has been downloaded.
clientRERelationship.noOfTimesUpdated	Integer	Total number of times this record has been updated.
otherDetails	Object	Other details object
otherDetails.modeOfKYC	String	Mode of CKYC Creation
otherDetails.remark	String	Remarks field for the CKYC Records
data.docDetails	Object	Reserved field for document details metadata; null when not used.

Sample Response

```
{ "success": true, "message": "CKYC data fetched successfully", "data": {
  "downloadRefId": "d0159fdd-ad8b-4db7-841b-46eb8ec2deba", "ckycNo":
  "40052211470560", "status": true, "timestamp": "2026-08-01T13:20:59.610714717Z",
  "data": { "searchResult": { "status": "KYC Record Found", "name": "RAM SHARMA",
  "ckycNo": "40052211470560", "lastUpdatedOn": "2024-06-18T20:36:53Z",
  "confidenceLevel": "", "confidenceScore": 0, "kycAccountType": "Normal",
  "prohibitedLists": { "nameReflectedIn": [] }, "ckycAlias": "" }, "kycDetails": {
  "demographicDetails": { "nameDetails": { "title": "Mr", "firstName": "RAM SHARMA",
  "lastName": "", "photoAvailable": true }, "photo": "/9j/4AAQSkZ=", "motherName": {
  "title": "Mrs", "firstName": "VIDYA", "lastName": "" }, "fatherName": { "title":
  "Mr", "firstName": "SHYAM", "lastName": "" }, "dob": "26-01-2000", "isMinor":
  false, "dobMatchingWithOVD": false, "nameMatchingWithOVD": false,
  "photoMatchingWithOVD": false, "gender": "M", "genderMatchingWithOVD": false,
  "genderProvidedInOvd": false, "panCard": { "number": "ESEPM6716B", "panVerified":
  false, "panImage": false, "image": "", "description": "" }, "residentialStatus": {
  "status": "", "supportedByDocument": false }, "nationality": { "country": "",
  "supportedByDocument": false }, "differentlyAbled": { "status": false,
  "disabilityValidity": "No", "differentlyAbledSupportedByDocument": false },
  "form60Flg": "N" }, "proofOfIdentityAndAddress": { "ovdDetails": [ { "ovdType":
  "E", "idNoLast4Digits": "5956" } ], "documents": [ { "b64Doc": "/9j/4A", "docId":
  "XXXXXXXX5956", "docType": "04", "docName": "8061114021540_U.jpg", "docCategory":
  "POI", "docDescription": "" } ], "ovdNotAvailable": false }, "addressDetails": {
  "sameAsPermanent": true, "permanentAddress": { "addressLine1": "LOHAR AALI BOUDH
  WASTI SAMOR GHODEGAON PUNE", "addressLine2": "MAHARASHTRA", "addressType": "",
  "addressLine3": ".", "country": "IN", "state": "MH", "district": "229",
  "cityTownVillage": "Pune", "pinCode": "412408", "proofOfAddress": "" },
  "currentAddress": { "addressLine1": "LOHAR AALI BOUDH WASTI SAMOR GHODEGAON PUNE",
  "addressLine2": "MAHARASHTRA", "addressType": "", "addressLine3": ".", "country":
  "IN", "state": "MH", "district": "229", "cityTownVillage": "Pune", "pinCode":
  "412408", "proofOfAddress": "01", "addressMatchWithOvd": "" }, "ovdNotAvailable":
  false }, "contactDetails": { "emailAddress": "ram2612000@gmail.com",
  "countryCode": "+91", "mobileNumber": "9131234289", "mobileVerified": false,
  "emailVerified": false, "mobileVerifiedThrough3Party": "", "secondaryMobileNumber":
  "", "secondaryEmailAddress": "", "primaryCountryCode": "", "secondaryCountryCode":
  "", "telephoneNumber": "", "faxNumber": "" }, "relatedPartyDetails": [],
  "otherDetails": { "remark": "", "documentReceived": { "certifiedCopies": false,
  "equivalentEDocument": false, "verificationFromDigilocker": false }, "modeOfKYC":
  "", "attestationDetails": { "empName": "Naiti.V", "empCode": "ABV-004",
  "empDesignation": "Senior Manager", "empBranch": "Bangalore", "empCkycId": "",
  "verificationCarriedDate": "17-06-2026", "institutionalDetails": {
  "institutionalName": "", "institutionalCode": "IN0093" } } },
  "clientRERelationship": { "noOfTimesDownloaded": 1, "noOfTimesUpdated": 1 } },
  "docDetails": null } }
```

Decrypted Payload for Legal entity

Parameter	Data Type	Description
-----------	-----------	-------------

success	Boolean	Indicates whether the API call was successful (true/false).
message	String	Human-readable status message returned by the service.
downloadRefId	String	Unique reference ID for this download transaction; used for audit and traceability.
ckycNo	String	14-digit CKYC number of the legal entity whose record was downloaded.
status	String	Outcome of the download request (e.g., "KYC Record Found").
timestamp	String	Server timestamp when the response was generated (UTC).
data	Object	Container holding the full Legal Entity KYC payload returned by CKYCRR.
data.searchResult	Object	Top-level summary of the matched Legal Entity CKYC record.
searchResult.status	String	Current status of the CKYC record (ACTIVE / INACTIVE / DEACTIVATED).
searchResult.entityType	String	Type of CKYC record. For LE flow, value is "Legal Entity".
searchResult.name	String	Registered legal name of the entity.
searchResult.ckycNo	String	14-digit CKYC number (LE records start with 9).
searchResult.lastUpdatedOn	String	UTC timestamp when the LE record was last modified at CKYCRR.
data.kycDetails	Object	Container with full legal entity, proof, address, contact, related-party, and relationship details.
legalEntityDetails	Object	Holds core attributes of the legal entity.

legalEntityDetails.entityName	String	Registered legal name of the entity (must match incorporation document).
legalEntityDetails.entityConstitution	String	Constitution code as per CKYCRR LE master. Common values: A=Sole Proprietorship, B=Partnership Firm, C=HUF, D=Private Limited Company, E=Public Limited Company, F=Society, G=AOP/BOI, H=Trust, I=Liquidator, J=LLP, Z=Others / Artificial Juridical Person. Refer to CERSAI Annexure for exhaustive list.
legalEntityDetails.listedCompany	Boolean	True if the entity is a listed company on a recognized stock exchange.
legalEntityDetails.dateOfIncorporation	String (DD-MM-YYYY)	Date when the entity was incorporated / registered.
legalEntityDetails.dateOfCommencementOfBusiness	String (DD-MM-YYYY)	Date when the entity commenced business operations (may be blank).
legalEntityDetails.placeOfIncorporation	String	City / town where the entity was incorporated.
legalEntityDetails.countryOfIncorporation	String	ISO 3166-1 alpha-3 country code of incorporation (e.g., IND for India).
legalEntityDetails.tinOrEquivalentIssuingCountry	String	ISO country code of the TIN-issuing country (for foreign entities); blank for domestic.
legalEntityDetails.registeredFirm	Boolean	Flag for firm is registered or not
legalEntityDetails.registeredTrust	Boolean	Flag for trust is registered or not
pan	Object	Permanent Account Number (PAN) details of the entity.
pan.number	String	10-character PAN of the entity (e.g., AAHVD1653X).
pan.panImage	String (Base64)	Base64-encoded image of the PAN card (blank if not attached).

pan.panVerified	Boolean	True if PAN was verified with NSDL / Income Tax records.
pan.panDescription	String	Free-text description label for the PAN document.
pan.presenceOfOVDOOnRepository	Boolean	True if a corresponding OVD is present in the CKYC repository.
tinGstin	Object	TIN / GSTIN details of the entity.
tinGstin.number	String	TIN or 15-character GSTIN of the entity (e.g., 10XSLIM6067E7ZE).
tinGstin.tinGstImage	String (Base64)	Base64-encoded image of the TIN/GST certificate (blank if not attached).
tinGstin.tinGstDescription	String	Free-text description label for the TIN/GST document.
proofOfIdentityAndAddress	Object	Container for OVD details and supporting documents for the entity.
proofOfIdentityAndAddress.ovdDetails	Object	OVD details for the LE record (single object, unlike individual which is an array).
ovdDetails.ovdType	String	OVD type code as per CKYCRR LE master (Certificate of Incorporation, Registration Certificate, Trust Deed, Partnership Deed, etc.). May be blank if not applicable.
ovdDetails.ovdNumber	String	OVD reference / registration number. Null if not provided.
proofOfIdentityAndAddress.documents	Array<Object>	Array of supporting POI documents attached for the entity (Certificate of Incorporation, Trust Deed, Bye-laws, etc.). Empty if none.
documents[].b64Doc	String (Base64)	Base64-encoded document file content (PDF/JPEG).
documents[].docId	String	Unique document identifier / reference number.
documents[].docType	String	Document type code as per CKYCRR LE master

		(Certificate of Incorporation, Memorandum of Association, Trust Deed, Partnership Deed, Bye-laws, etc.).
documents[].docName	String	Original file name of the uploaded document.
documents[].docCategory	String	Category of document: POI (Proof of Identity) or POA (Proof of Address).
documents[].docDescription	String	Free-text description of the document.
addressDetails	Object	Container for registered office and principal place of business.
addressDetails.sameAsPermanent	Boolean	True if Principal Place of Business is the same as Registered Address.
addressDetails.registeredAddress	Object	Registered office address of the entity (as per Certificate of Incorporation).
addressDetails.principalPlaceOfBusiness	Object	Principal place of business / operations address of the entity.
addressDetails.documents	Array<Object>	Array of supporting POA documents for the entity addresses. Empty if none.
[].b64Doc	String (Base64)	Base64-encoded supporting document content.
[].docId	String	Document identifier (e.g., DL number, supporting doc reference).
[].docType	String (2)	Document type code as per CKYCRR master.
[].docName	String	Original file name of the uploaded supporting document.
[].docCategory	String	Always POA for address proof documents.
[].docDescription	String	Free-text description of the document.
registeredAddress.addressLine1	String	First line of registered address (premises / building / locality).
registeredAddress.addressLine2	String	Second line of registered address (premises / building / locality).

registeredAddress.addressLine3	String	Second line of registered address
registeredAddress.digipin	String	Digipin for registered address
registeredAddress.country	String	ISO country code (e.g., IN for India). May be blank if not provided.
registeredAddress.state	String	State code as per CKYCRR master (e.g., MH = Maharashtra). May be blank.
registeredAddress.district	String	District code as per CKYCRR master. Null if not provided.
registeredAddress.cityTownVillage	String	City / town / village name.
registeredAddress.pinCode	String	6-digit Postal Index Number.
registeredAddress.proofOfAddress	String	Type of proof submitted for registered address. Null if not provided.
principalPlaceOfBusiness.addressLine1	String	First line of principal place of business address.
principalPlaceOfBusiness.addressLine2	String	Second line of principal place of business address
principalPlaceOfBusiness.addressLine3	String	Third line of principal place of business address
principalPlaceOfBusiness.country	String	ISO country code (e.g., IN for India).
principalPlaceOfBusiness.state	String	State code as per CKYCRR master (e.g., MH = Maharashtra).
principalPlaceOfBusiness.district	String	District as per CKYCRR master.
principalPlaceOfBusiness.cityTownVillage	String	City / town / village name.
principalPlaceOfBusiness.pinCode	String	6-digit Postal Index Number.
principalPlaceOfBusiness.digipin	String	Digin for principal place of address
principalPlaceOfBusiness.proofOfAddress	String	Type of proof submitted for principal place of business. Null if not provided.
documents[].b64Doc	String (Base64)	Base64-encoded address-proof document content.
documents[].docId	String	Unique document identifier / reference number.
documents[].docType	String	Document type code as per CKYCRR LE master (utility bill, bank

		statement, registration certificate, etc.).
documents[].docName	String	Original file name of the uploaded address-proof document.
documents[].docCategory	String	Always POA for address-proof documents.
documents[].docDescription	String	Description of the document.
contactDetails	Object	Container for primary and secondary contact information of the entity.
contactDetails.emailAddress	String	Primary email address of the entity (e.g., admin008@yopmail.com) .
contactDetails.mobileNumber	String	Primary mobile number of the entity contact.
contactDetails.secondaryMobileNumber	String	Secondary mobile / landline number (with STD code).
contactDetails.secondaryEmailAddress	String	Secondary email address.
contactDetails.primaryCountryCode	String	Country code for primary mobile (alternate field).
contactDetails.secondaryCountryCode	String	Country code for secondary mobile.
contactDetails.telephoneNumber	String	Telephone Number
contactDetails.faxNumbe	String	Fax Number
relatedPartyDetails	Array<Object>	Array of related party records — directors, partners, trustees, authorized signatories, beneficial owners. Empty if none captured.
relatedPartyDetails.relation	String	Relation with legal entity
relatedPartyDetails.ckycNumber	String	Ckyc Number of related person
relatedPartyDetails.fullName	String String	Full name of related person
relatedPartyDetails.controllingInterest	String	Controlling interest of person in entity
relatedPartyDetails.percentageOfOwnership	String	Percentage of ownership in business
relatedPartyDetails.directorIdentityNo	String	Director identity No.
clientRERelationship	Object	Summary of LE record's relationship with Reporting Entities.

clientRERelationship.noOfTimesDownloaded	Integer	Total number of times this record has been downloaded.
clientRERelationship.noOfTimesUpdated	Integer	Total number of times this record has been updated.
otherDetails	Object	Object for other details
otherDetails.remark	String	Remarks fields
otherDetails.modeOfKYC	String	Mode of CKYC of application

```

{ "success": true, "message": "CKYC data fetched successfully", "data": {
  "downloadRefId": "7qRd0ed4-040b-42eb-bc44-791ddbd633c1", "ckycNo":
  "70041234053211", "status": true, "timestamp": "2026-08-01T18:04:44.505391144Z",
  "searchResult": null, "data": { "searchResult": { "status": "ACTIVE", "entityType":
  "Legal Entity", "name": "COMPANY LIMITED", "ckycNo": "70041234053211",
  "lastUpdatedOn": "2026-03-07T13:48:01Z", "prohibitedLists": { "nameReflectedIn": []
  }, }, "kycDetails": { "legalEntityDetails": { "entityName": "COMPANY LIMITED",
  "entityConstitution": "D", "listedCompany": null, "dateOfIncorporation": "05-01-
  2001", "dateOfCommencementOfBusiness": "05-01-2001", "placeOfIncorporation":
  "RAJASTHAN", "countryOfIncorporation": "IN", "tinOrEquivalentIssuingCountry": "",
  "pan": { "number": "FQWCI1125A", "panImage": "", "panVerified": false,
  "panDescription": "", "presenceOfOVDINRepository": null }, "tinGstin": { "number":
  "0001055", "tinGstImage": "" } }, "proofOfIdentityAndAddress": { "ovdDetails": {
  "cin": "ZZZZS00333444" }, "documents": [ { "b64Doc": "JVBE==", "docId":
  "ZZZZS00333444", "docType": "19", "docName": "20223450916_U.pdf", "docCategory":
  "POI", "docDescription": "Certificate of Incorporation / Formation" }, { "b64Doc":
  "JVBERi==", "docId": "NA", "docType": "21", "docName": "02223434_U.pdf",
  "docCategory": "POI", "docDescription": "Memorandum and Articles of Association" },
  { "b64Doc": "/9j/4AAQSk", "docId": "0421012", "docType": "20", "docName":
  "654342345721_U.JPG", "docCategory": "POI", "docDescription": "Registration
  Certificate" } ] }, "addressDetails": { "sameAsPermanent": false,
  "registeredAddress": { "addressLine1": "TOWER NEAR CIRCLE", "addressLine2":
  "JAIPUR", "country": "IN", "state": "GJ", "district": "215", "cityTownVillage":
  "JAIPUR", "pinCode": "490001", "proofOfAddress": "99", "otherDocName": "ANNUAL
  REPORT" }, "principalPlaceOfBusiness": { "addressLine1": "BANDRA KURLA COMPLEX",
  "country": "IN", "state": "MH", "district": "722", "cityTownVillage": "MUMBAI",
  "pinCode": "300021", "proofOfAddress": "0", "otherDocName": "ANNUAL REPORT" },
  "documents": [] }, "contactDetails": { "emailAddress": "example@company.com",
  "countryCode": "", "mobileNumber": "8867456668", "mobileVerified": false,
  "emailVerified": false, "mobileVerifiedThrough3Party": "", "secondaryMobileNumber":
  "", "secondaryEmailAddress": "example@company.com", "primaryCountryCode": "91",
  "secondaryCountryCode": "", "telephoneNumber": "", "faxNumber": "" },
  "relatedPartyDetails": [ { "srNo": "01", "relation": "DIRECTOR", "ckycNumber": "",
  "fullName": "", "controllingInterest": "", "percentageOfOwnership": "",
  "directorIdentityNo": "00115944" }, { "srNo": "04", "relation":
  "AUTHORIZED_SIGNATORY", "ckycNumber": "", "fullName": "", "controllingInterest":
  "", "percentageOfOwnership": "", "directorIdentityNo": "" }, ], "otherDetails": {
  "remark": "", "documentReceived": { "certifiedCopies": false,
  "equivalentEDocument": false, "verificationFromDigilocker": false }, "modeOfKYC":
  "", "attestationDetails": { "empName": "MOHAN", "empCode": "IAU0001218",
  "empDesignation": "ANALYST", "empBranch": "JAIPUR", "empCkycId": "",
  "verificationCarriedDate": "03-02-2026", "institutionalDetails": {
  "institutionalName": "", "institutionalCode": "IN0113" } } },
  "clientRERelationship": { "noOfTimesDownloaded": 0, "noOfTimesUpdated": 9 } },
  "docDetails": null } } }

```

3.5. Create API

Brief: - The create functionality allows Reporting Entity (RE) users to efficiently create KYC records stored within the CKYCRR system.

API URL	https://{{URL}}/api/ckyc/v1/create
---------	---

API Header's	
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

Request Payload for Individual & Legal

Parameter	Data Type	Description	Mandatory	Length
reld	String	FI code of Reporting Entity making the download request	Mandatory	10
requestId	String	Request ID - Unique identifier for each API request for tracking, audit and traceability purposes	Mandatory	36
timestamp	String (ISO 8601)	Request Timestamp - Date and time when the download request is generated in UTC timezone	Mandatory	-
ckycInq	Object	CKYC Inquiry Object - Container object for CKYC download parameters and encrypted payload	Mandatory	-
ckycType	String (Enum)	CKYC Type - Type/category of entity for which CKYC download is being requested [INDIVIDUAL LEGAL]	Mandatory	ENUM
data	String (Base64)	Encrypted Payload - CKYC download parameters encrypted using RSA-256 algorithm with public key for security	Mandatory	-

Request Payload for encrypted Data in Plain Json for Individual

Cardinality legend: **M** = Mandatory **O** = Optional **C** = Conditional (see description for the condition). Conditional sub-shapes are highlighted with an amber section header

Parameter	Data Type	Description	Mandatory	Length
1. Root Request Envelope				
searchKey	String	Unique identifier for this Create-KYC request. Used by the RE for idempotency, audit correlation, and reconciliation with internal systems. Should be unique per submission and not reused for retries unless the original request did not reach CKYCRR.	M	20
accountType	String (Enum)	Type of KYC account being created. Enum: [NORMAL MINOR SMALL AADHAR_EKYC].	M	-
2. personalDetails — Demographic Attributes				
personalDetails	Object	Container for the subject's personal, family, and identity attributes.	M	
2.1 personalDetails.name				
name	Object	Name as recorded in the OVD.	M	
name.title	String	Salutation prefix. Common values: Mr, Mrs, Ms, Mx	M	3
name.firstName	String	First (given) name . Must match OVD exactly when ovdMatchingDetails.name = true. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	M	33
name.middleName	String	Middle name . Empty string if not present in the OVD. 1. Space not allowed 2. A to Z and a to z will be allowed	O	33

Parameter	Data Type	Description	Mandatory	Length
		3. Single apostrophe will be allowed 4. Dot(.) will be allowed		
name.lastName	String	Last name / surname . 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	O	33
2.2 personalDetails.familyDetails				
familyDetails	Object	Container for father, mother, maiden or spouse name structures. RE to provide at least one from mother name/ father name / spouse name Other 2 will be optional.	M	
familyDetails.father	Object	Father's name (mandatory unless explicitly waived for non-Indian subjects).	C	
familyDetails.father.title	String	Father's salutation prefix. Common values: Mr, Mrs, Ms., Mx	C	3
familyDetails.father.firstName	String	Father's first name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	C	33
familyDetails.father.middleName	String	Father's middle name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	O	33
familyDetails.father.lastName	String	Father's last name / surname. 1. Space not allowed	O	33

Parameter	Data Type	Description	Mandatory	Length
		2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed		
familyDetails.mother	Object	Mother's name.	C	
familyDetails.mother.title	String	Mother's salutation Common values: Mrs., Ms., Mx.	C	3
familyDetails.mother.firstName	String	Mother's first name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	C	33
familyDetails.mother.middleName	String	Mother's middle name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	O	33
familyDetails.mother.lastName	String	Mother's last name / surname. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	O	33
familyDetails.maidenName	Object	Maiden name structure. All sub-fields nullable. Conditional: required if subject is married and has changed legal name post-marriage.	O	
familyDetails.maidenName.title	String	Maiden-identity title. Common values: Mr, Mrs, Ms., Mx	O	3
familyDetails.maidenName.firstName	String	Maiden first name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed	O	33

Parameter	Data Type	Description	Mandatory	Length
		4. Dot(.) will be allowed		
familyDetails.maidenName.middleName	String	Maiden middle name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	O	33
familyDetails.maidenName.lastName	String	Maiden last name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	O	33
familyDetails.spouse	Object	Spouse name structure. All sub-fields nullable. Conditional: required if applicable per RE policy and marital declaration.	C	
familyDetails.spouse.title	String	Spouse salutation. Common values: Mr, Mrs, Ms., Mx	C	3
familyDetails.spouse.firstName	String	Spouse first name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	C	33
familyDetails.spouse.middleName	String	Spouse middle name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	O	33
familyDetails.spouse.lastName	String	Spouse last name. 1. Space not allowed 2. A to Z and a to z will be allowed 3. Single apostrophe will be allowed 4. Dot(.) will be allowed	O	33

2.3 personalDetails — Identity Core Attributes

Parameter	Data Type	Description	Mandatory	Length
dob	String (DD-MM-YYYY)	Date of birth . Must be in DD-MM-YYYY format. Must match OVD when ovdMatchingDetails.dob = true.	M	10
isMinor	Boolean	True if subject is a minor (typically < 18 years on the request date). Should be derived from dob but is sent explicitly. If true, accountType must be MINOR and a Guardian related party is required.	M	-
gender	String (1) Enum	Gender code. Enum: M (Male), F (Female), T (Transgender). Must match OVD when ovdMatchingDetails.gender = true.	M	1
2.4 personalDetails.panDetails				
panDetails	Object	PAN (Permanent Account Number) details . Either pan.number OR Form 97 declaration is mandatory per RBI / IT rules.	M	
panDetails.number	String (10)	10-character PAN (e.g., ABCPS1234F). Conditional: mandatory if form97Submitted is not selected. "Format: AAAAA9999A (5 alphabets, 4 digits, 1 alphabet). Checksum Logic: Validate the first 5 characters as alphabets (A-Z). Validate the next 4 characters as digits (0-9). Validate the last character as an alphabet (A-Z)." 4th character should be "P". Any one from PAN, Form 97 is required	C	10
panDetails.verified	Boolean	Mandatory where PAN number is passed.	C	-

Parameter	Data Type	Description	Mandatory	Length
panDetails.document	Object	Container for the PAN document attachment (image / scan).	C	-
panDetails.document.b64Content	String (Base64)	Base64-encoded PAN card image / scan content. Conditional: required if document is being submitted.	C	-
panDetails.document.contentType	String (Enum)	Content type / extension of the attached document. Enum: jpeg, jpg, pdf. File size < 500KB	C	-
panDetails.form97Submitted	Boolean	True if Form 97 (declaration where PAN is not held) is submitted. Conditional: typically true when number is empty.	C	-
panDetails.form61Submitted	Boolean	True if Form 61 (declaration where PAN is not held) is submitted. Conditional: typically true when number is empty.	C	-
3. ovdMatchingDetails — Demographic Match Flags				
ovdMatchingDetails	Object	Container indicating whether each demographic attribute matches the OVD submitted as proof. All sub-flags are mandatory.	M	-
ovdMatchingDetails.dob	Boolean	True if dob in personalDetails matches the date of birth on the OVD.	M	-
ovdMatchingDetails.name	Boolean	True if the legal name in personalDetails.name matches the name on the OVD.	M	-
ovdMatchingDetails.photo	Boolean	True if the photo attached in the photo block matches the photograph on the OVD.	M	-
ovdMatchingDetails.genderProvidedInOvd	Boolean	True if the Gender present in OVD.	M	-
ovdMatchingDetails.genderMatchingWithOvd	Boolean	True if the Gender Matches with OVD.	M	-

Parameter	Data Type	Description	Mandatory	Length
4. residencyDetails — Residency & Nationality				
residencyDetails	Object	Container for residency status and nationality.	M	-
residencyDetails.residentialStatus	String (Enum)	Residential status. Enum: RESIDENT (Resident Indian), NRI (Non-Resident Indian), PIO (Person of Indian Origin), FOREIGN NATIONAL.	M	-
residencyDetails.residentialStatusSupportedByDoc	Boolean	True if residential status is backed by a supporting document	M	-
residencyDetails.nationality	String	Nationality (e.g., INDIAN, AMERICAN). Refer to CERSAI Country master for the full enumeration.	O	33
residencyDetails.nationalitySupportedByDoc	Boolean	True if nationality is backed by a supporting document (e.g., passport, citizenship certificate).	O	-
5. disabilityDetails — Differently-Abled Status				
disabilityDetails	Object	Container for differently-abled status .	M	
disabilityDetails.hasDisability	Boolean	True if the subject is differently-abled.	M	-
disabilityDetails.supportedByDoc	Boolean	True if the disability is supported by a document (e.g., UDID card, disability certificate). Conditional: applicable when hasDisability = true.	C	-
disabilityDetails.type	String	Type of disability. Conditional: required when hasDisability = true. Common values: LOCOMOTOR, VISUAL, HEARING, SPEECH, INTELLECTUAL, MULTIPLE, etc. Null when hasDisability = false. 1) Blindness. 2) Low Vision. 3) Hearing Impairment. 4) Locomotor Disability. 5) Leprosy Cured.	C	33

Parameter	Data Type	Description	Mandatory	Length
		6) Cerebral Palsy. 7) Intellectual Disability. 8) Mental Illness. 9) Muscular Dystrophy. 10) Parkinson's Disease. 11) Acid Attack Victim. 12) Sickle Cell Disease. 13) Haemophilia. 14) Thalassaemia. 15) Speech and Language Disability. 16) Multiple Sclerosis. 17) Specific Learning Disabilities. 18) Chronic Neurological Conditions. 19) Autism Spectrum Disorder. 20) Dwarfism. 21) Other Mandatory when Differently Abled is true		
disabilityDetails.otherType	String	Mandatory if Type is other than applicable	C M	150
disabilityDetails.percentage	String (Decimal)	Percentage of disability as decimal string (e.g., "40.00"). Conditional: required when hasDisability = true. Null when hasDisability = false. Min. 0.00 Max. 100.00	C	3,2
disabilityDetails.udidNumber	String	Unique Disability ID (UDID) number issued by the Department of Empowerment of Persons with Disabilities. Null when hasDisability = false or UDID not yet issued. Alphanumeric – First 2 alphabets and remaining 16 numeric	C	18
disabilityDetails.validity	Boolean	Disability certificate is valid or not	C	-

Parameter	Data Type	Description	Mandatory	Length
disabilityDetails.validityDate	Date	Certificate validity date (DD-MM-YYYY)	CM	-
6. photo — Subject Photograph				
photo	Object	Container for the subject's photograph. Photo is mandatory for KYC creation per CKYC rules.	M	-
photo.b64Content	String (Base64)	Base64-encoded photograph content.	M	-
photo.contentType	String (Enum)	Content type / extension. Enum: jpeg, jpg, pdf. JPEG is preferred for photographs. File size < 500KB.	M	-
7. identityProofs[] — Officially Valid Documents (OVDs) Submitted				
identityProofs	Array<Object>	Array of OVDs submitted by the subject. At least one OVD is mandatory (typically Aadhaar via one of the three modes). The shape of each entry varies slightly by docIdentityCode — see subsections below for the per-document-type structure. Note: the sample payload shows ALL supported document types as separate entries for illustration; in practice an entity submits only the OVDs actually used.	M	-
7.1 identityProofs[] — Common Fields (all OVDs)				
identityProofs[].docIdentityCode	String (1) Enum	Single-character OVD type code. Enum: E = Aadhaar, D = Driving License, A = Passport, B = Voter ID (Election Commission), F = NREGA Job Card, G = Letter Issued by NPR (National Population Register).	M	-

Parameter	Data Type	Description	Mandatory	Length
		Z = ID not available		
identityProofs[].ovdNo	String	OVD number. Used for Aadhaar (last 4 digits), DL (full), Voter ID (full), NREGA (full). Note: sample inconsistently uses ovdNo for some doc types and ovdNo for others (Passport, NPR) — verify canonical field name with API team. Conditional: format depends on docIdentityCode.	C	20
identityProofs[].verification	Object	Verification flags for the OVD. Conditional: present for all OVDs except Aadhaar EKYC_AUTH mode (which uses ekycDetails instead).	C	-
identityProofs[].verification.certifiedCopyVerifiedWithOriginalOVD	Boolean	True if a certified copy was verified against the original OVD by an authorised RE official. At least one mandatory between certified with physical copy of OVD, equivalent e-doc, or document verified from digilocker.	CM	-
identityProofs[].verification.equivalentEDoc	Boolean	True if the OVD was submitted as an equivalent e-document (digitally signed by issuing authority). At least one mandatory between certified with physical copy of OVD, equivalent e-doc, or document verified from digilocker.	CM	-

Parameter	Data Type	Description	Mandatory	Length
identityProofs[].verification.verifiedFromDigiLocker	Boolean	True if the OVD was fetched and verified via DigiLocker. At least one mandatory between certified with physical copy of OVD, equivalent e-doc, or document verified from digilocker.	CM	-
identityProofs[].repositoryPresence	Object	OVD-type-specific flags indicating presence in the issuing repository (UIDAI/RTO/MEA/ECI/NREGA/Census). Conditional: present for non-Aadhaar OVDs.	C	-
identityProofs[].documents	Array<Object>	Array of supporting document attachments for this OVD.	C	-
identityProofs[].documents[].documentName	String	Original file name of the uploaded document (e.g., aadhaar_front.pdf) *name extension MUST match contentType.	CM	50
identityProofs[].documents[].b64Content	String (Base64)	Base64-encoded document content.	C	-
identityProofs[].documents[].contentType	String (Enum)	Content type of the document. Enum: jpeg, jpg, pdf. File size < 500KB	M	-
7.2 Aadhaar (docIdentityCode = E) — Mode 1: PROOF_OF_POSSESSION				
ekycDetails	Object	Aadhaar-specific eKYC details. Mandatory for all Aadhaar entries. Any one of the e-KYC authentication methods where e-KYC authentication is selected—face authentication or OTP authentication—was carried out.	C	-

Parameter	Data Type	Description	Mandatory	Length
ekycDetails.modeOfAadhaarVerification	String (Enum)	Mode used to verify Aadhaar. Enum: PROOF_OF_POSSESSION, EKYC_AUTH, OFFLINE_VERIFICATION. For this mode, value is PROOF_OF_POSSESSION (subject submitted physical / scanned copy of Aadhaar; no UIDAI authentication performed).	C	-
verification (full block)	Object	Full verification block (certifiedCopyVerifiedWithOriginalOVD, equivalentEDoc, verifiedFromDigilocker) is required in this mode since UIDAI authentication is not performed.	C	-
7.3 Aadhaar (docIdentityCode = E) — Mode 2: EKYC_AUTH				
ekycDetails.modeOfAadhaarVerification	String (Enum)	Value: EKYC_AUTH. Indicates UIDAI eKYC authentication was performed and demographic / photo data was received from UIDAI in real time.	C	-
ekycDetails.dataReceivedFromUidai	Boolean	True if demographic and biometric / photo data was received from UIDAI eKYC API. Should always be true when modeOfAadhaarVerification = EKYC_AUTH.	C	--
ekycDetails.modeOfAuthentication	String (Enum)	Authentication factor used with UIDAI. Enum: EKYC_OTP (OTP-based), EKYC_BIOMETRIC (fingerprint / iris), EKYC_FACEAUTH (UIDAI face authentication).	C	-
verification (block)	Object	Verification block typically NOT required in this mode since UIDAI is the source of truth. If sent, flags should reflect supplementary checks only.	C	-
7.4 Aadhaar (docIdentityCode = E) — Mode 3: OFFLINE_VERIFICATION				

Parameter	Data Type	Description	Mandatory	Length
ekycDetails.modeOfAadhaarVerification	String (Enum)	Value: OFFLINE_VERIFICATION. Indicates Aadhaar was verified using the offline XML / QR-code method (paperless offline eKYC) without online UIDAI authentication.	C	--
ekycDetails.dataReceivedFromOfflineVerification	Boolean	True if data was successfully extracted from the Aadhaar offline XML / QR code and signature verified.	C	
verification (full block)	Object	Full verification block (certifiedCopyVerifiedWithOriginalOVD, equivalentEDoc, verifiedFromDigilocker) is required to confirm the offline XML / QR was obtained legitimately.	C	-

7.5 Driving License (docIdentityCode = D)

drivingLicenseExpiryDate	String (DD-MM-YYYY)	Expiry date of the driving license. Must be a future date relative to the request timestamp; expired DL should not be accepted as OVD.	C	10
repositoryPresence.drivingLicenseInRto	Boolean	True if the DL has been verified against the issuing RTO's database (Sarathi / Parivahan / state RTO portal).	C	-
verification (full block)	Object	Standard verification flags apply (certifiedCopyVerifiedWithOriginalOVD, equivalentEDoc, verifiedFromDigilocker).	C	-

7.6 Passport (docIdentityCode = A)

passportExpiryDate	String (DD-MM-YYYY)	Expiry date of the passport. Must be a future date relative to the request timestamp.	C	10
repositoryPresence.passportInMea	Boolean	True if the passport has been verified against the Ministry of External Affairs (MEA) / Passport Seva database.	C	-

Parameter	Data Type	Description	Mandatory	Length
verification (full block)	Object	Standard verification flags apply.	C	-
7.7 Voter ID (docIdentityCode = B)				
repositoryPresence.voterIdInEci	Boolean	True if the Voter ID (EPIC) has been verified against the Election Commission of India (ECI) / NVSP database.	C	-
verification (full block)	Object	Standard verification flags apply.	C	-
7.8 NREGA Job Card (docIdentityCode = F)				
repositoryPresence.nregaInRepository	Boolean	True if the NREGA Job Card has been verified against the MGNREGA / nrega.nic.in repository.	C	-
verification (full block)	Object	Standard verification flags apply.	C	-
7.9 NPR Letter (docIdentityCode = G)				
repositoryPresence.nprInCensusRecords	Boolean	True if the NPR letter has been verified against National Population Register / Census records.	C	-
verification (full block)	Object	Standard verification flags apply.	CM	-
8. addressDetails — Permanent & Current Address				
addressDetails	Object	Container for permanent and current addresses .	M	-
8.1 addressDetails.permanentAddress				
addressAsPerOvd	Object	Permanent address object	M	-
addressAsPerOvd.line1	String	First line of address (house / flat / building number, premises name). 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+==/`	M	60
addressAsPerOvd.line2	String	Second line of address (street / road / locality). 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+==/`	O	60

Parameter	Data Type	Description	Mandatory	Length
addressAsPerOvd.line3	String	Third line of address (additional locality / landmark). 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+--=	O	60
addressAsPerOvd.countryCode	String	ISO 3166-1 alpha-2 country code (e.g., IN for India).	M	4
addressAsPerOvd.state	String	State code as per CKYCRR state master (e.g., MH = Maharashtra). Must be valid for the given countryCode.	M	2
addressAsPerOvd.stateOthers	String	Free-text state name. Conditional: required when state value is OT ("Others") or for foreign addresses where the state master does not apply.	C	-
addressAsPerOvd.district	String	District as per CKYCRR district master	M	2
addressAsPerOvd.city	String	City / town / village name. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+--=/	M	60
addressAsPerOvd.pinCode	String (6)	6-digit Postal Index Number for Indian addresses. Also 'OTHERS' if not found in master	M	6
addressAsPerOvd.pinCodeOther	String	Only numeric values allowed and should always be 6 digit numeric.	CM	6
addressAsPerOvd.addressType	String (Enum)	Address type tag. For addressAsPerOvd, value is PERMANENT.	M	-
addressAsPerOvd.digipin	String	DIGIPIN — Digital Postal Index Number (10-character alphanumeric grid code, e.g., 4FK-Q22-K5J7) issued by India Post for precise geolocation.	O	10

Parameter	Data Type	Description	Mandatory	Length
addressAsPerOvd.matchWithOvd	Boolean	True if the permanent address exactly matches the address on the OVD submitted.	M	-
addressAsPerOvd.supportedByDoc	Boolean	True if the permanent address is backed by a supporting document.	M	-
8.2 addressDetails.currentAddress — Core Fields				
currentAddress	Object	Current / correspondence address .	M	-
currentAddress.line1	String	First line of current address. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+--=/	M	60
currentAddress.line2	String	Second line of current address. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+--=/	O	60
currentAddress.line3	String	Third line of current address. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+--=/	O	60
currentAddress.countryCode	String (2)	ISO 3166-1 alpha-2 country code.	M	4
currentAddress.state	String (2)	State code as per CKYCRR state master. (e.g., MH = Maharashtra). Must be valid for the given countryCode	M	2
currentAddress.stateOthers	String	Free-text state name when state = OT or address is foreign.	C	-
currentAddress.district	String	As per CKYCRR District Master.	M	2
currentAddress.city	String	City / town / village. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+--=	M	60
currentAddress.pinCode	String (6)	6-digit Indian PINCode.	M	6

Parameter	Data Type	Description	Mandatory	Length
		Also 'OTHERS'		
currentAddress.pinCodeOther	String	In case of OTHERS, then the pincode as 6 digit numeric	C	6
currentAddress.addressType	String (Enum)	Address type tag. For currentAddress, value is CURRENT.	M	-
currentAddress.digipin	String	DIGIPIN for the current address. 10 character	O	10
currentAddress.sameAsPermanent	Boolean	True if the current address is identical to permanentAddress. If true, RE may skip independent verification of currentAddress.	M	-
currentAddress.proofOfAddress	Object	Proof of Address structure for the current address. Shape varies by proofOfAddress.type 1. 1. OVD 2. Deemed Proof of Address 3. Declared Address	CM	-
currentAddress.repositoryPresence	Object	Repository presence flags. Conditional: present only when proofOfAddress.type = OVD.	C	-
currentAddress.verification	Object	Verification flags. Shape varies by proofOfAddress.type	M	-
currentAddress.documents	Array<Object>	Supporting document attachments for the current address.	M	-
8.3 currentAddress.proofOfAddress — when type = OVD				
proofOfAddress.type	String (Enum)	Value: OVD. Indicates the address is proven by an Officially Valid Document.	M	-
proofOfAddress.docIdentityCode	String (1) Enum	OVD type code: E (Aadhaar), D (DL), A (Passport), B (Voter ID), F (NREGA), G (NPR).	M	-
proofOfAddress.ovdNo	String	OVD number (full or last-4 depending on doc type or 16 digit).	M	-

Parameter	Data Type	Description	Mandatory	Length
proofOfAddress.aadhaarType	String (Enum)	Conditional: required when docIdentityCode = E. Enum: STANDARD (regular Aadhaar), MASKED (Aadhaar with first 8 digits masked).	C	-
proofOfAddress.passportExpiryDate	String (DD-MM-YYYY)	Conditional: required when docIdentityCode = A. Null otherwise.	C	10
proofOfAddress.drivingLicenseExpiryDate	String (DD-MM-YYYY)	Conditional: required when docIdentityCode = D. Null otherwise.	C	10
8.4 currentAddress.proofOfAddress — when type = DEEMED_PROOF				
proofOfAddress.type	String (Enum)	Value: DEEMED_PROOF. Used when current address is proven by a deemed proof document accepted under PML rules.	M	-
proofOfAddress.deemedProofType	String (Enum)	Type of deemed proof. Enum: UTILITY_BILL (electricity, water, gas, telephone landline / postpaid, not older than 2 months), PROPERTY_OR_MUNICIPAL_TAX_RECEIPT, PENSION_PAYMENT_ORDER (PPO from Govt department / PSU), ALLOTMENT_OR_RENT_AGREEMENT (registered allotment / leave-and-licence agreement).	M	-
8.5 currentAddress.proofOfAddress — when type = DECLARED_ADDRESS				
proofOfAddress.type	String (Enum)	Value: DECLARED_ADDRESS. Used when address is self-declared by subject without formal proof — typically permitted only under specific simplified KYC norms or transitional periods.	M	-

Parameter	Data Type	Description	Mandatory	Length
proofOfAddress.declaredAddress	Boolean	True to confirm the address is being declared by the subject. Subject usually provides a declaration / undertaking captured in attestationDetails.declaration.	M	-
8.6 currentAddress.repositoryPresence (only when proofOfAddress.type = OVD)				
repositoryPresence.passportInMea	Boolean	True if passport verified with MEA. Set when docIdentityCode = A.	C	-
repositoryPresence.voterIdInEci	Boolean	True if Voter ID verified with ECI. Set when docIdentityCode = B.	C	-
repositoryPresence.drivingLicenseInRto	Boolean	True if DL verified with RTO. Set when docIdentityCode = D.	C	-
repositoryPresence.nregaInRepository	Boolean	True if NREGA Job Card verified with NREGA repository. Set when docIdentityCode = F.	C	-
repositoryPresence.nprInCensusRecords	Boolean	True if NPR Letter verified with Census records. Set when docIdentityCode = G.	C	-
8.7 currentAddress.verification — when proofOfAddress.type = OVD				
verification.certifiedCopyVerifiedWithOriginalOVD	Boolean	True if certified copy verified against original OVD.	C	-
verification.verifiedFromDigiLocker	Boolean	True if OVD fetched from DigiLocker.	C	-
verification.equivalentEDoc	Boolean	True if equivalent e-document (digitally signed) was used.	C	-
verification.currAddressExactlyMatchWithOvd	Boolean	True if current address exactly matches the address on the OVD.	C	-
verification.currAddressExactlyMatchWithOvdType	String(ENUM)	EXACT_MATCH NO_MATCH PARTIAL_MATCH	M	-
verification.remoteGeoTagging	Boolean	True if remote geo-tagging (geo-coordinates captured during e-KYC) was performed.	C	-

Parameter	Data Type	Description	Mandatory	Length
verification.positiveVerification	Boolean	True if positive verification of the address was achieved (resident found / address confirmed).	C	-
verification.physicalByReOfficial	Boolean	True if physical verification was carried out by an RE official.	C	-
verification.physicalByThirdParty	Boolean	True if physical verification was carried out by an empanelled third-party agency.	C	-
8.8 currentAddress.verification — when proofOfAddress.type = DEEMED_PROOF				
verification.deemedPoAVerified	Boolean	True if the deemed proof (utility bill / municipal tax receipt / PPO / rent agreement) was verified for authenticity.	M	-
verification.currAddressExactlyMatchWithOvd	Boolean	True if current address exactly matches the address on the deemed proof.	M	-
verification.remoteGeoTagging	Boolean	True if remote geo-tagging was performed.	M	-
verification.positiveVerification	Boolean	True if positive verification was achieved.	M	-
verification.physicalByReOfficial	Boolean	True if physical verification by RE official was performed.	M	-
verification.physicalByThirdParty	Boolean	True if physical verification by third-party agency was performed.	CM	-
8.9 currentAddress.verification — when proofOfAddress.type = DECLARED_ADDRESS				
verification.remoteGeoTagging	Boolean	True if remote geo-tagging was performed during declaration.	M	-
verification.positiveVerification	Boolean	True if positive verification (visit confirms address) was achieved.	M	-
verification.physicalByReOfficial	Boolean	True if physical verification by RE official was performed at the declared address.	M	-
verification.physicalByThirdParty	Boolean	True if physical verification by third-party agency was performed.	M	-
8.10 currentAddress.documents[]				

Parameter	Data Type	Description	Mandatory	Length
documents[].documentType	String (Enum)	Document type. Enum: SUPPORTING_DOCUMENT (any non-OVD supporting paper), FOREIGN_ADDRESS_PROOF (used when subject is NRI / Foreign National with overseas address), OVD (the actual OVD used as POA — referenced from the proofOfAddress block).	M	-
documents[].documentName	String	Original file name of the uploaded document. Name extension MUST match contentType	M	50
documents[].b64Content	String (Base64)	Base64-encoded document content.	M	-
documents[].contentType	String (Enum)	Content type. Enum: jpeg, jpg, pdf. File size <500KB	M	-
9. contactDetails — Email & Mobile				
contactDetails	Object	Container for primary email and mobile contact details.	M	-
9.1 contactDetails.email				
email	Object	Email contact block.	O	-
email.address	String	Primary email address . Should be a syntactically valid RFC 5322 email.	O	254
email.verifiedThroughOTP	Boolean	True if email was verified via an OTP / verification link sent to the address If mobile number entered.	C	-
9.2 contactDetails.mobile				
mobile	Object	Mobile contact block.	M	-
mobile.countryCode	String	Country dial code with leading + (e.g., +91 for India).	O	4
mobile.number	String	Mobile number without country code (10 digits for India). Should match the OVD-linked number where applicable.	O	15

Parameter	Data Type	Description	Mandatory	Length
mobile.verifiedThroughOTP	Boolean	True if mobile was verified via OTP sent to the number. If mobile number entered	C	-
mobile.verifiedThroughThirdParty	Boolean	True if mobile was verified via third-party verification If mobile number entered	C	-
10. relatedParties[] — Linked CKYC IDs				
relatedParties	Array<Object>	Array of related parties linked to the subject. Conditional: mandatory at least one Guardian when accountType = MINOR; otherwise optional.	C	-
relatedParties[].relationType	String (Enum)	Type of relationship. Enum: GUARDIAN (parent / legal guardian — mandatory for minor accounts), AUTHORIZED_REPRESENTATIVE (POA holder / signatory authorised to act for the subject), ASSIGNEE (assignee in case of assignment of rights, e.g., insurance claim / nominee scenarios).	C	-
relatedParties[].ckycId	String	14-digit CKYC ID of the related party. The related party must already have an active CKYC record.	C	14
11. attestationDetails — Officer, Verification, Declaration & Undertaking				
attestationDetails	Object	Container for attestation metadata captured by the Reporting Entity.	M	-
11.1 attestationDetails.employee				
employee	Object	Details of the RE employee / official who performed / certified the KYC.	M	-
employee.name	String	Full name of the attesting employee. 1. A to Z and a to z will be allowed 2. Single apostrophe will be allowed. 3. Space Allowed Alphanumeric value allowed	C	99

Parameter	Data Type	Description	Mandatory	Length
		Mandatory only in case of For face-to-face KYC mode		
employee.code	String	Employee code / ID assigned by the RE (e.g., EMP001).	C	50
employee.designation	String	Alphanumeric value allowed Mandatory only in case of For face-to-face KYC mode	C	50
employee.branch	String	Branch / office identifier where the attestation occurred (e.g., Mumbai-Andheri). Alphanumeric value allowed Mandatory only in case of For face-to-face KYC mode	C	50
employee.ckycId	String	Optional 14-digit CKYC ID of the employee. Some REs maintain employee CKYC records for traceability. Mandatory only for face-to-face KYC mode	O	14

11.2 attestationDetails.kycVerification

kycVerification	Object	Details of how KYC verification was carried out.	M	-
kycVerification.mode	String (Enum)	Mode of KYC verification. Enum: FACE_TO_FACE_WITH_OFFICIAL (in-branch with RE official), FACE_TO_FACE_BY_BUSINESS_CORRESPONDENT (BC point), VIDEO_BASED_WITHOUT_OFFICIAL (V-CIP without official, e.g., automated), NON_FACE_TO_FACE_BY_RE_OFFICIAL (remote with RE official, e.g., V-CIP with official), DIGITAL_KYC (fully digital flow with geo-tagged live photo).	M	-
kycVerification.carriedOutDate	String (DD-MM-YYYY)	Date when verification was performed.	M	10

Parameter	Data Type	Description	Mandatory	Length
kycVerification.remarks	String	Free-text remarks captured by the verifying official.	O	200
11.3 attestationDetails.declaration				
declaration	Object	Subject's declaration block.	M	-
declaration.date	String (DD-MM-YYYY)	Date on which the subject signed the declaration.	M	10
declaration.place	String	Place (city) where the declaration was signed.	M	33
declaration.supportingDocument	Object	Container for the signed declaration document.	M	-
declaration.supportingDocument.documentName	String	File name of the declaration document (e.g., declaration.pdf). File size < 500KB	M	50
declaration.supportingDocument.b64Content	String (Base64)	Base64-encoded declaration document content.	M	-
declaration.supportingDocument.contentType	String (Enum)	Content type. Enum: jpeg, jpg, pdf. File size < 500KB	M	-
11.4 attestationDetails.undertakingDocument				
undertakingDocument	Object	Subject's undertaking / consent document captured per RBI / RE-policy requirements (e.g., consent to share KYC data with CKYCRR, FATCA / CRS declaration).	M	-
undertakingDocument.documentName	String	File name of the undertaking document (e.g., undertaking.pdf).	M	50
undertakingDocument.b64Content	String (Base64)	Base64-encoded undertaking content.	M	-
undertakingDocument.contentType	String (Enum)	Content type. Enum: jpeg, jpg, pdf. File size < 500KB	M	-
12 otherDetails				
remarks	String	Remarks for ckyc record	O	200

Sample Request

```
{ "searchKey": "SK_IND_TEST_001", "accountType": "NORMAL", "personalDetails": {
  "name": { "title": "Mr.", "firstName": "Rahul", "middleName": "Kumar", "lastName":
  "Sharma" }, "familyDetails": { "father": { "title": "Mr.", "firstName": "Anil",
  "middleName": "", "lastName": "Sharma" }, "mother": { "title": "Mrs.", "firstName":
  "Sunita", "middleName": "", "lastName": "Sharma" }, "maidenName": { "title": null,
  "firstName": null, "middleName": null, "lastName": null }, "spouse": { "title":
  null, "firstName": null, "middleName": null, "lastName": null } }, "dob": "15-08-
  1990", "isMinor": false, "gender": "M", "panDetails": { "number": "ABCPS1234F",
  "form97Submitted": false, "verified": true, "document": { "b64Content":
  "{{photoB64}}", "contentType": "jpeg" } } }, "ovdMatchingDetails": { "dob": true,
  "name": true, "gender": true, "photo": true }, "residencyDetails": {
  "residentialStatus": "RESIDENT", "residentialStatusSupportedByDoc": true,
  "nationality": "INDIAN", "nationalitySupportedByDoc": true }, "disabilityDetails":
  { "hasDisability": false, "supportedByDoc": false, "type": null, "percentage":
  null, "udidNumber": null }, "photo": { "bb64Content": "{{photoB64}}",
  "contentType": "jpeg" }, "identityProofs": [ { "docIdentityCode": "E", "ovdNo":
  "11112222333344", "verification": { "certifiedCopyVerifiedWithOriginalOVD": true,
  "equivalentEDoc": true, "verifiedFromDigilocker": true }, "ekycDetails": {
  "modeOfAadhaarVerification": "PROOF_OF_POSSESSION" }, "documents": [ {
  "documentName": "aadhaar_front.pdf", "b64Content": "{{aadhaarB64}}", "contentType":
  "pdf" } ] }, { "docIdentityCode": "E", "ovdNo": "11112222333344", "ekycDetails": {
  "modeOfAadhaarVerification": "EKYC_AUTH", "dataReceivedFromUidai": true,
  "modeOfAuthentication": "EKYC_OTP" }, "documents": [ { "documentName":
  "aadhaar_front.pdf", "b64Content": "{{aadhaarB64}}", "contentType": "pdf" } ] }, {
  "docIdentityCode": "E", "ovdNo": "11112222333344", "verification": {
  "certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc": true,
  "verifiedFromDigilocker": true }, "ekycDetails": { "modeOfAadhaarVerification":
  "OFFLINE_VERIFICATION", "dataReceivedFromOfflineVerification": false },
  "documents": [ { "documentName": "aadhaar_front.pdf", "b64Content":
  "{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "D", "ovdNo":
  "MH1487675676576", "drivingLicenseExpiryDate": "18-11-2028", "verification": {
  "certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc": true,
  "verifiedFromDigilocker": true }, "repositoryPresence": { "drivingLicenseInRto":
  false }, "documents": [ { "documentName": "aadhaar_front.pdf", "b64Content":
  "{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "A", "ovdNo":
  "Z1234567", "passportExpiryDate": "18-11-2028", "verification": {
  "certifiedCopyVerifiedWithOriginalOVD": true, "verifiedFromDigilocker": true,
  "equivalentEDoc": true }, "repositoryPresence": { "passportInMea": false },
  "documents": [ { "documentName": "aadhaar_front.pdf", "b64Content":
  "{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "B", "ovdNo":
  "RFH2342t342", "verification": { "certifiedCopyVerifiedWithOriginalOVD": true,
  "equivalentEDoc": true, "verifiedFromDigilocker": true }, "repositoryPresence": {
  "voterIdInEci": false }, "documents": [ { "documentName": "aadhaar_front.pdf",
  "b64Content": "{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode":
  "F", "ovdNo": "123412341234", "verification": {
  "certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc": true,
  "verifiedFromDigilocker": true }, "repositoryPresence": { "nregaInRepository":
  false }, "documents": [ { "documentName": "aadhaar_front.pdf", "b64Content":
  "{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "G", "ovdNo":
  "123412341234", "passportExpiryDate": null, "drivingLicenseExpiryDate": null,
```

```

"verification": { "certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc":
true, "verifiedFromDigilocker": true }, "repositoryPresence": {
"nprInCensusRecords": false }, "documents": [ { "documentName":
"aadhaar_front.pdf", "b64Content": "{{aadhaarB64}}", "contentType": "pdf" } ] },
"addressDetails": { "permanentAddress": { "line1": "123 MG Road", "line2": "Apt
4B", "line3": null, "countryCode": "IN", "state": "MH", "stateOthers": null,
"district": "Mumbai City", "city": "Mumbai", "pinCode": "400001", "pinCodeOther":
null, "addressType": "PERMANENT", "digipin": "4FK-Q22-K5J7", "matchWithOvd": true,
"supportedByDoc": true }, "currentAddress": { "line1": "123 MG Road", "line2": "Apt
4B", "line3": null, "countryCode": "IN", "state": "MH", "stateOthers": null,
"district": "Mumbai City", "city": "Mumbai", "pinCode": "400001", "pinCodeOther":
null, "addressType": "CURRENT", "digipin": "4FK-Q22-K5J7", "sameAsPermanent": true,
"proofOfAddress": { "type": "OVD", "docIdentityCode": "A", "ovdNo": "123412341234",
"aadhaarType": "STANDARD", "passportExpiryDate": null, "drivingLicenseExpiryDate":
null }, "repositoryPresence": { "passportInMea": false, "voterIdInEci": false,
"drivingLicenseInRto": false, "nregaInRepository": false, "nprInCensusRecords":
false }, "verification": { "certifiedCopyVerifiedWithOriginalOVD": true,
"verifiedFromDigilocker": true, "equivalentEDoc": true,
"currAddressExactlyMatchWithOvd": true, "remoteGeoTagging": false,
"positiveVerification": true, "physicalByReOfficial": true, "physicalByThirdParty":
false }, "proofOfAddress": { "type": "DEEMED_PROOF", "deemedProofType":
"UTILITY_BILL" }, "verification": { "deemedPoAVerified": true,
"currAddressExactlyMatchWithOvd": true, "remoteGeoTagging": false,
"positiveVerification": true, "physicalByReOfficial": true, "physicalByThirdParty":
false }, "proofOfAddress": { "type": "DECLARED_ADDRESS", "declaredAddress": true },
"verification": { "remoteGeoTagging": false, "positiveVerification": true,
"physicalByReOfficial": true, "physicalByThirdParty": false }, "documents": [ {
"documentType": "SUPPORTING_DOCUMENT", "documentName": "address_proof.pdf",
"b64Content": "{{poaSupportingDocB64}}", "contentType": "pdf" }, { "documentType":
"FOREIGN_ADDRESS_PROOF", "documentName": "address_proof.pdf", "b64Content":
"{{poaSupportingDocB64}}", "contentType": "pdf" }, { "documentType": "OVD",
"documentName": "address_proof.pdf", "b64Content": "{{poaSupportingDocB64}}",
"contentType": "pdf" } ] }, "contactDetails": { "email": { "address":
"rahul.sharma@example.com", "verifiedThroughOTP": true }, "mobile": {
"countryCode": "+91", "number": "9876543210", "verifiedThroughOTP": true,
"verifiedThroughThirdParty": false } }, "relatedParties": [ { "relationType":
"GUARDIAN", "ckycId": "13762802755503" }, { "relationType":
"AUTHORIZED_REPRESENTATIVE", "ckycId": "13065788094545" }, { "relationType":
"ASSIGNEE", "ckycId": "47557205594971" } ], "attestationDetails": { "employee": {
"name": "John Doe", "code": "EMP001", "designation": "KYC Officer", "branch":
"Mumbai-Andheri", "ckycId": "12345678901234" }, "kycVerification": { "mode":
"FACE_TO_FACE_WITH_OFFICIAL", "carriedOutDate": "01-01-2026", "remarks": "Verified
in person at branch" }, "declaration": { "date": "01-01-2026", "place": "Mumbai",
"supportingDocument": { "documentName": "declaration.pdf", "b64Content":
"{{declarationB64}}", "contentType": "pdf" } }, "undertakingDocument": {
"documentName": "undertaking.pdf", "b64Content": "{{undertakingB64}}",
"contentType": "pdf" } } }

```

Request Payload for encryptedData in Plain Json for Legal

Parameter	Data Type	Description	Mandatory Status	Length
searchKey	String	Unique key obtained from a successful Search API call.	Mandatory	50
entityDetails	Object	Corporate identity, registration, PAN and tax identification.	Mandatory	-
name entityDetails.name	String	Registered / legal name of the entity.	Mandatory	99
constitutionType entityDetails.constitutionType	String (Enum / Master)	Single-letter constitution code (A–R). Refer Annexure for Constitution Type list A -Sole Proprietorship B- Partnership Firm C-HUF" D- Private Limited Company E - Public Limited Company F - Society G- Association of Persons (AOP) / Body of Individuals (BOI) H- Trust I- Liquidator J - Limited Liability Partnership K- Artificial Liability Partnership (only for old records) L- Public Sector Banks M-Central/State Government Department or Agency N- Section 8 Companies	Mandatory	1

		(Companies Act, 2013) O - Artificial Juridical Person P- International Organization or Agency /Foreign Embassy or Consular Office etc. Q- Foreign Portfolio Investors R- Others		
isListedCompany entityDetails.isListedCompany	Boolean	true if the company is listed on a stock exchange. Applicable only for E	Conditional	-
isRegisteredFirm entityDetails.isRegisteredFirm	Boolean	true if entity is a registered partnership firm. Applicable only for B	Conditional	-
isRegisteredTrust entityDetails.isRegisteredTrust	Boolean	true if entity is a registered trust. Applicable only for H	Conditional	-
countryOfRegistration entityDetails.countryOfRegistration	String (ISO-2)	Country in which entity is incorporated / registered.	Mandatory	4
placeOfRegistration entityDetails.placeOfRegistration	String	City / place of incorporation. A to Z and a to z will be allowed	Mandatory	50
dateOfRegistration entityDetails.dateOfRegistration	String (DD-MM-YYYY)	Date of incorporation / registration. DD-MM-YYYY	Mandatory	10
entityDetails.dateOfCommencementOfBusiness	String (DD-MM-YYYY)	Date of commencement of Business. Required only for E (Public Limited Companies) DD-MM-YYYY	Conditional	10
entityDetails.panDetails	Object	PAN OR Form 97 — submit ONE of two	Mandatory	-

		mutually exclusive payload shapes.		
entityDetails.panDetails.number	String (PAN format)	10-character PAN. Mandatory in Scenario A (PAN submitted); "Format: AAAAA9999A (5 alphabets, 4 digits, 1 alphabet). Checksum Logic: Validate the first 5 characters as alphabets (A-Z). Validate the next 4 characters as digits (0-9). Validate the last character as an alphabet (A-Z)." 4th character should be other than P except for sole-proprietorship firm. PAN mandatory for partnership firm, LLP and companies. omitted in Scenario B (Form 97).	Conditional	10
entityDetails.panDetails.verified	Boolean	true / false — Applicable in Scenario A only.	Conditional	-
entityDetails.panDetails.form97Submitted	Boolean	false in Scenario A (PAN); true in Scenario B (Form 97). Discriminator between the two scenarios.	Mandatory	-
entityDetails.panDetails.document	Object	PAN card image (Scenario A) or signed Form 97 (Scenario B).	Mandatory	-
entityDetails.panDetails.document. .documentName	String	File name including extension.	Mandatory	100

entityDetails.panDetails.document.b64Content	String (Base64)	Base64-encoded file content.	Mandatory	-
entityDetails.panDetails.document.contentType	String (Enum)	File MIME shorthand — pdf, jpg, jpeg. Total size across all documents to be 25 MB	Mandatory	10
entityDetails.taxIdentification	Object	GSTIN / TIN identification with issuing country and supporting document.	Optional	-
EntityDetails.taxIdentification.type	String (Enum)	GSTIN / TIN / REGISTRATION_CERTIFICATE	Conditional	10
entityDetails.taxIdentification.country	String (ISO-2)	Issuing country code.	Conditional	4
entityDetails.taxIdentification.number	String	GST / TIN identification number/ registration number	Conditional	15
entityDetails.taxIdentification.document	Object	Supporting GSTIN / TIN certificate.	Conditional	-
entityDetails.taxIdentification.documentName	String	File name including extension.	Conditional	100
entityDetails.taxIdentification.b64Content	String (Base64)	Base64-encoded file content.	Conditional	-
entityDetails.taxIdentification.contentType	String (Enum)	pdf / jpg / jpeg. Total size across all documents to be 25 MB	Conditional	10
identityProof	Object	Corporate identity proof — CIN / LLPIN, with supporting documents.	Mandatory	-
identityProof.type	String (Enum)	CIN / LLPIN/ REGISTRATION_CERTIFICATE. Discriminated by constitutionType	Mandatory	10
identityProof.number	String	CIN (21-char) for D, E, N;	Mandatory	50

		"Format: 21 Alphanumeric characters. Example: L12345MH2020PLC987654 Breakdown: First character: Alphabet indicating listing status (e.g., L for Listed). Next 5 digits: Industry code. Next 2 characters: State code. Next 4 digits: Year of incorporation. Next 3 characters: Entity type code (e.g., PLC for Public Limited Company). Last 6 digits: Serial number. Checksum Logic: Validate against the structure above. " Mandatory only where constitution type selected is 'Private Limited Company', Public limited company', 'section 8 company' LLPIN (7-char) for J (alphanumeric) REGISTRATION Number (50) for B and H Alphanumeric Numbers allowed, Special characters allowed		
IdentityProof.documents[]	Array<Object>	Supporting documents. Allowed documentType values vary by constitutionType — Refer below table for	Mandatory	-

		documents and documentType mapping		
identityProof.documents[].documentType	String (Enum)	constitution-type → allowed values matrix. Refer below table for more details	Mandatory	50
identityProof.documents[].documentName	String	File name including extension.	Mandatory	100
identityProof.documents[].b64Content	String (Base64)	Base64-encoded file content.	Mandatory	-
identityProof.documents[].contentType	String (Enum)	pdf / jpg / jpeg. File Size up to 25 MB for all documents	Mandatory	10
addressDetails	Object	Container — registered office and principal place of business addresses.	Mandatory	-
addressDetails.registeredAddress	Object	Registered office address details.	Mandatory	-
addressDetails.registeredAddress.line1	String	Address line 1 of registered office. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+~=	Mandatory	60
addressDetails.registeredAddress.line2	String	Address line 2 of registered office. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+~=	Optional	60
addressDetails.registeredAddress.line3	String	Address line 3 of registered office.	Optional	60

		1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+ -=		
addressDetails.registeredAddress.countryCode	String (ISO-2)	Country code of registered office. Refer Annexure for values	Mandatory	4
addressDetails.registeredAddress.state	String	State code (2-char) of registered office. Refer Annexure for values	Mandatory	2
addressDetails.registeredAddress.stateOthers	String	Free-text state name. Required only when state = OTHERS.	Conditional	50
addressDetails.registeredAddress.district	String	District of registered office as per District Master Refer Annexure for values	Mandatory	50
addressDetails.registeredAddress.city	String	City / town / village of registered office. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+ -=	Mandatory	60
addressDetails.registeredAddress.pinCode	String (Numeric)	6-digit postal code of registered office. Also OTHERS allowed Refer Annexure for values	Mandatory	6
addressDetails.registeredAddress.pinCodeOther	String	Alternative pincode (used when standard pincode does not	Conditional	6

		apply, e.g., foreign address). In case of OTHERS		
addressDetails.registeredAddress.addressType	String (Enum)	Fixed value "REGISTERED".	Mandatory	20
addressDetails.registeredAddress.digipin	String	DIGIPIN — India Post digital pin code.	Optional	12
addressDetails.registeredAddress.proofOfAddress	Object	Proof of address descriptor.	Mandatory	-
addressDetails.registeredAddress.proofOfAddress.type	String (Enum)	REGISTRATION_CERTIFICATE / CERTIFICATE_OF_INCORPORATION / OTHER_DOC.	Mandatory	50
addressDetails.registeredAddress.proofOfAddress.otherDocumentName	String	Name of the alternative document. Required only when type = OTHER_DOC.	Conditional	50
addressDetails.registeredAddress.document	Object	Address proof document for registered office.	Mandatory	-
AddressDetails.registeredAddress.document.documentName	String	File name including extension.	Mandatory	100
AddressDetails.principalAddress.document.b64Content	String (Base64)	Base64-encoded file content.	Mandatory	-
AddressDetails.principalAddress.document.contentType	String (Enum)	pdf / jpg / jpeg. File size across all documents upto 25 MB	Mandatory	10
addressDetails.principalAddress	Object	Principal place of business address.	Mandatory	-
addressDetails.principalAddress.sameAsRegistered	Boolean	If true, all other principal Address detail fields may be null.	Mandatory	-
addressDetails.principalAddress.line1	String	Address line 1 of principal place. 1. Alphanumeric value allowed 2. Space between words	Mandatory	60

		is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+ -=		
addressDetails.principalAddress.line2	String	Address line 2 of principal place. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+ -=	Optional	60
addressDetails.principalAddress.line3	String	Address line 3 of principal place. 1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+ -=	Optional	60
addressDetails.principalAddress.countryCode	String (ISO-2)	Country code of principal place. Refer Annexure for values	Mandatory	4
addressDetails.principalAddress.state	String	State code of principal place. Refer Annexure for values	Mandatory	2
addressDetails.principalAddress.stateOthers	String	Free-text state name. Required only when state = OTHERS.	Conditional	50
addressDetails.principalAddress.district	String	District of principal place. As per district master Refer Annexure for values	Mandatory	50
addressDetails.principalAddress.city	String	City / town / village of principal place.	Mandatory	60

		1. Alphanumeric value allowed 2. Space between words is allowed 3. Following Special Characters will be allowed `~@#\$\$%^&*()_+ -=		
addressDetails.principalAddress.pinCode	String (Numeric)	6-digit postal code of principal place. Also OTHERS	Mandatory	6
addressDetails.principalAddress.pinCodeOther	String	Alternative pincode for principal place. In case if OTHERS in pincode 6 digit numeric	Conditional	6
addressDetails.principalAddress.addressType	String (Enum)	Fixed value "PRINCIPAL".	Conditional	20
addressDetails.principalAddress.digipin	String	DIGIPIN of principal place.	Optional	12
addressDetails.principalAddress.proofOfAddress	Object	Proof of address descriptor for principal place.	Conditional	-
addressDetails.principalAddress.type	String (Enum)	REGISTRATION_CERTIFICATE / CERTIFICATE_OF_INCORPORATION / OTHER_DOC.	Conditional	50
addressDetails.principalAddress.otherDocumentName	String	Required only when type = OTHER_DOC. Alphanumeric name allowed	Conditional	50
addressDetails.principalAddress.document	Object	Address proof document for principal place.	Conditional	-
addressDetails.principalAddress.document.documentName	String	File name including extension.	Conditional	100
addressDetails.principalAddress.document.b64Content	String (Base64)	Base64-encoded file content.	Conditional	-
addressDetails.principalAddress.document.contentType	String (Enum)	pdf / jpg / jpeg.	Conditional	10

		File size across documents to be 25 MB		
contactDetails	Object	Email, mobile, telephone, fax of the entity.	Mandatory	-
contactDetails.primary	Object	Primary email and mobile.	Mandatory	-
contactDetails.primary.email	String (Email)	Primary email address of the entity.	Mandatory	254
contactDetails.primary.mobile	Object	Primary mobile.	Mandatory	-
contactDetails.primary.countryCode	String	International dialling code (e.g., +91).	Mandatory	4
ContactDetails.primary.mobile.number	String (Numeric)	Mobile phone number (10-digit for INDIA based numbers). Min. 8 and Max. 15 for Non-Indian Number	Mandatory	15
contactDetails.secondary	Object	Secondary email and mobile.	Optional	-
contactDetails.secondary.email	String (Email)	Secondary email address.	Optional	254
contactDetails.secondary.mobile	Object	Secondary mobile.	Optional	-
contactDetails.secondary.countryCode	String	International dialling code.	Optional	4
contactDetails.secondary.number	String (Numeric)	Secondary mobile phone number. Mobile phone number (10-digit for INDIA based numbers). Min. 8 and Max. 15 for Non-Indian Number	Optional	15
contactDetails.telephone	String	Landline / office telephone number.	Optional	12

		Numeric allowed. '-' allowed.		
contactDetails.fax	String	Fax number of the entity. Numeric allowed. '-' allowed.	Optional	12
RelatedParties[]	Array<Object>	Directors, partners, beneficial owners, etc. associated with the entity.	Optional	-
relatedParties[].legalRelationType	String (Enum)	DIRECTOR / PROMOTER / KARTA / TRUSTEE / PARTNER / COURT_APPOINTMENT_OFFICIAL / PROPRIETOR / BENEFICIARY / AUTHORIZED_SIGNATORY / BENEFICIAL_OWNER / POWER_OF_ATTORNEY_HOLDER / OTHERS. Allowed subset depends on constitutionType.	Mandatory	50
relatedParties[].ckycId	String (Numeric)	14-digit CKYC valid identifier of the related party.	Mandatory	14
relatedParties[].controllingInterest	String	Nature of control — "Ownership" / "Through other means". Mandatory for Beneficiary Owner	Optional	30
relatedParties[].percentOfOwnership	String (Numeric)	Ownership percentage. Required when controllingInterest = Ownership. Mandatory for Beneficiary Owner	Conditional	5
relatedParties[].directorIdentifyNumber	String	DIN — Director Identification Number. Required	Conditional	8

		only when legalRelationType = DIRECTOR.		
attestationDetails	Object	Verification, employee, declaration and undertaking details.	Manda tory	-
attestationDetails.verification	Object	Document verification flags applicable to the entity record.	Manda tory	-
attestationDetails.verification.certifiedCopies	Boolean	true if certified copies of supporting documents have been received.	Manda tory	-
attestationDetails.verification.equivalentEDoc	Boolean	true if equivalent e- documents have been received.	Manda tory	-
attestationDetails.verification.verifiedFromDigiLocker	Boolean	true if documents have been verified from DigiLocker.	Manda tory	-
attestationDetails.employee	Object	Verifying employee details.	Manda tory	-
attestationDetails.employee.name	String	A to Z and a to z allowed. Single apostrophe allowed	Manda tory	99
attestationDetails.employee.code	String	Alphanumeric allowed	Manda tory	50
attestationDetails.employee.designation	String	Job title / designation. Alphanumeric allowed	Manda tory	50
attestationDetails.employee.branch	String	Branch where the verifying officer is based. Alphanumeric allowed	Manda tory	50
attestationDetails.employee.ckycId	String	14-digit valid CKYC ID of the verifying officer.	Manda tory	14
attestationDetails.declaration	Object	Declaration metadata and supporting document.	Manda tory	-

attestationDetails.declaration.date	String (DD-MM-YYYY)	Declaration date. DD-MM-YYYY	Mandatory	10
attestationDetails.declaration.place	String	Place where declaration was signed.	Mandatory	50
attestationDetails.declaration.supportingDocument	Object	Declaration / consent document.	Mandatory	-
attestationDetails.declaration.supportingDocument.documentName	String	File name including extension.	Mandatory	100
attestationDetails.declaration.supportingDocument.b64Content	String (Base64)	Base64-encoded file content.	Mandatory	-
attestationDetails.declaration.supportingDocument.contentType	String (Enum)	pdf / jpg / jpeg. File size of all documents < 25 MB	Mandatory	10
attestationDetails.declaration.undertakingDocument	Object	Undertaking document.	Mandatory	-
attestationDetails.declaration.undertakingDocument.documentName	String	File name including extension.	Mandatory	100
attestationDetails.declaration.undertakingDocument.b64Content	String (Base64)	Base64-encoded file content.	Mandatory	-
attestationDetails.declaration.undertakingDocument.contentType	String (Enum)	pdf / jpg / jpeg. File size of all documents < 25 MB	Mandatory	10
otherDetails	Object	OtherDetails object	Optional	-
otherDetails.remarks	String (Base64)	Remarks	Optional	200

The allowed values for documentType inside identityProof.documents[] depend on the entity's constitutionType. Use the matrix mentioned **Refer below Annexure**

Sample Request for Legal

```
{
  "searchKey": "SK_LEGAL_TEST_001",
  "entityDetails": {
    "name": "Acme Test Pvt Ltd",
    "constitutionType": "D",
    "isListedCompany": false,
    "isRegisteredFirm": true,
    "isRegisteredTrust": false,
    "countryOfRegistration": "IN",
    "placeOfRegistration": "Mumbai",
    "dateOfRegistration": "15-01-2020",
    "panDetails": {
      "number": "ABCCT1234Z",
      "verified": true,
      "form97Submitted": false,

```

```

document":{"documentName":"pan_card.pdf","b64Content":"{{panB64}}","contentType":"pdf"},"taxIdentification":{"type":"GSTIN","country":"IN","number":"27ABCDE1234F1Z5","document":{"documentName":"gst_certificate.pdf","b64Content":"{{gst_certificateB64}}","contentType":"pdf"},"identityProof":{"type":"CIN","number":"U12345MH2020PTC123456","documents":[{"documentType":"CERTIFICATE_OF_INCORPORATION","documentName":"certificate_of_incorporation.pdf","b64Content":"{{coiB64}}","contentType":"pdf"},{"documentType":"MEMORANDUM_OF_ASSOCIATION","documentName":"moa_aoa.pdf","b64Content":"{{moa_aoaB64}}","contentType":"pdf"}]},"addressDetails":{"registeredAddress":{"line1":"Tower A, MG Road","line2":"Floor 5","line3":null,"countryCode":"IN","state":"MH","stateOthers":null,"district":"Mumbai City","city":"Mumbai","pinCode":"400001","pinCodeOther":null,"addressType":"REGISTERED","digipin":"4FK-Q22-K5J7","proofOfAddress":{"type":"REGISTRATION_CERTIFICATE","otherDocumentName":"","document":{"documentName":"registered_address_proof.pdf","b64Content":"{{poaSupportingDocB64}}","contentType":"pdf"},"principalAddress":{"sameAsRegistered":true,"line1":null,"line2":null,"line3":null,"countryCode":null,"state":null,"stateOthers":null,"district":null,"city":null,"pinCode":null,"pinCodeOther":null,"addressType":"PRINCIPAL","digipin":null,"proofOfAddress":{"type":"REGISTRATION_CERTIFICATE","otherDocumentName":"","document":{"documentName":"registered_address_proof.pdf","b64Content":"{{poaSupportingDocB64}}","contentType":"pdf"},"contactDetails":{"primary":{"email":"contact@acme-test.com","mobile":{"countryCode":"+91","number":"9876543210"},"secondary":{"email":"backup@acme-test.com","mobile":{"countryCode":"+91","number":"9988776655"},"telephone":"02212345678","fax":"02212345679"},"relatedParties":[{"legalRelationType":"Promoter","ckycId":"13065788094545","controllingInterest":"Ownership","percentOfOwnership":"60"},{"legalRelationType":"Director","ckycId":"47557205594971","controllingInterest":"Through other means","directorIdentifyNumber":"40"},{"legalRelationType":"Karta","ckycId":"50188189001688","controllingInterest":"Through other means","percentOfOwnership":"","legalRelationType":"Others - {RelationName}","ckycId":"13065788094545","controllingInterest":"Ownership","percentOfOwnership":"100"}]},"attestationDetails":{"verification":{"certifiedCopies":true,"equivalentEDoc":true,"verifiedFromDigilocker":true},"employee":{"name":"Jane Smith","code":"EMP002","designation":"Senior KYC Officer","branch":"Mumbai-Fort","ckycId":"23456789012345"},"declaration":{"date":"01-01-2026","place":"Mumbai","supportingDocument":{"documentName":"consent_declaration.pdf","b64Content":"{{declarationB64}}","contentType":"pdf"},"undertakingDocument":{"documentName":"undertaking.pdf","b64Content":"{{undertakingB64}}","contentType":"pdf"}}}}

```

Response fields for Individual & Legal

Parameter	Data Type	Description
reld	String	FI Code of Reporting Entity
requestId	String	Request ID - Unique identifier for the KYC submission request being acknowledged
ackNo	String (Alphanumeric)	Acknowledge Number - Unique acknowledgment/reference number for the submission transaction
Status	String (Enum)	Status - Current status of the KYC submission/processing

updatedAt	String (ISO 8601)	Updated At - Timestamp when the submission status was last updated in UTC timezone
message	String	Message - Human-readable message describing the submission status or outcome

Sample Response

```
{
  "reId": "IN0106",
  "requestId": "REQ12345",
  "ackNo": "IN2509046927",
  "status": "PENDING",
  "updatedAt": "2025-09-05T06:51:20.989Z",
  "message": "Details submitted for the approval."
}
```

API URL	https://{{URL}}/api/ckyc/v1/create/status
----------------	---

API	Header's
Method	GET
Authorization	Bearer {{Token}}

API	Query Parameter
ackNo	{{Ack Number}}

Response Packet for Success Case

Parameter	Data Type	Description
timeStamp	String (ISO 8601)	Timestamp when the submission
encryptedData	String	Updated At - Timestamp when the submission status was last updated in UTC timezone

Response Parameters for Plain Json

Parameter	Data Type	Description
status	String (Enum)	Response Status - Indicates the outcome/result of CKYC processing ENUM: Approved, Rejected, Probable_Match
updatedAt	String (ISO 8601)	Updated At - Timestamp when the response/status was generated in UTC timezone
message	String	Message - Human-readable message describing the response/status outcome
ckycNo	String (Numeric)	CKYC Number - Unique CKYC ID generated for the applicant (SUCCESS case only)
ackNo	String (Alphanumeric)	Acknowledge Number - Reference/transaction number for tracking (REJECTION/MATCH case)
matches[]	Array of Objects	Matches - Array of probable match records found (PROBABLE_MATCH case only)
matches[].name	String	Name - Full name of the matched CKYC record holder (Individual)

matches[].gender	String (Single Char)	Gender - Biological gender of the matched individual
matches[].ckycRefNo	String (Numeric)	CKYC Reference Number - CKYC ID or reference of the matched record
matches[].dateOfIncorporation	String (DD-MM-YYYY)	Date of Incorporation - Incorporation date of matched legal entity (Legal only)
matches[].mobile	String (Masked)	Mobile - Masked mobile number of matched record for privacy
matches[].email	String (Masked)	Email - Masked email address of matched record for privacy
matches[].cin	String	CIN - Corporate Identification Number (Legal entity only)
matches[].updatedAt	String (DD-MM-YYYY)	Updated On - Date when the matched CKYC record was last updated
matches[].submittedDocuments	Array of Strings	Submitted Documents - Array of document types submitted with matched CKYC (Individual only)
matches[].matchingCriteria	Array of Strings	Matching Criteria - Array of criteria that matched between submitted and existing CKYC records
matches[].matchingPercentage	String (Percentage)	Matching Percentage - Percentage match score between submitted and matched record
matches[].b64Photo	String (Filename)	Base64 Photo - Filename/reference to profile photo of matched record (Individual only)

Sample Plain Response

- Case : Success

```
{
  "ckycNo": "2322509046927",
  "status": "Approved",
  "updatedAt": "2025-09-05T06:51:20.989Z",
  "message": "CKYC Number have generated."
}
```

- Case Reject

```
{
  "ackNo": "IN2509046927",
  "status": "Rejected",
  "updatedAt": "2025-09-05T06:51:20.989Z",
  "message": "Rejected"
}
```

- Case Probable Match (Individual)

```
{
  "ackNo": "IN2509046927",
  "status": "Probable_Match",
  "updatedAt": "2025-09-05T06:51:20.989Z",
  "message": "Probable Match Found",
  "matches": [
    {
      "name": "Sandeep Sharma",
      "gender": "M",
      "ckycRefNo": "67893456789675",
      "mobile": "+91 89*****67",

```

```

"email": "sa*****@gmail.com",
"updatedAt": "20-03-2025",
"submittedDocuments": [
  "Voter ID",
  "PAN Card",
  "Aadhaar"
],
"matchingCriteria": [{
  "Name",
  "Date of Birth",
  "Gender",
  "Photo"}
],
"matchingPercentage": "80%",
"b64Photo": "profile_image_1.jpg"
}
]
}

```

- Case Probable Match (Legal)

```

{
  "ackNo": "IN2509046927",
  "status": "Probable_Match",
  "updatedAt": "2025-09-05T06:51:20.989Z",
  "message": "Probable Match Found",
  "matches": [
    {
      "name": "HDFC Bank",
      "dateOfIncorporation": "20-03-1996",
      "ckycRefNo": "565A3456789675",
      "mobile": "+91 89*****67",
      "email": "sa*****@gmail.com",
      "cin": "U72900BR2021PTC052231",
      "updatedAt": "20-03-2025",
      "matchingCriteria": [
        "Name",
        "Date of Incorporation"
      ],
      "matchingPercentage": "80% Match"
    }
  ]
}

```

API URL	https://{{URL}}/api/ckyc/v1/create/action
---------	---

API Header's	
Method	POST
Authorization	Bearer {{Token}}
Content Type	application/json

Request Parameters for Success Case

Parameter	Data Type	Description	Mandatory	Length
reId	String	FI Code of Reporting Entity	Mandatory	10
requestId	String	Request ID - Unique identifier for the KYC submission request being acknowledged	Mandatory	36
timeStamp	String (ISO 8601)	Timestamp when the submission	Mandatory	-
encryptedData	String	Updated At - Timestamp when the submission status was last updated in UTC timezone	Mandatory	-

Request Payload for encryptedData in Plain Json

Parameter	Data Type	Description	Mandatory	Length
ackNo	String (Alphanumeric)	Acknowledge Number - Unique reference number for the probable match submission and action processing	Mandatory	33
matchActions	Array of Objects	Match Actions - Array of actions taken by user for each probable match record found	Mandatory	-
Action	String (Enum)	Action - User decision/action taken for the probable match record ENUM: MATCH, NOMATCH. Only one record can be designated as a "MATCH". The API payload must include all potential ckycRefNo values identified.	Mandatory	ENUM
ckycRefNo	String (Numeric)	CKYC Reference Number - Reference number of the probable match record to which action applies	Mandatory	14

Sample Request

```
{
  "ackNo": "IN2509046927",
  "matchActions": [
    {
      "action": "MATCH",
      "ckycRefNo": "67893456789675"
    },
    {
      "action": "NOMATCH",
      "ckycRefNo": "67893456789675"
    },
    {
      "action": "NOMATCH",
      "ckycRefNo": "67893456789675"
    }
  ]
}
```

```
}
}
```

Response fields for Success Case

Parameter	Data Type	Description
reld	String	FI Code of Reporting Entity
requestId	String	Request ID - Unique identifier for the KYC submission request being acknowledged
timestamp	String (ISO 8601)	Timestamp when the submission
Status	String	Status of message
updatedAt	TimeStamp	TimeStamp ISO 8601 format

Sample Response

```
{
  "reld": "IN0106",
  "requestId": "REQ12345",
  "timestamp": "2025-12-19T13:17:40.342Z",
  "status": "Acknowledged",
  "updatedAt": "2025-09-05T06:51:20.989Z"
}
```

3.6. Update API

Brief: - The Update functionality allows Reporting Entity (RE) users to efficiently update KYC records stored within the CKYCRR system.

API URL	https://{{URL}}/api/ckyc/v1/update
---------	---

API	Header's
Method	Post
Authorization	Bearer {{Token}}
Content Type	application/json

Request Packet for Individual & Legal

Parameter	Data Type	Description	Mandate Status
reld	String	FI Code of Reporting Entity	Mandatory
requestId	String	Request ID - Unique identifier for each API request for tracking, audit and traceability purposes	Mandatory
timestamp	String (ISO 8601)	Request Timestamp - Date and time when the CKYC inquiry request is generated in UTC time zone	Mandatory
ckycInq	Object	CKYC Inquiry Object - Container object for CKYC inquiry/search parameters and encrypted payload	Mandatory
ckycType	String (Enum)	CKYC Type - Type/category of entity for which CKYC inquiry is being made	Mandatory

		INDIVIDUAL / LEGAL	
encryptedData	String (Base64)	Encrypted Payload - CKYC inquiry parameters encrypted using RSA-256 algorithm with public key for security	Mandatory

In case of update – Values should be provided for only those fields for which data needs to be updated

Request Parameters for Plain Json for Individual & legal Entity

Parameter	Data Type	Description	Mandatory	Length
1. Root Request Envelope				
ckycNo	String	CKYCRR – CKYC No of Holder for which we are sending request for update.	M	14
The remaining fields are identical to those in the Create API. Please refer to the Create API above for details.				

Sample Request

```
{ "ckycNo": "56657687654321", "accountType": "NORMAL", "personalDetails": { "name": { "title": "Mr.", "firstName": "Rahul", "middleName": "Kumar", "lastName": "Sharma" }, "familyDetails": { "father": { "title": "Mr.", "firstName": "Anil", "middleName": "", "lastName": "Sharma" }, "mother": { "title": "Mrs.", "firstName": "Sunita", "middleName": "", "lastName": "Sharma" }, "maidenName": { "title": null, "firstName": null, "middleName": null, "lastName": null }, "spouse": { "title": null, "firstName": null, "middleName": null, "lastName": null } }, "dob": "15-08-1990", "isMinor": false, "gender": "M", "panDetails": { "number": "ABCPS1234F", "form97Submitted": false, "verified": true, "document": { "b64Content": "{{photoB64}}", "contentType": "jpeg" } } }, "ovdMatchingDetails": { "dob": true, "name": true, "gender": true, "photo": true }, "residencyDetails": { "residentialStatus": "RESIDENT", "residentialStatusSupportedByDoc": true, "nationality": "INDIAN", "nationalitySupportedByDoc": true }, "disabilityDetails": { "hasDisability": false, "supportedByDoc": false, "type": null, "percentage": null, "udidNumber": null }, "photo": { "bb64Content": "{{photoB64}}", "contentType": "jpeg" }, "identityProofs": [ { "docIdentityCode": "E", "ovdNo": "11112222333344", "verification": { "certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc": true, "verifiedFromDigilocker": true }, "ekycDetails": { "modeOfAadhaarVerification": "PROOF_OF_POSSESSION" }, "documents": [ { "documentName": "aadhaar_front.pdf", "b64Content": "{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "E", "ovdNo": "11112222333344", "ekycDetails": {
```

```

"modeOfAadhaarVerification": "EKYC_AUTH", "dataReceivedFromUidai": true,
"modeOfAuthentication": "EKYC_OTP" }, "documents": [ { "documentName":
"aadhaar_front.pdf", "b64Content": "{{aadhaarB64}}", "contentType": "pdf" } ] }, {
"docIdentityCode": "E", "ovdNo": "11112222333344", "verification": {
"certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc": true,
"verifiedFromDigilocker": true }, "ekycDetails": { "modeOfAadhaarVerification":
"OFFLINE_VERIFICATION", "dataReceivedFromOfflineVerification": false },
"documents": [ { "documentName": "aadhaar_front.pdf", "b64Content":
"{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "D", "ovdNo":
"MH1487675676576", "drivingLicenseExpiryDate": "18-11-2028", "verification": {
"certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc": true,
"verifiedFromDigilocker": true }, "repositoryPresence": { "drivingLicenseInRto":
false }, "documents": [ { "documentName": "aadhaar_front.pdf", "b64Content":
"{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "A", "ovdNo":
"Z1234567", "passportExpiryDate": "18-11-2028", "verification": {
"certifiedCopyVerifiedWithOriginalOVD": true, "verifiedFromDigilocker": true,
"equivalentEDoc": true }, "repositoryPresence": { "passportInMea": false },
"documents": [ { "documentName": "aadhaar_front.pdf", "b64Content":
"{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "B", "ovdNo":
"RFH2342t342", "verification": { "certifiedCopyVerifiedWithOriginalOVD": true,
"equivalentEDoc": true, "verifiedFromDigilocker": true }, "repositoryPresence": {
"voterIdInEci": false }, "documents": [ { "documentName": "aadhaar_front.pdf",
"b64Content": "{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode":
"F", "ovdNo": "123412341234", "verification": {
"certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc": true,
"verifiedFromDigilocker": true }, "repositoryPresence": { "nregaInRepository":
false }, "documents": [ { "documentName": "aadhaar_front.pdf", "b64Content":
"{{aadhaarB64}}", "contentType": "pdf" } ] }, { "docIdentityCode": "G", "ovdNo":
"123412341234", "passportExpiryDate": null, "drivingLicenseExpiryDate": null,
"verification": { "certifiedCopyVerifiedWithOriginalOVD": true, "equivalentEDoc":
true, "verifiedFromDigilocker": true }, "repositoryPresence": {
"nprInCensusRecords": false }, "documents": [ { "documentName":
"aadhaar_front.pdf", "b64Content": "{{aadhaarB64}}", "contentType": "pdf" } ] },
"addressDetails": { "permanentAddress": { "line1": "123 MG Road", "line2": "Apt
4B", "line3": null, "countryCode": "IN", "state": "MH", "stateOthers": null,
"district": "Mumbai City", "city": "Mumbai", "pinCode": "400001", "pinCodeOther":
null, "addressType": "PERMANENT", "digipin": "4FK-Q22-K5J7", "matchWithOvd": true,
"supportedByDoc": true }, "currentAddress": { "line1": "123 MG Road", "line2": "Apt
4B", "line3": null, "countryCode": "IN", "state": "MH", "stateOthers": null,
"district": "Mumbai City", "city": "Mumbai", "pinCode": "400001", "pinCodeOther":
null, "addressType": "CURRENT", "digipin": "4FK-Q22-K5J7", "sameAsPermanent": true,
"proofOfAddress": { "type": "OVD", "docIdentityCode": "A", "ovdNo": "123412341234",
"aadhaarType": "STANDARD", "passportExpiryDate": null, "drivingLicenseExpiryDate":
null }, "repositoryPresence": { "passportInMea": false, "voterIdInEci": false,
"drivingLicenseInRto": false, "nregaInRepository": false, "nprInCensusRecords":
false }, "verification": { "certifiedCopyVerifiedWithOriginalOVD": true,
"verifiedFromDigilocker": true, "equivalentEDoc": true,
"currAddressExactlyMatchWithOvd": true, "remoteGeoTagging": false,
"positiveVerification": true, "physicalByReOfficial": true, "physicalByThirdParty":
false }, "proofOfAddress": { "type": "DEEMED_PROOF", "deemedProofType":
"UTILITY_BILL" }, "verification": { "deemedPoAVerified": true,

```

```

"currAddressExactlyMatchWithOvd": true, "remoteGeoTagging": false,
"positiveVerification": true, "physicalByReOfficial": true, "physicalByThirdParty":
false }, "proofOfAddress": { "type": "DECLARED_ADDRESS", "declaredAddress": true },
"verification": { "remoteGeoTagging": false, "positiveVerification": true,
"physicalByReOfficial": true, "physicalByThirdParty": false }, "documents": [ {
"documentType": "SUPPORTING_DOCUMENT", "documentName": "address_proof.pdf",
"b64Content": "{{poaSupportingDocB64}}", "contentType": "pdf" }, { "documentType":
"FOREIGN_ADDRESS_PROOF", "documentName": "address_proof.pdf", "b64Content":
"{{poaSupportingDocB64}}", "contentType": "pdf" }, { "documentType": "OVD",
"documentName": "address_proof.pdf", "b64Content": "{{poaSupportingDocB64}}",
"contentType": "pdf" } ] }, "contactDetails": { "email": { "address":
"rahul.sharma@example.com", "verifiedThroughOTP": true }, "mobile": {
"countryCode": "+91", "number": "9876543210", "verifiedThroughOTP": true,
"verifiedThroughThirdParty": false } }, "relatedParties": [ { "relationType":
"GUARDIAN", "ckycId": "13762802755503" }, { "relationType":
"AUTHORIZED_REPRESENTATIVE", "ckycId": "13065788094545" }, { "relationType":
"ASSIGNEE", "ckycId": "47557205594971" } ], "attestationDetails": { "employee": {
"name": "John Doe", "code": "EMP001", "designation": "KYC Officer", "branch":
"Mumbai-Andheri", "ckycId": "12345678901234" }, "kycVerification": { "mode":
"FACE_TO_FACE_WITH_OFFICIAL", "carriedOutDate": "01-01-2026", "remarks": "Verified
in person at branch" }, "declaration": { "date": "01-01-2026", "place": "Mumbai",
"supportingDocument": { "documentName": "declaration.pdf", "b64Content":
"{{declarationB64}}", "contentType": "pdf" } }, "undertakingDocument": {
"documentName": "undertaking.pdf", "b64Content": "{{undertakingB64}}",

```

Parameter	Data Type	Description	Mandate Status	Length
ckycNo	String	CKYC Number	Mandatory	14
entityDetails	Object	Corporate identity, registration, PAN and tax identification.	Mandatory	-
constitutionType	String	Unchanged	Mandatory	-

```

"contentType": "pdf" } } }

```

```

false }, "verification": { "certifiedCopyVerifiedWithOriginalOVD": true,
"verifiedFromDigilocker": true, "equivalentEDoc":
true, "currAddressExactlyMatchWithOvd": true, "remoteGeoTagging": false,
"positiveVerification": true, "physicalByReOfficial": true, "physicalByThirdParty":
false }, "proofOfAddress": { "type": "DEEMED_PROOF", "deemedProofType":
"UTILITY_BILL" }, "verification": { "deemedPoAVerified": true,
"currAddressExactlyMatchWithOvd": true, "remoteGeoTagging": false,
"positiveVerification": true, "physicalByReOfficial": true, "physicalByThirdParty":
false }, "proofOfAddress": { "type": "DECLARED_ADDRESS", "declaredAddress": true },
"verification": { "remoteGeoTagging": false, "positiveVerification": true,

```

```

"physicalByReOfficial": true, "physicalByThirdParty": false }, "documents": [ {
"documentType": "SUPPORTING_DOCUMENT", "documentName": "address_proof.pdf",
"b64Content": "{{poaSupportingDocB64}}", "contentType": "pdf" }, { "documentType":
"FOREIGN_ADDRESS_PROOF", "documentName": "address_proof.pdf", "b64Content":
"{{poaSupportingDocB64}}", "contentType": "pdf" }, { "documentType": "OVD",
"documentName": "address_proof.pdf", "b64Content": "{{poaSupportingDocB64}}",
"contentType": "pdf" } ] } }, "contactDetails": { "email": { "address":
"rahul.sharma@example.com", "verifiedThroughOTP": true }, "mobile": {
"countryCode": "+91", "number": "9876543210", "verifiedThroughOTP": true,
"verifiedThroughThirdParty": false } }, "relatedParties": [ { "relationType":
"GUARDIAN", "ckycId": "13762802755503" }, { "relationType":
"AUTHORIZED_REPRESENTATIVE", "ckycId": "13065788094545" }, { "relationType":
"ASSIGNEE", "ckycId": "47557205594971" } ], "attestationDetails": { "employee": {
"name": "John Doe", "code": "EMP001", "designation": "KYC Officer", "branch":
"Mumbai-Andheri", "ckycId": "12345678901234" }, "kycVerification": { "mode":
"FACE_TO_FACE_WITH_OFFICIAL", "carriedOutDate": "01-01-2026", "remarks": "Verified
in person at branch" }, "declaration": { "date": "01-01-2026", "place": "Mumbai",
"supportingDocument": { "documentName": "declaration.pdf", "b64Content":
"{{declarationB64}}", "contentType": "pdf" } }, "undertakingDocument": {
"documentName": "undertaking.pdf", "b64Content": "{{undertakingB64}}",
"contentType": "pdf" } } } }

```

Plain Json parameters for Legal

Sample Request for Legal

```

{"ckycNo": "97676767654321", "entityDetails": {"name": "Acme Test Pvt
Ltd", "constitutionType": "D", "isListedCompany": false, "isRegisteredFirm": true, "isRegi
steredTrust": false, "countryOfRegistration": "IN", "placeOfRegistration": "Mumbai", "dat
eOfRegistration": "15-01-
2020", "panDetails": {"number": "ABCCT1234Z", "verified": true, "form97Submitted": false, "
document": {"documentName": "pan_card.pdf", "b64Content": "{{panB64}}", "contentType": "p
df"}}, "taxIdentification": {"type": "GSTIN", "country": "IN", "number": "27ABCDE1234F1Z5"
, "document": {"documentName": "gstn_certificate.pdf", "b64Content": "{{gstnB64}}", "co
ntentType": "pdf"}}, "identityProof": {"type": "CIN", "number": "U12345MH2020PTC123456",
"documents": [{"documentType": "CERTIFICATE_OF_INCORPORATION", "documentName": "certifi
cate_of_incorporation.pdf", "b64Content": "{{coiB64}}", "contentType": "pdf"}, {"documen
tType": "MEMORANDUM_OF_ASSOCIATION", "documentName": "moa_aoa.pdf", "b64Content": "{{moa
AoaB64}}", "contentType": "pdf"}]}, "addressDetails": {"registeredAddress": {"line1": "To
wer A, MG Road", "line2": "Floor
5", "line3": null, "countryCode": "IN", "state": "MH", "stateOthers": null, "district": "Mumb
ai
City", "city": "Mumbai", "pinCode": "400001", "pinCodeOther": null, "addressType": "REGISTE
RED", "digipin": "4FK-Q22-
K5J7", "proofOfAddress": {"type": "REGISTRATION_CERTIFICATE", "otherDocumentName": ""}, "
document": {"documentName": "registered_address_proof.pdf", "b64Content": "{{poaSupport
ingDocB64}}", "contentType": "pdf"}}, "principalAddress": {"sameAsRegistered": true, "lin
e1": null, "line2": null, "line3": null, "countryCode": null, "state": null, "stateOthers": nu
ll, "district": null, "city": null, "pinCode": null, "pinCodeOther": null, "addressType": "PR
INCIPAL", "digipin": null, "proofOfAddress": {"type": "REGISTRATION_CERTIFICATE", "otherD
ocumentName": ""}, "document": {"documentName": "registered_address_proof.pdf", "b64Cont
ent": "{{poaSupportingDocB64}}", "contentType": "pdf"}}, "contactDetails": {"primary": {

```

```

"email": "contact@acme-
test.com", "mobile": {"countryCode": "+91", "number": "9876543210"}}, "secondary": {"email
": "backup@acme-
test.com", "mobile": {"countryCode": "+91", "number": "9988776655"}}, "telephone": "022123
45678", "fax": "02212345679", "relatedParties": [{"legalRelationType": "Promoter", "ckyc
Id": "13065788094545", "controllingInterest": "Ownership", "percentOfOwnership": "60"}, {
"legalRelationType": "Director", "ckycId": "47557205594971", "controllingInterest": "Thr
ough other
means", "directorIdentifyNumber": "40"}, {"legalRelationType": "Karta", "ckycId": "501881
89001688", "controllingInterest": "Through other
means", "percentOfOwnership": ""}, {"legalRelationType": "Others -
{RelationName}", "ckycId": "13065788094545", "controllingInterest": "Ownership", "percen
tOfOwnership": "100"}], "attestationDetails": {"verification": {"certifiedCopies": true,
"equivalentEDoc": true, "verifiedFromDigilocker": true}, "employee": {"name": "Jane
Smith", "code": "EMP002", "designation": "Senior KYC Officer", "branch": "Mumbai-
Fort", "ckycId": "23456789012345", "declaration": {"date": "01-01-
2026", "place": "Mumbai", "supportingDocument": {"documentName": "consent_declaration.pdf",
"b64Content": "{{declarationB64}}", "contentType": "pdf"}}, "undertakingDocument": {"
documentName": "undertaking.pdf", "b64Content": "{{undertakingB64}}", "contentType": "pd
f"}}}}

```

Response Packet for Individual & Legal

Parameter	Data Type	Description
reId	String	FI code of Reporting Entity that submitted the KYC data
requestId	String	Request ID - Unique identifier for the KYC submission request being acknowledged
ackNo	String (Alphanumeric)	Acknowledge Number - Unique acknowledgment/reference number for the submission transaction
Status	String (Enum)	Status - Current processing status of the KYC submission/application
updatedAt	String (ISO 8601)	Updated At - Timestamp when the submission status was last updated in UTC timezone
message	String	Message - Human-readable message describing the submission status, outcome, or required next actions

Sample Response

```

{
  "reId": "IN0106",
  "requestId": "REQ12345",
  "ackNo": "IN2509046927",
  "status": "pending",
  "updatedAt": "2025-09-05T06:51:20.989Z",
  "message": "Details submitted for the approval."
}

```

API URL	https://{{URL}}/api/ckyc/v1/update/status
---------	---

API	Header's
Method	GET
Authorization	Bearer {{Token}}

API	Query Parameters
ackNo	{{Ack Number }}

Response fields for Success Case

Parameter	Data Type	Description
ackNo	String	Acknowledge Number
ckycNo	String	CKYC Number
Timestamp	TimeStamp(ISO 8601)	Timestamp when the submission status was last updated in UTC timezone
Status	String	Status of records
updatedAt	TimeStamp(ISO 8601)	Timestamp when the updated status
message	String	Message towards records

Sample Response

```
{
  "ackNo": "A2342fdsgwrg24",
  "timestamp": "2025-12-19T13:22:33.463Z",
  "ckycNo": "IN2509046927",
  "status": "Approved",
  "updatedAt": "2025-09-05T06:51:20.989Z",
  "message": "CKYC Number has been Updated"
}
```

Response fields for Plain Json

Parameter	Data Type	Description
ckycNo	String (Numeric/Alphanumeric)	CKYC Number - Unique CKYC number generated for the applicant
status	String (Enum)	Status - Final outcome of CKYC registration processing
updatedAt	String (ISO 8601)	Updated At - Timestamp when registration was completed or rejected in UTC timezone
message	String	Message - Human-readable message describing the registration outcome or failure reason
ackNo	String (Alphanumeric)	Acknowledge Number - Reference/transaction number for tracking rejected registration
timeStamp	String (ISO 8601)	Timestamp - Date and time when the error occurred in UTC timezone
errorMessage	String	Error Message - Technical error description explaining what went wrong

Sample Response

```
{
  "ckycNo": "IN2509046927",
  "status": "Approved",
  "updatedAt": "2025-09-05T06:51:20.989Z",
  "message": "CKYC Number has been updated."
}
```

3.7. Update Notification - Unsolicited API

Brief: - Use this API to retrieve list of linked CKYC Number that have been updated

API URL	https://{{URL}}/api/ckyc/v1/update/fetch
Description	Use this API to retrieve updated CKYC records associated with the requested RE for a given time range.

API Header's	
Method	GET
Authorization	Bearer {{Token}}
Content Type	application/json

API Query Parameters	
lastUpdatedAfter	Date format DD-MM-YYYY Example: 14-12-2025
limit	Type: Integer Number of records to return per page (Default: 50). Example: 100
page	Type: Integer The page number for pagination. Example: 1

Request Packet: GET /api/ckyc/v1/update/fetch?lastUpdatedAfter=14-12-2025&limit=50&page=1

Response Parameters for Success Case

Parameter	Data Type	Description
status	String (Enum)	Response Status - Indicates the success or failure of the search/list API request
meta	Object	Metadata - Container object with pagination and result set information
timestamp	String (ISO 8601)	Timestamp - Date and time when the search response was generated in UTC timezone
encryptedData	String (Base64)	Encrypted Data - Search results encrypted using RSA-256 with public key encryption for security and privacy
totalRecords	Integer	Total Records - Total count of all matching records across all pages (not just current page)
page	Integer	Page - Current page number in the paginated result set
limit	Integer	Limit - Number of records returned per page (page size)
totalPages	Integer	Total Pages - Total number of pages required to display all results

Sample Response

```
{
  "status": "success",
  "meta": {
    "totalRecords": 150,
    "page": 1,
    "limit": 50,
    "totalPages": 3
  },
  "timestamp": "2025-09-05T07:38:30.437Z",
  "encryptedData": "eyJhbGciOiJSUzI1NiJ9.hEYkhmUWlyemhB.p9NuALxkQ..."
}
```

Response fields for Plain Json

Parameter	Data Type	Description
Records	Array of Objects	Data - Array of CKYC record update entries containing recent modifications
ckycNo	String (Numeric)	CKYC Number - Unique identifier of the CKYC record that was updated
updatedInfo	String	Updated Info - Description of what information/field was updated in the CKYC record
updatedAt	String (DD-MM-YYYY)	Updated At – The Date on which the record is updated.

Sample Plain Response

```
{
  "records": [
    {
      "ckycNo": "20234567891234",
      "updatedInfo": "Demographic Details Updated.",
      "updatedAt": "15-12-2025"
    },
    {
      "ckycNo": "20234567895678",
      "updatedInfo": "Address Details Updated",
      "updatedAt": "16-12-2025"
    }
  ]
  // ... more records
}
```

4. Image Quality Metrics & Input Guidelines

To ensure maximum accuracy for Optical Character Recognition (OCR) and automated data extraction, input documents must meet baseline image quality thresholds. Submitting images below these thresholds may lead to reduced processing accuracy, extraction failures, or API rejection.

These minimum criteria apply universally to **all document types and file formats** processed across both APIs.

Parameter	Minimum Requirement	Recommended
Pixel Resolution	≥ 512 × 512 px	1024
File Size Range	>70 kb	150 kb
Scan Resolution	≥ 250 DPI	300 DPI

Follow these capture guidelines to maximize document readability

- **Lighting:** Ensure even lighting across the document. Avoid glare from flashes or overhead lights, and keep shadows off key text fields.
- **Framing & Orientation:** Position the camera directly above the document, keeping the page flat
- **Image Clarity:** Use high-contrast images with clean backgrounds (dark text on light paper).

Supported File Formats:

- **Photographs:** JPG, JPEG
- **Individual & Legal Documents:** JPG, PDF

5. Annexure

Institution code	Institution name
A	Sole Proprietorship
B	Partnership Firm
C	HUF
D	Private Limited Company
E	Public Limited Company
F	Society
G	Unincorporated Association or Body of Individual
H	Trust
I	Liquidator
J	Limited Liability Partnership
K	Artificial Liability Partnership (only for old records)
L	Public Sector Banks
M	Central/State Government Department or Agency
N	Section 8 Companies (Companies Act, 2013)
O	Artificial Juridical Person
P	International Organization or Agency
Q	International Organization or Agency/Foreign Embassy or Consular Office etc.

Codes	Allowed Document Type values
A	SUPPORT_POI_DOC, ATTORNEY_GRANTED_DOC, ACTIVITY_PROOF_1, ACTIVITY_PROOF_2, OTHERS
B	REGISTRATION_CERTIFICATE, PARTNERSHIP_DEED, ALL_PARTNER_LIST, OTHERS
D	CERTIFICATE_OF_INCORPORATION, MEMORANDUM_OF_ASSOCIATION, RESOLUTION_FROM_BOARD, SENIOR_MANAGEMENT_LIST, OTHERS
E	CERTIFICATE_OF_INCORPORATION, MEMORANDUM_OF_ASSOCIATION, RESOLUTION_FROM_BOARD, SENIOR_MANAGEMENT_LIST, CERTIFICATE_OF_COMMENCEMENT, OTHERS
G	MANAGING_BODY_LIST, ATTORNEY_GRANTED_DOC, ASSOCIATION_EXISTENCE_PROOF, OTHERS
H	REGISTRATION_CERTIFICATE, TRUST_DEED, TRUSTEE_LIST, ATTORNEY_GRANTED_DOC, OTHERS
J/K	PARTNERSHIP_DEED, ALL_PARTNER_LIST, LLPIN, OTHERS
N	CERTIFICATE_OF_INCORPORATION, MEMORANDUM_OF_ASSOCIATION, RESOLUTION_FROM_BOARD, SENIOR_MANAGEMENT_LIST, OTHERS
C/F/I/L /M/O/P /Q/R	SUPPORT_POI_DOC, ATTORNEY_GRANTED_DOC, OTHERS

6. Error Code

Error Code	Error Type	Description	HTTP Status
KYC_DOC_001	Invalid Document Type	Unsupported document type provided	400
KYC_DOC_002	Document Expired	Provided document has expired	422
KYC_DOC_003	Poor Image Quality	Document image quality insufficient	422
KYC_DOC_004	Document Not Readable	OCR failed to extract text from document	422
KYC_DOC_005	Missing Required Pages	Multi-page document incomplete	400
KYC_DOC_006	Document Size Exceeded	File size exceeds maximum limit	413
KYC_DOC_007	Invalid File Format	Unsupported file format	415
KYC_DOC_008	Document Tampered	Document appears to be modified	422
CKYC_001	Registry Unavailable	CKYC registry service down	503
CKYC_002	Invalid CKYC Number	CKYC number format invalid	400

CKYC_003	CKYC Record Not Found	No matching record in CKYC registry	404
CKYC_004	CKYC Mismatch	Provided details don't match CKYC record	422
CKYC_005	CKYC Download Failed	Failed to download CKYC record	502
CKYC_006	CKYC Search Timeout	CKYC registry search timed out	504
CKYC_007	Invalid Search Criteria	Insufficient data for CKYC search	400
CKYC_008	CKYC Rate Limit	CKYC API rate limit exceeded	429
CUST_VER_001	Identity Mismatch	Customer identity verification failed	422
CUST_VER_002	Liveness Check Failed	Biometric liveness detection failed	422
CUST_VER_003	Face Match Failed	Face matching with document photo failed	422
CUST_VER_004	Duplicate Customer	Customer already exists in system	409
CUST_VER_005	Age Verification Failed	Customer age below minimum requirement	422
CUST_VER_006	Address Verification Failed	Address proof validation failed	422
CUST_VER_007	Phone Verification Failed	Phone number verification failed	422
CUST_VER_008	Email Verification Failed	Email verification failed	422
PAN_001	Invalid PAN Format	PAN number format incorrect	400
PAN_002	PAN Not Found	PAN number not found in registry	404
PAN_003	PAN Name Mismatch	Name doesn't match PAN record	422
PAN_004	PAN Service Unavailable	PAN verification service down	503
AADHAAR_001	Invalid Aadhaar Format	Aadhaar number format incorrect	400
AADHAAR_002	Aadhaar Not Found	Aadhaar number not found	404
AADHAAR_003	Aadhaar OTP Failed	Aadhaar OTP verification failed	422
AADHAAR_004	Aadhaar Demographic Mismatch	Demographics don't match Aadhaar	422
BACKEND_001	Core Banking Unavailable	Core banking system down	503
BACKEND_002	Database Connection Failed	KYC database connection failed	503
BACKEND_003	Encryption Service Failed	Data encryption/decryption failed	500
BACKEND_004	File Storage Failed	Document storage service failed	502
BACKEND_005	Audit Log Failed	Failed to create audit trail	500
BACKEND_006	Workflow Engine Error	KYC workflow processing failed	500
BACKEND_007	Data Sync Failed	Failed to sync with external systems	502
COMP_001	Sanctions List Match	Customer found in sanctions list	403
COMP_002	PEP Check Failed	Politically Exposed Person check failed	422
COMP_003	Risk Score High	Customer risk assessment score too high	422
COMP_004	Negative News Found	Adverse media screening failed	422
COMP_005	Country Restriction	Customer from restricted country	403

COMP_006	Manual Review Required	Case requires manual compliance review	202
PROXY_001	API Key Invalid	Invalid or missing API key	401
PROXY_002	Rate Limit Exceeded	API rate limit exceeded	429
PROXY_003	Quota Exceeded	API quota exceeded	429
PROXY_004	IP Whitelist Failed	Request from non-whitelisted IP	403
PROXY_005	SSL Certificate Error	SSL certificate validation failed	502
PROXY_006	Request Size Exceeded	Request payload too large	413
PROXY_007	Mediation Policy Failed	API Gateway mediation policy error	500
PROXY_008	Circuit Breaker Open	Backend circuit breaker activated	503

Note: Additional error codes may be added in future updates.