- [x] Learn
- [x] Practice
- [x] Solve Problems
- [x] Grow

Python

if-else Statement

Make decisions in your programs

Simple
Powerful
Versatile

Satyarthi

1 What is if-else?

The `if-else` statement is used to make decisions in Python. It checks a condition, and if the condition is `True`, it executes a block of code. Otherwise, it executes another block of code.

2 Syntax

```
if condition:
    # code to execute if condition is True
else:
    # code to execute if condition is False
```

3 Flowchart



4 Example Program

Code :

```
1  age = int(input("Enter your age: "))
2
3  if age >= 18:
4      print("You are an adult.")
5  else:
       print("You are a minor.")
```

Output (Example Runs)

Enter your age: 20
You are an adult.

Enter your age: 15
You are a minor.

5 Another Example

Code :

```
1  num = int(input("Enter a number: "))
2
3  if num > 0:
4      print("Positive number")
5  else:
6      print("Zero or negative number")
```

Output (Example Runs)

Enter a number: 7
Positive number

Enter a number: -3
Zero or negative number

6 Key Takeaways

- [x] `if-else` is used to make decisions.
- [x] The condition is a Boolean expression (True or False).
- [x] If the condition is `True`, the `if` block runs.
- [x] If the condition is `False`, the `else` block runs.
- [x] Use proper indentation (4 spaces).
- [x] We can also use `elif` to check multiple conditions.

7 Did You Know?

You can check multiple conditions using `if-elif-else`!

Example:

```
if marks >= 90:
    print("A")
elif marks >= 60:
    print("B")
else:
    print("C")
```

"Good decisions in code lead to better results in life."
– Satyarthi

Keep Learning
Keep Growing

- [x] Learn
- [x] Practice
- [x] Solve Problems
- [x] Grow

Python

if-else : Real Life Examples

Simple code, practical use, better understanding

Simple
Powerful
Versatile

Satyarthi

1 Check if a Person is Eligible to Vote

Real Life Use: Many websites and forms check if you are 18 or above.

Code :

```
1  age = int(input("Enter your age: "))
2  if age >= 18:
3      print("You are eligible to vote!")
4  else:
5      print("You are not eligible to vote.")
```

Sample Output :

```
Enter your age: 20
You are eligible to vote!
```

```
Enter your age: 16
You are not eligible
to vote.
```

2 Check Pass or Fail in an Exam

Real Life Use: Used in schools, colleges and competitive exams.

Code :

```
1  marks = int(input("Enter your marks: "))
2  if marks >= 33:
3      print("You have passed!")
4  else:
5      print("You have failed.")
```

Sample Output :

```
Enter your marks: 75
You have passed!
```

```
Enter your marks: 28
You have failed.
```

3 Check if a Number is Positive, Negative or Zero

Real Life Use: Useful in calculations, sensors, games, etc.

Code :

```
1  num = int(input("Enter a number: "))
2  if num > 0:
3      print("Positive number")
4  elif num < 0:
5      print("Negative number")
6  else:
7      print("Zero")
```

Sample Output :

```
Enter a number: 5
Youitive number
```

```
Enter a number: -3
Negative number
```

```
Enter a number: 0
Zero
```

4 Check if a Person Can Get a Discount

Real Life Use: Online shopping sites give discounts based on purchase amount.

Code :

```
1  amount = float(input("Enter purchase amount: "))
2  if amount >= 1000:
3      print("You get a 10% discount!")
4  else:
5      print("No discount. Keep shopping!")
```

Sample Output :

```
Enter purchase amount: 1500
You get a 10% discount!
```

```
Enter purchase amount: 500
No discount. Keep shopping!
```

5 Login System (Simple Example)

Real Life Use: Used in websites and apps to check username and password.

Code :

```
1  username = input("Enter username: ")
2  password = input("Enter password: ")
3  if username == "satyam" and password == "1234":
4      print("Login successful!")
5  else:
6      print("Invalid username or password.")
```

Sample Output :

```
Enter username: satyam
Enter password: 1234
Login successful!
```

```
Enter username: ram
Enter password: 9999
Invalid username or password.
```

6 Check if a Year is a Leap Year

Real Life Use: Used in calendars, date calculators, applications, etc.

Code :

```
1  year = int(input("Enter a year: "))
2  if year % 4 == 0:
3      print("Leap year")
4  else:
5      print("Not a leap year")
```

Sample Output :

```
Enter a year: 2024
Leap year
```

```
Enter a year: 2023
Not a leap year
```

7 Key Takeaways

- [x] `if` checks the condition.
- [x] `else` runs when the condition is False.
- [x] Used in real life in forms, apps, games, shopping sites, etc.
- [x] Helps make programs smart and interactive.
- [x] You can also use `elif` for multiple conditions.

"Small decisions in code can make a big difference in real life."
– Satyarthi

Code
Practice
Improve
Repeat

Small Programs Big Impact

Python Program:

Bank Login (Password Check)

Using if-else Statement (Real Life Example)

Check username and password to allow or deny login.

Code Practice Build Skills For Real Life
– Satyarthi

Secure Banking Secure Future !

1 Problem Statement

A bank wants to allow login only if the username and password are correct. Otherwise, it should show an error message.

Valid Credentials (for testing):

- Username : satyam
- Password : 1234

2 Python Code

File : bank_login.py

```
1  # Bank Login using if-else
2
3  username = input("Enter username: ")
4  password = input("Enter password: ")
5
6  # Correct credentials
7  correct_username = "satyam"
8  correct_password = "1234"
9
10 # Check using if-else
11 if username == correct_username and \
12     password == correct_password:
13     print("\nLogin successful!")
14     print("Welcome to Satyam Bank")
15 else:
16     print("\nInvalid username or password.")
17     print("Please try again.")
```

3 Flowchart



4 Example Run

Correct Login

```
Enter username: satyam
Enter password: 1234

Login successful!
Welcome to Satyam Bank
```

Correct credentials → Login allowed!

Wrong Password

```
Enter username: satyam
Enter password: 5678

Invalid username or password.
Please try again.
```

Wrong password → Access denied!

5 Key Takeaways

- Used input() to take user input.
- Used if-else to check conditions.
- Compared username and password using == and and operator.
- This logic is used in real banking applications, websites and apps.
- You can also add more features like account lock, multiple attempts, etc.
- Practice real-life problems to improve your programming skills.

"Code what you see in real life, and programming will make more sense." – Satyarthi

Practice Improve Grow

Banking Today for a Better Tomorrow!

Python Programming

Question 2

ATM Withdrawal (Balance Check)

Using if-else statement (Real Life Example)

Code
Practice
Build Skills
For Real Life

1 Problem Statement

A bank customer wants to withdraw money from an ATM. Write a Python program to check whether the withdrawal amount is less than or equal to the available account balance. If yes, print a success message and show the remaining balance. Otherwise, print an insufficient balance message.

2 Input / Output Format

Input:

- Current account balance (integer)
- Withdrawal amount (integer)

Output:

- If withdrawal is successful, show the remaining balance.
- If withdrawal amount is greater than balance, show an insufficient balance message.

3 Python Code

```
1  # ATM Withdrawal using if-else
2
3  balance = int(input("Enter your account balance (₹): "))
4  amount = int(input("Enter withdrawal amount (₹): "))
5
6  # Check if withdrawal is possible
7  if amount <= balance:
8      balance = balance - amount
9      print("\nWithdrawal successful!")
10     print(f"Remaining balance: ₹{balance}")
11 else:
12     print("\nInsufficient balance!")
13     print("Please enter a lower amount.")
```

4 Flowchart



5 Sample Runs

Example 1 (Successful Withdrawal)

```
Enter your account balance (₹): 5000
Enter withdrawal amount (₹): 1500

Withdrawal successful!
Remaining balance: ₹3500
```

Example 2 (Insufficient Balance)

```
Enter your account balance (₹): 2000
Enter withdrawal amount (₹): 2500

Insufficient balance!
Please enter a lower amount.
```

6 Key Takeaways

- Used input() to take user input.
- Used if-else to check the condition.
- Performed arithmetic operation to update balance.
- This logic is used in real banking systems, ATMs, websites and mobile apps.
- You can extend this program with more features like transaction history, PIN check, etc.

"Practice real problems to build real skills."
– Satyarthi

Learn
Code
Apply
Grow

Better Code
Brighter Future

Small Programs. Big Impact.

By Satyarthi

Secure Banking Smarter Living !

Python Programming

Question 3

Money Transfer (Account Balance Check)

Using if-else statement (Real Life Example)

Code Practice Build Skills For Real Life
- Satyarthi

"Small Programs Big Impact

1 Problem Statement

A user wants to transfer money to another account. Write a Python program to check if the account has sufficient balance to make the transfer. If the balance is greater than or equal to the transfer amount, print a success message and show the remaining balance. Otherwise, print an insufficient balance message.

2 Input / Output Format

Input:

- Current account balance (integer)
- Amount to transfer (integer)
- Receiver name (string)

Output:

- If transfer is successful, show a success message and remaining balance.
- If balance is less than the transfer amount, show an insufficient balance message.

3 Python Code

```
1  # Money Transfer using if-else
2  balance = int(input("Enter your account balance (₹): "))
3  amount = int(input("Enter amount to transfer (₹): "))
4  receiver = input("Enter receiver name: ")
5
6  # Check if balance is sufficient
7  if amount <= balance:
8      balance = balance - amount
9      print("\nTransfer successful!")
10     print(f"₹{amount} has been transferred to {receiver}.")
11     print(f"Remaining balance: ₹{balance}")
12 else:
13     print("\nInsufficient balance!")
14     print(f"Your current balance is ₹{balance}")
14     print("Please try a lower amount.")
```

4 Flowchart



5 Sample Runs

Example 1: Successful Transfer

```
Enter your account balance (₹): 10000
Enter amount to transfer (₹): 2500
Enter receiver name: rahul

Transfer successful!
₹2500 has been transferred to rahul.
Remaining balance: ₹7500
```

Example 2: Insufficient Balance

```
Enter your account balance (₹): 3000
Enter amount to transfer (₹): 5000
Enter receiver name: neha

Insufficient balance!
Your current balance is ₹3000
Please try a lower amount.
```

6 Key Takeaways

- Used input() to take user input.
- Used if-else to check the condition.
- Performed arithmetic operation (balance deduction).
- This logic is used in real banking apps (money transfer).
- You can extend this program with more features like transaction ID, history, OTP, etc.

"Practice real problems to become a better programmer."
- Satyarthi

Learn
Practice
Improve
Grow

Better Code Better Future

Code Today For a Smarter Tomorrow

By Satyarthi

Secure People Prosper Together !

Python Programming

Nested if-else : Real Life Example

ATM Login and Transaction using Nested if-else

Code Practice Build Skills For Real Life - Satyarthi

First check the card and PIN. If both are correct, ask for the transaction type and then perform withdrawal or balance check. Otherwise, show error messages.

1 Problem Statement

Write a Python program for an ATM system using nested if-else.

First, check if the card is valid and PIN is correct. If both are correct, show a menu:

1. Check Balance
2. Withdraw Money

Use another if-else inside to perform the selected operation. Show appropriate messages for invalid card, wrong PIN, insufficient balance, or invalid choice.

2 Python Code

```
# ATM System using nested if-else

card = input("Enter card number: ")
pin = input("Enter PIN: ")
balance = 10000  # initial balance

# Outer if-else: check card and PIN
if card == "1234" :
    if pin == "4321":
        print("\nLogin successful!")
        print("1. Check Balance")
        print("2. Withdraw Money")
        choice = int(input("Enter your choice: "))

        # Inner if-else: perform transaction
        if choice == 1:
            print(f"\nYour balance is ₹{balance}")
        elif choice == 2:
            amount = int(input("Enter amount: "))
            if amount <= balance:
                balance = balance - amount
                print("\nWithdrawal successful!")
                print(f"Remaining balance: ₹{balance}")
            else:
                print("\nInsufficient balance!")
        else:
            print("\nInvalid choice!")
else:
    print("\nIncorrect PIN!")
else:
    print("\nInvalid card number!")
```

3 Flowchart



4 Sample Runs

Example 1: Check Balance

```
Enter card number: 1234
Enter PIN: 4321
Login successful!
1. Check Balance
2. Withdraw Money
Enter your choice: 1

Your balance is ₹10000
```

Example 2: Withdrawal (Insufficient Balance)

```
Enter card number: 1234
Enter PIN: 4321
Login successful!
1. Check Balance
2. Withdraw Money
Enter your choice: 2
Enter amount: 15000

Insufficient balance!
Please try a lower amount.
```

5 Key Takeaways

- Nested if-else means an if-else inside another if or else block.
- It is useful for multi-level decision making.
- Commonly used in real life applications like login systems, banking, e-commerce, etc.
- Helps in writing clean and logical code.
- Always consider all possible cases (valid input, invalid input, error cases).

"Practice real problems to build real skills." - Satyarthi

Better Code Brighter Future

Small Programs. Big Impact.

By Satyarthi

INDEX

DATA SCIENCE MASTERY – THE COMPLETE VISUAL GUIDE

100 PAGES • 6 MAJOR DOMAINS • COMPLETE DATA SCIENCE ROADMAP

01 PYTHON

Learn Python programming from basics to advanced concepts.

1.1	Python Introduction	02
1.2	Setup & Installation	03
1.3	Python Basics	04
1.4	Data Types & Variables	06
1.5	Operators	09
1.6	Control Flow	12
1.7	Functions	15
1.8	Data Structures	18
1.9	File Handling	22
1.10	Exception Handling	24
1.11	Modules & Packages	26
1.12	OOPs Concepts	28
1.13	Iterators & Generators	31
1.14	Lambda Functions	33
1.15	Regular Expressions	34
1.16	Python Best Practices	36
1.17	Mini Projects	37
1.18	Practice Exercises	40

Pages 02 – 40

02 SQL

Master SQL for database querying and data management.

2.1	SQL Introduction	41
2.2	Database Basics	42
2.3	SELECT Statement	43
2.4	WHERE Clause	45
2.5	AND, OR, NOT Operators	46
2.6	ORDER BY	47
2.7	GROUP BY	48
2.8	HAVING Clause	49
2.9	Joins	50
2.10	Subqueries	52
2.11	Set Operators	54
2.12	Aggregate Functions	55
2.13	Insert, Update, Delete	56
2.14	Views	57
2.15	Indexes	58
2.16	Transactions	59
2.17	SQL Functions	60
2.18	Practice Exercises	61

Pages 41 – 61

03 LIBRARIES

Explore essential Python libraries for data science and analysis.

3.1	NumPy	62
3.2	Pandas	65
3.3	Matplotlib	68
3.4	Seaborn	70
3.5	Plotly	72
3.6	Scikit-learn	74
3.7	Statsmodels	76
3.8	OpenCV	78
3.9	NLTK	79
3.10	Libraries Summary	80

Pages 62 – 80

04 POWER BI

Build interactive reports and dashboards with Power BI.

4.1	Power BI Introduction	81
4.2	Getting Started	82
4.3	Data Import	83
4.4	Power Query Basics	84
4.5	Data Modeling	86
4.6	DAX Basics	88
4.7	Visualizations	90
4.8	Filters & Slicers	92
4.9	KPIs & Dashboards	93
4.10	Mini Projects	95

Pages 81 – 95

05 EXCEL

Analyze, visualize and manage data efficiently in Excel.

5.1	Excel Basics	96
5.2	Formulas & Functions	96
5.3	Cell References	96
5.4	Data Formatting	97
5.5	Conditional Formatting	97
5.6	Sorting & Filtering	98
5.7	Charts & Graphs	98
5.8	Pivot Table Basics	99
5.9	Advanced Tips	99
5.10	Mini Projects	100

Pages 96 – 100

06 MACHINE LEARNING

Build ML models and solve real-world problems.

6.1	ML Introduction	–
6.2	Types of ML	–
6.3	Data Preprocessing	–
6.4	Exploratory Data Analysis	–
6.5	Feature Engineering	–
6.6	Train Test Split	–
6.7	Linear Regression	–
6.8	Logistic Regression	–
6.9	Decision Trees	–
6.10	Mini ML Projects	–



End of Book

HOW TO USE THIS BOOK

- Follow the order or jump to the topic you need.
- Practice codes and projects in each section.
- Build, analyze and become a data expert!
- Consistency + Practice = Data Science Mastery

- [x] Think
- [x] Code
- [x] Practice
- [x] Improve

Python
If - Elif - Else

Make decisions in your code

Simple
Powerful
Versatile

Satyarthi

1 What is If-Elif-Else?

If-elif-else is a conditional statement in Python that helps you execute different blocks of code based on different conditions.

It allows your program to make decisions, just like we do in real life.

Syntax

```
if condition1:
    # code to execute if condition1 is True
elif condition2:
    # code to execute if condition2 is True
else:
    # code to execute if no condition is True
```

2 Example Program

Check the marks and print the grade.

Code :

```
marks = int(input("Enter marks: "))

if marks >= 90:
    print("Grade: A")
elif marks >= 75:
    print("Grade: B")
else:
    print("Grade: C")
```

Sample Output

```
Enter marks: 92
Grade: A

Enter marks: 78
Grade: B

Enter marks: 60
Grade: C
```

3 Flowchart



4 Real Life Example

Check a person's age category.

Code :

```
age = int(input("Enter your age: "))

if age < 13:
    print("You are a Child")
elif age < 20:
    print("You are a Teenager")
else:
    print("You are an Adult")
```

Sample Output

```
Enter your age: 10
You are a Child

Enter your age: 16
You are a Teenager

Enter your age: 25
You are an Adult
```

5 Common Use Cases

- [x] Check user input (like age, marks, password)
- [x] Menu-driven programs
- [x] Validation (e.g., positive/negative number)
- [x] Login systems
- [x] Game logic
- [x] Decision making in real-world applications

6 Practice Questions

1. Write a program to check if a number is positive, negative or zero.
2. Take a person's age as input and print if they are a child (0–12), teenager (13–19), adult (20–59) or senior (60+).
3. Take a username and password as input and check if they are correct (hint: use if-elif-else).

Key Takeaways

- [x] if-elif-else helps in decision making.
- [x] You can check multiple conditions.
- [x] elif is used when there are more than two possible conditions.
- [x] The else block runs when no condition is True.
- [x] It is simple but very powerful.

"Good programs make decisions. Great programmers make better decisions." – Satyarthi

- [ ] Solve
- [ ] Practice
- [ ] Improve
- [ ] Become Better

Python
If - Elif - Else
Practice Question

Simple
Powerful
Versatile

Satyarthi

1 Question

Write a Python program that takes a student's marks (out of 100) as input and prints the grade based on the following criteria:

- Marks greater than or equal to 90 → Grade A
- Marks greater than or equal to 75 → Grade B
- Marks greater than or equal to 50 → Grade C
- Marks less than 50 → Grade D

Use if - elif - else to solve this problem.

Sample Input / Output

Input (Marks)	Output (Grade)
95	Grade A
80	Grade B
65	Grade C
40	Grade D

2 Solution Code

```
1  # Python program to find the grade
2  marks = int(input("Enter your marks (out of 100): "))
3
4  if marks >= 90:
5      print("Grade A")
6  elif marks >= 75:
7      print("Grade B")
8  elif marks >= 50:
9      print("Grade C")
10 else:
11     print("Grade D")
```

How It Works?

1. The program takes marks as input from the user.
2. It first checks `if` the marks are ≥ 90. If true, it prints Grade A.
3. If not, it checks the next condition (marks ≥ 75), and so on.
4. If none of the conditions are true, the `else` block is executed and Grade D is printed.

3 Example Run

```
Enter your marks (out of 100): 78
Grade B
```

Key Takeaway

- [x] `if - elif - else` helps in decision making.
- [x] Conditions are checked from top to bottom.
- [x] Only the first true condition is executed.
- [x] It is widely used in real-life programs (e.g., grading, login systems, validations).

"Practice today, better code tomorrow." – Satyarthi

- [ ] Solve
- [ ] Practice
- [ ] Improve
- [ ] Become Better

Python
If - Elif - Else
Practice Question

Simple
Powerful
Versatile

Satyarthi

1 Question

Write a Python program that takes a student's marks (out of 100) as input and prints the grade based on the following criteria:

- Marks greater than or equal to 90 → Grade A
- Marks greater than or equal to 75 → Grade B
- Marks greater than or equal to 50 → Grade C
- Marks less than 50 → Grade D

Use if - elif - else to solve this problem.

Sample Input / Output

Input (Marks)	Output (Grade)
95	Grade A
80	Grade B
65	Grade C
40	Grade D

2 Solution Code

```
1  # Python program to find the grade
2  marks = int(input("Enter your marks (out of 100): "))
3
4  if marks >= 90:
5      print("Grade A")
6  elif marks >= 75:
7      print("Grade B")
8  elif marks >= 50:
9      print("Grade C")
10 else:
11     print("Grade D")
```

How It Works?

1. The program takes marks as input from the user.
2. It first checks `if` the marks are ≥ 90. If true, it prints Grade A.
3. If not, it checks the next condition (marks ≥ 75), and so on.
4. If none of the conditions are true, the `else` block is executed and Grade D is printed.

3 Example Run

```
Enter your marks (out of 100): 78
Grade B
```

Key Takeaway

- [x] `if - elif - else` helps in decision making.
- [x] Conditions are checked from top to bottom.
- [x] Only the first true condition is executed.
- [x] It is widely used in real-life programs (e.g., grading, login systems, validations).

"Practice today, better code tomorrow." – Satyarthi

Think
Code
Practice
Grow

Python
If - Elif - Else
Practice Question

Simple
Powerful
Versatile

Satyarthi

1 Question

Write a Python program to check a person's age and print the category based on the following criteria:

- If age is less than 13 → Print "Child"
- If age is between 13 and 19 (inclusive) → Print "Teenager"
- If age is between 20 and 59 (inclusive) → Print "Adult"
- If age is 60 or above → Print "Senior Citizen"

Example Input / Output

Input (Age)	Output (Category)
8	Child
15	Teenager
25	Adult
60	Senior Citizen

2 Solution Code

```
1   # Python program to check age category
2   age = int(input("Enter your age: "))
3
4   if age < 13:
5       print("Child")
6   elif age <= 19:
7       print("Teenager")
8   elif age <= 59:
9       print("Adult")
10  else:
11      print("Senior Citizen")
```

3 Output Example

```
Enter your age: 8
Child
```

```
Enter your age: 15
Teenager
```

```
Enter your age: 25
Adult
```

```
Enter your age: 60
Senior Citizen
```

4 How It Works?

1. The program takes the age as input from the user.
2. It checks if the age is less than 13.
3. If not, it checks if the age is 13 to 19.
4. If not, it checks if the age is 20 to 59.
5. If none of the above conditions are true, the else block runs (age 60 or above).

5 Key Takeaways

- ✅ if - elif - else helps in decision making.
- ✅ Conditions are checked from top to bottom.
- ✅ Only the first true condition is executed.
- ✅ It is useful in real-life applications (age groups, eligibility, login systems, etc.).
- ✅ You can have multiple elif blocks for multiple conditions.

"Small programs today, big skills tomorrow." – Satyarthi

- [ ] Learn
- [ ] Practice
- [ ] Build Logic
- [ ] Level Up ☺

Python
If - Elif - Else
Practice Question

Simple
Powerful
Versatile

Satyarthi

1 Question

Write a Python program to check a username and password for login. Use if - elif - else and print an appropriate message based on the following conditions:

- If both username and password are correct → Print "Login Successful"
- If username is correct but password is wrong → Print "Incorrect Password"
- If username is wrong but password is correct → Print "Username Not Found"
- If both are wrong → Print "Login Failed"

Sample Input / Output

Input (Username, Password)	Output
(admin, 1234)	Login Successful
(admin, 9999)	Incorrect Password
(user, 1234)	Username Not Found
(user, 5678)	Login Failed

2 Solution Code

```
1  # Python program for login system
2  username = input("Enter username: ")
3  password = input("Enter password: ")
4
5  if username == "admin" and password == "1234":
6      print("Login Successful")
7  elif username == "admin" and password != "1234":
8      print("Incorrect Password")
9  elif username != "admin" and password == "1234":
10     print("Username Not Found")
11 else:
11     print("Login Failed")
```

3 Example Run

```
Enter username: admin
Enter password: 1234
Login Successful
```

```
Enter username: admin
Enter password: 9999
Incorrect Password
```

```
Enter username: user
Enter password: 1234
Username Not Found
```

```
Enter username: user
Enter password: 5678
Login Failed
```

4 How It Works?

1. Takes username and password as input from the user.
2. Checks if both are correct using `if`.
3. If not, checks other conditions using `elif`.
4. If none of the conditions are true, the `else` block runs and prints "Login Failed".

5 Key Takeaways

- [x] if - elif - else allows multiple conditions.
- [x] Conditions are checked from top to bottom.
- [x] Only the first true condition is executed.
- [x] Useful in real-world applications (login systems, validation, menu systems, etc.).
- [x] Helps in building logical thinking.

"Practice logical thinking, it helps beyond coding." – Satyarthi ☺